

**NATIONAL
CANCER REGISTRY
PROGRAMME**

Indian Council of Medical Research

NATIONAL CANCER REGISTRY PROGRAMME

Indian Council of Medical Research

Two-year Report of the Population Based Cancer Registries 1999 - 2000

Prepared by the following

Staff at Coordinating Unit of NCRP,

Dr A. Nandakumar

Dr T. Ramnath

F. S. Roselind

B. Shobana

Kiran Prabhu

*In Collaboration with the Population Based Cancer Registries at the following places
(with names of respective Principal and Co-Principal Investigators/Senior Staff)*

Bangalore:	Dr P.S. Prabhakaran	Dr K. Ramachandra Reddy
Barshi:	Dr K.A. Dinshaw	Dr B.M. Nene
Bhopal:	Dr V.K. Bharadwaj	Mr Atul Shrivastava
Chennai:	Dr V. Shanta	Dr R. Swaminathan
Delhi:	Dr Vinod Raina	Mr B.B. Tyagi
Mumbai:	Dr A. P. Kurkure	Dr B.B. Yeole

NCRP, Bangalore

April 2005

© National Cancer Registry Programme
(Indian Council of Medical Research)
Bangalore

April 2005

Population based cancer registries provided individual core data. Quality control checks, tabulations and statistical analysis were done at the Coordinating Unit of NCRP, Bangalore.

The publications of NCRP are intended to contribute to the dissemination of authentic information on cancer incidence by age (Five-year age groups), sex and site (ICD-10).

PRINTED IN INDIA

*Published by the Coordinating Unit, National Cancer Registry Programme (ICMR), Bangalore 560094
and Printed at the National Printing Press, Bangalore 560095*

NATIONAL CANCER REGISTRY PROGRAMME

Indian Council of Medical Research

Dr N.K. Ganguly

Director General

Dr Padam Singh

Addl. Director General

Dr Usha K. Luthra

*Senior Adviser,
Cancer Research*

Division of Non-Communicable Diseases

Dr Bela Shah

Chief & Sr Deputy Director General

Dr A. Nandakumar

*Officer-in-Charge, NCRP &
Dy Director General (Sr Gr)*

Dr Kishor Chaudhry

Dy Director General (Sr Gr)

Dr T. Ramnath

Dy Director General

Steering/Monitoring Committee

Dr P. S. S. Sundar Rao, Bangalore

Dr P. C. Gupta, Mumbai

Dr N.C. Misra, Lucknow

Dr S. Radhakrishna, Hyderabad

Dr B.D. Gupta, Chandigarh

Dr R.N. Visveswara, Bangalore

Mr P. Gangadharan, Ernakulam

Dr Kusum Joshi, Chandigarh

Cancer Registries (With Names of Principal Investigators)

Population Based

Ahmedabad : **Dr Pankaj Shah**
Bangalore : **Dr P.S. Prabhakaran**
Barshi : **Dr K.A. Dinshaw**
Bhopal : **Dr V.K. Bharadwaj**
Chennai : **Dr V. Shanta**
Delhi : **Dr Vinod Raina**
Mumbai : **Dr A.P. Kurkure**

Hospital Based

Bangalore : **Dr P.S. Prabhakaran**
Chennai : **Dr V. Shanta**
Dibrugarh : **Dr T.R. Borbora**
Mumbai : **Dr K.A. Dinshaw**
Thi'puram* : **Dr B. Rajan**
(*Thiruvananthapuram)

North Eastern Regional Cancer Registry (Population Based) With Names of Principal Investigators

Monitoring Unit: Dr J. Mahanta, Director, Regional Medical Research Centre (ICMR), Dibrugarh.

Aizawl : **Dr Eric Zomawia**

Dibrugarh : **Dr T.R. Borbora**

Gangtok : **Dr Yogesh Verma**

Guwahati : **Dr Jagannath D. Sharma**

Imphal : **Dr Y. Mohen Singh**

Silchar : **Dr Sekhar Chakravarty**

Other Staff at Coordinating Unit of NCRP, Bangalore

**G.C. Shivayogi, Murali Dhar, F.S. Roselind, B.S. Sreevalli,
B. Shobana, John J. Manavalan, N.M. Ramesha, Kiran Prabhu,
A. Hassan Mohammed, M. Rajendra**

ADDRESSES

Indian Council of Medical Research (Headquarters): V. Ramalingaswami Bhawan, Ansari Nagar, New Delhi - 110 029.

Coordinating Unit of National Cancer Registry Programme: No 557, 'Srinivasa Nilaya', New BEL Road, 7th Main, Dollar's Colony, Bangalore 560 094.

Steering / Monitoring Committee – Names, Designation and Addresses

Dr P. S. S. Sundar Rao, (Former Director, Schieffelin Leprosy Research & Training Centre, S.L.R. Sanatorium, Karigiri, Tamil Nadu), No. 88, Kuvempu Layout, Gubbi Cross, Kothanur, Bangalore - 560 077.

Dr P. C. Gupta, Director, Healix - Sekhsaria Institute of Public Health, 601, Great Eastern Chambers, Plot 28, Sector 11, CBD, Belapur (East), Navi Mumbai - 400 614.

Prof N.C. Misra, Professor of Surgery (Oncology), 122, Faizabad Road, Near Indira Bridge, Lucknow - 226 007.

Dr S. Radhakrishna (Former Director, IRMS-ICMR, Chennai), D-201 High Rise Apartments, Lower Tank Bund Road, Gandhinagar, Hyderabad - 500 080.

Dr B.D. Gupta, Chairman, Professor Emeritus, Radiotherapy and Oncology, Dr Vikrant Gupta Memorial Foundation, 223, Sector 15-A, Chandigarh - 160 015.

Dr R.N. Visweswara, Prof. of Pathology, Vydehi Institute of Medical Sciences and Research Centre, No. 82, EPIP Area, White Field, Bangalore - 560 066.

Mr P. Gangadharan, Consultant - Oncology Centre, Amrita Institute of Medical Sciences, Elamakkara P.O., Kochi - 682 026

Dr Kusum Joshi, Prof. & Head of Histopathology, PGIMER, Chandigarh - 160 012.

Cancer Registries

Bangalore (PBCR & HBCR): Kidwai Memorial Institute of Oncology, Dr M.H. Marigowda Road, Bangalore - 560 029.

Barshi (PBCR): Nargis Dutt Memorial Cancer Hospital, Barshi - 413 401 (Solapur), Maharashtra.

Bhopal (PBCR): Department of Pathology, Gandhi Medical College, Bhopal - 462 001.

Chennai (PBCR & HBCR): Cancer Institute (WIA), 18, Sardar Patel Road, Chennai - 600 020.

Delhi (PBCR): Institute Rotary Cancer Hospital, Department of Pathology, All India Institute of Medical Sciences, Ansari Nagar, New Delhi - 110 029.

Dibrugarh (HBCR): Assam Medical College, Dibrugarh - 786 002, Assam

Mumbai (PBCR): Indian Cancer Society, 74, Jerbai Wadia Road, Parel, P.O. Box No. 6033, Mumbai - 400 012.

Mumbai (HBCR): Tata Memorial Hospital, Parel, Mumbai - 400 012

Thiruvananthapuram (HBCR): Regional Cancer Centre, Medical College Campus, Thiruvananthapuram - 695 011.

<i>Foreword</i>	<i>xiii</i>
<i>Acknowledgements</i>	<i>xiv</i>
<i>National Cancer Registry Programme</i>	<i>xv</i>
<i>Introduction and Summary of Report</i>	<i>xviii</i>

PART I - Chapters: Detailed Description

1. <i>Population and Cancer Incidence</i>	1 - 7
2. <i>Leading Sites of Cancer and Inter Registry Comparisons</i>	9 - 23
3. <i>Cancer Sites associated with Use of Tobacco</i>	24 - 27
4. <i>Basis of Diagnosis</i>	28 - 33
5. <i>Cancer Mortality</i>	34 - 44
6. <i>Data Quality and Indices of Reliability</i>	45 - 46
7. <i>Definitions, Statistical Terms and Methods used in Calculations</i>	47 - 49

References	50
-------------------	-----------

PART II - Individual Registries Write-up and Tabulations

<i>Individual Registry Data/Acronyms</i>	<i>51</i>
<i>Bangalore</i>	<i>52 - 87</i>
<i>Barshi</i>	<i>88 - 123</i>
<i>Bhopal</i>	<i>124 - 159</i>
<i>Chennai</i>	<i>160 - 195</i>
<i>Delhi</i>	<i>196 - 231</i>
<i>Mumbai</i>	<i>232 - 267</i>

Other Publications of NCRP	268
-----------------------------------	------------

LIST OF TABLES (1999-2000)

Page Nos.

1.1	Area Covered and Population at Risk	2
1.2	Total Number of Cases Registered	2
1.3	Crude Rate, Age Adjusted and Truncated Incidence Rates per 100,000 population in different PBCRs	2
1.4	Cumulative Incidence Rate, Cumulative Risk & Possibility of one in number of persons developing Cancer of Any Site (ICD10 : C00-C96)	7
2.1	Ten Leading Sites of Cancer – Bangalore	12
2.2	Ten Leading Sites of Cancer – Barshi	14
2.3	Ten Leading Sites of Cancer – Bhopal	16
2.4	Ten Leading Sites of Cancer – Chennai	18
2.5	Ten Leading Sites of Cancer – Delhi	20
2.6	Ten Leading Sites of Cancer – Mumbai	22
3.1	Number and Relative Proportion of TRCs (IARC 1987)	24
3.2	Number and Relative Proportion of tobacco related cancers relative to all sites of cancer	25
3.3	Number and Relative Proportion of specific types of cancer among tobacco related cancers (TRC)	26
4.1	Number & Relative Proportion of cancers based on different methods of diagnosis	31
4.2	Number & Relative Proportion of cancers based on different types of Microscopic Diagnosis	31
5.1	Number of Incident, Mortality cases and Mortality Incidence Percent (M/I%)	36
5.2	Crude, Age Adjusted and Truncated Mortality Rate	36
5.3	Number of Matched Deaths, Number of DCOs and Total Deaths	36
6.1	Proportion of Microscopic Verification, Proportion of DCOs and Mortality-Incidence Percent	46
BLR-1	Main Sources of Registration of Incident Cases of Cancer in Bangalore	55
BLR-2.1(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Males – Bangalore	56
BLR-2.1(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Females – Bangalore	57
BLR-2.2(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Males – Bangalore	58
BLR-2.2(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Females – Bangalore	59
BLR-2.3(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Males – Bangalore	60
BLR-2.3(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Females – Bangalore	61
BLR-3.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Males – Bangalore	62
BLR-3.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Females – Bangalore	63
BLR-3.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Males – Bangalore	64
BLR-3.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Females – Bangalore	65
BLR-3.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Males – Bangalore	66
BLR-3.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Females – Bangalore	67
BLR-4(a)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000: Males – Bangalore	68
BLR-4(b)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000: Females – Bangalore	69
BLR-5(a)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Males - Bangalore	70
BLR-5(b)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Females - Bangalore	71
BLR-6(a)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Males – Bangalore	72
BLR-6(b)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Females – Bangalore	73
BLR-7(a)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Males – Bangalore	74

BLR-7(b)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Females – Bangalore	75
BLR-8.1(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Males – Bangalore	76
BLR-8.1(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Females – Bangalore	77
BLR-8.2(a)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Males – Bangalore	78
BLR-8.2(b)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Females – Bangalore	79
BLR-8.3(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Males – Bangalore	80
BLR-8.3(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Females – Bangalore	81
BLR-9.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Males – Bangalore	82
BLR-9.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Females – Bangalore	83
BLR-9.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Males – Bangalore	84
BLR-9.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Females – Bangalore	85
BLR-9.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Males – Bangalore	86
BLR-9.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Females – Bangalore	87
BRS-1	Main Sources of Registration of Incident Cases of Cancer in Barshi	91
BRS-2.1(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Males – Barshi	92
BRS-2.1(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Females – Barshi	93
BRS-2.2(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Males – Barshi	94
BRS-2.2(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Females – Barshi	95
BRS-2.3(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Males – Barshi	96
BRS-2.3(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Females – Barshi	97
BRS-3.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Males – Barshi	98
BRS-3.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Females – Barshi	99
BRS-3.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Males – Barshi	100
BRS-3.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Females – Barshi	101
BRS-3.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Males – Barshi	102
BRS-3.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Females – Barshi	103
BRS-4(a)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Males – Barshi	104
BRS-4(b)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Females – Barshi	105
BRS-5(a)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Males - Barshi	106
BRS-5(b)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Females - Barshi	107
BRS-6(a)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Males – Barshi	108
BRS-6(b)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Females – Barshi	109
BRS-7(a)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Males – Barshi	110
BRS-7(b)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Females – Barshi	111
BRS-8.1(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Males – Barshi	112
BRS-8.1(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Females – Barshi	113

BRS-8.2(a)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Males – Barshi	114
BRS-8.2(b)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Females – Barshi	115
BRS-8.3(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Males – Barshi	116
BRS-8.3(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Females – Barshi	117
BRS-9.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Males – Barshi	118
BRS-9.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Females – Barshi	119
BRS-9.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Males – Barshi	120
BRS-9.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Females – Barshi	121
BRS-9.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Males – Barshi	122
BRS-9.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Females – Barshi	123
BHP-1	Main Sources of Registration of Incident Cases of Cancer in Bhopal	127
BHP-2.1(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Males – Bhopal	128
BHP-2.1(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Females – Bhopal	129
BHP-2.2(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Males – Bhopal	130
BHP-2.2(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Females – Bhopal	131
BHP-2.3(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Males – Bhopal	132
BHP-2.3(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Females – Bhopal	133
BHP-3.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Males – Bhopal	134
BHP-3.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Females – Bhopal	135
BHP-3.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Males – Bhopal	136
BHP-3.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Females – Bhopal	137
BHP-3.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Males – Bhopal	138
BHP-3.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Females – Bhopal	139
BHP-4(a)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Males – Bhopal	140
BHP-4(b)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Females – Bhopal	141
BHP-5(a)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Males - Bhopal	142
BHP-5(b)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Females - Bhopal	143
BHP-6(a)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Males – Bhopal	144
BHP-6(b)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Females – Bhopal	145
BHP-7(a)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Males – Bhopal	146
BHP-7(b)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Females – Bhopal	147
BHP-8.1(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Males – Bhopal	148
BHP-8.1(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Females – Bhopal	149
BHP-8.2(a)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Males – Bhopal	150
BHP-8.2(b)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Females – Bhopal	151
BHP-8.3(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Males – Bhopal	152

BHP-8.3(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Females – Bhopal	153
BHP-9.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Males – Bhopal	154
BHP-9.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Females – Bhopal	155
BHP-9.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Males – Bhopal	156
BHP-9.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Females – Bhopal	157
BHP-9.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Males – Bhopal	158
BHP-9.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Females – Bhopal	159
CHN-1	Main Sources of Registration of Incident Cases of Cancer in Chennai	163
CHN-2.1(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Males – Chennai	164
CHN-2.1(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Females – Chennai	165
CHN-2.2(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Males – Chennai	166
CHN-2.2(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Females – Chennai	167
CHN-2.3(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Males – Chennai	168
CHN-2.3(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Females – Chennai	169
CHN-3.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Males – Chennai	170
CHN-3.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Females – Chennai	171
CHN-3.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Males – Chennai	172
CHN-3.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Females – Chennai	173
CHN-3.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Males – Chennai	174
CHN-3.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Females – Chennai	175
CHN-4(a)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Males – Chennai	176
CHN-4(b)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Females – Chennai	177
CHN-5(a)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Males - Chennai	178
CHN-5(b)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Females - Chennai	179
CHN-6(a)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Males – Chennai	180
CHN-6(b)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Females – Chennai	181
CHN-7(a)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Males – Chennai	182
CHN-7(b)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Females – Chennai	183
CHN-8.1(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Males – Chennai	184
CHN-8.1(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Females – Chennai	185
CHN-8.2(a)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Males – Chennai	186
CHN-8.2(b)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Females – Chennai	187
CHN-8.3(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Males – Chennai	188
CHN-8.3(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Females – Chennai	189
CHN-9.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Males – Chennai	190

CHN-9.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Females – Chennai	191
CHN-9.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Males – Chennai	192
CHN-9.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Females – Chennai	193
CHN-9.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Males – Chennai	194
CHN-9.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Females – Chennai	195
DEL-1	Main Sources of Registration of Incident Cases of Cancer in Delhi	199
DEL-2.1(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Males – Delhi	200
DEL-2.1(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Females – Delhi	201
DEL-2.2(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Males – Delhi	202
DEL-2.2(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Females – Delhi	203
DEL-2.3(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Males – Delhi	204
DEL-2.3(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Females – Delhi	205
DEL-3.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Males – Delhi	206
DEL-3.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Females – Delhi	207
DEL-3.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Males – Delhi	208
DEL-3.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Females – Delhi	209
DEL-3.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Males – Delhi	210
DEL-3.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Females – Delhi	211
DEL-4(a)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Males – Delhi	212
DEL-4(b)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Females – Delhi	213
DEL-5(a)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Males - Delhi	214
DEL-5(b)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Females - Delhi	215
DEL-6(a)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Males – Delhi	216
DEL-6(b)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Females – Delhi	217
DEL-7(a)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Males – Delhi ...	218
DEL-7(b)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Females – Delhi	219
DEL-8.1(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Males – Delhi	220
DEL-8.1(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Females – Delhi	221
DEL-8.2(a)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Males – Delhi	222
DEL-8.2(b)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Females – Delhi	223
DEL-8.3(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Males – Delhi	224
DEL-8.3(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Females – Delhi	225
DEL-9.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Males – Delhi	226
DEL-9.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Females – Delhi	227
DEL-9.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Males – Delhi	228
DEL-9.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Females – Delhi	229

DEL-9.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Males – Delhi	230
DEL-9.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Females – Delhi	231
MUM-1	Main Sources of Registration of Incident Cases of Cancer in Mumbai	235
MUM-2.1(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Males – Mumbai	236
MUM-2.1(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999 : Females – Mumbai	237
MUM-2.2(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Males – Mumbai	238
MUM-2.2(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-2000 : Females – Mumbai	239
MUM-2.3(a)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Males – Mumbai	240
MUM-2.3(b)	Number of Incident Cancers by Five Year Age Group and Site (ICD-10)-1999-2000 : Females – Mumbai	241
MUM-3.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Males – Mumbai	242
MUM-3.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999 : Females – Mumbai	243
MUM-3.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Males – Mumbai	244
MUM-3.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 2000 : Females – Mumbai	245
MUM-3.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Males – Mumbai	246
MUM-3.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Incidence Rate per 100,000 population - 1999-2000 : Females – Mumbai	247
MUM-4(a)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Males – Mumbai	248
MUM-4(b)	Crude, Age Adjusted and Truncated Cancer Incidence Rates from 1997-2000 : Females – Mumbai	249
MUM-5(a)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Males - Mumbai	250
MUM-5(b)	Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) : Females - Mumbai	251
MUM-6(a)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Males – Mumbai	252
MUM-6(b)	Number and Proportion of Cancers by Site (ICD-10) and Method of Diagnosis : Females – Mumbai	253
MUM-7(a)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Males – Mumbai	254
MUM-7(b)	Number and Proportion of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : Females – Mumbai	255
MUM-8.1(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Males – Mumbai	256
MUM-8.1(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999 : Females – Mumbai	257
MUM-8.2(a)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Males – Mumbai	258
MUM-8.2(b)	Number of Cancer Deaths by Five Year Age Group and Site - 2000 : Females – Mumbai	259
MUM-8.3(a)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Males – Mumbai	260
MUM-8.3(b)	Number of Cancer Deaths by Five Year Age Group and Site - 1999-2000 : Females – Mumbai	261
MUM-9.1(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Males – Mumbai	262
MUM-9.1(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999 : Females – Mumbai	263
MUM-9.2(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Males – Mumbai	264
MUM-9.2(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 2000 : Females – Mumbai	265
MUM-9.3(a)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Males – Mumbai	266
MUM-9.3(b)	Average Annual Age Specific, Crude, Age Adjusted (with Standard Error) and Truncated (35-64 Yrs) Mortality Rate per 100,000 population - 1999-2000 : Females – Mumbai	267

LIST OF FIGURES

Page Nos.

1.1	Average Annual Crude, Age Adjusted and Truncated Incidence Rates – All Sites of Cancer : (ICD-10) : C00-C96	3
1.2(a)	Average Annual Age Specific Cancer Incidence Rates – All Sites of Cancer – Males	4
1.2(b)	Average Annual Age Specific Cancer Incidence Rates – All Sites of Cancer – Females	5
2.1	Ten Leading Sites of Cancer – Bangalore	13
2.2	Ten Leading Sites of Cancer – Barshi	15
2.3	Ten Leading Sites of Cancer – Bhopal	17
2.4	Ten Leading Sites of Cancer – Chennai	19
2.5	Ten Leading Sites of Cancer – Delhi	21
2.6	Ten Leading Sites of Cancer – Mumbai	23
3.1	Proportion of Tobacco Related Cancers Relative to All Sites	27
3.2	Proportion of Specific Tobacco Related Sites Relative to all Tobacco Related Cancers	27
4.1(a)	Relative Proportion of Cancers based on different Methods of Diagnosis – Males	29
4.1(b)	Relative Proportion of Cancers based on different Methods of Diagnosis – Females	30
4.2(a)	Relative Proportion of Cancers based on different types of Microscopic Diagnosis – Males	32
4.2(b)	Relative Proportion of Cancers based on different types of Microscopic Diagnosis – Females	33
5.1(a)	Average Annual Age Specific Cancer Mortality Rates – All Sites of Cancer – Males	37
5.1(b)	Average Annual Age Specific Cancer Mortality Rates – All Sites of Cancer – Females	38
5.2(a)	Average Annual Age Specific Incidence & Mortality Rates: All Sites of Cancer – Bangalore	39
5.2(b)	Average Annual Age Specific Incidence & Mortality Rates: All Sites of Cancer – Barshi	40
5.2(c)	Average Annual Age Specific Incidence & Mortality Rates: All Sites of Cancer – Bhopal	41
5.2(d)	Average Annual Age Specific Incidence & Mortality Rates: All Sites of Cancer – Chennai	42
5.2(e)	Average Annual Age Specific Incidence & Mortality Rates: All Sites of Cancer – Delhi	43
5.2(f)	Average Annual Age Specific Incidence & Mortality Rates: All Sites of Cancer – Mumbai	44
BLR-1	Population Pyramid showing Average Age Distribution : 1999-2000 – Bangalore	54
BRS-1	Population Pyramid showing Average Age Distribution : 1999-2000 – Barshi	90
BHP-1	Population Pyramid showing Average Age Distribution : 1999-2000 – Bhopal	126
CHN-1	Population Pyramid showing Average Age Distribution : 1999-2000 – Chennai	162
DEL-1	Population Pyramid showing Average Age Distribution : 1999-2000 – Delhi	198
MUM-1	Population Pyramid showing Average Age Distribution : 1999-2000 – Mumbai	234

FORWARD

The two year 1999-2000 report of the population based cancer registries is the outcome of efforts made by registries under the National Cancer Registry Programme (NCRP) of the Council. The report includes data from five urban and one rural cancer registry under the NCRP. These five urban registries are located at Bangalore, Bhopal, Chennai, Delhi and Mumbai and the rural registry is at Barshi in the state of Maharashtra.

The reports of the NCRP have over a period of time become the standard work of reference not only within our country but abroad as well. Besides providing information on what type of cancer is occurring where and what is the magnitude, these reports have contributed a base for deciding priorities in cancer control programmes in India.

The NCRP is nearing twenty years of systematic scientific collection of data. With the availability of the recent population figures from the 2001 census it is hoped that by the end of the year, NCRP will be able to provide time trends in the occurrence of cancer.

To collate, make checks and prepare quality report takes time. With advances in information technology efforts are under way to shorten the gap between calendar year of data and year of report publication.

It is hoped that this publication will serve as a ready reference on cancer incidence in India for researchers, clinicians, health administrators and others interested in this field.

The registries and all of their staff, deserve thanks for the work they have put in and making available their data.



Prof. N. K. Ganguly
Director General, ICMR

29 April 2005

ACKNOWLEDGEMENTS

Dr N.K. Ganguly, Director General, ICMR;

Dr Bela Shah, Chief, Division of NCD, ICMR;

Dr Usha K. Luthra, Sr Adviser, Cancer Research, ICMR and Member of Steering Committee of NCRP;

Principal Investigators and Staff of Population Based Cancer Registries;

Members of Steering Committee;

Members of Monitoring Committee;

Staff of Division of NCD, ICMR;

Staff of Coordinating Unit: Mr G.C. Shivayogi, Mr N.M. Ramesha and Mr M. Rajendra;

Dr R.N. Visveswara and Dr Kumara Swamy as members of Printing Committee;

Prof K. Ramachandra Reddy for final proof reading.

National Cancer Registry Programme


Under the National Cancer Registry Programme (NCRP), the Indian Council of Medical Research commenced a network of cancer registries across the country in December 1981 with the objectives of

1. Generating reliable data on the magnitude and patterns of cancer - this would be based on morbidity and mortality information in different regions of the country according to sex, age and residence of the patient, anatomical site of cancer and proportion of histological type or microscopic confirmation for each site; pattern of different types of cancer according to relative proportions or ratios in various population sub-groups such as religion, language spoken, educational status; clinical stage of disease when patients come to hospital for treatment and where possible the nature of treatment received and outcome;
2. Undertaking epidemiologic research, such as case control or cohort studies based on observations of registry data;
3. Providing data base for developing appropriate strategies to aid in National Cancer Control Programme; this would be in the form of planning, monitoring and evaluation of activities under this programme;
4. Developing human resource in cancer registration and epidemiology.

Data collection commenced from 1 January 1982 in the population based cancer registries at Bangalore, Chennai and Mumbai, and also in the hospital based cancer registries at Chandigarh, Dibrugarh and Thiruvananthapuram. In order to extend the assessment of cancer patient care, hospital based cancer registries were also started at Bangalore, Chennai and Mumbai in 1984. From 1986 two more urban population based cancer registries were started in Delhi and Bhopal, the latter to determine the effect of Methyl Isocyanate gas exposure on the occurrence of cancer. For the first time a population based rural cancer registry was started in 1987 in Barshi in the state of Maharashtra. To ensure uniformity in the data collected by different registries, code manuals separately for HBCRs (NCRP, 1987) and PBCRs (NCRP, 1987) were prepared. These code manuals are used for the data from 1st January 1986. Under the auspices of the World Health Organization, a project on "Development of an Atlas of Cancer in India" was commenced in 2001. As a fallout of this, a North Eastern Regional Cancer Registry (NERCR) has been commenced in six areas at Guwahati, Dibrugarh and Silchar in Assam, Aizawl in Mizoram, Imphal in Manipur and Gangtok in Sikkim with a Monitoring Unit at Regional Medical Research Centre, Dibrugarh. These registries have started collation of information on cancer cases from 1 January 2003. One more population based rural cancer registry was commenced from 1 January 2003 to cover Ahmedabad rural district. From 1 February 2005 the urban PBCR of Kolkata was included in the NCRP network to cover Kolkata Municipal Corporation. The map of India depicting the locations of the various cancer registries is shown in the adjoining page.

NATIONAL CANCER REGISTRY PROGRAMME

(Indian Council of Medical Research)



The NCRP is a long-term activity of the Indian Council of Medical Research. The programme is one of the many major activities of the Division of Non-Communicable Diseases and an Officer-in-charge coordinates it. The Programme is assisted by a Steering Committee that meets periodically to oversee and guide its functioning. A review meeting is held annually, where the Principal Investigators and staff of the registries under the NCRP, present data and participate in the discussions. This meeting is preceded by a workshop. With the objectives of discussing the various aspects of working of the registry, problematic cases, use of coding and discussion on medical terminology, statistical and epidemiologic methods. About 2-3 senior and junior staff from each of the registries under the NCRP, participate in the workshop.

Cancer registration in India is active. Staff of registries visit hospitals on routine basis and scrutinise the records in various departments that include pathology, radiology, radiotherapy, in-patient wards and out-patient clinics to elicit the desired information on reported cancer cases in a “common core proforma” that has been standardised for all cancer registries in India. Coding of the disease is done according to International Classification of Diseases (WHO, ICD-10). This facilitates comparison of our data with that from registries across the world. In addition, to facilitate the detailed histologic studies, coding is also done according to International Classification of Disease for Oncology (WHO, 3rd Edition 2002). The hospitals include the main cancer hospitals, other general hospitals in both the government and private sector. Besides, pathology laboratories that routinely report cancer cases are also visited. Death certificates are also scrutinised from the municipal corporation units. Every attempt is made by registries to visit all hospitals and register all cancer patients in the registration area who are resident (at least one year) in the area and to also copy all death certificates in which cancer is mentioned as an antecedent or immediate cause.

Certain basic checks of data, especially those related to duplicate verification and matching with mortality records, are carried out by the individual registries. After this, the data is sent to the Coordinating Unit for subjecting the data to various range, consistency and unlikely combinations including a further round of possible duplicate listing. The list of cases with the items of patient information, that require verification are sent to the respective registries by the Coordinating Unit. Individual registries go through the records/reports of such cases and wherever necessary discuss with the concerned clinician or the pathologist. On receiving the clarifications, the Coordinating Unit prepares the detailed tabulations by five-year age group, site and sex, including rates. The individual registries use these tables to prepare the registry’s annual report. The Coordinating Unit collates the data and perform tabulations to prepare the consolidated report of that year.

Apart from the above, the Coordinating Unit undertakes and coordinates epidemiologic and other research studies, including those to ensure that the quality of data is of a high standard and that coverage of cancer cases in the registry area is as complete as possible.

Over the years, staff from registries under the NCRP, have benefited from both short and long term training fellowships in established institutions abroad. This has helped them and the registries to develop into departments of epidemiology and undertake several studies on their own and contribute to several research publications in indexed journals.

Two-year Report of the Population Based Cancer Registries: 1999-2000

Incidence and Distribution of Cancer

INTRODUCTION AND SUMMARY OF THE REPORT

Cancer Registration is a process of continuing, systematic collection of data on the occurrence and characteristics of reportable neoplasms (MacLennan *et al*, 1978). Cancer registries could be Population based (PBCR) or Hospital based (HBCR) or developed for a special purpose in relation to specific exposures like the Bhopal PBCR. They could also be related to a specific anatomical site like bone tumour or morphology like lymphoma registry or a particular age group like childhood cancer registry.

The basic purpose of a PBCR is cancer in the community. The PBCRs provide information on cancer incidence and mortality, time trends of these rates and variations in patterns. They also provide population based cancer survival rates. The PBCRs form a platform for carrying out research investigations on cancer aetiology through case control or cohort studies. To initiate, establish and sustain PBCRs as per international norms requires meticulous planning, cooperation of medical institutions in the area, dedicated and committed personnel and adequate funding. There are many source of registrations from where staff of registries, collect information on cancer cases. These include pathology reports, medical records, radiology and radiotherapy departments and death certificates. The availability of up-dated investigation/diagnostic facilities, well maintained medical records using International Classification of Diseases together with an efficient death registration system are essential for completeness as well as good quality cancer registration.

In India cancer is not a notifiable disease. Therefore, the methodology of data collection by the registries is active. Registry staff, regularly and periodically visit various sources of registration to actively pursue and collect information on cancers reported and interview patients wherever possible. The advent of computing technology and the age of electronic information processing is gradually transforming the working of registries in India. On line checks including duplicate checks of data on the web-site ncrindia.org have been developed.

Studying the magnitude and patterns of cancer helps in determining clues to the cause of cancer and undertake studies in disease aetiology. Epidemiologic studies based on these help in knowing what is happening and what can be done about it. Cancer registries provide the needed information to undertake such investigations.

The previous consolidated report of the PBCRs published in 2003 was of the two year data for the years 1997 and 1998 of the five urban (Bangalore, Bhopal, Chennai, Delhi and Mumbai) and one rural (Barshi) population based cancer registry. The present report covers the data of the above registries for the years 1999 and 2000. It seeks to emphasize cancer incidence and patterns of cancer in the areas covered by these registries. It attempts to give clues to the burden and patterns of cancer in these areas so as to provide a base for studies in cancer causation and its control.

Though the geographic area and population covered (about 3%) by the PBCRs are small compared to the vastness of India and its population, they give a fair idea of the cancer problem especially in urban centres in the country. This report is the culmination of sustained efforts made by the cancer registries.

Chapter 1 gives an idea of the cancer incidence in the registry areas. Cancer incidence rate is generally expressed as age-adjusted (AAR) or age-standardized (according to world standard population) incidence rate per 100,000 persons. For all anatomical sites in urban males the AAR varied from 97.8 to 119.8 and in females from 109.6 to 126.7. As in earlier years incidence rates in the rural registry of Barshi were lower (45.0 in males and 54.2 in females).

Chapter 2 provides a picture of the leading sites of cancer in the different PBCRs. Overall, among males as in the previous report cancer of the lung is numerically the number one cancer. It is the leading site in Delhi, Mumbai and Bhopal, second and third leading site in Chennai and Bangalore respectively. Another site of cancer associated with the use of tobacco, namely, cancer of the oesophagus is an important leading site in both males and females. As in the reports of earlier years, cancer of the stomach in males continues to be the leading site of cancer in the southern registries of Chennai and Bangalore. In women, cancers of the cervix and breast, together accounted for over 40-45% of cancers in urban women and over 55% of cancers in the rural registry in Barshi. Lymphoreticular malignancies as a group are a very important set of neoplasms. They comprise over 10% of malignant neoplasms, have a potential for cure and are of interest in terms of aetiology and epidemiology.

Chapter 3 gives the salient statistics of cancers associated with use of tobacco. These sites of cancer account for 35 to 50% of all sites of cancer in males and 9.9-15.6% of all cancers in females.

Chapter 4 deals with the basis of diagnosis of cancer. The relative proportion of different methods of diagnosis of cancer viz., microscopic, imaging, clinical etc. along with cases with DCO as the basis of diagnosis are given.

Chapter 5 gives an account of the mortality data. There are certain limitations in the collection of mortality data. These include the system of registration of death and certification of the cause of death. Though in urban centres all deaths are generally registered, information on exact cause of death is lacking. When cancer is mentioned as a cause, the anatomical site is not mentioned and when the site is mentioned the histology or morphology is not stated. Because of this, there are difficulties in having a clear and

complete picture of cancer mortality as opposed to cancer morbidity. However, traditionally Mumbai has developed a relatively better system mainly because of the earlier Coroner's act. Chennai registry and more recently Bhopal have made extra efforts to enlist deaths due to all causes and trace back these deaths to elicit cause.

The authenticity of the data depends on its quality, and with reference to the PBCRs, this would be both in terms of completeness of coverage of cancer cases in the geographic area as well as the reliability of the data. Registries routinely undertake various exercises to ensure that the data they collate and process is of high quality. A thorough check of data is also done before tabulation and these aspects are dealt in detail in Chapter 6. The Coordinating Unit has now developed an on-line check programme that can be carried out by the registries through the NCRP website (ncrpindia.org).

Chapter 7 lists the definitions and statistical methods followed.

The detailed individual registry write up and annexure tabulations are provided in Part II of the report. The annexure tabulation for numbers and rates (incidence and mortality) are provided for both the years 1999 and 2000 separately and in combination.

PART - I

Chapter 1

POPULATION AND CANCER INCIDENCE

The major concern of the Population Based Cancer Registry (PBCR) is to calculate cancer incidence rates, study the rates of individual cancers by comparing cancer incidence and patterns, in other registries and in different subgroups of the population in respective areas. The definition and details of these calculations are given in further Chapters.

Geographical area and population at risk

Table 1.1 illustrates the geographical area, the number of male and female population covered by the six respective PBCRs. The population covered ranges from 5.02 lakhs in Barshi to 122.11 lakhs in Delhi registry. Table 1.2 provides the total number of cancers registered in different registry areas.

Cancer Incidence - All sites (ICD10: C00-C96)

Cancer incidence refers to new cancers diagnosed in a given population during a specified time period. Incidence data in this report is based on cancers diagnosed during the period of 1st January 1999 to 31st December 2000. Table 1.2 shows the number of cancers registered during that period. The numbers registered from different registry areas were 424 (Barshi); 1799 (Bhopal); 7578 (Bangalore); 8142 (Chennai); 17581 (Mumbai) and 18234 (Delhi).

In Bhopal, Delhi and Mumbai the number of male cancers were higher than in females. In Bangalore, Barshi and Chennai male cancers were less compared to females. Overall, from six registries 53,758 cancers were registered out of which 26,666 (49.6%) were males and 27,092 (50.4%) were females.

Table 1.3 and Fig. 1.1 provide the Crude (CR), Age Adjusted (AAR) and Truncated Cancer Incidence Rates (TR) of the six registries.

Crude Incidence Rate (CR)

The highest CR per 100,000 was observed in Chennai (92.5) followed by Mumbai (68.9), Delhi (68.1), Bhopal (63.3), Bangalore (60.1) and Barshi (38.8). Similarly, among females the highest CR per 100,000 was observed in Chennai (103.0) followed by Mumbai (83.0), Delhi (81.6), Bangalore (77.5), Bhopal (62.8) and Barshi (45.8).

Age Adjusted Incidence Rate (AAR)

In males, the AAR per 100,000 ranged from 45.0 in Barshi to 119.8 in Bhopal. Among the six PBCRs, Bhopal had the highest AAR but in terms of CR it was the fourth highest.

Among females, the AAR ranged from 54.2 in Barshi to 126.7 in Chennai. Again the order observed among the registries for AAR was different from that observed for crude rates.

TABLE 1.1: Area Covered and Population at Risk (1999-2000)

Registry	Area (sq.km.)	Male	Female	Total Population
Bangalore	365.7	2905880	2629271	5535151
Barshi	3713.4	260385	242401	502786
Bhopal	284.9	751722	674409	1426131
Chennai	170.0	2140395	2030344	4170739
Delhi	685.3	6697777	5513821	12211598
Mumbai	603.0	6436794	5226942	11663736

TABLE 1.2: Total Number of Cases Registered (1999-2000)

Registry	Male	Female	Total Cases
Bangalore	3495	4083	7578
Barshi	202	222	424
Bhopal	952	847	1799
Chennai	3960	4182	8142
Delhi	9177	9057	18234
Mumbai	8880	8701	17581
All Registries	26666	27092	53758

TABLE 1.3: Crude Rate (CR), Age Adjusted (AAR) and Truncated (TR) Incidence Rates per 100,000 Population in Different PBCRs (1999-2000)



Registry	Males			Females		
	CR	AAR	TR	CR	AAR	TR
Bangalore	60.1	97.8	147.7	77.5	122.7	243.4
Barshi	38.8	45.0	68.7	45.8	54.2	101.4
Bhopal	63.3	119.8	193.9	62.8	109.6	238.6
Chennai	92.5	118.7	208.3	103.0	126.7	269.9
Delhi	68.1	111.8	181.0	81.6	126.4	262.3
Mumbai	68.9	116.5	155.4	83.0	125.3	228.3

Fig. 1.1: Average Annual Crude, Age Adjusted and Truncated Incidence Rates (1999-2000)
All Sites of Cancer (ICD-10): C00-C96



MALES

FEMALES

Crude Rate



Age Adjusted Rate



Truncated Rate





Fig. 1.2(a): Average Annual Age Specific Cancer Incidence Rates per 100,000 persons - All Sites of Cancer (1999-2000)

MALES







Fig. 1.2(b): Average Annual Age Specific Cancer Incidence Rates per 100,000 persons - All Sites of Cancer (1999-2000)

FEMALES



Truncated Incidence Rate (TR)

In males, the TR per 100,000 ranged from 68.7 in Barshi to 208.3 in Chennai. Similarly in females it ranged from 101.4 in Barshi to 269.9 in Chennai.

Age Specific Incidence Rates

The gravity of the problem can be assessed from the graph of average annual age specific incidence rates for all sites of cancer using the arithmetic scale. The log scale is used to measure trends.

Figures 1.2 (a) and (b), show that age specific incidence rates increase with increase in age in all registries. Further, after 45 years of age, the average annual age specific cancer incidence rate seems to increase appreciably in males. In females the increase is appreciable after 30 years of age.

Cumulative Rate and Risk

Day (1987) proposed the cumulative rate as another age standardized incidence rate.

The cumulative risk is the probability that an individual will be diagnosed with cancer during a certain age period in the absence of any competing cause of death and assuming current trends prevail over the time period.

For practical purposes, the cumulative rate is a good approximation of the cumulative risk over the defined period of time. This can be estimated from the age specific incidence rates either for the five-year age group from 0-64 years or 0-74 years. Since the average life expectancy of the population of India has gone up, one will have to examine the estimates obtained from both the calculations. In this report, 0-64 and 0-74 years are used as an approximation to an average lifetime for estimating the cumulative rate and risk.

Cumulative Risk (%) in 0-64 years

Among males, except for the rural registry of Barshi the cumulative risk ranged from 5.2% in Bangalore to 7.3% in Chennai. This cumulative risk (%) gives an idea about a person developing cancer during the life period of 0-64 years e.g. like in Bangalore 5.2% of males in the age group 0-64 are likely to develop cancer during their life time.

Among females, the cumulative risk (%) ranged from 7.6% in Mumbai to 8.9% in Chennai. This means on an average about 8% of females in the 0-64 years of age are likely to develop cancer during their life time. In Barshi the cumulative risk was 3.5%.

Cumulative Risk (%) in 0-74 years

Among males, in Barshi the 0-74 age group cumulative risk percentage was 5.3%. In other registries, the cumulative risk percentage ranged from 11.0% in Bangalore to 14.5% in Bhopal.

Among females, the cumulative risk percentage ranged from 11.8% in Bhopal to 13.7% in Mumbai. However in Barshi cumulative risk percentage was 6.3%.

TABLE 1.4: Cumulative Incidence Rate, Cumulative Risk & Possibility of one in number of persons developing Cancer of Any Site (ICD-10): C00-C96 (1999-2000)

Calculation based on age specific rates from 0-64 and 0-74 years of age

Registry	Cumulative Rate (%)		Cumulative Risk (%)		Possibility of one in no. of persons developing cancer	
	Males	Females	Males	Females	Males	Females
<i>0-64 yrs</i>						
Bangalore	5.35	8.33	5.21	7.99	19	13
Barshi	2.63	3.52	2.60	3.46	38	29
Bhopal	6.95	8.26	6.71	7.93	15	13
Chennai	7.55	9.30	7.27	8.88	14	11
Delhi	6.67	9.05	6.45	8.65	15	12
Mumbai	5.73	7.87	5.57	7.57	18	13
<i>0-74 yrs</i>						
Bangalore	11.61	14.20	10.96	13.24	9	8
Barshi	5.40	6.50	5.26	6.29	19	16
Bhopal	15.71	12.60	14.54	11.84	7	8
Chennai	14.09	14.49	13.14	13.49	8	7
Delhi	13.13	14.61	12.31	13.59	8	7
Mumbai	13.83	14.70	12.92	13.67	8	7

In both males and females the cumulative risk (%) in the 0-74 age group was almost double that seen in the 0-64 age group.

Both the cumulative rate and cumulative risk of different registries are tabulated in Table 1.4 for both the 0-64 and 0-74 years age group.

Chapter 2

LEADING SITES OF CANCER

The leading sites of cancer for each gender were decided on the basis of proportion relative to all sites of cancer or in other words based on crude incidence rates. Tables 2.1 to 2.6 and Figures 2.1 to 2.6 show the ten leading sites of cancer for both males and females in the six registries.

BANGALORE

Table 2.1 provides the list of ten leading sites of cancer seen in the area of Bangalore registry. It also provides the respective CR, AAR and TR per 100,000. Figure 2.1 shows the ten leading sites of cancer for both males and females in this registry.

Males: The leading sites of cancer (with relative proportion in parentheses) in Bangalore were stomach (9.4%), oesophagus (8.5%), lung (7.6%), prostate (5.8%), hypopharynx (4.5%) and others. Accordingly the CR and AAR per 100,000 for these sites (given in parentheses) were stomach (5.66 and 9.54), oesophagus (5.11 and 8.99), lung (4.59 and 8.05), prostate (3.44 and 6.58) and hypopharynx (2.68 and 4.75).

Females: The leading cancer sites among females were breast (22.1%) followed by cervix (18.7%), oesophagus (5.5%), ovary (5.0%), mouth (4.8%) and others. The two major leading sites (breast and cervix) constituted over 40% of the total cancers. The CR and AAR per 100,000 were breast (17.16 and 26.80), Cervix (14.53 and 23.26), oesophagus (4.26 and 7.61), ovary (3.90 and 5.99) and mouth (3.73 and 6.20).

BARSHI

Table 2.2 provides the number of cases along with the CR, AAR and TR per 100,000 of ten leading sites of cancer in Barshi registry. Figure 2.2 shows the ten leading sites of cancer for both males and females.

Males: The leading sites of cancer (with relative proportion in parentheses) were hypopharynx (10.9%), oesophagus (7.9%), liver (5.9%), rectum (5.5%) and stomach (5.5%). Accordingly, the CR and AAR per 100,000 for these sites (given in parentheses) were hypopharynx (4.22 and 5.22), oesophagus (3.07 and 3.69), liver (2.30 and 2.84), rectum (2.11 and 2.48) and stomach (2.11 and 2.51).

Females: Cervix (43.24%) was the leading site of cancer in the Barshi registry area. The other leading sites were breast (12.2%), oesophagus (5.9%), rectum (3.2%) and other skin (2.7%). Accordingly, the CR and AAR of the leading sites were cervix (19.80 and 23.41), breast (5.57 and 6.77), oesophagus (2.68 and

3.22), rectum (1.44 and 1.77) and other skin (1.24 and 1.45) respectively. Cervix and breast constituted over 55% of all cancers.

BHOPAL

The ten leading sites of cancer of Bhopal registry along with its CR, AAR and TR per 100,000 are listed in Table 2.3. Figure 2.3 shows the ten leading sites of cancer for both males and females.

Males: The leading sites of cancer (with relative proportion in parentheses) were lung (11.0%), tongue (9.1%), oesophagus (7.6%), mouth (7.6%) and hypopharynx (5.6%). Accordingly, the CR and AAR per 100,000 for these sites (given in parentheses) were lung (6.98 and 14.04), tongue (5.79 and 10.69), oesophagus (4.79 and 9.96), mouth (4.79 and 8.35) and hypopharynx (3.53 and 7.38).

Females: The leading sites of cancer (with relative proportion in parentheses) were breast (24.4%), cervix (21.4%), mouth (6.1%), ovary (4.5%) and gallbladder (4.4%). Accordingly, the CR and AAR per 100,000 for these sites (given in parentheses) were breast (15.35 and 25.54), cervix (13.42 and 24.40), mouth (3.86 and 7.70), ovary (2.82 and 4.96) and gallbladder (2.74 and 5.64). The two major sites of cancer, namely breast & cervix constituted over 45% of all cancers.

CHENNAI

Total numbers of cases of ten leading sites of cancer along with their CR, AAR & TR are tabulated and shown in Table 2.4 for both the sexes. Figure 2.4 shows the ten leading sites of cancer for both males and females.

Males: The leading sites of cancer (with relative proportion in parentheses) in Chennai registry were stomach (11.4%), lung (9.2%), oesophagus (8.3%), mouth (5.1%) and hypopharynx (4.8%). Accordingly the CR and AAR per 100,000 for these sites (given in parentheses) were stomach (10.56 and 13.53), lung (8.50 and 11.29), oesophagus (7.71 and 10.23), mouth (4.70 and 5.97) and hypopharynx (4.39 and 5.85).

Females: The leading sites of cancer (with relative proportion in parentheses) in Chennai registry were cervix (25.2%), breast (22.5%), ovary (5.2%), oesophagus (4.7%) and stomach (4.6%). Accordingly, the CR and AAR per 100,000 for these sites (given in parentheses) were cervix (25.93 and 32.32), breast (23.17 and 27.98), ovary (5.32 and 6.44), oesophagus (4.80 and 6.30) and stomach (4.73 and 5.88). The two leading sites of cancer, the cervix and breast constituted 47.7% of all cancers.

DELHI

The ten leading sites of cancer at Delhi with its CR, AAR and TR per 100,000 are tabulated under Table 2.5. Figure 2.5 shows the ten leading sites of cancer for both males and females.

Males: The leading sites of cancer (with relative proportion in parentheses) in Delhi registry were lung (9.6%), larynx (6.8%), prostate (5.3%), NHL (5.2%) and tongue (5.1%). Accordingly, the CR and AAR per 100,000 for these sites (given in parentheses) were lung (6.55 and 12.24), larynx (4.67 and 8.32), prostate (3.57 and 7.83), NHL (3.57 and 5.34) and tongue (3.48 and 5.87).

Females: The leading sites of cancer (with relative proportion in parentheses) in Delhi registry were breast (25.1%), cervix (16.4%), ovary (7.2%), gallbladder (6.6%) and oesophagus (2.7%). Over 41% of all the cases were contributed by breast and cervix cancer. Accordingly, the CR and AAR per 100,000 for

these sites (given in parentheses) were breast (20.54 and 31.52), cervix uteri (13.22 and 20.45), ovary (5.84 and 8.80), gall bladder (5.36 and 9.06) and oesophagus (2.20 and 3.97).

MUMBAI

Table 2.6 shows the ten leading sites of cancer of Mumbai registry along with its CR, AAR and TR per 100,000. Figure 2.6 shows the ten leading sites of cancer for both males and females.

Males

The leading sites of cancer (with relative proportion in parentheses) in Mumbai registry were lung (9.1%), oesophagus (5.9%), mouth (5.9%), larynx (5.9%) and prostate (5.7%). Accordingly, the CR and AAR per 100,000 for these sites (given in parentheses) were lung (6.23 and 11.71), oesophagus (4.08 and 7.45), mouth (4.07 and 6.15), larynx (4.07 and 7.39) and prostate (3.92 and 8.92).

Females

The leading sites of cancer (with relative proportion in parentheses) in Mumbai registry were breast (25.7%), cervix uteri (14.3%), ovary (6.7%), oesophagus (4.2%) and mouth (3.4%). Accordingly the CR and AAR per 100,000 for these sites (given in parentheses) were breast (21.34 and 31.54), cervix (11.86 and 17.43), ovary (5.52 and 7.94), oesophagus (3.44 and 5.77) and mouth (2.82 and 4.57).

A comparison of inter registry rates suggests that among males, lung cancer was the leading site in Bhopal, Delhi and Mumbai, whereas in Chennai and Bangalore, lung cancer was the second and third leading site of cancer respectively. Cancer of stomach was the leading site in Bangalore and Chennai whereas it occupied different positions in other registries. In Barshi, cancer of hypopharynx was the leading site. In all registries, cancer of oesophagus and tongue were among the leading sites of cancer.

In females, breast cancer was the leading site of cancer in Mumbai, Delhi, Bhopal and Bangalore ranging from 22% to 26% of all cancers in females and second leading site in Chennai and Barshi. In Barshi, cancer cervix constituted 43.2% of all cancers in females. Cancer of cervix was the leading site in Chennai also. The other registries like Bhopal, Bangalore, Delhi and Mumbai have cervical cancer as the second leading site of cancer. Ovarian cancer was one of the leading sites of cancer in all the six registries.

In most of the registries, sites of cancer like Non-Hodgkin's Lymphoma and Brain were one among the ten leading sites of cancer in both males and females.

The leading sites of cancer in this report are based on ICD-10 whereas the previous reports were based on ICD-9. Therefore, some minor differences could occur when comparing leading sites of cancer in the different reports.

TABLE 2.1 : Ten Leading Sites of Cancer - Bangalore (1999-2000)

*Number of Cases, Relative Proportion (%), Crude Rate (CR), Age Adjusted Rate (AAR)
and Truncated Rate (TR)*

Males

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Stomach	330	9.44	5.66	9.54	15.42
2	Oesophagus	298	8.53	5.11	8.99	14.00
3	Lung	267	7.64	4.59	8.05	12.82
4	Prostate	201	5.75	3.44	6.58	4.25
5	Hypopharynx	156	4.46	2.68	4.75	7.12
6	Larynx	145	4.15	2.50	4.38	7.35
7	NHL	141	4.03	2.43	3.56	5.94
8	Brain, NS.	139	3.98	2.37	2.98	4.96
9	Liver	130	3.72	2.24	3.86	5.51
10	Tongue	120	3.43	2.07	3.50	6.58
	All Sites	3495	100.00	60.06	97.77	147.73


Females

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Breast	902	22.09	17.16	26.80	64.05
2	Cervix Uteri	765	18.74	14.53	23.26	51.84
3	Oesophagus	224	5.49	4.26	7.61	11.77
4	Ovary	205	5.02	3.90	5.99	11.98
5	Mouth	196	4.80	3.73	6.20	13.22
6	Stomach	171	4.19	3.21	5.52	9.05
7	Corpus Uteri	132	3.23	2.51	4.03	7.92
8	Thyroid	120	2.94	2.28	3.00	4.87
9	Brain, NS.	97	2.38	1.83	2.40	3.91
10	NHL	97	2.38	1.84	2.74	5.03
	All Sites	4083	100.00	77.52	122.69	243.44

Fig. 2.1: Ten Leading Sites of Cancer - Bangalore (1999-2000)

Age Adjusted Rates given in parentheses

Males



Females




TABLE 2.2 : Ten Leading Sites of Cancer - Barshi (1999-2000)

*Number of Cases, Relative Proportion (%), Crude Rate (CR), Age Adjusted Rate (AAR)
and Truncated Rate (TR)*

Males

Sl.No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Hypopharynx	22	10.89	4.22	5.22	5.35
2	Oesophagus	16	7.92	3.07	3.69	7.40
3	Liver	12	5.94	2.30	2.84	7.63
4	Rectum	11	5.45	2.11	2.48	1.49
5	Stomach	11	5.45	2.11	2.51	3.62
6	Mouth	10	4.95	1.92	2.29	3.60
7	Penis	10	4.95	1.92	2.21	4.31
8	Lung	10	4.95	1.92	2.26	4.20
9	Other Skin	10	4.95	1.92	2.22	3.01
10	NHL	9	4.46	1.73	1.82	2.29
	All Sites	202	100.00	38.79	45.02	68.67


Females

Sl.No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Cervix Uteri	96	43.24	19.80	23.41	49.59
2	Breast	27	12.16	5.57	6.77	13.55
3	Oesophagus	13	5.86	2.68	3.22	5.47
4	Rectum	7	3.15	1.44	1.77	3.93
5	Other Skin	6	2.70	1.24	1.45	0.74
6	Ovary	6	2.70	1.24	1.44	1.49
7	Mouth	6	2.70	1.24	1.56	0.84
8	Tongue	5	2.25	1.03	1.21	2.98
9	Lung	5	2.25	1.03	1.31	0.75
10	Stomach	5	2.25	1.03	1.21	1.49
	All Sites	222	100.00	45.79	54.21	101.35

Fig. 2.2: Ten Leading Sites of Cancer - Barshi (1999-2000)

Age Adjusted Rates given in parentheses

Males



Females




TABLE 2.3 : Ten Leading Sites of Cancer - Bhopal (1999-2000)

*Number of Cases, Relative Proportion (%), Crude Rate (CR), Age Adjusted Rate (AAR)
and Truncated Rate (TR)*

Males

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Lung	105	11.03	6.98	14.04	25.23
2	Tongue	87	9.14	5.79	10.69	21.44
3	Oesophagus	72	7.56	4.79	9.96	15.46
4	Mouth	72	7.56	4.79	8.35	17.45
5	Hypopharynx	53	5.57	3.53	7.38	11.78
6	Prostate	50	5.25	3.33	8.20	7.59
7	Larynx	45	4.73	2.99	6.03	10.07
8	NHL	43	4.52	2.86	4.62	5.55
9	Brain, NS.	30	3.15	2.00	2.60	5.02
10	Rectum	27	2.84	1.80	3.41	4.50
	All Sites	952	100.00	63.33	119.83	193.91


Females

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Breast	207	24.44	15.35	25.54	63.72
2	Cervix Uteri	181	21.37	13.42	24.40	57.63
3	Mouth	52	6.14	3.86	7.70	13.17
4	Ovary	38	4.49	2.82	4.96	12.99
5	Gallbladder	37	4.37	2.74	5.64	11.94
6	Oesophagus	28	3.31	2.08	4.24	7.71
7	NHL	21	2.48	1.56	2.20	4.72
8	Corpus Uteri	20	2.36	1.48	2.86	7.28
9	Myel. Leuk.	19	2.24	1.41	1.93	3.22
10	Lung	18	2.13	1.33	2.72	5.37
	All Sites	847	100.00	62.80	109.55	238.57

Fig. 2.3: Ten Leading Sites of Cancer - Bhopal (1999-2000)

Age Adjusted Rates given in parentheses

Males



Females




TABLE 2.4 : Ten Leading Sites of Cancer - Chennai (1999-2000)

*Number of Cases, Relative Proportion (%), Crude Rate (CR), Age Adjusted Rate (AAR)
and Truncated Rate (TR)*

Males

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Stomach	452	11.41	10.56	13.53	27.56
2	Lung	364	9.19	8.50	11.29	21.68
3	Oesophagus	330	8.33	7.71	10.23	19.30
4	Mouth	201	5.08	4.70	5.97	12.60
5	Hypopharynx	188	4.75	4.39	5.85	9.74
6	Tongue	185	4.67	4.32	5.59	10.56
7	NHL	177	4.47	4.13	4.99	7.74
8	Larynx	169	4.27	3.95	5.17	10.76
9	Prostate	142	3.59	3.32	5.04	3.66
10	Brain, NS.	132	3.33	3.08	3.49	6.03
	All Sites	3960	100.00	92.51	118.67	208.32


Females

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Cervix Uteri	1053	25.18	25.93	32.32	77.68
2	Breast	941	22.50	23.17	27.98	65.10
3	Ovary	216	5.16	5.32	6.44	14.34
4	Oesophagus	195	4.66	4.80	6.30	13.46
5	Stomach	192	4.59	4.73	5.88	11.36
6	Mouth	177	4.23	4.36	5.86	11.67
7	NHL	87	2.08	2.14	2.40	3.88
8	Thyroid	82	1.96	2.02	2.12	4.17
9	Lung	81	1.94	1.99	2.54	4.63
10	Brain, NS.	81	1.94	1.99	2.28	3.55
	All Sites	4182	100.00	102.99	126.72	269.88

Fig. 2.4: Ten Leading Sites of Cancer - Chennai (1999-2000)

Age Adjusted Rates given in parentheses

Males



Females




TABLE 2.5 : Ten Leading Sites of Cancer - Delhi (1999-2000)

*Number of Cases, Relative Proportion (%), Crude Rate (CR), Age Adjusted Rate (AAR)
and Truncated Rate (TR)*

Males

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Lung	882	9.61	6.55	12.24	20.90
2	Larynx	627	6.83	4.67	8.32	15.11
3	Prostate	482	5.25	3.57	7.83	5.34
4	NHL	481	5.24	3.57	5.34	7.38
5	Tongue	468	5.10	3.48	5.87	12.05
6	Oesophagus	456	4.97	3.36	6.04	11.31
7	Brain, NS.	419	4.57	3.11	4.06	7.04
8	Bladder	404	4.40	2.99	5.80	8.20
9	Mouth	315	3.43	2.34	3.89	7.88
10	Gallbladder	298	3.25	2.22	3.90	6.47
	All Sites	9177	100.00	68.11	111.75	180.98


Females

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Breast	2271	25.07	20.54	31.52	73.75
2	Cervix Uteri	1483	16.37	13.22	20.45	49.56
3	Ovary	648	7.15	5.84	8.80	18.86
4	Gallbladder	593	6.55	5.36	9.06	18.68
5	Oesophagus	246	2.72	2.20	3.97	6.76
6	NHL	242	2.67	2.20	3.39	5.37
7	Thyroid	242	2.67	2.18	2.89	5.22
8	Brain, NS.	216	2.38	1.95	2.46	4.85
9	Myel. Leuk.	206	2.27	1.86	2.22	3.84
10	Lung	205	2.26	1.86	3.22	6.08
	All Sites	9057	100.00	81.61	126.41	262.29

Fig. 2.5: Ten Leading Sites of Cancer - Delhi (1999-2000)

Age Adjusted Rates given in parentheses

Males



Females




TABLE 2.6 : Ten Leading Sites of Cancer - Mumbai (1999-2000)

*Number of Cases, Relative Proportion (%), Crude Rate (CR), Age Adjusted Rate (AAR)
and Truncated Rate (TR)*

Males

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Lung	804	9.05	6.23	11.71	15.02
2	Oesophagus	527	5.93	4.08	7.45	10.30
3	Mouth	525	5.91	4.07	6.15	12.34
4	Larynx	524	5.90	4.07	7.39	10.84
5	Prostate	506	5.70	3.92	8.92	4.59
6	NHL	452	5.09	3.50	5.20	6.92
7	Brain, NS.	402	4.53	3.12	4.07	6.10
8	Tongue	399	4.49	3.10	4.98	9.32
9	Stomach	381	4.29	2.95	5.24	7.62
10	Hypopharynx	345	3.89	2.68	4.83	7.13
	All Sites	8880	100.00	68.89	116.47	155.35


Females

Sl. No.	Leading Sites	No. of Cases	%	CR	AAR	TR
1	Breast	2238	25.72	21.34	31.54	65.87
2	Cervix Uteri	1244	14.30	11.86	17.43	39.22
3	Ovary	579	6.65	5.52	7.94	15.08
4	Oesophagus	361	4.15	3.44	5.77	9.40
5	Mouth	295	3.39	2.82	4.57	8.34
6	Brain, NS.	279	3.21	2.67	3.59	5.83
7	NHL	247	2.84	2.36	3.50	5.00
8	Lung	239	2.75	2.28	3.84	6.18
9	Corpus Uteri	214	2.46	2.05	3.38	6.87
10	Gallbladder	201	2.31	1.92	3.18	4.40
	All Sites	8701	100.00	82.98	125.33	228.33


Fig. 2.6: Ten Leading Sites of Cancer - Mumbai (1999-2000)

Age Adjusted Rates given in parentheses

Males



Females



Chapter 3

CANCER SITES ASSOCIATED WITH USE OF TOBACCO

According to the International Agency for Research on Cancer Monograph (IARC,1987), sites of cancer that have been associated with use of tobacco (TRC) include lip, tongue, mouth, pharynx (including oropharynx and hypopharynx), oesophagus, larynx, lung and urinary bladder. Recently, International Agency for Research on Cancer Monograph (IARC 2004) states, that, there is now sufficient evidence to establish a causal association between cigarette smoking and cancers of the nasal cavities and nasal sinuses, oesophagus (Adenocarcinoma), stomach, liver, kidney (Renal Cell Carcinoma), uterine cervix and myeloid leukaemia apart from the sites in the earlier monograph IARC,1987).

Table 3.1 illustrates number and relative proportion of TRCs (IARC 1987) of different PBCRs.

TABLE 3.1 : Number (#) & Relative Proportion (%) of TRCs (IARC 1987)

Registries	Males		Females	
	#	%	#	%
Bangalore	1237	35.39	630	15.43
Barshi	78	38.61	31	13.96
Bhopal	476	50.00	132	15.58
Chennai	1608	40.61	638	15.26
Delhi	3398	37.03	899	9.93
Mumbai	3620	40.77	1327	15.25

The number and proportion of TRC relative to all sites of cancer is tabulated (as per IARC, 1987) and provided under Table 3.2. Figure 3.1 illustrates the total proportion of TRC relative to all sites. Among males, the highest relative proportion (%) of TRC was seen in Bhopal (50.0%), followed by Mumbai (40.8%), Chennai (40.6%), Barshi (38.6%), Delhi (37.0%) and Bangalore (35.4%). In females, the relative proportion (%) of TRC ranged from 9.9% in Delhi to 15.4% in Bangalore.

TABLE 3.2 : Number (#) & Relative Proportion (%) of Tobacco Related Cancer (TRC) relative to all sites of Cancer (1999-2000)

Sites of Cancer	Bangalore		Barshi		Bhopal		Chennai		Delhi		Mumbai	
	#	%	#	%	#	%	#	%	#	%	#	%
Males												
Lip	5	0.14	2	0.99	3	0.32	9	0.23	15	0.16	29	0.33
Tongue	120	3.43	8	3.96	87	9.14	185	4.67	468	5.10	399	4.49
Mouth	97	2.78	10	4.95	72	7.56	201	5.08	315	3.43	525	5.91
Oropharynx	27	0.77	0	0.00	11	1.16	40	1.01	49	0.53	78	0.88
Hypopharynx	156	4.46	22	10.89	53	5.57	188	4.75	150	1.63	345	3.89
Pharynx Unsp.	21	0.60	0	0.00	5	0.53	27	0.68	33	0.36	78	0.88
Oesophagus	298	8.53	16	7.92	72	7.56	330	8.33	456	4.97	527	5.93
Larynx	145	4.15	7	3.47	45	4.73	169	4.27	627	6.83	523	5.89
Lung	267	7.64	10	4.95	105	11.03	364	9.19	882	9.61	801	9.02
Bladder	101	2.89	3	1.49	23	2.42	95	2.40	403	4.39	315	3.55
TRC	1237	35.39	78	38.61	476	50.00	1608	40.61	3398	37.03	3620	40.77
All Sites	3495	100.00	202	100.00	952	100.00	3960	100.00	9177	100.00	8880	100.00
Females												
Lip	7	0.17	0	0.00	1	0.12	9	0.22	8	0.09	14	0.16
Tongue	39	0.96	5	2.25	16	1.89	53	1.27	115	1.27	162	1.86
Mouth	196	4.80	6	2.70	52	6.14	177	4.23	124	1.37	295	3.39
Oropharynx	6	0.15	0	0.00	1	0.12	4	0.10	5	0.06	8	0.09
Hypopharynx	43	1.05	1	0.45	7	0.83	61	1.46	28	0.31	76	0.87
Pharynx Unsp.	13	0.32	0	0.00	0	0.00	11	0.26	6	0.07	24	0.28
Oesophagus	224	5.49	13	5.86	28	3.31	195	4.66	246	2.72	361	4.15
Larynx	9	0.22	0	0.00	5	0.59	18	0.43	75	0.83	66	0.76
Lung	66	1.62	5	2.25	18	2.13	81	1.94	205	2.26	239	2.75
Bladder	27	0.66	1	0.45	4	0.47	29	0.69	87	0.96	82	0.94
TRC	630	15.43	31	13.96	132	15.58	638	15.26	899	9.93	1327	15.25
All Sites	4083	100.00	222	100.00	847	100.00	4182	100.00	9057	100.00	8701	100.00

Table 3.3 and Figure 3.2 illustrate the number and relative proportion of different sites of cancer among tobacco related cancers. Among the TRC sites the three leading sites were lung, oesophagus and hypopharynx that contributed almost 45% to 60% of the total TRC in different registries. In females, the three leading sites were oesophagus, mouth and lung, that contributed 64% to 77% of the TRC in different registries.

TABLE 3.3 : Number (#) & Relative Proportion (%) of specific types of Cancer among Tobacco Related Cancers (TRC) (1999-2000)**Males**

Sites of Cancer	Bangalore		Barshi		Bhopal		Chennai		Delhi		Mumbai	
	#	%	#	%	#	%	#	%	#	%	#	%
Lip	5	0.40	2	2.56	3	0.63	9	0.56	15	0.44	29	0.80
Tongue	120	9.70	8	10.26	87	18.28	185	11.50	468	13.77	399	11.02
Mouth	97	7.84	10	12.82	72	15.13	201	12.50	315	9.27	525	14.50
Oropharynx	27	2.18	0	0.00	11	2.31	40	2.49	49	1.44	78	2.15
Hypopharynx	156	12.61	22	28.21	53	11.13	188	11.69	150	4.41	345	9.53
Pharynx Unsp.	21	1.70	0	0.00	5	1.05	27	1.68	33	0.97	78	2.15
Oesophagus	298	24.09	16	20.51	72	15.13	330	20.52	456	13.42	527	14.56
Larynx	145	11.72	7	8.97	45	9.45	169	10.51	627	18.45	523	14.45
Lung	267	21.58	10	12.82	105	22.06	364	22.64	882	25.96	801	22.13
Bladder	101	8.16	3	3.85	23	4.83	95	5.91	403	11.86	315	8.70
TRC	1237	100.00	78	100.00	476	100.00	1608	100.00	3398	100.00	3620	100.00

Females

Sites of Cancer	Bangalore		Barshi		Bhopal		Chennai		Delhi		Mumbai	
	#	%	#	%	#	%	#	%	#	%	#	%
Lip	7	1.11	0	0.00	1	0.76	9	1.41	8	0.89	14	1.06
Tongue	39	6.19	5	16.13	16	12.12	53	8.31	115	12.79	162	12.21
Mouth	196	31.11	6	19.35	52	39.39	177	27.74	124	13.79	295	22.23
Oropharynx	6	0.95	0	0.00	1	0.76	4	0.63	5	0.56	8	0.60
Hypopharynx	43	6.83	1	3.23	7	5.30	61	9.56	28	3.11	76	5.73
Pharynx Unsp.	13	2.06	0	0.00	0	0.00	11	1.72	6	0.67	24	1.81
Oesophagus	224	35.56	13	41.94	28	21.21	195	30.56	246	27.36	361	27.20
Larynx	9	1.43	0	0.00	5	3.79	18	2.82	75	8.34	66	4.97
Lung	66	10.48	5	16.13	18	13.64	81	12.70	205	22.80	239	18.01
Bladder	27	4.29	1	3.23	4	3.03	29	4.55	87	9.68	82	6.18
TRC	630	100.00	31	100.00	132	100.00	638	100.00	899	100.00	1327	100.00

Fig. 3.1: Proportion (%) of Tobacco Related Cancers Relative to All Sites (1999-2000)





Fig. 3.2: Proportion of Specific Tobacco Related Sites Relative to all Tobacco Related Cancers (1999-2000)



Chapter 4

BASIS OF DIAGNOSIS

Table 4.1 provides the number and relative proportion of cancers based on different methods of diagnosis. In males, Barshi registry (87.1%) has the highest proportion of cases diagnosed microscopically followed by Bhopal (85.8%), Bangalore (84.4%), Mumbai (81.3%), Delhi (80.4%) and Chennai (73.5%). Cases observed through Death Certificate Only (DCO) ranged from 0.5% in Barshi to 6.6% in Mumbai. Clinically diagnosed cases ranged from 1.9% in Bhopal to 13.3% in Delhi.

In females, Bhopal registry (92.6%) had the highest proportion of cancer cases confirmed microscopically followed by Bangalore (86.2%), Barshi (86.0%), Mumbai (82.8%), Chennai (80.7%) and Delhi (77.6%). Cases obtained through DCO ranged from 0.5% in Barshi to 6.6% in Mumbai. Clinically diagnosed cases ranged from 1.8% in Bhopal to 16.6% in Delhi.

Table 4.2 illustrates the proportion of different types of microscopic diagnosis. Among the cancers diagnosed microscopically, primary histology constituted 75.7% in Delhi to 87.6% in Chennai followed by cytology (3.1% in Chennai to 11.8% in Bangalore). In females, the percentage of cases diagnosed by primary histology varied from 67.5% in Delhi to 90.9% in Chennai. The percentage of cases diagnosed by cytology varied from 5% in Bhopal to 21% in Delhi.

The Relative Proportion (%) of cancers based on different methods of diagnosis are represented in Fig. 4.1(a & b). Fig. 4.2 (a & b) shows the relative proportion (%) of different types of microscopic diagnosis.

Fig. 4.1(a) : Relative Proportion (%) of Cancers based on Different Methods of Diagnosis (1999-2000) - Males




Fig. 4.1(b) : Relative Proportion (%) of Cancers based on Different Methods of Diagnosis (1999-2000) - Females









TABLE 4.1: Number (#) & Relative Proportion (%) of Cancers based on Different Methods of Diagnosis (1999-2000)

Registries	Microscopic		X-Ray		Clinical		Others		DCO		Total	
	#	%	#	%	#	%	#	%	#	%	#	%
Males												
Bangalore	2949	84.38	40	1.14	300	8.58	17	0.49	189	5.41	3495	100.0
Barshi	176	87.13	3	1.49	10	4.95	12	5.94	1	0.50	202	100.0
Bhopal	817	85.82	51	5.36	18	1.89	35	3.68	31	3.26	952	100.0
Chennai	2909	73.46	133	3.36	224	5.66	593	14.97	101	2.55	3960	100.0
Delhi	7377	80.39	107	1.17	1223	13.33	182	1.98	288	3.14	9177	100.0
Mumbai	7217	81.27	162	1.82	814	9.17	97	1.09	590	6.64	8880	100.0
Females												
Bangalore	3520	86.21	25	0.61	340	8.33	15	0.37	183	4.48	4083	100.0
Barshi	191	86.04	6	2.70	19	8.56	5	2.25	1	0.45	222	100.0
Bhopal	784	92.56	16	1.89	15	1.77	18	2.13	14	1.65	847	100.0
Chennai	3375	80.70	36	0.86	359	8.58	309	7.39	103	2.46	4182	100.0
Delhi	7028	77.60	75	0.83	1505	16.62	210	2.32	239	2.64	9057	100.0
Mumbai	7202	82.78	112	1.29	701	8.06	109	1.25	576	6.62	8700	100.0

TABLE 4.2: Number (#) & Relative Proportion (%) of Cancers based on Different Types of Microscopic Diagnosis (1999-2000)

Type of Microscopic Diagnosis	Bangalore		Barshi		Bhopal		Chennai		Delhi		Mumbai	
	#	%	#	%	#	%	#	%	#	%	#	%
Males												
Pri. Hist.	2355	79.86	140	79.55	701	85.80	2547	87.56	5584	75.69	5895	81.68
Sec. Hist.	64	2.17	5	2.84	27	3.30	100	3.44	370	5.02	392	5.43
Cytology	349	11.83	20	11.36	42	5.14	89	3.06	653	8.86	364	5.04
Blood Film	12	0.41	1	0.57	25	3.06	1	0.03	0	0.00	281	3.89
Bone Marrow	169	5.73	10	5.68	22	2.69	172	5.91	770	10.45	285	3.95
Total	2949	100.00	176	100.00	817	100.00	2909	100.00	7377	100.00	7217	100.00
Females												
Pri. Hist.	3028	86.02	169	88.48	703	89.67	3067	90.87	4746	67.53	6194	86.00
Sec. Hist.	59	1.68	0	0.00	12	1.53	54	1.60	315	4.48	233	3.24
Cytology	298	8.47	17	8.90	39	4.97	132	3.91	1475	21.00	400	5.55
Blood Film	9	0.26	0	0.00	21	2.68	0	0.00	0	0.00	204	2.83
Bone Marrow	126	3.58	5	2.62	9	1.15	122	3.61	492	7.00	171	2.37
Total	3520	100.00	191	100.00	784	100.00	3375	100.00	7028	100.00	7202	100.00

Fig. 4.2(a): Relative Proportion (%) of Cancers based on Different Types of Microscopic Diagnosis (1999-2000) - Males









Fig. 4.2(b): Relative Proportion (%) of Cancers based on Different Types of Microscopic Diagnosis (1999-2000) - Females



Chapter 5

CANCER MORTALITY

Registries visit municipal corporation units to collect information regarding reported cancer deaths. For this they also visit vital statistics division and further obtain information on cancer deaths from hospitals and institutions.

In the death registration / vital statistics units or during the scrutiny of death registers in medical institutions, the registry staff complete a standard proforma for the cases that had cancer mentioned in the death certificate. The proforma includes identifying information, registration number, place of registration, death registry number, place of death (whether medical institution, residence or elsewhere or unknown), cause of death, histopathology report, date of death, the background of the person certifying the death (whether allopathic practitioner or otherwise, coroner, others like panchanamas or unknown), and wherever available name and address of the institution or practitioner certifying the death. It also includes obtaining the residential status of the deceased (whether resident of registry area or otherwise) and the residential address. Details on cancer deaths of persons not residing in the registry area are excluded.

The information on deaths so collected is compiled and matched with incident/morbidity data of all the days, months and years prior to the date of death of the individual. These constitute the matched deaths for that particular year. The unmatched deaths are included with that particular year's incident/morbidity data and constitute the category "Death Certificate Only".

Cancer mortality rate is defined as the number of cancer deaths per 100,000 population occurring in a defined population, in a defined geographical area during a particular year. The age adjusted mortality rate is similar to the age adjusted incidence rate where the mortality rate is adjusted to the standard world population. Like the age specific incidence rates the age specific mortality rates are also calculated and this could be site and gender specific.

Table 5.1 shows the incidence cases, mortality cases and mortality incidence percent (MI%) of all sites of cancer in the six registries. The M/I% was found to be highest in Barshi (76.2%) followed by Mumbai (48%), Chennai (44.8%), Bangalore (34.5%), Bhopal (29.4%) and Delhi (15.2%).

In females, M/I% ratio was again found to be the highest in Barshi (81.5%) followed by Mumbai (41.3%), Chennai (34.1%), Bangalore (25.9%), Bhopal (22.9%) and Delhi (11%).

Crude Mortality Rate (CMR), Age Adjusted Mortality Rate (AAMR) and Truncated Mortality Rate (TMR) per 100,000 are shown in Table 5.2. Crude Mortality Rate was highest in Chennai (41.5) followed by Mumbai (33.1), Barshi (29.6), Bangalore (20.7), Bhopal (18.6) and Delhi (10.4).

Similarly, in females the highest CMR was observed in Barshi (37.3), followed by Chennai (35.1), Mumbai (34.3), Bangalore (20.0), Bhopal (14.4) and Delhi (8.9).

Table 5.3 gives the number of matched deaths and total deaths. In males the number of deaths due to cancer for the registry of Bangalore, Barshi, Bhopal, Chennai, Delhi and Mumbai were 1207, 154, 280, 1775, 1395 and 4264 respectively. Among these the percentage of matched deaths for above registries were 84.3%, 99.4%, 88.9%, 94.3%, 79.4% and 86.2% respectively.

Among females, the number of deaths for different registries like Bangalore, Barshi, Bhopal, Chennai, Delhi and Mumbai were 1057, 181, 194, 1424, 993 and 3592 respectively. The percentage of matched deaths for above registries were 82.7%, 99.5%, 92.8%, 92.8%, 75.9% and 84% respectively.

The age specific mortality rates of six registries for males and females are portrayed in Fig. 5.1 (a) and (b).

Fig. 5.2(a) to 5.2(f) illustrates the age specific incidence and mortality for all sites of cancer, in the six registries for both sexes.

TABLE 5.1: Number of Incident, Mortality cases and Mortality– Incidence Percent (M/I%) (1999-2000)

Registry	Males			Females		
	Incidence	Mortality	M/I%	Incidence	Mortality	M/I%
Bangalore	3495	1207	34.5	4083	1057	25.9
Barshi	202	154	76.2	222	181	81.5
Bhopal	952	280	29.4	847	194	22.9
Chennai	3960	1775	44.8	4182	1424	34.1
Delhi	9177	1395	15.2	9057	993	11.0
Mumbai	8880	4264	48.0	8701	3592	41.3



TABLE 5.2: Crude (CMR), Age Adjusted (AAMR) and Truncated (TMR) Mortality Rate (1999-2000)

Registry	Males			Females		
	CMR	AAMR	TMR	CMR	AAMR	TMR
Bangalore	20.7	35.1	50.0	20.0	33.4	56.8
Barshi	29.6	34.5	58.3	37.3	43.5	79.3
Bhopal	18.6	35.3	56.9	14.4	23.6	49.9
Chennai	41.5	54.7	91.4	35.1	44.0	88.3
Delhi	10.4	17.2	26.4	8.9	14.2	25.1
Mumbai	33.1	59.0	71.7	34.3	54.5	89.5

TABLE 5.3: Number of Matched Deaths (MD), Number of DCOs and Total Deaths (TD) (1999-2000)

Registry	Males			Females		
	MD	DCOs	TD	MD	DCOs	TD
Bangalore	1018	189	1207	874	183	1057
Barshi	153	1	154	180	1	181
Bhopal	249	31	280	180	14	194
Chennai	1674	101	1775	1321	103	1424
Delhi	1107	288	1395	754	239	993
Mumbai	3674	590	4264	3016	576	3592

**Fig. 5.1(a): Average Annual Age Specific Cancer Mortality Rates per 100,000 persons
All Sites of Cancer (1999-2000) - MALES**



**Fig. 5.1(b): Average Annual Age Specific Cancer Mortality Rates per 100,000 persons
All Sites of Cancer (1999-2000) - FEMALES**






Fig. 5.2(a): Average Annual Age Specific Incidence & Mortality Rates per 100,000 persons - All Sites of Cancer – Bangalore (1999-2000)

Males



Females





Fig. 5.2(b): Average Annual Age Specific Incidence & Mortality Rates per 100,000 persons - All Sites of Cancer – Barshi (1999-2000)

Males



Females





Fig. 5.2(c): Average Annual Age Specific Incidence & Mortality Rates per 100,000 persons - All Sites of Cancer – Bhopal (1999-2000)

Males



Females





Fig. 5.2(d): Average Annual Age Specific Incidence & Mortality Rates per 100,000 persons - All Sites of Cancer – Chennai (1999-2000)

Males



Females





Fig. 5.2(e): Average Annual Age Specific Incidence & Mortality Rates per 100,000 persons - All Sites of Cancer – Delhi (1999-2000)

Males



Females






Fig. 5.2(f): Average Annual Age Specific Incidence & Mortality Rates per 100,000 persons - All Sites of Cancer – Mumbai (1999-2000)

Males



Females



Chapter 6

DATA QUALITY AND INDICES OF RELIABILITY

The cancer registry is a source of information. Quality is a property of the data and a product of the techniques used to create them. The quality of information is a product of the quality of the data and the quality of their presentation. The five main areas of consideration of quality in a PBCR are,

- 1. Completeness of coverage:** to obtain information on all cancers diagnosed in the population so as to ensure a high degree of case ascertainment;
- 2. Adequacy of data:** to have certain core and critical items of patient information on all cases;
- 3. Accuracy of data:** to ensure that data are free from erroneous abstraction, coding, data entry etc.;
- 4. Comparability of data:** to adopt information techniques in coding, classification etc., that would assure comparability internally and externally;
- 5. Reliability of data:** to ensure reliability of data through periodic audits.

Along with the above objectives, the registries routinely undertake various exercises to ensure that the data they gather and process is of high quality. Based on the publication “Comparability and Quality Control in Cancer Registration” published by the International Agency for Research on Cancer (Parkin *et al*, 1994) and suitably modified so as to be practically applicable for the set-up of the cancer registries under the NCRP, these exercises include:

- 1. Details of sources of registration:** To minimize duplicate registrations at an early stage and identify number of cases whose residential status including duration of stay remains unknown, a comprehensive account of the various sources of registration is obtained. The latter helps in pinpointing sources and the channels of referral of these resident unknown cases where greater efforts are made to minimize such cases. This exercise also helps in knowing the number of sources of registration per case - an index to assess coverage.
- 2. Notification per case:** By notification per case is meant, the different types of reports confirming the diagnosis of cancer in a given case. For example, a patient with a lump in the breast could initially have fine needle aspiration cytology, followed by a biopsy and finally a mastectomy specimen, with all three reports having evidence of malignancy. Notifications per case give an idea of the diagnostic work-up and mechanics of reporting while also providing an indirect measure of completeness of coverage.
- 3. Re-abstraction of Random Sample:** All registries regularly re-abstract a ten percent random sample of cases. This is done by supervisory staff, and the core proforma is completed afresh for all these cases, without reference to the original abstracts. Differences between original and re-abstracted data are tabulated and categorized into minor and major disagreements, justifiable disagreements and errors. The above tabulations are prepared by all registries and presented and discussed in the NCRP workshops every year. Overall such re-abstraction errors have been less than five percent.

4. Range and Consistency Checks: Besides data entry and other checks carried out by the registries, the Coordinating Unit has developed a comprehensive software programme which checks the quality of the data online. This quality control involves range checks, consistency checks, duplicate checks and unknown primary site checks.

Apart from the above steps, within the data itself, there are certain indices of reliability. These include the proportion of microscopic verification, the proportion of cases categorized as “Death Certificate Only” and the Mortality Incidence Ratio.

Proportion of Microscopic Verification

This is an indicator of the validity of diagnostic information (Parkin *et al*, 1994).

Death Certificate Only

These are cases for which there is no other information other than a death certificate with cancer mentioned as a cause of death. These cases are obtained through the death registration units etc and cannot be matched with any of the registered cases. To some extent the proportion of these cases reflect the proportion of cancer cases that could possibly be missed by the registry. Generally such cases should be minimal.

Mortality Incidence Ratio

As described in Chapter 5, the mortality incidence percent (M/I%) is another important indicator of completeness. In general, in cancers with very poor survival such as cancer of liver, the M/I% will be close to 1 (or 100%). Cancers with better survival like breast cancer would have figures less than one.

Table 6.1 provides information on Proportion of Microscopically Verified Cases, Proportion of DCOs and Mortality Incidence percent. The microscopic verified cases in males ranged from 73.5% in Chennai to 87.1% in Barshi. The maximum of M/I% was found in Barshi (76.2%) followed by Mumbai (48%), Chennai (44.8%), Bangalore (34.5%), Bhopal (29.4%) and Delhi (15.2%).

In females, the Proportion of Microscopic Verified Cases ranged from 92.6% in Bhopal to 77.6% in Delhi. The maximum of M/I% was found in Barshi (81.5%) followed by Mumbai (41.3%), Chennai (34.1%), Bangalore (25.9%), Bhopal (22.9%) and Delhi (11.0%).

TABLE 6.1: Proportion of Microscopic Verification (MV%), Proportion of DCOs (DCO%) and Mortality-Incidence Percent (M/I%) (1999-2000).

Registry	Males			Females		
	MV%	DCO%	M/I%	MV%	DCO%	M/I%
Bangalore	84.4	5.4	34.5	86.2	4.5	25.9
Barshi	87.1	0.5	76.2	86.0	0.5	81.5
Bhopal	85.8	3.3	29.4	92.6	1.7	22.9
Chennai	73.5	2.6	44.8	80.7	2.5	34.1
Delhi	80.4	3.1	15.2	77.6	2.6	11.0
Mumbai	81.3	6.6	48.0	82.8	6.6	41.3

Chapter 7

DEFINITIONS, STATISTICAL TERMS AND METHODS USED IN CALCULATIONS

Cancer Case: All neoplasms with a morphology behaviour code of '3' as defined by the International Classification of Diseases – Oncology, (Third edition) are considered reportable and therefore registered.

Age-Group: According to WHO guidelines for estimating population and grouping cancers the convention in using five year age group i.e, 0-4, 5-9, 10-14, ..., 75+.

Incidence Cases: Cancer incidence refers to new cases diagnosed in a given population in a specified period of time. For this report all cancers diagnosed from 1 January 1999 to 31 December 2000 in different geographic areas covered by the six population based cancer registries, are included.

Rates: Rates for cancer are always expressed per 100,000 population.

Crude Incidence Rate (CR): This rate is expressed per 100,000, obtained by dividing the number of new cases by the corresponding estimated population (mid-year) and multiplying by 100,000.

$$\text{CR} = \frac{\text{New cases of cancer of a particular year}}{\text{Estimated population of the same year}} \times 100,000$$

Age Specific Rate (ASpR): For a specified five-year age group and sex the age specific rates are the annual number of cases per 100,000 people in the population of that age and sex.

$$\text{ASpR} = \frac{\text{New cases of cancer of a particular year in the given age group}}{\text{Estimated population of the same year for the given age group}} \times 100,000$$

Age Adjusted or Age Standardised Rate (AAR): Mostly occurrence of cancer increases as age increases. Therefore high proportion of older population implies higher number of cancers. Most developed and western countries have a higher proportion of older population. So in order to make rates of cancer comparable between developed and developing countries a world standard population (given below) that takes this into account is used to arrive at age adjusted or age standardised rates and applying these

rates to the standard population in that age group. The world standard population approximates the proportional age distribution of the world and is given below:

Age Group	World Standard Population
0 – 4	12,000
5 – 9	10,000
10 – 14	9,000
15 – 19	9,000
20 – 24	8,000
25 – 29	8,000
30 – 34	6,000
35 – 39	6,000
40 – 44	6,000
45 – 49	6,000
50 – 54	5,000
55 – 59	4,000
60 – 64	4,000
65 – 69	3,000
70 – 74	2,000
75 +	2,000
All Ages	100,000

$$\text{AAR} = \frac{\sum_{i=1}^A a_i w_i}{\sum_{i=1}^A w_i}$$

where:

a_i is the age specific rate (AspR) in age class i ;

w_i is the world standard population in age class i ;

A represents the number of age intervals.

(or) expressed in more simpler terms thus:

$$\text{AAR} = \frac{\sum (\text{AspR}) \times (\text{No. of persons in Std. world population in that 5 yr. age group})}{100,000}$$

Cumulative Risk: This is the probability that an individual will be diagnosed with or die from cancer during a certain age period in the absence of any competing cause of death and assuming current trends prevail over the age period. The cumulative rate is an approximation of the cumulative risk. It is obtained by adding the age specific incidence rates for each five year age interval (up to 64 or 74 years of age) multiplied by 5 (representing the five year age interval) times 100 per 100,000.

$$\text{Cumulative Rate} = \frac{5 \times \sum(\text{ASpR}) \times 100}{100,000}$$

and Cumulative Risk is expressed as,

$$\text{Cumulative Risk} = 100 \times (1 - \exp(-\text{Cumulative Rate} / 100))$$

Truncated Age Adjusted Rate (TR): Similar to age adjusted rate except that it is calculated for the truncated age group of 35-64 years of age.

Coding Manual: The coding manual (NCRP, 1987) has been used by all registries, in abstracting cancer patient information, coding of the same and data entry on to the computer.

Based on the Census Populations of 1991-2001, the Growth Rates were calculated using the formula,

$$P_{2001} = P_{1991} (1 + (r/100))^{10}$$

where P_{2001} is the population total of 2001,

P_{1991} is the population of 1991 and

r is the annual growth rate.

Utilizing the annual growth rate obtained from above formula, the populations for the year 1999 and 2000 were estimated. The Census Population for the year 1991 and 2001 were obtained referring to the CD (C Series: C-6 by five Year Age Groups and Sex) and the Census website* (Table-2: Population, Population in the age group 0-6 and Literates by Residence and Sex - India, States/UN & Districts-2001) respectively.

*www.censusindia.net/results/population_0_6.html

References

- Boyle, P. and Parkin, D.M. Statistical Methods for Registries - Ch. in Cancer Registration - Principles and Methods, Eds. Jensen, O.M., Parkin, D.M., Maclennan, R., Muir, C.S. and Skeet, R.G., IARC Scientific Publication, No. 95, Lyon, 1991.
- Census of India, Part IV A – C Series – Socio Cultural Tables; Series 9-Karnataka; Series 14-Maharashtra; Series 13-Madhya Pradesh; Series 23-Tamil Nadu; Series 31-Delhi, 1991.
- Census of India, Part IV A – Social and Cultural Tables; Series 9-Karnataka; Series 12-Maharashtra; Series 11-Madhya Pradesh; Series 20-Tamil Nadu; Series 28-Delhi, 1981.
- Consolidated Report of the Population Based Cancer Registries 1990-1996: National Cancer Registry Programme, Indian Council of Medical Research, New Delhi, 2001.
- Day, N.E. (1987) Cumulative rates and cumulative risks. In: Muir, C., Waterhouse, J. Mack, T., Powell, J. & Whelan, S., eds, Cancer Incidence in Five Continents, Vol. V (IARC Scientific Publication No. 88), Lyon, International Agency for Research on Cancer, pp. 787-789.
- IARC Monographs - Supplement 7, Overall evaluations of carcinogenicity: An updating of IARC monographs Volume 1-42: IARC monographs on the evaluation of the carcinogenic risks to humans. IARC Lyon, 1987, 357-61.
- IARC Monographs on Evaluations of Carcinogenic Risk of Humans: Tobacco Smoking and Involuntary Smoking. IARC Lyon, 2004:83.
- Maclennan R., Muir C.S., Steinitz R. and Winkler A. Cancer Registration and its Techniques, IARC Scientific Publication No. 21, Lyon, 1978.
- NCRP Code Manual for Hospital Based Cancer Registry, Indian Council of Medical Research, New Delhi, 1987.
- NCRP Coding Manual for Population Based Cancer Registry, Indian Council of Medical Research, New Delhi, 1987.
- Parkin, D.M., Chen, V.W., Ferlay, J., Galceran, J., Storm, H.H. and Whelan, S.L. Comparability and Quality Control in Cancer Registration. IARC Technical Report No. 19, Lyon, 1994.
- Parkin, D.M., Stiller, C.A., Draper, G.J., Bieber, C.A., Terracini, B. and Young J.L. International Incidence of Childhood Cancer, IARC Scientific Publication, No. 87, Lyon, 1988.
- Parkin, D.M., Whelan, S.L., Ferlay, J., Teppo L. and Thomas D.B., eds. Cancer Incidence in Five Continents, Volume VII, IARC Scientific Publication No. 155, Lyon, 2002.
- Skeet, R.G., Quality and Quality Control - Ch. in Cancer Registration - Principles and Methods, Eds. Jensen, O.M., Parkin, D.M., Maclennan, R., Muir, C.S. and Skeet, R.G., IARC Scientific Publication, No. 95, Lyon, 1991.
- WHO International Classification of Diseases for Oncology, First Edition, World Health Organization, Geneva, 1976.
- WHO International Classification of Diseases for Oncology, Second Edition, World Health Organization, Geneva, 1990.
- WHO International Classification of Diseases for Oncology, Third Edition, World Health Organization, Geneva, 2000.
- WHO International Classification of Diseases, 1975 Revision, World Health Organization, Geneva, 1977.
- www.cancerouncil.com.au/html/statistics/annualreport/downloads/statistical_definitions_methods.pdf.

PART - II

INDIVIDUAL REGISTRY DATA: 1999-2000

Write up and Selected Detailed Tabulations

BRIEF DESCRIPTION OF REGISTRY

FIGURE 1: Population pyramid showing average age distribution of 1999-2000.

LIST OF TABLES

1. Main sources of Registration of Incident Cancers: 1999-2000.
2. Number of Incident Cancers by Five Year Age Group and Site (ICD-10).
3. Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population.
4. Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000.
5. Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-9) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years).
6. Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis.
7. Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis.
8. Number of Cancer Deaths by Five Year Age Group and Site (ICD-10).
9. Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population.

<u>PBCRs</u>		<u>Acronym</u>	<u>Page Nos.</u>
Bangalore	-	BLR	52 - 87
Barshi	-	BRS	88 - 123
Bhopal	-	BHP	124 - 159
Chennai	-	CHN	160 - 195
Delhi	-	DEL	196 - 231
Mumbai	-	MUM	232 - 267

POPULATION BASED CANCER REGISTRY, BANGALORE Kidwai Memorial Institute of Oncology, Bangalore

Dr P.S. Prabhakaran, Principal Investigator and Director, KMIO

Dr K. Ramachandra Reddy, Co-Principal Investigator & Head

The Population Based Cancer Registry at Kidwai Memorial Institute of Oncology was established during June 1981 with the main objective of assessing the magnitude and type of various cancers in Bangalore and this registry was named as 'Bangalore Cancer Registry'. The required base-line information such as area to be covered along with its boundaries, its population, list of medical institutions (Govt. & Pvt.), Labs, vital statistics unit etc., were collected during the year of establishment. Later in December 1981, this registry was included under the network project of National Cancer Registry Programme (NCRP) of Indian Council of Medical Research (ICMR) and the actual registration of cancer cases were commenced from 1st January 1982.

Bangalore is the Capital City of Karnataka State in Southern India. It is situated between 13° North and 78° East at an altitude of 931 metres above the sea level. The Population Based Cancer Registry of Bangalore covers an area of 365.7 sq.kms which has an estimated population of 5.5 million as of 1999-2000. The coverage area namely "Bangalore Urban Agglomeration" consists of Bangalore Mahanagara Palike (divided into 100 wards) and 8 adjoining City Municipal Councils apart from 25 death registration units. The registration of cancer cases is done by active registration method. The sources of data collection includes all government hospitals, private hospitals, nursing homes, diagnostic laboratories and death registration units besides the base Institution. The Asst. Social Scientists of the Registry visit these places and collect information on cancer cases by interviewing them wherever possible in case of patients being admitted in wards and if not, extract the information required from the medical records. At Kidwai Memorial Institute of Oncology, each and every patient registered will be interviewed at their first presentation to the Hospital and collects socio-demographic details. Later the case records of these patients would be obtained to the registry to extract information on clinical items such as method of diagnosis, stage of disease, site of cancer, treatment details etc. The inclusion criteria for registration of cases is that, such cases should have been lived in Bangalore Urban Agglomeration for atleast a year at the time of first diagnosis of cancer. Only invasive cancers (5th digit morphology code of "3" or "6") are reported. Benign tumors and in-situ cancers are not included for analysis.

During the period 1999-2000, a total number of 7578 incident cases have been registered with 3495 males and 4083 females. The male-female ratio of incident cases being 0.86:1. The average annual crude (CR) & Age-adjusted (AR) (world standard population) incidence rates were 60.1 and 97.8 among

males and 77.5 and 122.7 among females respectively per 100,000 persons. The common cancers among males were cancers of the stomach (9.4%) followed by oesophagus (8.5%), lung (7.6%), lymphoma (6.5%) and oral cavity (6.4%). Among females breast cancer was the predominant type of cancer and accounted for 22.1% of the total female cancers followed by cancer of the cervix (18.7%), oral cavity (5.9%), oesophagus (5.5%) and ovary (5.0%).

Paediatric cancers accounted for about 3% of all cancer in both sexes with a slight male preponderance than females. Tobacco related cancer sites accounted for 35.4% of all cancers in males and 15.4% of all cancers in females. The mortality to incidence ratio was 30.2%.

(The proportion of cases registered with death certificate only sources was 4.9%).

Staff of Population Based Registry, Bangalore

Dr K. Ramachandra Reddy	:	Co-Principal Investigator Prof & Head, Dept. of Epidemiology & Biostatistics
Mr K. Puttaswamy	:	Sr. Biostatistician
Mr K.V. Krishna Reddy	:	Junior Biostatistician
Mr B.R. Gopalakrishnappa	:	Field Supervisor
Mr N.M. Srirama Reddy	:	Asst. Social Scientist
Mr Rajanna	:	Asst. Social Scientist
Mr T.C. Venugopal	:	Asst. Social Scientist
Mrs A.T. Vinutha	:	Asst. Social Scientist
Mr Srinivasa	:	Asst. Social Scientist
Mr C.S. Dayananda	:	Asst. Social Scientist
Mr P. Manjunatha	:	Asst. Social Scientist (from 8.9.2003)
Mrs P. Savithramma	:	Typist
Mr Kantharaju	:	Attender

Figure BLR-1 :
Population Pyramid showing Average Age Distribution of 1999-2000




TABLE BLR-1:
Main Sources* of Registration of Incident Cases of Cancer in Bangalore (1999-2000)

Name of the Institution (Source Code)	Number	%
Kidwai Memorial Inst. of Oncology (1)	2966	39.1
Bangalore Institute of Oncology (194)	976	12.9
Curie Institute of Oncology (365)	441	5.8
Manipal Hospital (263)	393	5.2
St. John's Medical College & Hospital (16)	385	5.1
Dr. Kanan J Gharpure Lab (185)	340	4.5
M.S. Ramaiah Medical College (116)	214	2.8
Anand Diagnostic Laboratory (37)	190	2.5
Victoria Hospital (20)	188	2.5
Dr. Deshpande Clinical & Path Labt. (93)	163	2.2
St. Martha's Hospital (17)	158	2.1
St. Philomena's Hospital (18)	93	1.2
Mallya Hospital (262)	76	1.0
Others	995	13.1
Total All Sources	7578	100

* 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 1999-2000.

* 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE BLR-2.1(a): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	3	0.18
C01-02	Tongue	0	0	0	0	0	0	0	0	4	7	10	6	8	10	5	9	0	59	3.61
C03-06	Mouth	0	0	0	0	0	0	0	2	2	7	7	4	7	9	4	5	0	47	2.87
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	2	1	1	2	0	1	0	0	7	0.43
C09	Tonsil	0	0	0	0	1	0	0	0	1	2	2	2	4	3	1	4	1	21	1.28
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	2	3	1	3	2	1	0	12	0.73
C11	Nasopharynx	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1	2	0	6	0.37
C12-13	Hypopharynx	0	0	0	1	0	1	2	3	4	6	11	13	5	16	9	5	0	76	4.65
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	2	1	0	5	4	1	0	13	0.79
C15	Oesophagus	0	0	0	0	0	0	4	1	9	10	21	14	30	20	15	18	0	142	8.68
C16	Stomach	0	0	0	0	1	0	2	4	8	21	18	22	18	27	13	11	0	145	8.86
C17	Small Intestine	0	0	0	0	0	0	1	0	0	0	2	0	3	0	0	0	0	6	0.37
C18	Colon	0	0	0	0	3	1	0	1	1	5	3	5	4	7	5	8	0	43	2.63
C19-20	Rectum	0	0	0	0	1	1	0	2	5	13	4	5	3	5	5	11	0	55	3.36
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	4	0.24
C22	Liver	1	1	1	0	1	0	1	3	3	4	10	3	4	13	7	10	0	62	3.79
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	3	3	2	6	1	1	3	1	2	0	23	1.41
C25	Pancreas	0	0	0	0	1	0	1	1	3	3	6	2	4	4	0	1	0	26	1.59
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0	2	0	6	0.37
C32	Larynx	0	0	0	0	0	0	0	0	4	7	8	10	12	6	7	11	0	65	3.97
C33-34	Lung etc.	0	0	0	0	0	2	1	2	5	7	15	15	21	22	15	19	0	124	7.58
C37-38	Other Thoracic Organs	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2	0.12
C40-41	Bone	0	0	2	2	3	2	1	3	3	3	2	3	1	1	2	1	0	29	1.77
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	1	0	0	2	1	2	1	4	2	0	3	3	3	0	22	1.34
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	0	1	2	2	1	2	1	0	10	0.61
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	1	1	0	1	0	3	1	2	0	1	1	0	0	11	0.67
C50	Breast	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1	1	0	6	0.37
C60	Penis	0	0	0	0	0	0	0	2	4	4	3	4	5	5	0	3	0	30	1.83
C61	Prostate	0	0	0	0	0	1	0	1	0	0	4	8	8	16	16	34	1	89	5.44
C62	Testis	1	0	0	3	1	2	2	1	1	2	2	1	1	1	0	1	0	19	1.16
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	1	0	0	0	0	0	0	0	2	3	3	2	2	6	2	5	0	26	1.59
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	1	0	0	1	0	0	2	3	5	2	7	8	6	15	0	50	3.06
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2	0.12
C69	Eye	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2	0.12
C70-72	Brain, Nervous System	2	4	5	1	1	2	5	4	5	6	5	4	5	3	6	3	0	61	3.73
C73	Thyroid	0	0	0	0	4	1	3	1	0	2	0	0	2	0	1	1	0	15	0.92
C74	Adrenal Gland	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	2	0.12
C77	Sec Lymph Nodes	0	1	0	1	0	0	2	2	0	3	2	2	5	4	4	3	0	29	1.77
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	2	0	6	1	2	3	1	7	0	22	1.34
C79	Sec Others	0	0	0	0	1	0	0	2	0	1	1	3	1	2	1	1	0	13	0.79
C81	Hodgkins Disease	1	3	3	1	2	1	2	6	1	3	2	2	2	1	1	0	0	31	1.89
C82-85,C96	NHL	2	0	4	2	1	0	2	1	1	4	15	11	4	7	3	3	0	60	3.67
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	2	0	6	0.37
C91	Lymphoid Leuk.	3	5	2	0	3	2	3	0	2	1	0	3	1	0	3	0	0	28	1.71
C92-94	Myeloid Leukaemia	0	1	0	3	2	3	2	3	1	3	3	2	1	0	0	3	0	27	1.65
C95	Leukaemia Uns	2	1	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	6	0.37
O&U	Other and Uns	0	2	4	0	2	8	1	1	4	9	7	10	14	10	10	11	0	93	5.68
	All Sites	13	18	22	15	31	34	37	54	86	149	199	175	193	228	158	222	2	1636	100.00

**TABLE BLR-2.1(b): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.10
C01-02	Tongue	0	0	0	0	0	1	0	2	3	0	3	1	4	3	3	2	0	22	1.13
C03-06	Mouth	0	0	1	0	0	0	0	7	6	14	18	12	16	6	8	5	0	93	4.79
C07-08	Salivary Gland	1	0	0	0	0	1	0	1	1	3	2	1	1	0	1	0	0	12	0.62
C09	Tonsil	0	0	0	0	0	0	0	1	2	0	1	2	1	1	0	0	0	8	0.41
C10	Oth. Oropharynx	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	2	0	6	0.31
C11	Nasopharynx	0	0	1	2	0	0	1	1	1	0	0	1	1	0	0	0	0	8	0.41
C12-13	Hypopharynx	0	0	0	0	1	0	0	0	1	0	4	3	5	1	0	2	0	17	0.87
C14	Pharynx Unspecified	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0	2	0	6	0.31
C15	Oesophagus	0	0	0	0	0	1	3	4	9	4	7	8	20	23	15	12	0	106	5.46
C16	Stomach	0	0	1	0	1	1	3	8	4	7	10	7	10	17	9	9	1	88	4.53
C17	Small Intestine	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2	0.10
C18	Colon	0	0	0	0	1	0	0	1	2	5	3	3	5	0	1	6	0	27	1.39
C19-20	Rectum	0	0	0	1	1	2	3	2	1	6	3	3	6	4	4	5	0	41	2.11
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	2	1	2	2	1	2	1	3	0	14	0.72
C22	Liver	0	0	0	0	0	0	2	0	2	2	1	2	1	5	0	4	0	19	0.98
C23-24	Gallbladder etc.	0	0	0	0	1	0	0	1	1	1	2	0	2	2	1	3	0	14	0.72
C25	Pancreas	0	0	0	0	0	0	0	0	0	1	2	1	3	1	1	1	0	10	0.51
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	3	0	7	0.36
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	0.10
C33-34	Lung etc.	0	0	0	0	0	0	0	1	4	1	7	4	4	5	3	4	0	33	1.70
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0.05
C40-41	Bone	0	0	3	3	0	2	1	2	1	1	1	0	2	3	0	1	1	21	1.08
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	1	0	0	0	0	0	0	0	1	2	2	1	4	2	3	1	0	17	0.87
C45	Mesothelioma	0	0	0	0	0	0	1	0	1	0	3	1	1	0	1	0	0	8	0.41
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	1	1	1	0	2	2	1	0	1	0	0	0	10	0.51
C50	Breast	0	0	0	0	2	13	12	37	54	80	59	55	43	31	13	17	0	416	21.41
C51	Vulva	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	0	0	4	0.21
C52	Vagina	0	0	0	0	1	0	0	0	0	0	2	2	3	3	0	0	0	11	0.57
C53	Cervix Uteri	0	0	1	0	1	5	17	37	32	48	47	44	50	32	19	14	1	348	17.91
C54	Corpus Uteri	0	0	0	0	0	3	7	5	5	7	4	7	8	5	6	4	0	61	3.14
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	3	0	0	2	2	3	0	1	0	11	0.57
C56	Ovary etc.	0	0	3	1	0	3	6	11	14	15	12	10	12	14	6	7	0	114	5.87
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	3	0.15
C58	Placenta	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2	0.10
C64	Kidney etc.	1	1	1	0	0	0	0	1	0	0	1	1	0	0	3	1	0	10	0.51
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	1	0	0	0	1	1	0	1	1	1	5	2	5	0	18	0.93
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.15
C70-72	Brain, Nervous System	2	2	1	1	1	5	3	5	2	7	2	3	4	4	2	0	1	45	2.32
C73	Thyroid	0	0	0	0	9	6	6	6	6	7	2	4	5	4	2	5	0	62	3.19
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	0.10
C77	Sec Lymph Nodes	0	0	0	1	0	1	0	0	1	5	2	5	2	2	1	1	1	22	1.13
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	1	0	0	1	0	0	1	0	0	0	4	0.21
C79	Sec Others	0	0	0	1	0	0	0	1	2	2	6	1	0	2	1	1	0	17	0.87
C81	Hodgkins Disease	0	0	1	0	2	1	1	0	0	1	2	1	0	0	0	1	0	10	0.51
C82-85,C96	NHL	1	0	2	1	2	3	0	4	3	9	9	2	3	3	2	2	0	46	2.37
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	1	2	0	0	1	4	0	1	0	9	0.46
C91	Lymphoid Leuk.	5	0	3	0	0	1	0	0	0	0	2	2	2	0	0	0	0	15	0.77
C92-94	Myeloid Leukaemia	2	0	1	1	1	1	1	3	6	3	1	0	1	1	1	2	0	25	1.29
C95	Leukaemia Uns	0	0	0	2	0	1	0	0	0	0	0	1	1	1	1	2	0	9	0.46
O&U	Other and Uns	2	3	0	0	3	3	2	6	5	8	7	5	12	15	7	4	0	82	4.22
	All Sites	18	6	19	16	28	59	71	151	178	244	240	202	244	208	119	134	6	1943	100.00

**TABLE BLR-2.2(a): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.11
C01-02	Tongue	0	0	0	0	1	0	3	1	3	4	8	12	14	5	6	4	0	61	3.28
C03-06	Mouth	0	0	0	0	0	1	0	3	2	2	4	12	6	7	3	10	0	50	2.69
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0	1	0	7	0.38
C09	Tonsil	0	0	0	0	0	0	0	0	1	3	1	1	5	7	2	0	0	20	1.08
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	2	1	2	1	5	1	2	0	15	0.81
C11	Nasopharynx	0	0	0	3	1	0	0	0	0	3	0	2	3	0	0	2	0	14	0.75
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	3	6	11	9	14	16	11	10	0	80	4.30
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	1	0	1	0	2	2	1	1	0	8	0.43
C15	Oesophagus	0	0	0	0	0	1	3	0	4	10	24	15	24	26	24	24	1	156	8.39
C16	Stomach	0	0	0	0	1	6	1	8	10	22	20	17	23	25	23	28	1	185	9.95
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.05
C18	Colon	0	0	0	0	0	0	2	2	6	2	2	8	13	6	10	7	0	58	3.12
C19-20	Rectum	0	0	0	0	0	3	2	2	6	6	3	3	6	7	7	3	0	48	2.58
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	1	1	2	2	0	0	0	0	6	0.32
C22	Liver	0	0	0	0	0	0	0	0	4	8	11	5	13	12	5	10	0	68	3.66
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	0	1	0	3	4	2	3	1	0	16	0.86
C25	Pancreas	0	0	0	0	0	0	0	2	1	2	2	2	5	2	3	4	0	23	1.24
C30-31	Nose, Sinuses etc.	0	0	0	0	1	1	1	0	0	1	1	0	2	1	2	0	0	10	0.54
C32	Larynx	0	0	0	0	0	0	0	1	4	7	14	10	10	17	9	8	0	80	4.30
C33-34	Lung etc.	0	0	0	0	0	1	5	1	2	6	28	23	22	18	15	22	0	143	7.69
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	4	0.22
C40-41	Bone	0	0	1	4	4	3	1	0	0	2	2	1	1	1	1	2	0	23	1.24
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	1	1	0	3	3	3	3	6	4	5	3	6	0	38	2.04
C45	Mesothelioma	0	0	0	0	0	0	1	0	1	0	1	1	1	0	0	0	0	5	0.27
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	1	0	3	1	0	0	3	1	0	1	2	0	1	0	0	13	0.70
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	3	0	6	0.32
C60	Penis	0	0	0	0	0	0	0	1	4	0	1	2	2	2	1	2	0	15	0.81
C61	Prostate	0	0	0	0	0	0	0	0	0	1	4	2	17	19	17	52	0	112	6.02
C62	Testis	2	0	0	0	1	0	5	1	2	3	3	1	0	1	0	1	0	20	1.08
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	1	1	3	3	1	2	1	0	12	0.65
C64	Kidney etc.	2	1	0	0	0	0	0	2	2	4	3	6	2	5	2	1	0	30	1.61
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.11
C67	Bladder	0	0	0	0	0	1	3	3	3	2	4	1	8	6	8	12	0	51	2.74
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	3	0.16
C69	Eye	2	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	5	0.27
C70-72	Brain, Nervous System	2	8	6	3	3	3	9	3	5	10	9	5	5	2	3	1	1	78	4.20
C73	Thyroid	0	0	1	1	3	1	3	3	4	2	3	4	3	0	3	4	0	35	1.88
C74	Adrenal Gland	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0.11
C77	Sec Lymph Nodes	0	0	0	0	0	1	1	1	0	3	4	3	1	3	3	4	0	24	1.29
C78	Sec Resp & Digestive	0	0	0	0	0	1	2	0	1	0	3	3	5	3	2	1	0	21	1.13
C79	Sec Others	0	0	0	0	0	0	1	0	2	1	3	1	3	2	2	5	0	20	1.08
C81	Hodgkins Disease	0	3	2	1	4	1	4	1	2	2	0	0	0	2	1	0	0	23	1.24
C82-85,C96	NHL	1	1	3	3	4	3	6	4	9	5	9	4	8	10	3	8	0	81	4.36
C90	Multiple Myeloma	0	0	0	0	0	0	2	0	1	3	2	3	5	5	4	6	0	31	1.67
C91	Lymphoid Leuk.	6	5	1	3	2	0	0	0	1	1	1	1	1	0	3	2	0	27	1.45
C92-94	Myeloid Leukaemia	1	1	1	1	6	3	6	3	8	5	2	1	3	1	2	4	0	48	2.58
C95	Leukaemia Uns	1	1	0	1	3	1	0	0	2	0	0	2	0	0	0	2	0	13	0.70
O&U	Other and Uns	2	0	0	0	1	0	4	4	5	12	7	4	4	10	6	7	0	66	3.55
	All Sites	20	20	16	20	39	33	65	52	107	149	201	185	255	239	193	262	3	1859	100.00

**TABLE BLR-2.2(b): Number of Incident Cancers by Five Year Age Group and Site
ICD-10): 2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1	0	0	5	0.23
C01-02	Tongue	0	0	1	0	0	1	0	1	0	1	1	0	3	3	5	1	0	17	0.79
C03-06	Mouth	0	1	0	1	2	2	1	7	4	12	12	11	18	11	12	9	0	103	4.81
C07-08	Salivary Gland	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	3	0	6	0.28
C09	Tonsil	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1	0	4	0.19
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	1	0	0	1	1	1	1	0	0	0	0	5	0.23
C12-13	Hypopharynx	0	0	0	1	1	1	0	0	0	4	3	2	7	3	3	1	0	26	1.21
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	2	1	1	1	0	2	0	0	0	7	0.33
C15	Oesophagus	0	0	0	0	0	0	1	4	8	13	15	10	19	23	12	13	0	118	5.51
C16	Stomach	0	0	0	0	3	0	2	0	8	6	8	16	9	12	8	10	1	83	3.88
C17	Small Intestine	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0	2	0	5	0.23
C18	Colon	0	0	0	1	0	0	1	0	3	6	8	2	6	7	4	6	0	44	2.06
C19-20	Rectum	0	0	0	1	0	1	0	1	4	3	6	5	3	8	2	7	0	41	1.92
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	1	0	0	0	1	2	1	0	6	0.28
C22	Liver	0	0	0	0	1	1	3	1	7	2	1	4	4	6	1	3	0	34	1.59
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	1	2	1	3	1	2	0	0	1	0	12	0.56
C25	Pancreas	0	0	0	0	0	1	0	2	1	2	1	0	1	2	2	4	0	16	0.75
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	0	1	0	0	0	2	1	1	0	0	0	6	0.28
C32	Larynx	0	0	0	0	0	0	0	1	2	0	1	1	1	1	0	0	0	7	0.33
C33-34	Lung etc.	0	0	0	0	0	4	0	2	1	3	3	1	8	5	3	3	0	33	1.54
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.05
C40-41	Bone	0	1	4	0	1	0	0	0	1	1	1	1	0	0	1	3	0	14	0.65
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	1	3	3	1	1	1	1	3	10	2	6	0	32	1.50
C45	Mesothelioma	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	2	0	6	0.28
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	0	1	1	1	1	1	0	0	2	1	1	1	0	1	0	12	0.56
C50	Breast	0	0	0	0	1	1	27	41	63	77	78	60	45	46	25	22	0	486	22.71
C51	Vulva	0	0	0	0	0	0	1	0	0	2	1	1	2	1	1	3	0	12	0.56
C52	Vagina	0	0	0	0	0	2	0	2	0	0	2	1	1	1	1	3	0	13	0.61
C53	Cervix Uteri	0	0	0	0	0	9	18	26	41	64	60	54	48	47	24	26	0	417	19.49
C54	Corpus Uteri	0	0	0	0	2	1	2	3	1	8	17	8	9	7	7	6	0	71	3.32
C55	Uterus Unspecified	0	0	0	0	0	0	1	2	0	2	1	1	0	1	0	6	0	14	0.65
C56	Ovary etc.	0	0	2	3	4	1	3	7	11	16	6	8	10	9	9	2	0	91	4.25
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	3	0.14
C58	Placenta	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.05
C64	Kidney etc.	1	0	0	0	1	0	0	0	1	0	3	2	1	0	0	3	0	12	0.56
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	1	1	0	2	1	0	1	1	2	0	9	0.42
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.05
C69	Eye	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0.23
C70-72	Brain, Nervous System	3	7	1	1	7	1	1	6	4	3	2	3	4	5	0	4	0	52	2.43
C73	Thyroid	0	1	2	2	5	5	5	4	3	7	5	2	4	6	1	6	0	58	2.71
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	2	0	2	0	2	0	2	1	1	1	1	0	12	0.56
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	1	1	2	2	4	2	1	0	3	0	16	0.75
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	2	6	2	0	5	0	16	0.75
C81	Hodgkins Disease	0	1	1	0	1	2	2	1	0	2	1	1	0	1	1	1	0	15	0.70
C82-85,C96	NHL	2	2	0	2	2	1	3	0	6	5	5	3	5	4	6	5	0	51	2.38
C90	Multiple Myeloma	0	0	0	0	0	1	0	0	0	1	5	3	1	1	3	1	0	16	0.75
C91	Lymphoid Leuk.	4	3	4	1	0	2	2	2	1	1	1	1	0	0	0	2	0	24	1.12
C92-94	Myeloid Leukaemia	0	0	0	2	3	4	1	3	3	4	8	0	1	0	1	1	0	31	1.45
C95	Leukaemia Uns	0	2	0	0	1	1	0	1	0	1	2	2	0	0	0	0	0	10	0.47
O&U	Other and Uns	0	1	2	1	1	1	3	3	7	6	6	5	8	7	3	7	0	61	2.85
	All Sites	16	19	18	17	39	48	83	131	190	263	279	231	236	240	142	187	1	2140	100.00

**TABLE BLR-2.3(a): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 1999–2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	1	0	5	0.14
C01-02	Tongue	0	0	0	0	1	0	3	1	7	11	18	18	22	15	11	13	0	120	3.43
C03-06	Mouth	0	0	0	0	0	1	0	5	4	9	11	16	13	16	7	15	0	97	2.78
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	3	2	3	3	0	1	1	0	14	0.40
C09	Tonsil	0	0	0	0	1	0	0	0	2	5	3	3	9	10	3	4	1	41	1.17
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	2	3	5	2	8	3	3	0	27	0.77
C11	Nasopharynx	0	0	0	3	1	1	0	1	0	3	0	3	3	0	1	4	0	20	0.57
C12-13	Hypopharynx	0	0	0	1	0	1	2	3	7	12	22	22	19	32	20	15	0	156	4.46
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	1	0	3	1	2	7	5	2	0	21	0.60
C15	Oesophagus	0	0	0	0	0	1	7	1	13	20	45	29	54	46	39	42	1	298	8.53
C16	Stomach	0	0	0	0	2	6	3	12	18	43	38	39	41	52	36	39	1	330	9.44
C17	Small Intestine	0	0	0	0	0	0	1	0	0	0	3	0	3	0	0	0	0	7	0.20
C18	Colon	0	0	0	0	3	1	2	3	7	7	5	13	17	13	15	15	0	101	2.89
C19-20	Rectum	0	0	0	0	1	4	2	4	11	19	7	8	9	12	12	14	0	103	2.95
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	1	1	2	3	1	0	2	0	10	0.29
C22	Liver	1	1	1	0	1	0	1	3	7	12	21	8	17	25	12	20	0	130	3.72
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	5	3	3	6	4	5	5	4	3	0	39	1.12
C25	Pancreas	0	0	0	0	1	0	1	3	4	5	8	4	9	6	3	5	0	49	1.40
C30-31	Nose, Sinuses etc.	0	0	0	0	1	1	1	1	1	1	3	0	2	1	2	2	0	16	0.46
C32	Larynx	0	0	0	0	0	0	0	1	8	14	22	20	22	23	16	19	0	145	4.15
C33-34	Lung etc.	0	0	0	0	0	3	6	3	7	13	43	38	43	40	30	41	0	267	7.64
C37-38	Other Thoracic Organs	0	0	0	0	1	1	0	0	0	0	0	0	2	2	0	0	0	6	0.17
C40-41	Bone	0	0	3	6	7	5	2	3	3	5	4	4	2	2	3	3	0	52	1.49
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	1	1	1	2	4	5	4	7	8	4	8	6	9	0	60	1.72
C45	Mesothelioma	0	0	0	0	0	0	1	0	2	0	2	3	3	1	2	1	0	15	0.43
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	1	0	4	2	0	1	3	4	1	3	2	1	2	0	0	24	0.69
C50	Breast	0	0	0	0	0	0	0	0	1	1	1	2	1	1	1	4	0	12	0.34
C60	Penis	0	0	0	0	0	0	0	3	8	4	4	6	7	7	1	5	0	45	1.29
C61	Prostate	0	0	0	0	0	1	0	1	0	1	8	10	25	35	33	86	1	201	5.75
C62	Testis	3	0	0	3	2	2	7	2	3	5	5	2	1	2	0	2	0	39	1.12
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	1	1	3	3	1	2	1	0	12	0.34
C64	Kidney etc.	3	1	0	0	0	0	0	2	4	7	6	8	4	11	4	6	0	56	1.60
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.06
C67	Bladder	0	0	1	0	0	2	3	3	5	5	9	3	15	14	14	27	0	101	2.89
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	1	1	1	0	2	0	0	0	0	5	0.14
C69	Eye	2	0	0	0	0	0	0	1	0	0	1	0	1	0	1	1	0	7	0.20
C70-72	Brain, Nervous System	4	12	11	4	4	5	14	7	10	16	14	9	10	5	9	4	1	139	3.98
C73	Thyroid	0	0	1	1	7	2	6	4	4	4	3	4	5	0	4	5	0	50	1.43
C74	Adrenal Gland	1	0	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	4	0.11
C77	Sec Lymph Nodes	0	1	0	1	0	1	3	3	0	6	6	5	6	7	7	7	0	53	1.52
C78	Sec Resp & Digestive	0	0	0	0	0	1	2	0	3	0	9	4	7	6	3	8	0	43	1.23
C79	Sec Others	0	0	0	0	1	0	1	2	2	2	4	4	4	4	3	6	0	33	0.94
C81	Hodgkins Disease	1	6	5	2	6	2	6	7	3	5	2	2	2	3	2	0	0	54	1.55
C82-85,C96	NHL	3	1	7	5	5	3	8	5	10	9	24	15	12	17	6	11	0	141	4.03
C90	Multiple Myeloma	0	0	0	0	0	0	2	0	1	3	3	5	5	6	4	8	0	37	1.06
C91	Lymphoid Leuk.	9	10	3	3	5	2	3	0	3	2	1	4	2	0	6	2	0	55	1.57
C92-94	Myeloid Leukaemia	1	2	1	4	8	6	8	6	9	8	5	3	4	1	2	7	0	75	2.15
C95	Leukaemia Uns	3	2	0	1	4	2	0	0	2	0	0	2	0	0	0	3	0	19	0.54
O&U	Other and Uns	2	2	4	0	3	8	5	5	9	21	14	14	18	20	16	18	0	159	4.55
	All Sites	33	38	38	35	70	67	102	106	193	298	400	360	448	467	351	484	5	3495	100.00

**TABLE BLR-2.3(b): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	1	0	1	2	1	1	0	7	0.17
C01-02	Tongue	0	0	1	0	0	2	0	3	3	1	4	1	7	6	8	3	0	39	0.96
C03-06	Mouth	0	1	1	1	2	2	1	14	10	26	30	23	34	17	20	14	0	196	4.80
C07-08	Salivary Gland	1	0	0	0	0	1	1	1	1	3	2	2	2	0	1	3	0	18	0.44
C09	Tonsil	0	0	0	0	0	0	0	1	2	2	1	3	1	1	0	1	0	12	0.29
C10	Oth. Oropharynx	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	2	0	6	0.15
C11	Nasopharynx	0	0	1	2	0	0	2	1	1	1	1	2	2	0	0	0	0	13	0.32
C12-13	Hypopharynx	0	0	0	1	2	1	0	0	1	4	7	5	12	4	3	3	0	43	1.05
C14	Pharynx Unspecified	0	0	0	0	0	1	0	0	2	1	2	1	0	4	0	2	0	13	0.32
C15	Oesophagus	0	0	0	0	0	1	4	8	17	17	22	18	39	46	27	25	0	224	5.49
C16	Stomach	0	0	1	0	4	1	5	8	12	13	18	23	19	29	17	19	2	171	4.19
C17	Small Intestine	0	0	0	0	1	1	0	1	0	0	1	1	0	0	0	2	0	7	0.17
C18	Colon	0	0	0	1	1	0	1	1	5	11	11	5	11	7	5	12	0	71	1.74
C19-20	Rectum	0	0	0	2	1	3	3	3	5	9	9	8	9	12	6	12	0	82	2.01
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	3	2	2	2	1	3	3	4	0	20	0.49
C22	Liver	0	0	0	0	1	1	5	1	9	4	2	6	5	11	1	7	0	53	1.30
C23-24	Gallbladder etc.	0	0	0	0	1	1	0	2	3	2	5	1	4	2	1	4	0	26	0.64
C25	Pancreas	0	0	0	0	0	1	0	2	1	3	3	1	4	3	3	5	0	26	0.64
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	0	1	0	0	0	4	1	1	2	3	0	13	0.32
C32	Larynx	0	0	0	0	0	0	0	1	2	0	1	1	3	1	0	0	0	9	0.22
C33-34	Lung etc.	0	0	0	0	0	4	0	3	5	4	10	5	12	10	6	7	0	66	1.62
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	0.05
C40-41	Bone	0	1	7	3	1	2	1	2	2	2	2	1	2	3	1	4	1	35	0.86
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	1	0	0	0	0	1	3	3	2	3	3	2	7	12	5	7	0	49	1.20
C45	Mesothelioma	0	0	0	0	0	0	1	1	2	0	3	3	1	0	1	2	0	14	0.34
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	0	2	1	2	2	2	0	2	4	2	1	2	0	1	0	22	0.54
C50	Breast	0	0	0	0	3	14	39	78	117	157	137	115	88	77	38	39	0	902	22.09
C51	Vulva	0	0	0	0	0	0	1	0	0	2	2	1	5	1	1	3	0	16	0.39
C52	Vagina	0	0	0	0	1	2	0	2	0	0	4	3	4	4	1	3	0	24	0.59
C53	Cervix Uteri	0	0	1	0	1	14	35	63	73	112	107	98	98	79	43	40	1	765	18.74
C54	Corpus Uteri	0	0	0	0	2	4	9	8	6	15	21	15	17	12	13	10	0	132	3.23
C55	Uterus Unspecified	0	0	0	0	0	0	1	2	3	2	1	3	2	4	0	7	0	25	0.61
C56	Ovary etc.	0	0	5	4	4	4	9	18	25	31	18	18	22	23	15	9	0	205	5.02
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	3	2	0	0	0	1	0	6	0.15
C58	Placenta	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3	0.07
C64	Kidney etc.	2	1	1	0	1	0	0	1	1	0	4	3	1	0	3	4	0	22	0.54
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	1	0	0	0	2	2	0	3	2	1	6	3	7	0	27	0.66
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.02
C69	Eye	7	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	0.20
C70-72	Brain, Nervous System	5	9	2	2	8	6	4	11	6	10	4	6	8	9	2	4	1	97	2.38
C73	Thyroid	0	1	2	2	14	11	11	10	9	14	7	6	9	10	3	11	0	120	2.94
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	0.05
C77	Sec Lymph Nodes	0	0	0	1	0	3	0	2	1	7	2	7	3	3	2	2	1	34	0.83
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	2	1	2	3	4	2	2	0	3	0	20	0.49
C79	Sec Others	0	0	0	1	0	0	0	1	2	2	7	3	6	4	1	6	0	33	0.81
C81	Hodgkins Disease	0	1	2	0	3	3	3	1	0	3	3	2	0	1	1	2	0	25	0.61
C82-85,C96	NHL	3	2	2	3	4	4	3	4	9	14	14	5	8	7	8	7	0	97	2.38
C90	Multiple Myeloma	0	0	0	0	0	1	0	0	1	3	5	3	2	5	3	2	0	25	0.61
C91	Lymphoid Leuk.	9	3	7	1	0	3	2	2	1	1	3	3	2	0	0	2	0	39	0.96
C92-94	Myeloid Leukaemia	2	0	1	3	4	5	2	6	9	7	9	0	2	1	2	3	0	56	1.37
C95	Leukaemia Uns	0	2	0	2	1	2	0	1	0	1	2	3	1	1	1	2	0	19	0.47
O&U	Other and Uns	2	4	2	1	4	4	5	9	12	14	13	10	20	22	10	11	0	143	3.50
	All Sites	34	25	37	33	67	107	154	282	368	507	519	433	480	448	261	321	7	4083	100.00

TABLE BLR-3.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Males
Bangalore

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	0.0	0.0	2.8	0.0	0.10	0.18	0.11	0.30	
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.2	9.9	9.0	12.9	28.4	17.4	28.2	2.06	3.58	0.48	5.87
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.2	5.2	6.9	6.0	11.3	25.5	13.9	15.7	1.64	2.83	0.43	4.75
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.0	1.5	3.2	0.0	3.5	0.0	0.24	0.40	0.15	1.06
C09	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.6	1.5	2.0	3.0	6.5	8.5	3.5	12.5	0.70	1.20	0.28	1.94
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.5	1.6	8.5	7.0	3.1	0.42	0.80	0.23	1.11
C11	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.0	0.0	1.5	0.0	0.0	3.5	6.3	0.21	0.31	0.13	0.28
C12-13	0.0	0.0	0.0	0.3	0.0	0.3	0.8	1.3	2.4	4.4	10.9	19.4	8.1	45.4	31.3	15.7	2.66	4.54	0.54	6.87
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.5	0.0	14.2	13.9	3.1	0.45	0.92	0.26	0.51
C15	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.4	5.3	7.4	20.8	20.9	48.5	56.7	52.1	56.4	4.97	8.57	0.74	14.84
C16	0.0	0.0	0.0	0.0	0.3	0.0	0.8	1.8	4.7	15.5	17.8	32.8	29.1	76.6	45.2	34.5	5.07	8.65	0.74	15.12
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	2.0	0.0	4.9	0.0	0.0	0.0	0.21	0.32	0.13	0.94
C18	0.0	0.0	0.0	0.0	0.9	0.3	0.0	0.4	0.6	3.7	3.0	7.5	6.5	19.9	17.4	25.1	1.50	2.54	0.40	3.19
C19-20	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.9	2.9	9.6	4.0	7.5	4.9	14.2	17.4	34.5	1.92	3.01	0.42	4.82
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.8	0.0	6.3	0.14	0.28	0.14	0.21
C22	0.4	0.3	0.3	0.0	0.3	0.0	0.4	1.3	1.8	3.0	9.9	4.5	6.5	36.9	24.3	31.3	2.17	3.67	0.49	4.18
C23-24	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.3	1.8	1.5	5.9	1.5	1.6	8.5	3.5	6.3	0.80	1.17	0.26	2.24
C25	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.4	1.8	2.2	5.9	3.0	6.5	11.3	0.0	3.1	0.91	1.39	0.29	3.03
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0	2.0	0.0	0.0	0.0	0.0	6.3	0.21	0.29	0.12	0.52
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.2	7.9	14.9	19.4	17.0	24.3	34.5	2.27	3.91	0.49	7.16
C33-34	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.9	2.9	5.2	14.8	22.4	34.0	62.4	52.1	59.5	4.34	7.72	0.71	11.40
C37-38	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.05	0.04	0.00
C40-41	0.0	0.0	0.7	0.7	0.9	0.7	0.4	1.3	1.8	2.2	2.0	4.5	1.6	2.8	7.0	3.1	1.01	1.23	0.25	2.13
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.3	0.0	0.0	0.8	0.4	1.2	0.7	4.0	3.0	0.0	8.5	10.4	9.4	0.77	1.19	0.27	1.48
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	3.0	3.2	2.8	7.0	3.1	0.35	0.62	0.20	1.08
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.4	0.0	2.2	1.0	3.0	0.0	2.8	3.5	0.0	0.38	0.54	0.17	1.06
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.0	1.5	0.0	0.0	3.5	3.1	0.21	0.32	0.13	0.61
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.4	3.0	3.0	6.0	8.1	14.2	0.0	9.4	1.05	1.70	0.32	3.49
C61	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.0	4.0	11.9	12.9	45.4	55.6	106.5	3.08	5.85	0.63	3.93
C62	0.4	0.0	0.0	1.0	0.3	0.7	0.8	0.4	0.6	1.5	2.0	1.5	1.6	2.8	0.0	3.1	0.66	0.79	0.19	1.21
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	3.0	3.0	3.2	17.0	7.0	15.7	0.91	1.61	0.33	1.94
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	1.2	2.2	4.9	3.0	11.3	22.7	20.9	47.0	1.75	3.12	0.45	3.30
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.07	0.10	0.07	0.32
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.07	0.09	0.07	0.09
C70-72	0.8	1.3	1.7	0.3	0.3	0.7	2.1	1.8	2.9	4.4	4.9	6.0	8.1	8.5	20.9	9.4	2.13	2.83	0.39	4.38
C73	0.0	0.0	0.0	0.0	1.2	0.3	1.2	0.4	0.0	1.5	0.0	0.0	3.2	0.0	3.5	3.1	0.52	0.58	0.16	0.79
C74	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.07	0.09	0.07	0.21
C77	0.0	0.3	0.0	0.3	0.0	0.0	0.8	0.9	0.0	2.2	2.0	3.0	8.1	11.3	13.9	9.4	1.01	1.65	0.32	2.35
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	5.9	1.5	3.2	8.5	3.5	21.9	0.77	1.32	0.29	1.79
C79	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	0.0	0.7	1.0	4.5	1.6	5.7	3.5	3.1	0.45	0.72	0.21	1.26
C81	0.4	1.0	1.0	0.3	0.6	0.3	0.8	2.7	0.6	2.2	2.0	3.0	3.2	2.8	3.5	0.0	1.08	1.22	0.24	2.18
C82-85,C96	0.8	0.0	1.4	0.7	0.3	0.0	0.8	0.4	0.6	3.0	14.8	16.4	6.5	19.9	10.4	9.4	2.10	3.24	0.44	6.12
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	0.0	2.8	0.0	6.3	0.21	0.38	0.16	0.54
C91	1.2	1.6	0.7	0.0	0.9	0.7	1.2	0.0	1.2	0.7	0.0	4.5	1.6	0.0	10.4	0.0	0.98	1.14	0.23	1.16
C92-94	0.0	0.3	0.0	1.0	0.6	1.0	0.8	1.3	0.6	2.2	3.0	3.0	1.6	0.0	0.0	9.4	0.94	1.08	0.22	1.87
C95	0.8	0.3	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.21	0.24	0.10	0.00
Q&U	0.0	0.7	1.4	0.0	0.6	2.8	0.4	0.4	2.4	6.6	6.9	14.9	22.6	28.4	34.8	34.5	3.25	5.14	0.56	7.79
All	5.0	5.9	7.5	5.1	9.6	11.8	15.4	23.9	50.6	110.0	196.7	261.1	312.2	646.7	549.1	695.5	57.14	93.09	2.40	141.40

TABLE BLR-3.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Males Bangalore

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	3.0	0.07	0.12	0.09	0.20
C01-02	0.0	0.0	0.0	0.0	0.3	0.0	1.2	0.4	1.7	2.9	7.7	17.3	21.9	13.7	20.2	12.1	2.07	3.41	0.45	7.27
C03-06	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.3	1.1	1.4	3.8	17.3	9.4	19.2	10.1	30.3	1.69	2.91	0.42	4.81
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	1.0	2.9	1.6	0.0	0.0	3.0	0.24	0.36	0.14	0.95
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	1.0	1.4	7.8	19.2	6.7	0.0	0.68	1.29	0.30	1.88
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	1.0	2.9	1.6	13.7	3.4	6.1	0.51	0.95	0.25	1.12
C11	0.0	0.0	0.0	1.0	0.3	0.0	0.0	0.0	0.0	2.1	0.0	2.9	4.7	0.0	0.0	6.1	0.47	0.67	0.19	1.39
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.3	10.5	13.0	21.9	44.0	37.0	30.3	2.71	4.95	0.57	7.37
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	0.0	3.1	5.5	3.4	3.0	0.27	0.50	0.18	0.67
C15	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.0	2.3	7.2	23.0	21.7	37.6	71.4	80.8	72.8	5.25	9.40	0.77	13.18
C16	0.0	0.0	0.0	0.0	0.3	2.0	0.4	3.4	5.7	15.7	19.1	24.6	36.0	68.7	77.4	85.0	6.23	10.39	0.80	15.72
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.03	0.05	0.05	0.15
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	3.4	1.4	1.9	11.6	20.4	16.5	33.7	21.2	1.96	3.36	0.46	5.53
C19-20	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.9	3.4	4.3	2.9	4.3	9.4	19.2	23.6	9.1	1.63	2.57	0.39	3.89
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	2.9	3.1	0.0	0.0	0.0	0.20	0.33	0.14	1.07
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.7	10.5	7.2	20.4	33.0	16.8	30.3	2.30	4.04	0.50	6.81
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.7	0.0	4.3	6.3	5.5	10.1	3.0	0.54	0.95	0.24	1.67
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6	1.4	1.9	2.9	7.8	5.5	10.1	12.1	0.78	1.31	0.28	2.25
C30-31	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.0	0.0	0.7	1.0	0.0	3.1	2.7	6.7	0.0	0.34	0.51	0.17	0.70
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.3	5.0	13.4	14.5	15.7	46.7	30.3	24.3	2.71	4.83	0.56	7.54
C33-34	0.0	0.0	0.0	0.0	0.0	0.3	2.0	0.4	1.1	4.3	26.8	33.2	34.5	49.4	50.5	66.8	4.84	8.38	0.72	14.19
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	5.5	0.0	0.0	0.14	0.29	0.15	0.40
C40-41	0.0	0.0	0.3	1.3	1.2	1.0	0.4	0.0	0.0	1.4	1.9	1.4	1.6	2.7	3.4	6.1	0.78	0.92	0.21	0.97
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.3	1.7	2.1	2.9	8.7	6.3	13.7	10.1	18.2	1.29	2.08	0.35	3.39
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	1.0	1.4	1.6	0.0	0.0	0.0	0.17	0.23	0.11	0.65
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.3	0.0	0.9	0.3	0.0	0.0	1.7	0.7	0.0	1.4	3.1	0.0	3.4	0.0	0.44	0.52	0.16	1.06
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.6	2.7	0.0	9.1	0.20	0.38	0.16	0.39
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.3	0.0	1.0	2.9	3.1	5.5	3.4	6.1	0.51	0.80	0.22	1.46
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.8	2.9	26.6	52.2	57.2	157.8	3.79	7.28	0.69	4.57
C62	0.7	0.0	0.0	0.0	0.3	0.0	2.0	0.4	1.1	2.1	2.9	1.4	0.0	2.7	0.0	3.0	0.68	0.80	0.19	1.37
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	4.3	4.7	2.7	6.7	3.0	0.41	0.73	0.21	1.46
C64	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.9	1.1	2.9	2.9	8.7	3.1	13.7	6.7	3.0	1.02	1.64	0.31	2.93
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.6	0.0	0.0	0.0	0.07	0.12	0.09	0.39
C67	0.0	0.0	0.0	0.0	0.0	0.3	1.2	1.3	1.7	1.4	3.8	1.4	12.5	16.5	26.9	36.4	1.73	2.88	0.42	3.28
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	0.0	1.6	0.0	0.0	0.0	0.10	0.15	0.09	0.49
C69	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.6	0.0	3.4	0.0	0.17	0.27	0.12	0.36
C70-72	0.7	2.5	2.0	1.0	0.9	1.0	3.6	1.3	2.8	7.2	8.6	7.2	7.8	5.5	10.1	3.0	2.61	3.12	0.38	5.52
C73	0.0	0.0	0.3	0.3	0.9	0.3	1.2	1.3	2.3	1.4	2.9	5.8	4.7	0.0	10.1	12.1	1.19	1.54	0.28	2.78
C74	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.08	0.06	0.11
C77	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.4	0.0	2.1	3.8	4.3	1.6	8.2	10.1	12.1	0.81	1.33	0.28	1.88
C78	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0	0.6	0.0	2.9	4.3	7.8	8.2	6.7	3.0	0.71	1.18	0.27	2.14
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	0.7	2.9	1.4	4.7	5.5	6.7	15.2	0.68	1.13	0.26	1.62
C81	0.0	1.0	0.7	0.3	1.2	0.3	1.6	0.4	1.1	1.4	0.0	0.0	0.0	5.5	3.4	0.0	0.78	0.82	0.19	0.58
C82-85,C96	0.4	0.3	1.0	1.0	1.2	1.0	2.4	1.7	5.1	3.6	8.6	5.8	12.5	27.5	10.1	24.3	2.74	3.88	0.46	5.77
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	2.1	1.9	4.3	7.8	13.7	13.5	18.2	1.05	1.84	0.34	2.40
C91	2.2	1.6	0.3	1.0	0.6	0.0	0.0	0.0	0.6	0.7	1.0	1.4	1.6	0.0	10.1	6.1	0.91	1.16	0.23	0.79
C92-94	0.4	0.3	0.3	0.3	1.8	1.0	2.4	1.3	4.6	3.6	1.9	1.4	4.7	2.7	6.7	12.1	1.63	1.87	0.29	2.92
C95	0.4	0.3	0.0	0.3	0.9	0.3	0.0	0.0	1.1	0.0	0.0	2.9	0.0	0.0	0.0	6.1	0.44	0.51	0.15	0.59
O&U	0.7	0.0	0.0	0.0	0.3	0.0	1.6	1.7	2.8	8.6	6.7	5.8	6.3	27.5	20.2	21.2	2.24	3.47	0.45	5.18
All	7.4	6.4	5.3	6.6	11.7	11.1	26.2	22.3	61.0	106.5	192.5	267.3	399.5	656.6	649.6	795.0	62.87	102.27	2.47	153.82

TABLE BLR-3.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Males
Bangalore

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.8	1.4	0.0	1.5	0.09	0.15	0.07	0.25
C01-02	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.2	2.0	4.0	8.8	13.2	17.5	20.9	18.8	20.0	2.07	3.50	0.33	6.58
C03-06	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	1.2	3.3	5.4	11.7	10.3	22.3	12.0	23.1	1.67	2.87	0.30	4.78
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	1.0	2.2	2.4	0.0	1.7	1.5	0.24	0.38	0.10	1.00
C09	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	1.8	1.5	2.2	7.2	14.0	5.1	6.2	0.69	1.25	0.20	1.91
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.5	3.7	1.6	11.2	5.1	4.6	0.46	0.87	0.17	1.11
C11	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.2	0.0	1.1	0.0	2.2	2.4	0.0	1.7	6.2	0.34	0.49	0.11	0.85
C12-13	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.7	2.0	4.4	10.7	16.2	15.1	44.7	34.2	23.1	2.68	4.75	0.39	7.12
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.5	0.7	1.6	9.8	8.6	3.1	0.36	0.71	0.16	0.59
C15	0.0	0.0	0.0	0.0	0.0	0.2	1.4	0.2	3.8	7.3	21.9	21.3	43.0	64.2	66.7	64.8	5.11	8.99	0.54	14.00
C16	0.0	0.0	0.0	0.0	0.3	1.0	0.6	2.6	5.2	15.6	18.5	28.6	32.6	72.6	61.6	60.1	5.66	9.54	0.55	15.42
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.5	0.0	2.4	0.0	0.0	0.0	0.12	0.18	0.07	0.54
C18	0.0	0.0	0.0	0.0	0.5	0.2	0.4	0.7	2.0	2.5	2.4	9.5	13.5	18.1	25.7	23.1	1.74	2.95	0.30	4.38
C19-20	0.0	0.0	0.0	0.0	0.2	0.7	0.4	0.9	3.2	6.9	3.4	5.9	7.2	16.7	20.5	21.6	1.77	2.79	0.29	4.35
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.5	2.4	1.4	0.0	3.1	0.17	0.30	0.10	0.65
C22	0.2	0.2	0.2	0.0	0.2	0.0	0.2	0.7	2.0	4.4	10.2	5.9	13.5	34.9	20.5	30.8	2.24	3.86	0.35	5.51
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	0.9	1.1	2.9	2.9	4.0	7.0	6.8	4.6	0.67	1.06	0.18	1.95
C25	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.7	1.2	1.8	3.9	2.9	7.2	8.4	5.1	7.7	0.84	1.35	0.20	2.63
C30-31	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.3	0.4	1.5	0.0	1.6	1.4	3.4	3.1	0.28	0.40	0.11	0.61
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	5.1	10.7	14.7	17.5	32.1	27.4	29.3	2.50	4.38	0.37	7.35
C33-34	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.7	2.0	4.7	20.9	27.9	34.2	55.8	51.3	63.2	4.59	8.05	0.51	12.82
C37-38	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.8	0.0	0.0	0.10	0.17	0.08	0.21
C40-41	0.0	0.0	0.5	1.0	1.1	0.9	0.4	0.7	0.9	1.8	1.9	2.9	1.6	2.8	5.1	4.6	0.89	1.07	0.16	1.54
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.2	0.2	0.2	0.4	0.9	1.4	1.5	3.4	5.9	3.2	11.2	10.3	13.9	1.03	1.64	0.22	2.45
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.0	1.0	2.2	2.4	1.4	3.4	1.5	0.26	0.42	0.11	0.86
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.2	0.0	0.6	0.3	0.0	0.2	0.9	1.5	0.5	2.2	1.6	1.4	3.4	0.0	0.41	0.53	0.12	1.06
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.5	1.5	0.8	1.4	1.7	6.2	0.21	0.35	0.10	0.50
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.3	1.5	1.9	4.4	5.6	9.8	1.7	7.7	0.77	1.24	0.19	2.46
C61	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.4	3.9	7.3	19.9	48.9	56.4	132.6	3.44	6.58	0.47	4.25
C62	0.6	0.0	0.0	0.5	0.3	0.3	1.4	0.4	0.9	1.8	2.4	1.5	0.8	2.8	0.0	3.1	0.67	0.80	0.14	1.29
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	2.2	2.4	1.4	3.4	1.5	0.21	0.37	0.11	0.74	
C64	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.4	1.2	2.5	2.9	5.9	3.2	15.4	6.8	9.3	0.96	1.62	0.23	2.44
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.0	0.0	0.0	0.03	0.06	0.04	0.20
C67	0.0	0.0	0.2	0.0	0.0	0.3	0.6	0.7	1.4	1.8	4.4	2.2	11.9	19.5	23.9	41.6	1.74	3.00	0.31	3.29
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.5	0.0	1.6	0.0	0.0	0.0	0.09	0.13	0.06	0.41
C69	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.0	0.8	0.0	1.7	1.5	0.12	0.18	0.07	0.22
C70-72	0.8	1.9	1.8	0.7	0.6	0.9	2.9	1.5	2.9	5.8	6.8	6.6	8.0	7.0	15.4	6.2	2.37	2.98	0.27	4.96
C73	0.0	0.0	0.2	0.2	1.1	0.3	1.2	0.9	1.2	1.5	1.5	2.9	4.0	0.0	6.8	7.7	0.86	1.07	0.16	1.80
C74	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.07	0.09	0.04	0.16
C77	0.0	0.2	0.0	0.2	0.0	0.2	0.6	0.7	0.0	2.2	2.9	3.7	4.8	9.8	12.0	10.8	0.91	1.48	0.21	2.11
C78	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.9	0.0	4.4	2.9	5.6	8.4	5.1	12.3	0.74	1.25	0.20	1.97
C79	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.6	0.7	1.9	2.9	3.2	5.6	5.1	9.3	0.57	0.93	0.17	1.44
C81	0.2	1.0	0.8	0.3	0.9	0.3	1.2	1.5	0.9	1.8	1.0	1.5	1.6	4.2	3.4	0.0	0.93	1.02	0.15	1.37
C82-85,C96	0.6	0.2	1.2	0.8	0.8	0.5	1.6	1.1	2.9	3.3	11.7	11.0	9.6	23.7	10.3	17.0	2.43	3.56	0.32	5.94
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.1	1.5	3.7	4.0	8.4	6.8	12.3	0.64	1.12	0.19	1.49
C91	1.7	1.6	0.5	0.5	0.8	0.3	0.6	0.0	0.9	0.7	0.5	2.9	1.6	0.0	10.3	3.1	0.95	1.15	0.16	0.97
C92-94	0.2	0.3	0.2	0.7	1.2	1.0	1.6	1.3	2.6	2.9	2.4	2.2	3.2	1.4	3.4	10.8	1.29	1.48	0.18	2.41
C95	0.6	0.3	0.0	0.2	0.6	0.3	0.0	0.0	0.6	0.0	0.0	1.5	0.0	0.0	0.0	4.6	0.33	0.38	0.09	0.30
O&U	0.4	0.3	0.7	0.0	0.5	1.4	1.0	1.1	2.6	7.6	6.8	10.3	14.3	27.9	27.4	27.8	2.74	4.29	0.36	6.46
ALL	6.2	6.2	6.4	5.9	10.7	11.5	20.9	23.1	55.9	108.3	194.6	264.3	356.6	651.8	600.2	746.2	60.06	97.77	1.72	147.73

TABLE BLR-4(a): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Males Bangalore

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR	CR	AAR	TR	CR	AAR	TR	CR	AAR	TR
C00	Lip	0.15	0.24	0.57	0.04	0.07	0.22	0.10	0.18	0.30	0.07	0.12	0.20
C01-02	Tongue	1.72	2.82	5.17	2.18	3.70	6.43	2.06	3.58	5.87	2.07	3.41	7.27
C03-06	Mouth	1.31	2.29	4.94	2.40	4.07	7.79	1.64	2.83	4.75	1.69	2.91	4.81
C07-08	Salivary Gland	0.45	0.59	1.41	0.29	0.42	0.92	0.24	0.40	1.06	0.24	0.36	0.95
C09	Tonsil	0.86	1.49	2.87	0.65	1.25	1.66	0.70	1.20	1.94	0.68	1.29	1.88
C10	Oth. Oropharynx	0.75	1.29	2.61	0.51	0.90	1.52	0.42	0.80	1.11	0.51	0.95	1.12
C11	Nasopharynx	0.45	0.57	0.82	0.22	0.34	0.72	0.21	0.31	0.28	0.47	0.67	1.39
C12-13	Hypopharynx	3.11	5.47	8.92	3.20	5.34	10.49	2.66	4.54	6.87	2.71	4.95	7.37
C14	Pharynx Unspecified	0.64	1.09	1.10	0.62	1.07	2.03	0.45	0.92	0.51	0.27	0.50	0.67
C15	Oesophagus	4.12	6.92	13.37	4.04	6.95	12.51	4.97	8.57	14.84	5.25	9.40	13.18
C16	Stomach	5.10	8.65	12.99	5.31	9.21	12.37	5.07	8.65	15.12	6.23	10.39	15.72
C17	Small Intestine	0.04	0.07	0.22	0.18	0.24	0.57	0.21	0.32	0.94	0.03	0.05	0.15
C18	Colon	1.27	2.16	4.11	1.49	2.50	3.92	1.50	2.54	3.19	1.96	3.36	5.53
C19-20	Rectum	1.61	2.32	4.36	2.15	3.49	7.26	1.92	3.01	4.82	1.63	2.57	3.89
C21	Anus & Anal Canal	0.19	0.21	0.59	0.55	0.97	0.24	0.14	0.28	0.21	0.20	0.33	1.07
C22	Liver	1.39	2.36	3.50	1.64	2.84	5.34	2.17	3.67	4.18	2.30	4.04	6.81
C23-24	Gallbladder etc.	0.34	0.59	0.32	0.73	1.11	2.16	0.80	1.17	2.24	0.54	0.95	1.67
C25	Pancreas	0.71	1.25	1.86	0.87	1.32	2.06	0.91	1.39	3.03	0.78	1.31	2.25
C30-31	Nose, Sinuses etc.	0.41	0.56	0.96	0.25	0.40	0.92	0.21	0.29	0.52	0.34	0.51	0.70
C32	Larynx	2.29	4.14	6.24	1.82	3.05	5.93	2.27	3.91	7.16	2.71	4.83	7.54
C33-34	Lung etc.	3.75	6.58	11.13	4.18	7.27	9.86	4.34	7.72	11.40	4.84	8.38	14.19
C37-38	Other Thoracic Organs	0.04	0.03	0.00	0.11	0.13	0.43	0.07	0.05	0.00	0.14	0.29	0.40
C40-41	Bone	0.37	0.51	0.48	0.55	0.69	0.83	1.01	1.23	2.13	0.78	0.92	0.97
C43	Melanoma of Skin	0.15	0.25	0.28	0.07	0.11	0.35	0.00	0.00	0.00	0.00	0.00	0.00
C44	Other Skin	0.97	1.70	2.15	0.51	0.88	1.60	0.77	1.19	1.48	1.29	2.08	3.39
C45	Mesothelioma	0.30	0.49	0.66	0.29	0.51	0.53	0.35	0.62	1.08	0.17	0.23	0.65
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.67	0.76	1.35	0.55	0.68	1.54	0.38	0.54	1.06	0.44	0.52	1.06
C50	Breast	0.07	0.07	0.15	0.07	0.16	0.00	0.21	0.32	0.61	0.20	0.38	0.39
C60	Penis	0.67	1.00	2.14	0.65	1.06	1.63	1.05	1.70	3.49	0.51	0.80	1.46
C61	Prostate	2.51	4.80	3.16	2.58	4.96	3.29	3.08	5.85	3.93	3.79	7.28	4.57
C62	Testis	0.60	0.60	0.52	0.62	0.69	1.34	0.66	0.79	1.21	0.68	0.80	1.37
C63	Other Male Genital	0.07	0.08	0.24	0.18	0.32	0.75	0.00	0.00	0.00	0.41	0.73	1.46
C64	Kidney etc.	0.86	1.41	2.44	0.76	1.10	2.53	0.91	1.61	1.94	1.02	1.64	2.93
C65	Renal Pelvis	0.00	0.00	0.00	0.04	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.04	0.07	0.22	0.00	0.00	0.00	0.07	0.12	0.39
C67	Bladder	1.31	2.30	3.03	1.27	2.18	2.86	1.75	3.12	3.30	1.73	2.88	3.28
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.07	0.16	0.22	0.07	0.10	0.32	0.10	0.15	0.49
C69	Eye	0.22	0.30	0.12	0.11	0.16	0.00	0.07	0.09	0.09	0.17	0.27	0.36
C70-72	Brain, Nervous System	2.10	2.64	4.17	2.73	3.60	5.03	2.13	2.83	4.38	2.61	3.12	5.52
C73	Thyroid	0.82	1.13	2.37	0.55	0.70	1.50	0.52	0.58	0.79	1.19	1.54	2.78
C74	Adrenal Gland	0.07	0.09	0.12	0.11	0.14	0.22	0.07	0.09	0.21	0.07	0.08	0.11
C77	Sec Lymph Nodes	1.01	1.55	3.85	1.16	2.06	3.28	1.01	1.65	2.35	0.81	1.33	1.88
C78	Sec Resp & Digestive	1.05	1.80	2.32	0.91	1.51	2.90	0.77	1.32	1.79	0.71	1.18	2.14
C79	Sec Others	0.79	1.28	2.62	0.65	0.97	1.31	0.45	0.72	1.26	0.68	1.13	1.62
C81	Hodgkins Disease	0.86	0.98	1.44	0.69	0.83	1.02	1.08	1.22	2.18	0.78	0.82	0.58
C82-85,C96	NHL	2.36	3.25	4.06	2.47	3.80	6.47	2.10	3.24	6.12	2.74	3.88	5.77
C90	Multiple Myeloma	0.90	1.50	3.65	0.73	1.17	2.54	0.21	0.38	0.54	1.05	1.84	2.40
C91	Lymphoid Leuk.	1.12	1.35	0.44	0.73	0.85	0.51	0.98	1.14	1.16	0.91	1.16	0.79
C92-94	Myeloid Leukaemia	1.54	1.75	3.39	1.35	1.67	2.40	0.94	1.08	1.87	1.63	1.87	2.92
C95	Leukaemia Uns	0.41	0.46	0.36	0.58	0.73	0.77	0.21	0.24	0.00	0.44	0.51	0.59
O&U	Other and Uns	2.70	4.42	5.98	3.53	5.35	9.30	3.25	5.14	7.79	2.24	3.47	5.18
	All Sites	55.27	88.18	139.56	57.97	93.84	150.28	57.14	93.09	141.40	62.87	102.27	153.82

TABLE BLR-4(b): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Females Bangalore

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.12	0.16	0.53	0.04	0.08	0.25	0.08	0.13	0.22	0.19	0.36	0.34
C01-02	Tongue	0.79	1.39	3.42	0.56	1.00	1.79	0.85	1.41	2.39	0.64	1.11	1.11
C03-06	Mouth	4.10	7.30	13.23	3.94	6.80	13.79	3.60	5.96	14.28	3.86	6.43	12.19
C07-08	Salivary Gland	0.12	0.22	0.00	0.12	0.10	0.00	0.46	0.68	1.69	0.22	0.35	0.44
C09	Tonsil	0.21	0.38	0.40	0.20	0.37	0.68	0.31	0.50	1.31	0.15	0.25	0.60
C10	Oth. Oropharynx	0.04	0.05	0.17	0.08	0.19	0.00	0.23	0.35	0.61	0.00	0.00	0.00
C11	Nasopharynx	0.29	0.46	0.64	0.16	0.22	0.00	0.31	0.35	0.72	0.19	0.28	0.82
C12-13	Hypopharynx	1.12	1.83	3.99	0.68	1.14	1.87	0.66	1.10	2.76	0.97	1.65	3.26
C14	Pharynx Unspecified	0.17	0.28	0.64	0.20	0.26	0.11	0.23	0.40	0.20	0.26	0.46	0.91
C15	Oesophagus	3.73	6.62	11.23	3.86	6.92	12.39	4.10	7.34	10.25	4.42	7.88	13.23
C16	Stomach	3.19	5.09	9.04	3.25	5.40	9.61	3.36	5.68	8.64	3.07	5.36	9.46
C17	Small Intestine	0.08	0.12	0.26	0.12	0.16	0.52	0.08	0.06	0.10	0.19	0.28	0.42
C18	Colon	1.16	1.92	4.24	1.00	1.60	4.06	1.04	1.66	3.77	1.65	2.85	4.84
C19-20	Rectum	1.61	2.49	4.17	1.37	2.32	4.70	1.58	2.49	4.13	1.53	2.65	4.21
C21	Anus & Anal Canal	0.25	0.47	0.61	0.20	0.35	0.70	0.54	0.95	1.60	0.22	0.41	0.33
C22	Liver	0.75	1.26	2.29	0.80	1.42	1.34	0.73	1.26	1.59	1.27	2.01	3.49
C23-24	Gallbladder etc.	0.62	1.04	2.02	0.88	1.68	2.13	0.54	0.88	1.29	0.45	0.65	1.82
C25	Pancreas	0.25	0.43	0.88	0.40	0.59	0.93	0.39	0.69	1.48	0.60	0.95	1.13
C30-31	Nose, Sinuses etc.	0.37	0.62	1.72	0.24	0.36	0.79	0.27	0.50	0.48	0.22	0.37	0.77
C32	Larynx	0.25	0.47	0.61	0.28	0.48	0.58	0.08	0.14	0.44	0.26	0.41	1.04
C33-34	Lung etc.	0.79	1.36	2.65	1.61	2.83	5.35	1.28	2.23	4.14	1.24	2.02	3.41
C37-38	Other Thoracic Organs	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.06	0.19
C40-41	Bone	0.50	0.48	0.71	0.64	1.02	1.20	0.77	0.98	1.19	0.52	0.68	0.76
C43	Melanoma of Skin	0.04	0.06	0.20	0.12	0.22	0.21	0.00	0.00	0.00	0.00	0.00	0.00
C44	Other Skin	0.66	1.09	2.29	0.84	1.41	2.68	0.66	1.17	2.05	1.20	2.04	1.70
C45	Mesothelioma	0.12	0.21	0.68	0.36	0.58	0.60	0.31	0.48	1.21	0.22	0.35	0.71
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.21	0.28	0.42	0.44	0.60	1.21	0.39	0.53	1.12	0.45	0.60	0.93
C50	Breast	14.90	22.63	55.07	18.36	27.28	63.63	16.08	24.85	61.75	18.19	28.68	66.25
C51	Vulva	0.46	0.68	1.24	0.20	0.35	0.21	0.15	0.27	0.86	0.45	0.76	1.22
C52	Vagina	0.46	0.82	1.07	0.40	0.74	1.25	0.43	0.77	1.53	0.49	0.73	1.03
C53	Cervix Uteri	13.95	22.31	51.67	13.90	21.56	50.61	13.41	21.12	48.76	15.61	25.33	54.80
C54	Corpus Uteri	1.49	2.59	6.54	2.05	3.68	7.31	2.36	3.60	6.85	2.66	4.44	8.97
C55	Uterus Unspecified	0.29	0.49	1.05	0.36	0.63	1.43	0.43	0.76	1.38	0.52	0.80	0.99
C56	Ovary etc.	2.90	4.35	9.74	3.49	5.45	11.98	4.41	6.79	13.58	3.41	5.22	10.43
C57	Other Female Genital	0.08	0.09	0.20	0.04	0.03	0.00	0.12	0.19	0.60	0.11	0.21	0.46
C58	Placenta	0.08	0.06	0.00	0.04	0.03	0.00	0.08	0.06	0.00	0.04	0.03	0.00
C64	Kidney etc.	0.29	0.36	0.69	0.32	0.46	0.99	0.39	0.58	0.54	0.45	0.69	1.40
C65	Renal Pelvis	0.04	0.07	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C67	Bladder	0.54	1.03	0.92	0.32	0.53	0.48	0.70	1.25	0.92	0.34	0.56	0.87
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.09	0.00
C69	Eye	0.08	0.10	0.00	0.12	0.21	0.21	0.12	0.14	0.00	0.19	0.21	0.00
C70-72	Brain, Nervous System	1.66	1.89	3.26	1.45	1.74	3.38	1.70	2.29	4.15	1.95	2.50	3.68
C73	Thyroid	2.28	2.98	6.12	1.57	2.16	4.36	2.40	3.09	5.33	2.17	2.91	4.42
C74	Adrenal Gland	0.04	0.06	0.20	0.04	0.03	0.00	0.08	0.12	0.40	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.50	0.78	1.48	0.60	0.97	2.27	0.81	1.36	3.13	0.45	0.67	1.24
C78	Sec Resp & Digestive	0.62	1.13	2.56	1.04	1.73	3.50	0.15	0.21	0.30	0.60	1.00	2.35
C79	Sec Others	0.37	0.57	0.78	0.44	0.71	1.32	0.66	1.05	2.23	0.60	1.08	1.93
C81	Hodgkins Disease	0.83	1.01	0.49	0.20	0.26	0.36	0.39	0.46	0.83	0.56	0.70	0.89
C82-85,C96	NHL	1.41	2.44	2.60	1.57	2.54	3.17	1.78	2.55	5.52	1.91	2.92	4.54
C90	Multiple Myeloma	0.33	0.60	1.08	0.40	0.77	0.88	0.35	0.66	0.75	0.60	1.05	2.06
C91	Lymphoid Leuk.	0.58	0.61	0.52	0.36	0.39	0.43	0.58	0.76	1.31	0.90	0.97	0.96
C92-94	Myeloid Leukaemia	1.03	1.37	2.17	1.21	1.60	3.44	0.97	1.23	2.23	1.16	1.43	3.25
C95	Leukaemia Uns	0.46	0.59	0.82	0.12	0.16	0.42	0.35	0.53	0.46	0.37	0.47	1.13
O&U	Other and Uns	3.02	4.81	8.15	2.93	4.85	8.36	3.17	5.11	8.14	2.28	3.55	6.47
	All Sites	70.26	110.54	225.74	73.95	116.96	237.47	74.88	117.73	239.21	80.06	127.44	247.46

TABLE BLR-5(a): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Males - Bangalore

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.02	0.02
C01-02	Tongue	0.23	0.23	0.43	0.43
C03-06	Mouth	0.17	0.17	0.34	0.34
C07-08	Salivary Gland	0.03	0.03	0.04	0.04
C09	Tonsil	0.07	0.07	0.16	0.16
C10	Oth. Oropharynx	0.04	0.04	0.12	0.12
C11	Nasopharynx	0.03	0.03	0.04	0.04
C12-13	Hypopharynx	0.25	0.25	0.64	0.64
C14	Pharynx Unspecified	0.02	0.02	0.11	0.11
C15	Oesophagus	0.50	0.49	1.15	1.14
C16	Stomach	0.53	0.52	1.20	1.19
C17	Small Intestine	0.02	0.02	0.02	0.02
C18	Colon	0.16	0.16	0.38	0.38
C19-20	Rectum	0.14	0.14	0.33	0.33
C21	Anus & Anal Canal	0.02	0.02	0.03	0.03
C22	Liver	0.19	0.19	0.46	0.46
C23-24	Gallbladder etc.	0.07	0.07	0.13	0.13
C25	Pancreas	0.09	0.09	0.16	0.16
C30-31	Nose, Sinuses etc.	0.02	0.02	0.05	0.05
C32	Larynx	0.25	0.25	0.55	0.55
C33-34	Lung etc.	0.46	0.46	1.00	0.99
C37-38	Other Thoracic Organs	0.01	0.01	0.02	0.02
C40-41	Bone	0.07	0.07	0.11	0.11
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.09	0.09	0.19	0.19
C45	Mesothelioma	0.03	0.03	0.06	0.06
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.04	0.04	0.06	0.06
C50	Breast	0.02	0.02	0.03	0.03
C60	Penis	0.08	0.08	0.14	0.14
C61	Prostate	0.16	0.16	0.69	0.68
C62	Testis	0.05	0.05	0.07	0.07
C63	Other Male Genital	0.03	0.03	0.05	0.05
C64	Kidney etc.	0.08	0.08	0.20	0.19
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.01	0.01	0.01	0.01
C67	Bladder	0.12	0.12	0.34	0.33
C68	Uns. Urinary Organs	0.01	0.01	0.01	0.01
C69	Eye	0.01	0.01	0.02	0.02
C70-72	Brain, Nervous System	0.21	0.21	0.32	0.32
C73	Thyroid	0.07	0.07	0.11	0.11
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C77	Sec Lymph Nodes	0.08	0.08	0.19	0.19
C78	Sec Resp & Digestive	0.07	0.07	0.14	0.14
C79	Sec Others	0.05	0.05	0.10	0.10
C81	Hodgkins Disease	0.07	0.07	0.10	0.10
C82-85, C96	NHL	0.23	0.23	0.40	0.39
C90	Multiple Myeloma	0.05	0.05	0.13	0.13
C91	Lymphoid Leuk.	0.06	0.06	0.11	0.11
C92-94	Myeloid Leukaemia	0.10	0.10	0.12	0.12
C95	Leukaemia Uns	0.02	0.02	0.02	0.02
O&U	Other and Uns	0.23	0.23	0.51	0.51
	All Sites	5.35	5.21	11.61	10.96

TABLE BLR-5(b): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Females - Bangalore

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.03	0.03
C01-02	Tongue	0.06	0.06	0.18	0.18
C03-06	Mouth	0.45	0.45	0.77	0.77
C07-08	Salivary Gland	0.04	0.04	0.05	0.05
C09	Tonsil	0.03	0.03	0.04	0.04
C10	Oth. Oropharynx	0.01	0.01	0.01	0.01
C11	Nasopharynx	0.03	0.03	0.03	0.03
C12-13	Hypopharynx	0.11	0.11	0.17	0.17
C14	Pharynx Unspecified	0.02	0.02	0.05	0.05
C15	Oesophagus	0.40	0.40	1.01	1.00
C16	Stomach	0.32	0.31	0.70	0.69
C17	Small Intestine	0.01	0.01	0.01	0.01
C18	Colon	0.14	0.14	0.24	0.24
C19-20	Rectum	0.15	0.15	0.29	0.29
C21	Anus & Anal Canal	0.03	0.03	0.08	0.08
C22	Liver	0.09	0.09	0.18	0.18
C23-24	Gallbladder etc.	0.05	0.05	0.08	0.08
C25	Pancreas	0.04	0.04	0.09	0.09
C30-31	Nose, Sinuses etc.	0.02	0.02	0.05	0.05
C32	Larynx	0.03	0.03	0.03	0.03
C33-34	Lung etc.	0.13	0.13	0.26	0.26
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00
C40-41	Bone	0.04	0.04	0.08	0.08
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.07	0.07	0.21	0.21
C45	Mesothelioma	0.03	0.03	0.04	0.04
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.04	0.04	0.06	0.06
C50	Breast	2.08	2.06	3.03	2.98
C51	Vulva	0.04	0.04	0.05	0.05
C52	Vagina	0.05	0.05	0.09	0.09
C53	Cervix Uteri	1.73	1.72	2.74	2.70
C54	Corpus Uteri	0.28	0.28	0.49	0.49
C55	Uterus Unspecified	0.04	0.04	0.07	0.07
C56	Ovary etc.	0.40	0.40	0.72	0.72
C57	Other Female Genital	0.02	0.02	0.02	0.02
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.04	0.04	0.07	0.07
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.03	0.03	0.10	0.10
C68	Uns. Urinary Organs	0.00	0.00	0.01	0.01
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain, Nervous System	0.16	0.16	0.24	0.24
C73	Thyroid	0.19	0.19	0.29	0.29
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C77	Sec Lymph Nodes	0.08	0.08	0.12	0.12
C78	Sec Resp & Digestive	0.05	0.05	0.06	0.06
C79	Sec Others	0.07	0.07	0.11	0.11
C81	Hodgkins Disease	0.04	0.04	0.06	0.06
C82-85, C96	NHL	0.18	0.17	0.31	0.30
C90	Multiple Myeloma	0.05	0.05	0.11	0.11
C91	Lymphoid Leuk.	0.06	0.06	0.06	0.06
C92-94	Myeloid Leukaemia	0.09	0.09	0.12	0.12
C95	Leukaemia Uns	0.03	0.03	0.05	0.05
O&U	Other and Uns	0.26	0.26	0.52	0.52
	All Sites	8.33	7.99	14.20	13.24

**TABLE BLR-6(a): Number (#) and Proportion (%) of Cancers by Site(ICD-10) and Method of Diagnosis: 1999-2000 - Males
Bangalore**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	60.0	0	0.0	2	40.0	0	0.0	0	0.0	5	100.0
C01-02	Tongue	106	88.3	0	0.0	10	8.3	0	0.0	4	3.3	120	100.0
C03-06	Mouth	86	88.7	0	0.0	9	9.3	0	0.0	2	2.1	97	100.0
C07-08	Salivary Gland	14	100.0	0	0.0	0	0.0	0	0.0	0	0.0	14	100.0
C09	Tonsil	39	95.1	0	0.0	2	4.9	0	0.0	0	0.0	41	100.0
C10	Oth. Oropharynx	25	92.6	0	0.0	1	3.7	0	0.0	1	3.7	27	100.0
C11	Nasopharynx	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	20	100.0
C12-13	Hypopharynx	142	91.0	0	0.0	13	8.3	0	0.0	1	0.6	156	100.0
C14	Pharynx Unspecified	11	52.4	0	0.0	4	19.0	0	0.0	6	28.6	21	100.0
C15	Oesophagus	248	83.2	2	0.7	27	9.1	2	0.7	19	6.4	298	100.0
C16	Stomach	273	82.7	0	0.0	44	13.3	3	0.9	10	3.0	330	100.0
C17	Small Intestine	5	71.4	0	0.0	2	28.6	0	0.0	0	0.0	7	100.0
C18	Colon	90	89.1	0	0.0	9	8.9	0	0.0	2	2.0	101	100.0
C19-20	Rectum	94	91.3	1	1.0	6	5.8	0	0.0	2	1.9	103	100.0
C21	Anus & Anal Canal	9	90.0	0	0.0	1	10.0	0	0.0	0	0.0	10	100.0
C22	Liver	90	69.2	4	3.1	12	9.2	4	3.1	20	15.4	130	100.0
C23-24	Gallbladder etc.	33	84.6	2	5.1	2	5.1	0	0.0	2	5.1	39	100.0
C25	Pancreas	23	46.9	5	10.2	16	32.7	0	0.0	5	10.2	49	100.0
C30-31	Nose, Sinuses etc.	15	93.8	0	0.0	1	6.3	0	0.0	0	0.0	16	100.0
C32	Larynx	119	82.1	0	0.0	17	11.7	0	0.0	9	6.2	145	100.0
C33-34	Lung etc.	202	75.7	13	4.9	37	13.9	2	0.7	13	4.9	267	100.0
C37-38	Other Thoracic Organs	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C40-41	Bone	43	82.7	1	1.9	3	5.8	1	1.9	4	7.7	52	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	60	100.0	0	0.0	0	0.0	0	0.0	0	0.0	60	100.0
C45	Mesothelioma	11	73.3	0	0.0	4	26.7	0	0.0	0	0.0	15	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	24	100.0	0	0.0	0	0.0	0	0.0	0	0.0	24	100.0
C50	Breast	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C60	Penis	42	93.3	0	0.0	3	6.7	0	0.0	0	0.0	45	100.0
C61	Prostate	174	86.6	0	0.0	19	9.5	3	1.5	5	2.5	201	100.0
C62	Testis	38	97.4	0	0.0	1	2.6	0	0.0	0	0.0	39	100.0
C63	Other Male Genital	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C64	Kidney etc.	54	96.4	0	0.0	0	0.0	0	0.0	2	3.6	56	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C67	Bladder	92	91.1	0	0.0	7	6.9	0	0.0	2	2.0	101	100.0
C68	Uns.Urinary Organs	4	80.0	0	0.0	1	20.0	0	0.0	0	0.0	5	100.0
C69	Eye	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C70-72	Brain, Nervous System	124	89.2	3	2.2	4	2.9	2	1.4	6	4.3	139	100.0
C73	Thyroid	47	94.0	0	0.0	3	6.0	0	0.0	0	0.0	50	100.0
C74	Adrenal Gland	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C77	Sec Lymph Nodes	49	92.5	0	0.0	2	3.8	0	0.0	2	3.8	53	100.0
C78	Sec Resp & Digestive	32	74.4	4	9.3	7	16.3	0	0.0	0	0.0	43	100.0
C79	Sec Others	26	78.8	3	9.1	4	12.1	0	0.0	0	0.0	33	100.0
C81	Hodgkins Disease	54	100.0	0	0.0	0	0.0	0	0.0	0	0.0	54	100.0
C82-85,C96	NHL	137	97.2	0	0.0	0	0.0	0	0.0	4	2.8	141	100.0
C90	Multiple Myeloma	35	94.6	2	5.4	0	0.0	0	0.0	0	0.0	37	100.0
C91	Lymphoid Leuk.	55	100.0	0	0.0	0	0.0	0	0.0	0	0.0	55	100.0
C92-94	Myeloid Leukaemia	72	96.0	0	0.0	0	0.0	0	0.0	3	4.0	75	100.0
C95	Leukaemia Uns	17	89.5	0	0.0	0	0.0	0	0.0	2	10.5	19	100.0
O&U	Other and Uns	70	44.0	0	0.0	26	16.4	0	0.0	63	39.6	159	100.0
	All Sites	2949	84.4	40	1.1	300	8.6	17	0.5	189	5.4	3495	100.0

**TABLE BLR-6(b): Number (#) and Proportion (%) of Cancers by Site(ICD-10) and Method of Diagnosis: 1999-2000 - Females
Bangalore**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	71.4	0	0.0	2	28.6	0	0.0	0	0.0	7	100.0
C01-02	Tongue	35	89.7	0	0.0	1	2.6	0	0.0	3	7.7	39	100.0
C03-06	Mouth	183	93.4	0	0.0	10	5.1	0	0.0	3	1.5	196	100.0
C07-08	Salivary Gland	17	94.4	0	0.0	0	0.0	0	0.0	1	5.6	18	100.0
C09	Tonsil	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C10	Oth. Oropharynx	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C11	Nasopharynx	12	92.3	1	7.7	0	0.0	0	0.0	0	0.0	13	100.0
C12-13	Hypopharynx	36	83.7	1	2.3	5	11.6	0	0.0	1	2.3	43	100.0
C14	Pharynx Unspecified	9	69.2	0	0.0	3	23.1	0	0.0	1	7.7	13	100.0
C15	Oesophagus	192	85.7	3	1.3	15	6.7	2	0.9	12	5.4	224	100.0
C16	Stomach	120	70.2	0	0.0	36	21.1	1	0.6	14	8.2	171	100.0
C17	Small Intestine	5	71.4	0	0.0	2	28.6	0	0.0	0	0.0	7	100.0
C18	Colon	62	87.3	0	0.0	5	7.0	1	1.4	3	4.2	71	100.0
C19-20	Rectum	73	89.0	1	1.2	5	6.1	1	1.2	2	2.4	82	100.0
C21	Anus & Anal Canal	17	85.0	0	0.0	3	15.0	0	0.0	0	0.0	20	100.0
C22	Liver	31	58.5	2	3.8	8	15.1	1	1.9	11	20.8	53	100.0
C23-24	Gallbladder etc.	17	65.4	0	0.0	5	19.2	1	3.8	3	11.5	26	100.0
C25	Pancreas	12	46.2	0	0.0	11	42.3	0	0.0	3	11.5	26	100.0
C30-31	Nose, Sinuses etc.	12	92.3	0	0.0	1	7.7	0	0.0	0	0.0	13	100.0
C32	Larynx	8	88.9	0	0.0	1	11.1	0	0.0	0	0.0	9	100.0
C33-34	Lung etc.	45	68.2	1	1.5	14	21.2	0	0.0	6	9.1	66	100.0
C37-38	Other Thoracic Organs	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C40-41	Bone	33	94.3	0	0.0	2	5.7	0	0.0	0	0.0	35	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	47	95.9	0	0.0	1	2.0	1	2.0	0	0.0	49	100.0
C45	Mesothelioma	7	50.0	0	0.0	6	42.9	0	0.0	1	7.1	14	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	21	95.5	0	0.0	0	0.0	0	0.0	1	4.5	22	100.0
C50	Breast	821	91.0	1	0.1	66	7.3	1	0.1	13	1.4	902	100.0
C51	Vulva	16	100.0	0	0.0	0	0.0	0	0.0	0	0.0	16	100.0
C52	Vagina	20	83.3	1	4.2	3	12.5	0	0.0	0	0.0	24	100.0
C53	Cervix Uteri	694	90.7	1	0.1	53	6.9	1	0.1	16	2.1	765	100.0
C54	Corpus Uteri	122	92.4	0	0.0	10	7.6	0	0.0	0	0.0	132	100.0
C55	Uterus Unspecified	17	68.0	0	0.0	3	12.0	0	0.0	5	20.0	25	100.0
C56	Ovary etc.	170	82.9	0	0.0	24	11.7	1	0.5	10	4.9	205	100.0
C57	Other Female Genital	4	66.7	0	0.0	1	16.7	0	0.0	1	16.7	6	100.0
C58	Placenta	1	33.3	0	0.0	2	66.7	0	0.0	0	0.0	3	100.0
C64	Kidney etc.	20	90.9	2	9.1	0	0.0	0	0.0	0	0.0	22	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	25	92.6	0	0.0	1	3.7	0	0.0	1	3.7	27	100.0
C68	Uns.Urinary Organs	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C69	Eye	7	87.5	1	12.5	0	0.0	0	0.0	0	0.0	8	100.0
C70-72	Brain, Nervous System	86	88.7	2	2.1	3	3.1	1	1.0	5	5.2	97	100.0
C73	Thyroid	113	94.2	0	0.0	5	4.2	1	0.8	1	0.8	120	100.0
C74	Adrenal Gland	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C77	Sec Lymph Nodes	30	88.2	0	0.0	2	5.9	0	0.0	2	5.9	34	100.0
C78	Sec Resp & Digestive	14	70.0	4	20.0	2	10.0	0	0.0	0	0.0	20	100.0
C79	Sec Others	25	75.8	3	9.1	5	15.2	0	0.0	0	0.0	33	100.0
C81	Hodgkins Disease	25	100.0	0	0.0	0	0.0	0	0.0	0	0.0	25	100.0
C82-85,C96	NHL	95	97.9	0	0.0	1	1.0	1	1.0	0	0.0	97	100.0
C90	Multiple Myeloma	21	84.0	1	4.0	0	0.0	1	4.0	2	8.0	25	100.0
C91	Lymphoid Leuk.	39	100.0	0	0.0	0	0.0	0	0.0	0	0.0	39	100.0
C92-94	Myeloid Leukaemia	56	100.0	0	0.0	0	0.0	0	0.0	0	0.0	56	100.0
C95	Leukaemia Uns	16	84.2	0	0.0	0	0.0	0	0.0	3	15.8	19	100.0
O&U	Other and Uns	62	43.4	0	0.0	22	15.4	0	0.0	59	41.3	143	100.0
	All Sites	3520	86.2	25	0.6	340	8.3	15	0.4	183	4.5	4083	100.0

**TABLE BLR-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Males
Bangalore**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	60.0	0	0.0	0	0.0	0	0.0	0	0.0	2	40.0	5	100.0
C01-02	Tongue	90	75.0	0	0.0	16	13.3	0	0.0	0	0.0	14	11.7	120	100.0
C03-06	Mouth	73	75.3	1	1.0	12	12.4	0	0.0	0	0.0	11	11.3	97	100.0
C07-08	Salivary Gland	11	78.6	0	0.0	3	21.4	0	0.0	0	0.0	0	0.0	14	100.0
C09	Tonsil	36	87.8	1	2.4	2	4.9	0	0.0	0	0.0	2	4.9	41	100.0
C10	Oth. Oropharynx	20	74.1	0	0.0	5	18.5	0	0.0	0	0.0	2	7.4	27	100.0
C11	Nasopharynx	17	85.0	1	5.0	2	10.0	0	0.0	0	0.0	0	0.0	20	100.0
C12-13	Hypopharynx	125	80.1	0	0.0	17	10.9	0	0.0	0	0.0	14	9.0	156	100.0
C14	Pharynx Unspecified	9	42.9	0	0.0	2	9.5	0	0.0	0	0.0	10	47.6	21	100.0
C15	Oesophagus	242	81.2	0	0.0	6	2.0	0	0.0	0	0.0	50	16.8	298	100.0
C16	Stomach	260	78.8	2	0.6	11	3.3	0	0.0	0	0.0	57	17.3	330	100.0
C17	Small Intestine	5	71.4	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	7	100.0
C18	Colon	86	85.1	1	1.0	3	3.0	0	0.0	0	0.0	11	10.9	101	100.0
C19-20	Rectum	93	90.3	0	0.0	1	1.0	0	0.0	0	0.0	9	8.7	103	100.0
C21	Anus & Anal Canal	9	90.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	10	100.0
C22	Liver	55	42.3	0	0.0	35	26.9	0	0.0	0	0.0	40	30.8	130	100.0
C23-24	Gallbladder etc.	30	76.9	0	0.0	3	7.7	0	0.0	0	0.0	6	15.4	39	100.0
C25	Pancreas	19	38.8	1	2.0	3	6.1	0	0.0	0	0.0	26	53.1	49	100.0
C30-31	Nose, Sinuses etc.	15	93.8	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	16	100.0
C32	Larynx	108	74.5	0	0.0	11	7.6	0	0.0	0	0.0	26	17.9	145	100.0
C33-34	Lung etc.	113	42.3	5	1.9	84	31.5	0	0.0	0	0.0	65	24.3	267	100.0
C37-38	Other Thoracic Organs	5	83.3	0	0.0	1	16.7	0	0.0	0	0.0	0	0.0	6	100.0
C40-41	Bone	34	65.4	0	0.0	9	17.3	0	0.0	0	0.0	9	17.3	52	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	57	95.0	0	0.0	3	5.0	0	0.0	0	0.0	0	0.0	60	100.0
C45	Mesothelioma	5	33.3	0	0.0	6	40.0	0	0.0	0	0.0	4	26.7	15	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	24	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	24	100.0
C50	Breast	10	83.3	0	0.0	1	8.3	0	0.0	0	0.0	1	8.3	12	100.0
C60	Penis	40	88.9	0	0.0	2	4.4	0	0.0	0	0.0	3	6.7	45	100.0
C61	Prostate	168	83.6	2	1.0	4	2.0	0	0.0	0	0.0	27	13.4	201	100.0
C62	Testis	34	87.2	1	2.6	3	7.7	0	0.0	0	0.0	1	2.6	39	100.0
C63	Other Male Genital	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C64	Kidney etc.	50	89.3	0	0.0	4	7.1	0	0.0	0	0.0	2	3.6	56	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C67	Bladder	91	90.1	0	0.0	1	1.0	0	0.0	0	0.0	9	8.9	101	100.0
C68	Uns.Urinary Organs	4	80.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	5	100.0
C69	Eye	6	85.7	0	0.0	1	14.3	0	0.0	0	0.0	0	0.0	7	100.0
C70-72	Brain, Nervous System	123	88.5	0	0.0	1	0.7	0	0.0	0	0.0	15	10.8	139	100.0
C73	Thyroid	38	76.0	1	2.0	8	16.0	0	0.0	0	0.0	3	6.0	50	100.0
C74	Adrenal Gland	3	75.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	4	100.0
C77	Sec Lymph Nodes	0	0.0	14	26.4	35	66.0	0	0.0	0	0.0	4	7.5	53	100.0
C78	Sec Resp & Digestive	0	0.0	15	34.9	17	39.5	0	0.0	0	0.0	11	25.6	43	100.0
C79	Sec Others	0	0.0	18	54.5	8	24.2	0	0.0	0	0.0	7	21.2	33	100.0
C81	Hodgkins Disease	53	98.1	0	0.0	1	1.9	0	0.0	0	0.0	0	0.0	54	100.0
C82-85,C96	NHL	114	80.9	0	0.0	14	9.9	0	0.0	9	6.4	4	2.8	141	100.0
C90	Multiple Myeloma	6	16.2	0	0.0	0	0.0	0	0.0	29	78.4	2	5.4	37	100.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	3	5.5	52	94.5	0	0.0	55	100.0
C92-94	Myeloid Leukaemia	1	1.3	0	0.0	1	1.3	6	8.0	64	85.3	3	4.0	75	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	3	15.8	14	73.7	2	10.5	19	100.0
O&U	Other and Uns	56	35.2	1	0.6	12	7.5	0	0.0	1	0.6	89	56.0	159	100.0
	All Sites	2355	67.4	64	1.8	349	10.0	12	0.3	169	4.8	546	15.6	3495	100.0

**TABLE BLR-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Females
Bangalore**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	71.4	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	7	100.0
C01-02	Tongue	25	64.1	1	2.6	9	23.1	0	0.0	0	0.0	4	10.3	39	100.0
C03-06	Mouth	159	81.1	0	0.0	24	12.2	0	0.0	0	0.0	13	6.6	196	100.0
C07-08	Salivary Gland	15	83.3	0	0.0	2	11.1	0	0.0	0	0.0	1	5.6	18	100.0
C09	Tonsil	9	75.0	0	0.0	2	16.7	0	0.0	0	0.0	1	8.3	12	100.0
C10	Oth. Oropharynx	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C11	Nasopharynx	10	76.9	1	7.7	1	7.7	0	0.0	0	0.0	1	7.7	13	100.0
C12-13	Hypopharynx	32	74.4	1	2.3	3	7.0	0	0.0	0	0.0	7	16.3	43	100.0
C14	Pharynx Unspecified	9	69.2	0	0.0	0	0.0	0	0.0	0	0.0	4	30.8	13	100.0
C15	Oesophagus	191	85.3	1	0.4	0	0.0	0	0.0	0	0.0	32	14.3	224	100.0
C16	Stomach	117	68.4	0	0.0	3	1.8	0	0.0	0	0.0	51	29.8	171	100.0
C17	Small Intestine	5	71.4	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	7	100.0
C18	Colon	60	84.5	0	0.0	2	2.8	0	0.0	0	0.0	9	12.7	71	100.0
C19-20	Rectum	71	86.6	0	0.0	2	2.4	0	0.0	0	0.0	9	11.0	82	100.0
C21	Anus & Anal Canal	17	85.0	0	0.0	0	0.0	0	0.0	0	0.0	3	15.0	20	100.0
C22	Liver	19	35.8	1	1.9	11	20.8	0	0.0	0	0.0	22	41.5	53	100.0
C23-24	Gallbladder etc.	14	53.8	1	3.8	2	7.7	0	0.0	0	0.0	9	34.6	26	100.0
C25	Pancreas	10	38.5	1	3.8	1	3.8	0	0.0	0	0.0	14	53.8	26	100.0
C30-31	Nose, Sinuses etc.	10	76.9	0	0.0	2	15.4	0	0.0	0	0.0	1	7.7	13	100.0
C32	Larynx	7	77.8	0	0.0	1	11.1	0	0.0	0	0.0	1	11.1	9	100.0
C33-34	Lung etc.	29	43.9	0	0.0	16	24.2	0	0.0	0	0.0	21	31.8	66	100.0
C37-38	Other Thoracic Organs	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	2	100.0
C40-41	Bone	28	80.0	0	0.0	5	14.3	0	0.0	0	0.0	2	5.7	35	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	43	87.8	0	0.0	4	8.2	0	0.0	0	0.0	2	4.1	49	100.0
C45	Mesothelioma	5	35.7	0	0.0	2	14.3	0	0.0	0	0.0	7	50.0	14	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	20	90.9	0	0.0	1	4.5	0	0.0	0	0.0	1	4.5	22	100.0
C50	Breast	724	80.3	7	0.8	90	10.0	0	0.0	0	0.0	81	9.0	902	100.0
C51	Vulva	14	87.5	1	6.3	1	6.3	0	0.0	0	0.0	0	0.0	16	100.0
C52	Vagina	19	79.2	0	0.0	1	4.2	0	0.0	0	0.0	4	16.7	24	100.0
C53	Cervix Uteri	688	89.9	0	0.0	6	0.8	0	0.0	0	0.0	71	9.3	765	100.0
C54	Corpus Uteri	122	92.4	0	0.0	0	0.0	0	0.0	0	0.0	10	7.6	132	100.0
C55	Uterus Unspecified	17	68.0	0	0.0	0	0.0	0	0.0	0	0.0	8	32.0	25	100.0
C56	Ovary etc.	145	70.7	5	2.4	20	9.8	0	0.0	0	0.0	35	17.1	205	100.0
C57	Other Female Genital	3	50.0	0	0.0	1	16.7	0	0.0	0	0.0	2	33.3	6	100.0
C58	Placenta	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	3	100.0
C64	Kidney etc.	18	81.8	0	0.0	2	9.1	0	0.0	0	0.0	2	9.1	22	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	24	88.9	0	0.0	1	3.7	0	0.0	0	0.0	2	7.4	27	100.0
C68	Uns.Urinary Organs	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C69	Eye	6	75.0	0	0.0	1	12.5	0	0.0	0	0.0	1	12.5	8	100.0
C70-72	Brain, Nervous System	83	85.6	0	0.0	3	3.1	0	0.0	0	0.0	11	11.3	97	100.0
C73	Thyroid	94	78.3	0	0.0	19	15.8	0	0.0	0	0.0	7	5.8	120	100.0
C74	Adrenal Gland	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C77	Sec Lymph Nodes	0	0.0	12	35.3	18	52.9	0	0.0	0	0.0	4	11.8	34	100.0
C78	Sec Resp & Digestive	0	0.0	7	35.0	7	35.0	0	0.0	0	0.0	6	30.0	20	100.0
C79	Sec Others	0	0.0	19	57.6	6	18.2	0	0.0	0	0.0	8	24.2	33	100.0
C81	Hodgkins Disease	24	96.0	0	0.0	0	0.0	0	0.0	1	4.0	0	0.0	25	100.0
C82-85,C96	NHL	82	84.5	0	0.0	10	10.3	0	0.0	3	3.1	2	2.1	97	100.0
C90	Multiple Myeloma	2	8.0	0	0.0	0	0.0	0	0.0	19	76.0	4	16.0	25	100.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	2	5.1	37	94.9	0	0.0	39	100.0
C92-94	Myeloid Leukaemia	1	1.8	0	0.0	0	0.0	6	10.7	49	87.5	0	0.0	56	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	1	5.3	15	78.9	3	15.8	19	100.0
O&U	Other and Uns	41	28.7	1	0.7	18	12.6	0	0.0	2	1.4	81	56.6	143	100.0
	All Sites	3028	74.2	59	1.4	298	7.3	9	0.2	126	3.1	563	13.8	4083	100.0

**TABLE BLR-8.1(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Males**

%= Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	1	2	0	2	0	3	2	3	0	13	2.29	
C03-06	Mouth	0	0	0	0	0	0	0	1	0	0	0	0	1	6	2	0	0	10	1.76	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	0.35	
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	3	0.53	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2	0.35	
C12-13	Hypopharynx	0	0	0	0	0	0	2	1	0	2	3	4	1	2	1	1	0	17	3.00	
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	3	1	1	3	2	1	0	11	1.94	
C15	Oesophagus	0	0	0	0	0	0	0	1	2	2	7	8	11	10	3	6	0	50	8.82	
C16	Stomach	0	0	0	0	1	0	1	0	2	3	12	7	12	8	10	6	0	62	10.93	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.18	
C18	Colon	0	0	0	0	0	1	0	0	0	2	1	2	2	3	0	6	0	17	3.00	
C19-20	Rectum	0	0	0	1	0	0	0	0	1	1	2	2	3	5	0	2	0	17	3.00	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	0.35	
C22	Liver	0	0	0	0	0	0	1	0	2	1	4	3	2	9	4	7	1	34	6.00	
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	1	1	2	0	1	0	1	1	0	7	1.23	
C25	Pancreas	0	0	0	0	1	0	1	0	2	2	3	6	2	1	1	0	0	19	3.35	
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2	0.35	
C32	Larynx	0	0	0	0	0	0	0	0	1	1	5	6	2	2	1	6	0	24	4.23	
C33-34	Lung etc.	0	0	0	0	0	0	1	1	3	4	3	9	7	9	4	12	0	53	9.35	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	1	1	0	0	1	0	0	2	1	1	2	1	0	10	1.76	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	1	0	4	0.71	
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	3	0.53	
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	3	0.53	
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	1	2	3	7	7	0	20	3.53	
C62	Testis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	1	0	0	0	0	0	0	0	1	1	1	0	1	0	0	2	0	7	1.23	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	3	0	7	1.23	
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	0.35	
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	1	1	0	0	1	3	0	1	2	1	1	2	1	3	2	0	19	3.35	
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.18	
C74	Adrenal Gland	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.18	
C77	Sec Lymph Nodes	0	0	1	0	0	1	0	1	1	2	0	4	5	4	3	4	0	26	4.59	
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	4	0.71	
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.35	
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	1	0	0	1	0	1	2	0	3	2	1	1	0	0	12	2.12	
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	1	2	0	0	0	1	1	1	0	6	1.06	
C91	Lymphoid Leuk.	1	0	1	0	1	1	1	0	1	0	0	1	1	0	1	0	0	9	1.59	
C92-94	Myeloid Leukaemia	0	0	0	1	1	1	1	0	3	0	2	0	3	0	0	2	1	15	2.65	
C95	Leukaemia Uns	1	0	0	1	1	0	1	0	0	1	0	0	0	1	1	0	0	7	1.23	
O&U	Other and Uns	0	0	2	0	2	2	1	1	2	6	4	7	9	11	8	8	0	63	11.11	
	All Sites	3	1	5	4	8	11	14	8	30	37	57	75	77	85	63	87	2	567	100.00	

**TABLE BLR-8.1(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	1	0	1	0	0	1	2	1	0	6	1.14
C03-06	Mouth	0	0	0	0	0	0	0	0	2	1	3	1	1	1	1	2	0	12	2.27
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.19
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	1	6	1.14
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	0.38
C15	Oesophagus	0	0	0	0	0	1	1	2	0	0	1	0	4	3	3	3	0	18	3.41
C16	Stomach	0	0	0	0	1	0	0	1	2	1	2	2	5	9	7	4	0	34	6.44
C17	Small Intestine	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0.38
C18	Colon	0	0	0	0	0	0	0	1	1	0	1	0	2	4	0	3	0	12	2.27
C19-20	Rectum	0	0	0	0	1	0	1	1	0	1	1	1	1	1	1	2	0	11	2.08
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	1	0	1	1	1	0	0	4	1	1	0	10	1.89
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	3	0	6	1.14
C25	Pancreas	0	0	0	0	0	0	0	0	0	2	4	1	1	1	1	0	0	10	1.89
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.19
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.19
C33-34	Lung etc.	0	0	0	0	0	0	0	1	3	0	1	2	2	4	1	2	1	17	3.22
C37-38	Other Thoracic Organs	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.19
C40-41	Bone	0	0	0	0	0	0	0	0	0	1	0	1	1	3	0	0	0	6	1.14
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0.38
C45	Mesothelioma	0	0	0	0	0	0	0	1	0	0	2	1	1	0	1	0	0	6	1.14
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	0	3	0.57
C50	Breast	0	0	0	0	0	0	3	3	10	16	16	16	14	5	5	7	0	95	17.99
C51	Vulva	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.19
C52	Vagina	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.38
C53	Cervix Uteri	0	0	0	0	0	0	1	4	7	6	7	5	7	14	3	4	1	59	11.17
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	1	2	4	0	1	0	8	1.52
C55	Uterus Unspecified	0	0	0	0	0	0	0	1	0	0	2	2	1	2	1	1	0	10	1.89
C56	Ovary etc.	0	0	0	0	0	1	0	1	3	5	5	7	4	5	2	6	0	39	7.39
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.19
C58	Placenta	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.19
C64	Kidney etc.	0	0	0	0	0	1	0	0	0	1	1	0	0	0	1	0	0	4	0.76
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0	3	0.57
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.19
C69	Eye	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.19
C70-72	Brain, Nervous System	0	0	0	2	0	4	0	1	0	2	3	1	1	4	0	0	1	19	3.60
C73	Thyroid	0	0	0	0	0	1	0	0	0	0	0	0	3	0	0	2	1	7	1.33
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	2	2	0	0	0	0	1	0	2	2	0	1	3	0	0	13	2.46
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.19
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.38
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	3	0.57
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	3	0.57
C91	Lymphoid Leuk.	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	4	0.76
C92-94	Myeloid Leukaemia	0	1	1	0	0	1	2	2	1	2	0	1	1	1	0	1	0	14	2.65
C95	Leukaemia Uns	0	0	0	0	0	1	0	0	0	0	2	1	1	1	1	2	0	9	1.70
O&U	Other and Uns	1	1	0	0	0	3	2	6	3	2	7	6	7	9	6	8	0	61	11.55
	All Sites	1	2	5	6	2	16	12	29	36	47	68	53	63	82	43	58	5	528	100.00

**TABLE BLR-8.2(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Males**

%= Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.16
C01-02	Tongue	0	0	0	0	0	0	0	0	2	3	3	7	4	2	2	1	0	24	3.75
C03-06	Mouth	0	0	0	0	0	0	0	2	0	0	0	0	2	3	0	3	0	10	1.56
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.16
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.31
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.16
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0.31
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	0	0	2	2	3	2	4	0	14	2.19
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	1	0	1	1	0	3	1	1	0	8	1.25
C15	Oesophagus	0	0	0	0	0	2	1	0	1	3	8	5	9	11	10	11	0	61	9.53
C16	Stomach	0	0	0	0	0	2	1	2	2	10	5	5	4	15	1	15	0	62	9.69
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	1	0	1	2	4	1	3	2	0	15	2.34
C19-20	Rectum	0	0	0	0	0	1	0	0	3	2	1	2	2	1	2	1	0	15	2.34
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	1	3	5	7	5	6	7	7	0	41	6.41
C23-24	Gallbladder etc.	0	0	0	0	0	0	1	0	0	0	0	2	2	1	1	1	0	8	1.25
C25	Pancreas	0	0	0	0	0	0	0	2	1	1	1	1	4	1	0	6	0	17	2.66
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.16
C32	Larynx	0	0	0	0	0	0	0	0	1	0	2	2	2	6	6	1	0	20	3.13
C33-34	Lung etc.	0	0	0	0	0	0	4	0	2	5	10	10	5	9	7	15	0	67	10.47
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	1	1	0	0	1	0	2	0	1	0	0	1	1	0	8	1.25
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.16
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	3	0.47
C50	Breast	0	0	0	0	0	0	0	0	1	1	2	0	2	0	1	1	0	8	1.25
C60	Penis	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2	0.31
C61	Prostate	0	0	0	0	0	2	1	0	1	0	2	0	1	2	4	19	0	32	5.00
C62	Testis	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	3	0.47
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	2	0	0	0	0	0	0	0	1	0	0	1	1	2	0	0	0	7	1.09
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	0	1	0	1	2	0	2	0	7	1.09
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	0.31
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	2	0	1	0	0	0	0	1	1	2	3	2	3	3	0	0	18	2.81
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	0.47
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	1	0	0	0	1	0	1	1	1	2	0	7	1.09
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	0.31
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	1	0	3	0	0	1	0	0	0	1	3	2	4	2	1	5	0	23	3.59
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	0	1	0	3	0	1	2	0	9	1.41
C91	Lymphoid Leuk.	1	1	0	1	2	0	0	0	2	0	0	2	0	1	2	1	0	13	2.03
C92-94	Myeloid Leukaemia	0	0	0	1	2	0	0	1	0	2	2	0	3	1	1	2	0	15	2.34
C95	Leukaemia Uns	1	0	1	1	1	0	0	0	1	0	0	2	0	0	0	1	0	8	1.25
O&U	Other and Uns	0	0	1	3	1	0	3	5	6	13	7	13	10	14	9	14	0	99	15.47
	All Sites	5	3	5	8	7	8	12	14	35	50	59	75	79	94	68	118	0	640	100.00

**TABLE BLR-8.2(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.38
C01-02	Tongue	0	0	0	0	0	1	0	0	1	0	0	0	1	1	1	3	0	8	1.51
C03-06	Mouth	0	0	0	0	0	0	0	0	0	3	1	0	0	3	2	0	0	9	1.70
C07-08	Salivary Gland	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0.38
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.19
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	0	0	0	2	1	0	0	0	0	4	0.76
C14	Pharynx Unspecified	0	0	0	0	0	1	0	0	0	1	0	1	1	0	0	2	0	6	1.13
C15	Oesophagus	0	0	0	0	0	0	0	0	2	1	2	4	7	6	4	3	0	29	5.48
C16	Stomach	0	1	0	0	0	0	2	0	5	1	2	6	2	8	2	6	0	35	6.62
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	0.38
C18	Colon	0	0	0	0	0	0	0	0	0	2	3	0	1	2	2	3	0	13	2.46
C19-20	Rectum	0	0	0	1	0	0	0	0	1	1	0	0	1	1	1	0	0	6	1.13
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	1	0	2	1	4	0	1	5	4	3	1	2	0	24	4.54
C23-24	Gallbladder etc.	0	0	0	0	1	0	0	0	0	0	1	0	2	0	0	2	0	6	1.13
C25	Pancreas	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2	3	0	8	1.51
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0.38
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.19
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	3	1	7	2	2	3	0	18	3.40
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.19
C40-41	Bone	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0.57
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0.38
C45	Mesothelioma	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0.38
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	1	0	0	1	10	10	12	13	8	11	7	10	0	83	15.69
C51	Vulva	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0	3	0.57
C52	Vagina	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	2	0.38
C53	Cervix Uteri	0	0	0	0	0	1	2	3	5	16	6	11	4	9	2	6	0	65	12.29
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	3	1	1	1	1	0	0	7	1.32
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	1	0	2	2	2	0	3	0	10	1.89
C56	Ovary etc.	0	0	0	0	0	1	2	3	1	7	2	1	5	4	1	2	0	29	5.48
C57	Other Female Genital	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2	0.38
C58	Placenta	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.19
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0.38
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	4	0.76
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	5	0	0	0	0	1	1	1	1	0	0	0	2	0	0	0	11	2.08
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	0	0	3	3	1	3	0	11	2.08
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.19
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.19
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2	0.38
C82-85,C96	NHL	0	0	0	0	0	1	0	0	0	0	0	0	2	1	1	2	0	7	1.32
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.19
C91	Lymphoid Leuk.	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	3	0.57
C92-94	Myeloid Leukaemia	1	0	0	0	2	0	1	3	0	0	1	0	0	0	0	1	0	9	1.70
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	1	2	2	0	0	0	0	0	5	0.95
O&U	Other and Uns	0	1	0	2	0	2	3	6	8	14	8	3	8	11	6	14	0	86	16.26
	All Sites	1	7	3	5	7	8	14	20	39	64	52	56	63	76	40	74	0	529	100.00

**TABLE BLR-8.3(a): Number of Cancer Deaths by Five Year Age Group and Site
(ICD-10): 1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.08
C01-02	Tongue	0	0	0	0	0	0	0	0	3	5	3	9	4	5	4	4	0	37	3.07
C03-06	Mouth	0	0	0	0	0	0	0	3	0	0	0	0	3	9	2	3	0	20	1.66
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	3	0.25
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	5	0.41
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.08
C11	Nasopharynx	0	0	0	0	0	1	0	0	0	1	1	0	0	1	0	0	0	4	0.33
C12-13	Hypopharynx	0	0	0	0	0	0	2	1	1	2	3	6	3	5	3	5	0	31	2.57
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	1	0	4	2	1	6	3	2	0	19	1.57
C15	Oesophagus	0	0	0	0	0	2	1	1	3	5	15	13	20	21	13	17	0	111	9.20
C16	Stomach	0	0	0	0	1	2	2	2	4	13	17	12	16	23	11	21	0	124	10.27
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.08
C18	Colon	0	0	0	0	0	1	0	1	1	2	2	4	6	4	3	8	0	32	2.65
C19-20	Rectum	0	0	0	1	0	1	0	0	4	3	3	4	5	6	2	3	0	32	2.65
C21	Anus & Anal Canal	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	0.17
C22	Liver	0	0	0	0	0	0	1	0	3	4	9	10	7	15	11	14	1	75	6.21
C23-24	Gallbladder etc.	0	0	0	0	0	0	1	0	1	1	2	2	3	1	2	2	0	15	1.24
C25	Pancreas	0	0	0	0	1	0	1	2	3	3	4	7	6	2	1	6	0	36	2.98
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0	3	0.25
C32	Larynx	0	0	0	0	0	0	0	0	2	1	7	8	4	8	7	7	0	44	3.65
C33-34	Lung etc.	0	0	0	0	0	0	5	1	5	9	13	19	12	18	11	27	0	120	9.94
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	1	2	1	0	1	1	2	0	3	1	1	3	2	0	18	1.49
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	1	0	4	0.33
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	0	0	4	0.33
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	3	0.25
C50	Breast	0	0	0	0	0	0	0	0	1	1	2	0	2	0	1	1	0	8	0.66
C60	Penis	0	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	5	0.41
C61	Prostate	0	0	0	0	0	2	1	0	1	0	2	1	3	5	11	26	0	52	4.31
C62	Testis	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	3	0.25
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	3	0	0	0	0	0	0	0	2	1	1	1	2	2	0	2	0	14	1.16
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	2	0	2	0	2	3	0	5	0	14	1.16
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0	0	0	4	0.33
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	3	1	1	0	1	3	0	2	3	3	4	4	4	6	2	0	37	3.07
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	4	0.33
C74	Adrenal Gland	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.08
C77	Sec Lymph Nodes	0	0	1	0	0	1	1	1	1	2	1	4	6	5	4	6	0	33	2.73
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	3	0	6	0.50
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.17
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	1	0	3	1	0	1	1	0	1	3	3	5	6	3	2	5	0	35	2.90
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	2	1	0	3	1	2	3	0	15	1.24
C91	Lymphoid Leuk.	2	1	1	1	3	1	1	0	3	0	0	3	1	1	3	1	0	22	1.82
C92-94	Myeloid Leukaemia	0	0	0	2	3	1	1	1	3	2	4	0	6	1	1	4	1	30	2.49
C95	Leukaemia Uns	2	0	1	2	2	0	1	0	1	1	0	2	0	1	1	1	0	15	1.24
O&U	Other and Uns	0	0	3	3	3	2	4	6	8	19	11	20	19	25	17	22	0	162	13.42
	All Sites	8	4	10	12	15	19	26	22	65	87	116	150	156	179	131	205	2	1207	100.00

**TABLE BLR-8.3(b): Number of Cancer Deaths by Five Year Age Group and Site
(ICD-10): 1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bangalore

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.19
C01-02	Tongue	0	0	0	0	0	1	0	0	2	0	1	0	1	2	3	4	0	14	1.32
C03-06	Mouth	0	0	0	0	0	0	0	0	2	4	4	1	1	4	3	2	0	21	1.99
C07-08	Salivary Gland	0	0	0	1	0	0	0	0	0	1	0	0	0	0	1	0	0	3	0.28
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.09
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	0	1	1	2	1	1	1	1	1	10	0.95
C14	Pharynx Unspecified	0	0	0	0	0	1	0	0	0	1	0	2	1	1	0	2	0	8	0.76
C15	Oesophagus	0	0	0	0	0	1	1	2	2	1	3	4	11	9	7	6	0	47	4.45
C16	Stomach	0	1	0	0	1	0	2	1	7	2	4	8	7	17	9	10	0	69	6.53
C17	Small Intestine	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	0	4	0.38
C18	Colon	0	0	0	0	0	0	0	1	1	2	4	0	3	6	2	6	0	25	2.37
C19-20	Rectum	0	0	0	1	1	0	1	1	1	2	1	1	2	2	2	2	0	17	1.61
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	1	0	3	1	5	1	2	5	4	7	2	3	0	34	3.22
C23-24	Gallbladder etc.	0	0	0	0	1	0	0	0	0	0	2	0	3	1	0	5	0	12	1.14
C25	Pancreas	0	0	0	0	0	0	0	0	0	3	4	1	2	2	3	3	0	18	1.70
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	3	0.28
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.19
C33-34	Lung etc.	0	0	0	0	0	0	0	1	3	0	4	3	9	6	3	5	1	35	3.31
C37-38	Other Thoracic Organs	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0.19
C40-41	Bone	0	0	1	1	0	0	0	0	0	1	0	1	1	3	0	1	0	9	0.85
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	4	0.38
C45	Mesothelioma	0	0	1	0	0	0	0	1	0	0	2	2	1	0	1	0	0	8	0.76
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	0	3	0.28
C50	Breast	0	0	0	0	1	0	3	4	20	26	28	29	22	16	12	17	0	178	16.84
C51	Vulva	0	0	0	0	0	0	1	0	1	0	1	0	0	0	1	0	0	4	0.38
C52	Vagina	0	0	0	0	0	1	0	0	0	0	1	1	0	1	0	0	0	4	0.38
C53	Cervix Uteri	0	0	0	0	0	1	3	7	12	22	13	16	11	23	5	10	1	124	11.73
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	3	2	3	5	1	1	0	15	1.42
C55	Uterus Unspecified	0	0	0	0	0	0	0	1	0	1	2	4	3	4	1	4	0	20	1.89
C56	Ovary etc.	0	0	0	0	0	2	2	4	4	12	7	8	9	9	3	8	0	68	6.43
C57	Other Female Genital	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	3	0.28
C58	Placenta	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2	0.19
C64	Kidney etc.	0	0	0	0	0	1	0	0	0	1	1	0	0	1	2	0	0	6	0.57
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	1	0	1	0	1	1	1	0	2	0	7	0.66
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.09
C69	Eye	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.09
C70-72	Brain, Nervous System	0	5	0	2	0	4	1	2	1	3	3	1	1	6	0	0	1	30	2.84
C73	Thyroid	0	0	0	0	0	1	0	0	0	1	0	0	6	3	1	5	1	18	1.70
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	2	2	0	0	0	0	1	0	2	2	0	2	3	0	0	14	1.32
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2	0.19
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.19
C81	Hodgkins Disease	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2	0.19
C82-85,C96	NHL	0	0	0	0	0	1	0	0	0	3	0	0	2	1	1	2	0	10	0.95
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	1	0	4	0.38
C91	Lymphoid Leuk.	0	0	2	1	1	1	1	0	0	0	0	0	0	0	0	1	0	7	0.66
C92-94	Myeloid Leukaemia	1	1	1	0	2	1	3	5	1	2	1	1	1	1	0	2	0	23	2.18
C95	Leukaemia Uns	0	0	0	0	0	1	0	0	0	1	4	3	1	1	1	2	0	14	1.32
O&U	Other and Uns	1	2	0	2	0	5	5	12	11	16	15	9	15	20	12	22	0	147	13.91
	All Sites	2	9	8	11	9	24	26	49	75	111	120	109	126	158	83	132	5	1057	100.00

TABLE BLR-9.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Males
Bangalore

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.0	3.0	0.0	8.5	7.0	9.4	0.45	0.83	0.24	0.78
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.6	17.0	7.0	0.0	0.35	0.74	0.24	0.29
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	0.0	0.0	0.0	0.0	0.07	0.11	0.08	0.35
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.2	0.0	0.0	0.0	0.10	0.19	0.11	0.61
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.07	0.08	0.06	0.16
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.0	1.5	3.0	6.0	1.6	5.7	3.5	3.1	0.59	0.92	0.23	1.83
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1.5	1.6	8.5	7.0	3.1	0.38	0.73	0.22	0.88
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.5	6.9	11.9	17.8	28.4	10.4	18.8	1.75	3.16	0.46	5.55
C16	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	1.2	2.2	11.9	10.4	19.4	22.7	34.8	18.8	2.17	3.79	0.49	6.42
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.03	0.06	0.06	0.21
C18	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.5	1.0	3.0	3.2	8.5	0.0	18.8	0.59	1.05	0.26	1.25
C19-20	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.7	2.0	3.0	4.9	14.2	0.0	6.3	0.59	1.07	0.27	1.59
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.07	0.09	0.07	0.28
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	0.7	4.0	4.5	3.2	25.5	13.9	21.9	1.15	2.13	0.38	2.00
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	2.0	0.0	1.6	0.0	3.5	3.1	0.24	0.38	0.15	0.78
C25	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	1.2	1.5	3.0	9.0	3.2	2.8	3.5	0.0	0.66	1.00	0.24	2.56
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.07	0.09	0.07	0.09
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	4.9	9.0	3.2	5.7	3.5	18.8	0.84	1.43	0.30	2.63
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.8	3.0	3.0	13.4	11.3	25.5	13.9	37.6	1.85	3.27	0.46	4.67
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.6	0.0	0.0	3.0	1.6	2.8	7.0	3.1	0.35	0.56	0.19	0.71
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	3.5	3.1	0.14	0.22	0.12	0.21
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.10	0.17	0.10	0.11
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	0.0	0.0	3.5	0.0	0.10	0.18	0.10	0.35
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.2	8.5	24.3	21.9	0.70	1.37	0.31	0.61
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.0	0.0	1.6	0.0	0.0	6.3	0.24	0.37	0.14	0.62
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	0.0	1.6	2.8	0.0	9.4	0.24	0.42	0.16	0.48
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.07	0.09	0.07	0.31
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.3	0.3	0.0	0.0	0.3	1.2	0.0	0.6	1.5	1.0	1.5	3.2	2.8	10.4	6.3	0.66	0.95	0.23	1.17
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.03	0.06	0.06	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.03	0.03	0.00
C77	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.4	0.6	1.5	0.0	6.0	8.1	11.3	10.4	12.5	0.91	1.57	0.32	2.30
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	9.4	0.14	0.26	0.13	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	0.0	0.0	0.0	0.07	0.12	0.09	0.40
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.6	1.5	0.0	4.5	3.2	2.8	3.5	0.0	0.42	0.64	0.19	1.39
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.0	0.0	0.0	2.8	3.5	3.1	0.21	0.34	0.15	0.40
C91	0.4	0.0	0.3	0.0	0.3	0.3	0.4	0.0	0.6	0.0	0.0	1.5	1.6	0.0	3.5	0.0	0.31	0.38	0.14	0.52
C92-94	0.0	0.0	0.0	0.3	0.3	0.3	0.4	0.0	1.8	0.0	2.0	0.0	4.9	0.0	0.0	6.3	0.49	0.63	0.18	1.29
C95	0.4	0.0	0.0	0.3	0.3	0.0	0.4	0.0	0.0	0.7	0.0	0.0	0.0	2.8	3.5	0.0	0.24	0.33	0.14	0.14
Q&U	0.0	0.0	0.7	0.0	0.6	0.7	0.4	0.4	1.2	4.4	4.0	10.4	14.6	31.2	27.8	25.1	2.20	3.75	0.49	5.03
All	1.2	0.3	1.7	1.4	2.5	3.8	5.8	3.5	17.6	27.3	56.3	111.9	124.5	241.1	218.9	272.6	19.76	33.55	1.46	48.98

TABLE BLR-9.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Males
Bangalore

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.03	0.06	0.06	0.20
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.1	2.9	10.1	6.3	5.5	6.7	3.0	0.81	1.36	0.28	3.21
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	3.1	8.2	6.0	9.1	0.34	0.61	0.20	0.57
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.03	0.06	0.06	0.20
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.6	0.0	0.0	0.0	0.07	0.12	0.09	0.39
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.03	0.08	0.08	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	2.7	0.0	0.0	0.07	0.13	0.09	0.14
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	2.9	3.1	8.2	6.7	12.1	0.47	0.90	0.24	0.89
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	1.4	0.0	8.2	3.4	3.0	0.27	0.52	0.19	0.45
C15	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.6	2.1	7.7	7.2	14.1	30.2	33.7	33.4	2.07	3.72	0.49	4.51
C16	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.9	1.1	7.2	4.8	7.2	6.3	41.2	3.4	45.5	2.10	3.62	0.48	4.28
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0	1.0	2.9	6.3	2.7	10.1	6.1	0.51	0.88	0.23	1.53
C19-20	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.7	1.4	1.0	2.9	3.1	2.7	6.7	3.0	0.51	0.78	0.21	1.54
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	4.8	10.1	7.8	16.5	23.6	21.2	1.39	2.51	0.40	3.61
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	2.9	3.1	2.7	3.4	3.0	0.27	0.48	0.17	0.78
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.7	1.0	1.4	6.3	2.7	0.0	18.2	0.58	0.93	0.23	1.56
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.03	0.06	0.06	0.19
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.9	2.9	3.1	16.5	20.2	3.0	0.68	1.33	0.30	1.20
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.1	3.6	9.6	14.5	7.8	24.7	23.6	45.5	2.27	3.87	0.49	5.33
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.4	0.0	1.4	0.0	1.4	0.0	0.0	3.4	3.0	0.27	0.35	0.13	0.55
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.03	0.07	0.07	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.10	0.14	0.08	0.22
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.9	0.0	3.1	0.0	3.4	3.0	0.27	0.43	0.15	0.96
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.07	0.12	0.09	0.11
C61	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.6	0.0	1.9	0.0	1.6	5.5	13.5	57.7	1.08	1.86	0.34	0.62
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.4	0.0	0.0	0.0	0.0	0.10	0.14	0.08	0.46
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.4	1.6	5.5	0.0	0.0	0.24	0.41	0.16	0.50
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	0.0	1.6	5.5	0.0	6.1	0.24	0.43	0.17	0.47
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	0.0	0.0	0.0	0.0	0.07	0.11	0.08	0.34
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.6	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.7	1.9	4.3	3.1	8.2	10.1	0.0	0.61	1.01	0.25	1.52
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.6	2.7	0.0	0.0	0.10	0.20	0.12	0.39
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.0	0.0	1.6	2.7	3.4	6.1	0.24	0.41	0.16	0.36
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.07	0.13	0.09	0.40
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.4	0.0	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	2.9	2.9	6.3	5.5	3.4	15.2	0.78	1.25	0.27	1.78
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.0	0.0	4.7	0.0	3.4	6.1	0.30	0.49	0.17	0.98
C91	0.4	0.3	0.0	0.3	0.6	0.0	0.0	0.0	1.1	0.0	0.0	2.9	0.0	2.7	6.7	3.0	0.44	0.62	0.18	0.59
C92-94	0.0	0.0	0.0	0.3	0.6	0.0	0.0	0.4	0.0	1.4	1.9	0.0	4.7	2.7	3.4	6.1	0.51	0.74	0.20	1.28
C95	0.4	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.6	0.0	0.0	2.9	0.0	0.0	0.0	3.0	0.27	0.34	0.13	0.48
Q&U	0.0	0.0	0.3	1.0	0.3	0.0	1.2	2.1	3.4	9.3	6.7	18.8	15.7	38.5	30.3	42.5	3.35	5.43	0.57	8.40
All	1.9	1.0	1.7	2.6	2.1	2.7	4.8	6.0	19.9	35.8	56.5	108.4	123.8	258.2	228.9	358.1	21.68	36.68	1.50	51.01

TABLE BLR-9.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Males Bangalore

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.8	1.5	6.6	3.2	7.0	6.8	6.2	0.64	1.10	0.18	2.02
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	2.4	12.6	3.4	4.6	0.34	0.67	0.16	0.43
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.8	0.0	0.0	0.0	0.05	0.09	0.05	0.28
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.4	0.0	0.0	0.0	0.09	0.15	0.07	0.50
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.02	0.04	0.04	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.5	0.0	0.0	1.4	0.0	0.0	0.07	0.10	0.05	0.15
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.3	0.7	1.5	4.4	2.4	7.0	5.1	7.7	0.53	0.91	0.17	1.35
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.9	1.5	0.8	8.4	5.1	3.1	0.33	0.62	0.15	0.66
C15	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.9	1.8	7.3	9.5	15.9	29.3	22.2	26.2	1.91	3.45	0.34	5.02
C16	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.4	1.2	4.7	8.3	8.8	12.7	32.1	18.8	32.4	2.13	3.71	0.34	5.34
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C18	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.3	0.7	1.0	2.9	4.8	5.6	5.1	12.3	0.55	0.96	0.17	1.39
C19-20	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	1.2	1.1	1.5	2.9	4.0	8.4	3.4	4.6	0.55	0.93	0.17	1.56
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.03	0.04	0.03	0.14
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	1.5	4.4	7.3	5.6	20.9	18.8	21.6	1.27	2.32	0.28	2.82
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	1.0	1.5	2.4	1.4	3.4	3.1	0.26	0.43	0.11	0.78
C25	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.9	1.1	1.9	5.1	4.8	2.8	1.7	9.3	0.62	0.96	0.17	2.06
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.5	0.05	0.07	0.04	0.14
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	3.4	5.9	3.2	11.2	12.0	10.8	0.76	1.38	0.21	1.90
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.2	1.4	3.3	6.3	13.9	9.6	25.1	18.8	41.6	2.07	3.58	0.34	5.01
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.2	0.3	0.7	0.0	2.2	0.8	1.4	5.1	3.1	0.31	0.45	0.11	0.63
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.7	1.5	0.07	0.11	0.06	0.10
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.07	0.12	0.06	0.06
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.05	0.07	0.04	0.11
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.0	0.0	1.6	0.0	1.7	1.5	0.14	0.22	0.08	0.49
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.7	0.0	1.4	1.7	0.0	0.09	0.15	0.07	0.23
C61	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.3	0.0	1.0	0.7	2.4	7.0	18.8	40.1	0.89	1.62	0.23	0.62
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.05	0.07	0.04	0.24
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.5	0.7	1.6	2.8	0.0	3.1	0.24	0.39	0.11	0.56
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	0.0	1.6	4.2	0.0	7.7	0.24	0.43	0.12	0.47
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	1.5	0.0	0.0	0.0	0.0	0.07	0.10	0.05	0.32
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.5	0.2	0.2	0.0	0.2	0.6	0.0	0.6	1.1	1.5	2.9	3.2	5.6	10.3	3.1	0.64	0.98	0.17	1.35
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	1.4	0.0	1.5	0.07	0.13	0.07	0.20
C74	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.01	0.01	0.00
C77	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.2	0.3	0.7	0.5	2.9	4.8	7.0	6.8	9.3	0.57	0.98	0.18	1.31
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.7	4.6	0.10	0.19	0.08	0.21
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.0	0.0	0.0	0.03	0.06	0.04	0.20
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.2	0.0	0.5	0.2	0.0	0.2	0.2	0.0	0.3	1.1	1.5	3.7	4.8	4.2	3.4	7.7	0.60	0.95	0.17	1.59
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.5	0.0	2.4	1.4	3.4	4.6	0.26	0.42	0.11	0.70
C91	0.4	0.2	0.2	0.2	0.5	0.2	0.2	0.0	0.9	0.0	0.0	2.2	0.8	1.4	5.1	1.5	0.38	0.50	0.12	0.55
C92-94	0.0	0.0	0.0	0.3	0.5	0.2	0.2	0.2	0.9	0.7	1.9	0.0	4.8	1.4	1.7	6.2	0.50	0.69	0.14	1.28
C95	0.4	0.0	0.2	0.3	0.3	0.0	0.2	0.0	0.3	0.4	0.0	1.5	0.0	1.4	1.7	1.5	0.26	0.33	0.09	0.32
O&U	0.0	0.0	0.5	0.5	0.5	0.3	0.8	1.3	2.3	6.9	5.4	14.7	15.1	34.9	29.1	33.9	2.79	4.60	0.38	6.75
ALL	1.5	0.6	1.7	2.0	2.3	3.3	5.3	4.8	18.8	31.6	56.4	110.1	124.2	249.8	224.0	316.1	20.74	35.14	1.05	50.02

POPULATION BASED RURAL CANCER REGISTRY, BARSHI (BARSHI, PARANDA & BHUM) Nargis Dutt Memorial Cancer Hospital, Barshi

Dr K. A. Dinshaw, Principal Investigator

Dr B. M. Nene, Co-Principal Investigator

Mr M. K. Chauhan, Co-Investigator

Mr D. N. Rao, Co-Investigator

Dr V. R. Keskar, Co-Investigator

Dr R. Rajeshwarkar, Co-Investigator

The Rural Cancer Registry: Barshi, Paranda & Bhum, which was set up in 1987, is the first Rural Cancer Registry in the country.

The registry area comprises rural areas of three sub-districts in western India viz. Barshi in Solapur district and Paranda & Bhum in Osmanabad district, situated in the vicinity of Nargis Dutt Memorial Cancer Hospital (NDMCH), (located on the outskirts of Barshi town), with a total population of about 0.4 million in 346 villages spread over 3713 Sq. km. The village is the basic administrative unit in rural areas and is defined as having greater than 25% of the male working population engaged in agricultural activities, a population of less than 400 persons per Sq. km. and a total population of generally less than 5000. The registry area is situated between latitudes 17.1° & 18.4° N longitudes 76° and 76.4° E. Most of the population are Hindus (96%), Muslims accounting for 3% and other religious groups 1%. Diagnosis and treatment facilities within the area itself are almost non-existent. The villagers seek care from various centres even as far as 400 kms.

The registry is jointly funded by the Tata Memorial Centre, Mumbai and the Indian Council of Medical Research, New Delhi. The diagnostic and treatment facilities are provided by NDMCH with technological support from Tata Memorial Hospital.

The usual method of registration has been modified to overcome deficiencies in diagnostic services in the rural setting. Trained field investigators visit the villages regularly and interact with the rural community to identify and motivate likely cancer cases to visit NDMCH for early diagnosis and treatment. To screen symptomatic cases, cancer detection clinics are held biannually in each of the 12 zones, into which the Registry area is divided. Data on cancer cases from the area are also collected from various hospitals and histopathological laboratories (situated far & wide), which serve the population. However 60% of cases are registered from NDMCH to which the field investigators generally refers the suspected cases.

Information on deaths is collected from village death records and also directly from the local community (during village visits). As deaths are not generally medically certified, relatives of all deceased are contacted to collect relevant information to assist in 'follow back' to the medical records in the treating hospital or physician to identify proven cancer cases. The diagnostic charges for all patients from the registry area are borne by the Registry and for disadvantaged patients the treatment is given by NDMCH for free.

The registry activities have enhanced cancer awareness in the population and this has resulted in improved stage at diagnosis and improved 5-year survival in cervical cancer (1,2).

As we have been interacting with the Registry population for almost two decades, the cancer awareness as mentioned earlier has increased and now the literacy rates have also improved. We are considering reducing the Registry inputs to collect cases directly from the community in that we now plan to make only one round of village visits every year instead of two, hold mega clinics and extend our work to an additional tehsil, probably in Beed.

Quality Control

Quality control checks formulated by the National Cancer Registry Programme and International Agency for Research on Cancer are carried out routinely.

The data are evaluated for completeness by conducting annual house-to-house survey in a sample of villages. The indications are that a diagnosed case is not likely to be missed by the registry. However there is likely to be under-registration due to undiagnosed cases by registry. The under-registration is because the cases do not reach any of the diagnostic centres and medical records by the private practitioners are almost non-existent.

References

1. K. Jayant, B.M. Nene, R.S. Rao, P.S. Dale (1995). Improved stage at diagnosis of cervical cancer with increased cancer awareness in a rural Indian Population, International Journal of Cancer, 63, 611-613.
2. K. Jayant, B.M. Nene, K.A. Dinshaw, A.M. Budukh, P.S. Dale. Survival from Cervical Cancer in Barshi registry rural India. In: Sankaranarayanan R., Black R.J., Parkin D.M., editors. Cancer Survival in developing countries. IARC Scientific. Publication No.135, Lyon, France: International Agency for Research on Cancer, 1998:123-34.

Staff of Population Based Rural Registry, Barshi

Mr B.S. Shukla	:	Administrator
Mrs Kasturi Jayant	:	Honorary Consultant
Mr A.M. Budukh	:	Statistician
Dr F.Y. Khan	:	Medical Record Supervisor
Mr S.R. Mathapati	:	Record Attendant
Mr N.S. Panse	:	Field Investigator
Mr N.P. Gaikwad	:	Field Investigator
Mr N.V. Kesare	:	Field Investigator
Mr D.R. Pise	:	Field Investigator
Mr T.S. Dudhankar	:	Field Investigator
Mr B.D. Honmane	:	Field Investigator

Figure BRS-1 :
Population Pyramid showing Average Age Distribution of 1999-2000




TABLE BRS-1:
Main Sources* of Registration of Incident Cases of Cancer in Barshi (1999-2000)

Name of the Institution (Source Code)	Number	%
Barshi Cancer Hospital, Barshi (2)	279	65.8
Jadgale Mama Hospital, Barshi (4)	26	6.1
Hiremath Hospital, Barshi (3)	17	4.0
Camp, Barshi (1)	16	3.8
Civil Hospital & V.M.Medical College, Solapur (10)	9	2.1
Dr. A.S.Kothari Hospital, Barshi (8)	9	2.1
Tata Memorial Centre, Bombay (40)	6	1.4
Others	62	14.6
Total All Sources	424	100.0

* 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 1999-2000.

* 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE BRS-2.1(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	1	0	5	5.43
C03-06	Mouth	0	0	0	0	0	0	0	1	2	0	0	0	0	0	2	0	0	5	5.43
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1.09
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	1	0	0	0	1	3	0	0	1	3	3	1	0	13	14.13
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	0	0	6	6.52
C16	Stomach	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	1	0	4	4.35
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1.09
C19-20	Rectum	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	0	0	5	5.43
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	2	1	3	0	0	0	1	0	7	7.61
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1.09
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1.09
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	1	0	4	4.35
C33-34	Lung etc.	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	2	0	5	5.43
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	3	3.26
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	2.17
C61	Prostate	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	3.26
C62	Testis	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1.09
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	2.17
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1.09
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	1	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	4	4.35
C73	Thyroid	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	2.17
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1.09
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	3.26
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1.09
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	3	3.26
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2.17
C92-94	Myeloid Leukaemia	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	2	2.17
C95	Leukaemia Uns	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1.09
O&U	Other and Uns	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0	3	3.26
	All Sites	3	0	1	1	2	0	7	3	5	10	7	11	9	10	14	9	0	92	100.00

**TABLE BRS-2.1(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1.79	
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	3	2.68	
C07-08	Salivary Gland	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.89	
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.89	
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	0	0	5	4.46	
C16	Stomach	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	0	0	5	4.46	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	3	2.68	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.89	
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.89	
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.89	
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.89	
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	4	3.57	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2	1.79	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	1	0	0	1	0	0	0	0	2	0	0	0	4	3.57	
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.89	
C50	Breast	0	0	0	1	0	0	0	1	0	2	1	3	1	2	0	0	0	11	9.82	
C51	Vulva	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	1.79	
C52	Vagina	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	1.79	
C53	Cervix Uteri	0	0	0	0	0	1	4	2	6	8	3	8	4	9	1	3	0	49	43.75	
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3	2.68	
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	1.79	
C73	Thyroid	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2	1.79	
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.89	
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.89	
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2	1.79	
C95	Leukaemia Uns	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.89	
O&U	Other and Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.89	
	All Sites	1	0	0	1	1	3	4	4	12	12	12	13	10	25	7	7	0	112	100.00	

**TABLE BRS-2.2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2	1.82
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	2.73
C03-06	Mouth	0	0	0	0	0	1	0	0	1	1	0	0	0	2	0	0	0	5	4.55
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.91
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	2	4	2	1	0	9	8.18
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	1	0	1	3	1	1	0	1	2	0	10	9.09
C16	Stomach	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	0	7	6.36
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.91
C19-20	Rectum	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1	2	0	6	5.45
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1.82
C22	Liver	0	0	0	0	0	0	0	0	0	1	0	0	3	1	0	0	0	5	4.55
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.91
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.91
C32	Larynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	3	2.73
C33-34	Lung etc.	0	0	0	0	0	0	0	1	0	0	0	0	3	1	0	0	0	5	4.55
C37-38	Other Thoracic Organs	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.91
C40-41	Bone	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	4	3.64
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	2	0	7	6.36
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.91
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	1	1	1	0	0	2	1	1	1	0	0	8	7.27
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1.82
C62	Testis	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.91
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.91
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	1.82
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	1.82
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2	1.82
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	1.82
C78	Sec Resp & Digestive	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0	0	4	3.64
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.91
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	1	0	2	1	0	0	0	1	1	0	0	0	0	0	0	0	6	5.45
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	3	2.73
C95	Leukaemia Uns	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1.82
O&U	Other and Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
	All Sites	1	3	0	4	5	3	2	7	3	5	7	8	18	18	14	12	0	110	100.00

**TABLE BRS-2.2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	0	3	2.73
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	3	2.73	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	1	0	0	2	1	2	0	2	0	8	7.27	
C16	Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	1	0	0	0	0	0	2	0	0	0	1	0	0	0	4	3.64	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.91	
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.91	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.91	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	1.82	
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1.82	
C50	Breast	0	0	0	0	0	1	0	0	1	3	2	1	2	3	2	1	0	16	14.55	
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.91	
C52	Vagina	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2	1.82	
C53	Cervix Uteri	0	0	0	0	0	1	1	5	5	5	3	4	11	11	1	0	0	47	42.73	
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.91	
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	3	2.73	
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.91	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.91	
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.91	
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1.82	
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0	0	5	4.55	
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	1.82	
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.91	
C95	Leukaemia Uns	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1.82	
O&U	Other and Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
	All Sites	1	1	0	2	0	3	3	6	9	11	10	11	20	20	8	5	0	110	100.00	

**TABLE BRS-2.3(a): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 1999–2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2	0.99
C01-02	Tongue	0	0	0	0	0	0	0	0	0	1	1	1	2	1	1	1	0	8	3.96
C03-06	Mouth	0	0	0	0	0	1	0	1	3	1	0	0	0	2	2	0	0	10	4.95
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.50
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.50
C12-13	Hypopharynx	0	0	0	0	1	0	0	0	1	3	0	0	3	7	5	2	0	22	10.89
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	1	0	1	3	3	2	2	2	2	0	16	7.92
C16	Stomach	0	0	0	0	0	0	0	1	0	1	0	1	2	2	1	3	0	11	5.45
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0.99
C19-20	Rectum	0	0	0	0	1	0	1	0	0	0	0	1	1	3	2	2	0	11	5.45
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0.99
C22	Liver	0	0	0	0	0	0	0	0	0	3	1	3	3	1	0	1	0	12	5.94
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.50
C25	Pancreas	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	0.99
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.50
C32	Larynx	0	0	0	0	0	0	1	0	0	0	1	0	0	0	3	2	0	7	3.47
C33-34	Lung etc.	0	0	0	0	0	0	0	2	0	1	0	0	3	2	0	2	0	10	4.95
C37-38	Other Thoracic Organs	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.50
C40-41	Bone	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	4	1.98
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	1	0	0	0	0	0	0	0	0	0	2	1	1	1	1	3	0	10	4.95
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.50
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	1	1	1	0	0	2	2	1	2	0	0	10	4.95
C61	Prostate	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	2	0	5	2.48
C62	Testis	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2	0.99
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.50
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	4	1.98
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3	1.49
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	2	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	6	2.97
C73	Thyroid	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	0.99
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	1.49
C78	Sec Resp & Digestive	0	0	0	0	0	0	1	0	0	0	0	2	1	1	2	0	0	7	3.47
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	0.99
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	1	1	0	2	1	0	0	0	1	1	1	0	0	0	1	0	0	9	4.46
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0.99
C92-94	Myeloid Leukaemia	0	1	0	1	0	1	1	0	0	1	0	0	0	0	0	0	0	5	2.48
C95	Leukaemia Uns	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	3	1.49
O&U	Other and Uns	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0	3	1.49
	All Sites	4	3	1	5	7	3	9	10	8	15	14	19	27	28	28	21	0	202	100.00

**TABLE BRS-2.3(b): Number of Incident Cancers by Five Year Age Group and Site
(ICD-10): 1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	1	0	0	2	0	1	1	0	0	0	5	2.25
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0	2	0	6	2.70
C07-08	Salivary Gland	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.45
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.45
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	2	0	1	2	2	3	1	2	0	13	5.86
C16	Stomach	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	0	0	5	2.25
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	1	0	0	0	0	2	2	1	0	0	1	0	0	0	7	3.15
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.45
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.90
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.45
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.45
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	0	5	2.25
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0	0	0	3	1.35
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	1	0	0	1	0	0	0	0	2	2	0	0	6	2.70
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	3	1.35
C50	Breast	0	0	0	1	0	1	0	1	1	5	3	4	3	5	2	1	0	27	12.16
C51	Vulva	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	3	1.35
C52	Vagina	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0	0	0	4	1.80
C53	Cervix Uteri	0	0	0	0	0	2	5	7	11	13	6	12	15	20	2	3	0	96	43.24
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.45
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	1	0	0	0	1	1	3	0	0	6	2.70
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.45
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.45
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0.90
C73	Thyroid	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	3	1.35
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	3	1.35
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	3	1	1	1	0	0	0	6	2.70
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	0.90
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	3	1.35
C95	Leukaemia Uns	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1.35
O&U	Other and Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.45
	All Sites	2	1	0	3	1	6	7	10	21	23	22	24	30	45	15	12	0	222	100.00

TABLE BRS-3.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Males
Barshi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	9.4	0.0	11.5	0.0	21.9	21.3	1.93	2.29	1.03	4.61
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	15.3	0.0	0.0	0.0	0.0	0.0	43.9	0.0	1.93	2.16	0.97	4.15
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	0.0	0.0	0.39	0.53	0.53	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	7.6	24.9	0.0	0.0	11.5	53.4	65.8	21.3	5.01	6.13	1.71	7.77
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	11.5	35.6	21.9	0.0	2.31	2.91	1.19	4.51
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	8.3	0.0	11.7	0.0	0.0	0.0	21.3	1.54	1.76	0.89	4.31
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0	0.0	0.39	0.46	0.46	1.48
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	11.7	11.5	17.8	21.9	0.0	1.93	2.25	1.01	3.00
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.6	9.4	35.2	0.0	0.0	0.0	21.3	2.70	3.30	1.25	9.28
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0	0.0	0.39	0.46	0.46	1.48
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	0.0	0.0	0.0	0.0	0.39	0.47	0.47	1.52
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.9	21.3	1.54	1.65	0.83	0.00
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	8.3	0.0	0.0	0.0	17.8	0.0	42.7	1.93	2.26	1.02	2.80
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	21.3	1.16	1.24	0.72	1.52
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	21.9	0.0	0.77	0.90	0.64	1.48
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	17.8	0.0	21.3	1.16	1.46	0.85	1.60
C62	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.34	0.34	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	21.9	0.0	0.77	0.91	0.64	1.52
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.46	0.46	1.48
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	2.8	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	9.4	0.0	11.5	0.0	0.0	0.0	1.54	1.62	0.82	3.00
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	11.7	0.0	0.0	0.0	0.0	0.77	0.93	0.66	2.99
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.50	0.50	1.60
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	11.5	17.8	0.0	0.0	1.16	1.46	0.85	3.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.39	0.47	0.47	1.52
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	21.9	0.0	1.16	1.25	0.73	1.52
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C91	0.0	0.0	4.0	0.0	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.77	0.73	0.52	0.00
C92-94	0.0	0.0	0.0	4.4	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.77	0.74	0.52	0.00
C95	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.34	0.34	0.00
O&U	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	11.7	0.0	0.0	21.9	0.0	1.16	1.25	0.73	1.52
All	8.5	0.0	4.0	4.4	9.4	0.0	40.1	18.5	38.1	82.9	66.0	129.2	103.4	178.0	307.0	192.1	35.45	41.23	4.33	67.66

TABLE BRS-3.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Males
Barshi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	21.7	0.0	0.77	0.80	0.57	1.18
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	11.4	17.6	0.0	0.0	1.15	1.45	0.84	2.97
C03-06	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	7.6	8.2	0.0	0.0	0.0	35.2	0.0	0.0	1.91	2.42	1.08	3.06
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	0.0	0.0	0.38	0.47	0.47	1.50
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	70.4	43.4	21.1	3.44	4.31	1.44	2.94
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	8.2	28.1	11.6	11.4	0.0	21.7	42.1	3.83	4.46	1.41	10.27
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	35.2	21.7	42.1	2.68	3.24	1.23	2.94
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38	0.37	0.37	1.18
C19-20	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.2	21.7	42.1	2.30	2.70	1.11	0.00
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	21.7	0.0	0.77	0.89	0.63	1.47
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.0	0.0	34.1	17.6	0.0	0.0	1.91	2.39	1.07	6.00
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38	0.37	0.37	1.18
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	0.0	0.0	0.38	0.46	0.46	1.47
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	21.7	21.1	1.15	1.32	0.76	1.51
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	34.1	17.6	0.0	0.0	1.91	2.26	1.02	5.59
C37-38	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38	0.37	0.37	0.00
C40-41	0.0	0.0	0.0	8.7	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.53	1.53	0.76	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	11.6	11.4	17.6	21.7	42.1	2.68	3.19	1.21	4.48
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	0.0	0.0	0.38	0.46	0.46	1.47
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	5.7	6.1	7.6	0.0	0.0	23.3	11.4	17.6	21.7	0.0	3.06	3.51	1.25	7.12
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	0.0	21.1	0.77	0.88	0.62	1.47
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38	0.37	0.37	1.18
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.7	0.0	0.38	0.43	0.43	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	17.6	0.0	0.0	0.77	1.00	0.71	1.51
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	21.7	0.0	0.77	0.90	0.64	1.51
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	2.8	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.77	0.75	0.53	0.00
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	0.0	21.1	0.77	0.95	0.68	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	11.6	0.0	0.0	43.4	0.0	1.53	1.67	0.84	1.50
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	0.0	0.0	0.38	0.47	0.47	1.50
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	2.9	0.0	8.7	4.6	0.0	0.0	0.0	7.6	8.2	0.0	0.0	0.0	0.0	0.0	0.0	2.30	2.40	0.99	3.06
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C92-94	0.0	2.9	0.0	0.0	0.0	5.1	0.0	0.0	0.0	8.2	0.0	0.0	0.0	0.0	0.0	0.0	1.15	1.20	0.71	1.59
C95	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	0.0	0.0	0.77	0.82	0.60	0.00
O&U	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
All	2.8	8.7	0.0	17.4	23.2	15.4	11.4	42.8	22.7	41.1	65.5	93.1	204.8	316.8	303.6	252.9	42.10	48.78	4.68	69.65

TABLE BRS-3.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Males
Barshi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	10.9	0.0	0.38	0.40	0.29	0.59
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.7	5.8	11.4	8.8	10.9	10.6	1.54	1.87	0.66	3.79
C03-06	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.1	11.4	4.1	0.0	0.0	0.0	17.7	21.8	0.0	1.92	2.29	0.73	3.60
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	0.0	0.19	0.27	0.27	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.19	0.23	0.23	0.75
C12-13	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	3.8	12.4	0.0	0.0	17.2	61.9	54.5	21.2	4.22	5.22	1.12	5.35
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	4.1	14.1	17.5	11.4	17.7	21.8	21.2	3.07	3.69	0.92	7.40
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	4.1	0.0	5.8	11.4	17.7	10.9	31.8	2.11	2.51	0.76	3.62
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.38	0.41	0.29	1.33
C19-20	0.0	0.0	0.0	0.0	2.3	0.0	2.9	0.0	0.0	0.0	0.0	5.8	5.7	26.5	21.8	21.2	2.11	2.48	0.75	1.49
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	10.9	0.0	0.38	0.45	0.32	0.74
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4	4.7	17.5	17.2	8.8	0.0	10.6	2.30	2.84	0.82	7.63
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.19	0.23	0.23	0.74
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.38	0.42	0.30	1.35
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.19	0.23	0.23	0.74
C32	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	4.7	0.0	0.0	0.0	32.7	21.2	1.34	1.48	0.56	0.76
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	4.1	0.0	0.0	17.2	17.7	0.0	21.2	1.92	2.26	0.72	4.20
C37-38	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.19	0.19	0.00
C40-41	0.0	0.0	0.0	4.4	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.77	0.77	0.38	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	5.8	5.7	8.8	10.9	31.8	1.92	2.22	0.71	3.01
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.19	0.23	0.23	0.74
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.1	3.8	0.0	0.0	11.7	11.4	8.8	21.8	0.0	1.92	2.21	0.70	4.31
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	5.7	8.8	0.0	21.2	0.96	1.17	0.52	1.54
C62	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38	0.36	0.25	0.59
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	0.0	0.19	0.22	0.22	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	8.8	10.9	0.0	0.77	0.95	0.48	1.51
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	4.7	0.0	0.0	0.0	10.9	0.0	0.58	0.68	0.39	1.49
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	2.8	0.0	0.0	0.0	0.0	2.6	2.9	0.0	0.0	0.0	4.7	0.0	5.7	0.0	0.0	0.0	1.15	1.18	0.49	1.49
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.38	0.46	0.33	1.49
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	8.8	0.0	10.6	0.58	0.73	0.42	0.80
C78	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	11.7	5.7	8.8	21.8	0.0	1.34	1.57	0.60	2.25
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	5.8	0.0	0.0	0.0	0.0	0.38	0.47	0.33	1.51
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	1.4	1.5	0.0	4.4	2.3	0.0	0.0	0.0	3.8	4.1	4.7	0.0	0.0	0.0	10.9	0.0	1.73	1.82	0.62	2.29
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C91	0.0	0.0	2.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38	0.37	0.26	0.00
C92-94	0.0	1.5	0.0	2.2	0.0	2.6	2.9	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.96	0.97	0.44	0.80
C95	0.0	1.5	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	0.0	0.58	0.58	0.35	0.00
Q&U	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	5.8	0.0	0.0	10.9	0.0	0.58	0.62	0.36	0.75
All	5.7	4.4	2.0	10.9	16.3	7.7	25.7	30.7	30.4	61.9	65.7	111.1	154.4	247.8	305.3	222.7	38.79	45.02	3.19	68.67

TABLE BRS-4(a): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Males
Barshi

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.00	0.00	0.00	0.38	0.29	0.00	0.00	0.00	0.00	0.77	0.80	1.18
C01-02	Tongue	0.78	0.90	0.00	1.15	1.37	4.43	1.93	2.29	4.61	1.15	1.45	2.97
C03-06	Mouth	1.56	1.74	3.05	3.46	4.13	10.24	1.93	2.16	4.15	1.91	2.42	3.06
C07-08	Salivary Gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C09	Tonsil	0.00	0.00	0.00	0.38	0.46	1.48	0.39	0.53	0.00	0.00	0.00	0.00
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.47	1.50
C12-13	Hypopharynx	3.91	4.44	4.27	3.85	4.67	6.06	5.01	6.13	7.77	3.44	4.31	2.94
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C15	Oesophagus	3.52	4.25	10.86	3.08	3.57	8.74	2.31	2.91	4.51	3.83	4.46	10.27
C16	Stomach	1.17	1.32	4.27	1.15	1.47	3.03	1.54	1.76	4.31	2.68	3.24	2.94
C17	Small Intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C18	Colon	0.00	0.00	0.00	1.54	1.90	4.42	0.39	0.46	1.48	0.38	0.37	1.18
C19-20	Rectum	1.56	1.85	3.09	3.08	3.67	6.14	1.93	2.25	3.00	2.30	2.70	0.00
C21	Anus & Anal Canal	0.39	0.47	1.51	0.00	0.00	0.00	0.00	0.00	0.00	0.77	0.89	1.47
C22	Liver	3.12	3.66	6.08	4.61	5.59	10.74	2.70	3.30	9.28	1.91	2.39	6.00
C23-24	Gallbladder etc.	0.00	0.00	0.00	0.38	0.46	1.47	0.39	0.46	1.48	0.00	0.00	0.00
C25	Pancreas	1.17	1.47	1.54	0.77	0.83	2.67	0.39	0.47	1.52	0.38	0.37	1.18
C30-31	Nose, Sinuses etc.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.46	1.47
C32	Larynx	0.78	0.79	0.00	1.15	1.45	2.96	1.54	1.65	0.00	1.15	1.32	1.51
C33-34	Lung etc.	1.56	1.94	6.26	1.15	1.30	0.00	1.93	2.26	2.80	1.91	2.26	5.59
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.37	0.00
C40-41	Bone	0.00	0.00	0.00	0.77	0.79	0.00	0.00	0.00	0.00	1.53	1.53	0.00
C43	Melanoma of Skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C44	Other Skin	1.17	1.57	1.54	0.77	0.88	1.48	1.16	1.24	1.52	2.68	3.19	4.48
C45	Mesothelioma	0.00	0.00	0.00	0.38	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.00	0.00	0.00	0.38	0.47	1.51	0.00	0.00	0.00	0.38	0.46	1.47
C50	Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C60	Penis	1.95	2.45	1.51	1.54	1.65	1.48	0.77	0.90	1.48	3.06	3.51	7.12
C61	Prostate	1.17	1.42	0.00	0.00	0.00	0.00	1.16	1.46	1.60	0.77	0.88	1.47
C62	Testis	0.39	0.55	0.00	0.77	0.93	2.99	0.39	0.34	0.00	0.38	0.37	1.18
C63	Other Male Genital	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.43	0.00
C64	Kidney etc.	0.00	0.00	0.00	0.77	0.97	0.00	0.77	0.91	1.52	0.77	1.00	1.51
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C67	Bladder	1.56	2.04	3.06	0.38	0.44	0.00	0.39	0.46	1.48	0.77	0.90	1.51
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C70-72	Brain, Nervous System	0.39	0.35	0.00	1.15	1.39	4.47	1.54	1.62	3.00	0.77	0.75	0.00
C73	Thyroid	0.00	0.00	0.00	0.38	0.43	0.00	0.77	0.93	2.99	0.00	0.00	0.00
C74	Adrenal Gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.39	0.55	0.00	2.31	2.72	5.94	0.39	0.50	1.60	0.77	0.95	0.00
C78	Sec Resp & Digestive	2.34	2.98	1.51	2.69	3.14	5.99	1.16	1.46	3.00	1.53	1.67	1.50
C79	Sec Others	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.47	1.52	0.38	0.47	1.50
C81	Hodgkins Disease	0.00	0.00	0.00	0.38	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C82-85,C96	NHL	0.39	0.30	0.00	1.54	2.03	3.11	1.16	1.25	1.52	2.30	2.40	3.06
C90	Multiple Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C91	Lymphoid Leuk.	0.39	0.38	0.00	0.38	0.34	0.00	0.77	0.73	0.00	0.00	0.00	0.00
C92-94	Myeloid Leukaemia	2.34	2.58	3.97	0.77	0.85	1.47	0.77	0.74	0.00	1.15	1.20	1.59
C95	Leukaemia Uns	0.00	0.00	0.00	0.38	0.41	0.00	0.39	0.34	0.00	0.77	0.82	0.00
O&U	Other and Uns	0.78	0.84	0.00	0.00	0.00	0.00	1.16	1.25	1.52	0.00	0.00	0.00
	All Sites	32.81	38.84	52.53	41.92	49.39	90.84	35.45	41.23	67.66	42.10	48.78	69.65

TABLE BRS-4(b): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Females
Barshi

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.00	0.00	0.00	0.41	0.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C01-02	Tongue	0.00	0.00	0.00	0.83	0.98	1.66	0.83	1.07	1.61	1.23	1.38	4.44
C03-06	Mouth	1.69	2.19	5.52	1.24	1.53	4.95	1.24	1.59	0.00	1.23	1.53	1.68
C07-08	Salivary Gland	0.00	0.00	0.00	0.41	0.46	1.48	0.41	0.39	0.00	0.00	0.00	0.00
C09	Tonsil	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C12-13	Hypopharynx	0.00	0.00	0.00	0.41	0.46	1.48	0.41	0.46	0.00	0.00	0.00	0.00
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C15	Oesophagus	2.11	3.12	6.29	2.07	2.37	4.69	2.07	2.49	4.69	3.28	3.95	6.25
C16	Stomach	1.27	1.22	2.80	0.83	0.94	1.55	2.07	2.46	3.10	0.00	0.00	0.00
C17	Small Intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C18	Colon	0.85	1.16	0.00	0.83	0.95	3.07	0.00	0.00	0.00	0.00	0.00	0.00
C19-20	Rectum	0.42	0.65	2.10	2.07	2.32	6.00	1.24	1.41	4.56	1.64	2.13	3.31
C21	Anus & Anal Canal	0.42	0.58	0.00	0.00	0.00	0.00	0.41	0.49	1.60	0.00	0.00	0.00
C22	Liver	0.00	0.00	0.00	0.41	0.57	0.00	0.41	0.53	1.70	0.41	0.44	1.42
C23-24	Gallbladder etc.	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.46	0.00	0.00	0.00	0.00
C25	Pancreas	0.42	0.38	0.00	0.00	0.00	0.00	0.41	0.57	0.00	0.00	0.00	0.00
C30-31	Nose, Sinuses etc.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C32	Larynx	0.42	0.47	1.50	0.41	0.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C33-34	Lung etc.	1.27	1.40	1.50	0.41	0.57	0.00	1.66	2.16	0.00	0.41	0.44	1.42
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C40-41	Bone	0.42	0.55	0.00	0.41	0.52	1.69	0.83	0.87	1.61	0.41	0.46	1.47
C43	Melanoma of Skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C44	Other Skin	1.27	1.48	3.24	0.41	0.35	0.00	1.66	1.99	1.48	0.82	0.92	0.00
C45	Mesothelioma	0.00	0.00	0.00	0.41	0.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.45	0.00	0.82	1.11	0.00
C50	Breast	7.61	9.15	23.12	5.79	7.09	17.78	4.56	5.69	12.91	6.57	7.81	14.11
C51	Vulva	0.00	0.00	0.00	1.24	1.45	3.18	0.83	0.99	3.19	0.41	0.52	1.68
C52	Vagina	0.42	0.65	2.10	0.41	0.57	0.00	0.83	0.99	3.19	0.82	0.84	1.58
C53	Cervix Uteri	19.02	24.17	57.12	18.19	20.65	50.97	20.32	24.09	49.60	19.29	22.57	49.03
C54	Corpus Uteri	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.45	0.00
C55	Uterus Unspecified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C56	Ovary etc.	2.11	2.30	6.15	1.65	1.82	4.62	1.24	1.53	1.61	1.23	1.38	1.47
C57	Other Female Genital	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C58	Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.44	1.42
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C67	Bladder	0.42	0.50	1.62	0.41	0.52	1.66	0.00	0.00	0.00	0.41	0.52	1.68
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.00	0.41	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C70-72	Brain, Nervous System	0.00	0.00	0.00	0.00	0.00	0.00	0.83	1.14	0.00	0.00	0.00	0.00
C73	Thyroid	0.00	0.00	0.00	1.65	1.82	4.60	0.83	0.91	2.95	0.41	0.39	0.00
C74	Adrenal Gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.00	0.00	0.00	0.83	0.74	0.00	0.41	0.53	1.70	0.82	0.90	1.42
C78	Sec Resp & Digestive	0.85	1.00	1.69	0.83	0.97	3.14	0.41	0.49	1.60	2.05	2.50	6.27
C79	Sec Others	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C82-85,C96	NHL	0.85	1.05	3.39	0.83	0.72	0.00	0.00	0.00	0.00	0.82	0.95	3.07
C90	Multiple Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C91	Lymphoid Leuk.	0.42	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C92-94	Myeloid Leukaemia	0.42	0.40	0.00	0.41	0.46	1.48	0.83	0.98	3.15	0.41	0.34	0.00
C95	Leukaemia Uns	0.42	0.52	1.69	0.41	0.37	0.00	0.41	0.37	0.00	0.82	0.69	0.00
O&U	Other and Uns	0.42	0.40	1.30	0.00	0.00	0.00	0.41	0.45	0.00	0.00	0.00	0.00
	All Sites	43.53	53.67	121.13	44.65	51.06	114.01	46.44	55.56	100.25	45.15	52.65	101.70

TABLE BRS-5(a): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Males - Barshi

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.07	0.07
C01-02	Tongue	0.13	0.13	0.23	0.23
C03-06	Mouth	0.11	0.11	0.30	0.30
C07-08	Salivary Gland	0.00	0.00	0.00	0.00
C09	Tonsil	0.00	0.00	0.04	0.04
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.03	0.03	0.03	0.03
C12-13	Hypopharynx	0.18	0.18	0.76	0.76
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00
C15	Oesophagus	0.25	0.25	0.45	0.45
C16	Stomach	0.12	0.12	0.27	0.27
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.04	0.04	0.04	0.04
C19-20	Rectum	0.08	0.08	0.33	0.32
C21	Anus & Anal Canal	0.03	0.03	0.08	0.08
C22	Liver	0.26	0.26	0.30	0.30
C23-24	Gallbladder etc.	0.03	0.03	0.03	0.03
C25	Pancreas	0.04	0.04	0.04	0.04
C30-31	Nose, Sinuses etc.	0.03	0.03	0.03	0.03
C32	Larynx	0.04	0.04	0.20	0.20
C33-34	Lung etc.	0.14	0.14	0.23	0.23
C37-38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-41	Bone	0.05	0.05	0.05	0.05
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.11	0.11	0.21	0.21
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 +C49	Conn. & Soft Tissue	0.03	0.03	0.03	0.03
C50	Breast	0.00	0.00	0.00	0.00
C60	Penis	0.16	0.16	0.32	0.32
C61	Prostate	0.05	0.05	0.09	0.09
C62	Testis	0.03	0.03	0.03	0.03
C63	Other Male Genital	0.00	0.00	0.05	0.05
C64	Kidney etc.	0.05	0.05	0.15	0.15
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.04	0.04	0.10	0.10
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.00	0.00
C70-72	Brain, Nervous System	0.09	0.09	0.09	0.09
C73	Thyroid	0.05	0.05	0.05	0.05
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.02	0.02	0.06	0.06
C78	Sec Resp & Digestive	0.10	0.10	0.25	0.25
C79	Sec Others	0.05	0.05	0.05	0.05
C81	Hodgkins Disease	0.00	0.00	0.00	0.00
C82-85,C96	NHL	0.11	0.11	0.17	0.17
C90	Multiple Myeloma	0.00	0.00	0.00	0.00
C91	Lymphoid Leuk.	0.02	0.02	0.02	0.02
C92-94	Myeloid Leukaemia	0.07	0.07	0.07	0.07
C95	Leukaemia Uns	0.02	0.02	0.07	0.07
O&U	Other and Uns	0.04	0.04	0.10	0.10
	All Sites	2.63	2.60	5.40	5.26

TABLE BRS-5(b): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Females - Barshi

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.00	0.00	0.00	0.00
C01-02	Tongue	0.09	0.09	0.14	0.14
C03-06	Mouth	0.03	0.03	0.17	0.17
C07-08	Salivary Gland	0.01	0.01	0.01	0.01
C09	Tonsil	0.00	0.00	0.00	0.00
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.00	0.00	0.00	0.00
C12-13	Hypopharynx	0.00	0.00	0.06	0.06
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00
C15	Oesophagus	0.19	0.19	0.39	0.38
C16	Stomach	0.05	0.05	0.21	0.21
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.00	0.00	0.00	0.00
C19-20	Rectum	0.12	0.12	0.17	0.17
C21	Anus & Anal Canal	0.02	0.02	0.02	0.02
C22	Liver	0.06	0.06	0.06	0.06
C23-24	Gallbladder etc.	0.00	0.00	0.06	0.06
C25	Pancreas	0.00	0.00	0.05	0.05
C30-31	Nose, Sinuses etc.	0.00	0.00	0.00	0.00
C32	Larynx	0.00	0.00	0.00	0.00
C33-34	Lung etc.	0.03	0.03	0.17	0.17
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00
C40-41	Bone	0.06	0.06	0.06	0.06
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.03	0.03	0.24	0.24
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.02	0.02	0.06	0.06
C50	Breast	0.46	0.46	0.81	0.81
C51	Vulva	0.08	0.08	0.08	0.08
C52	Vagina	0.09	0.09	0.09	0.09
C53	Cervix Uteri	1.68	1.67	2.74	2.70
C54	Corpus Uteri	0.00	0.00	0.00	0.00
C55	Uterus Unspecified	0.00	0.00	0.00	0.00
C56	Ovary etc.	0.05	0.05	0.27	0.27
C57	Other Female Genital	0.00	0.00	0.00	0.00
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.03	0.03	0.03	0.03
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.03	0.03	0.03	0.03
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.00	0.00
C70-72	Brain, Nervous System	0.00	0.00	0.09	0.09
C73	Thyroid	0.05	0.05	0.05	0.05
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.06	0.06	0.12	0.12
C78	Sec Resp & Digestive	0.14	0.14	0.18	0.18
C79	Sec Others	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.00	0.00	0.00	0.00
C82-85,C96	NHL	0.05	0.05	0.05	0.05
C90	Multiple Myeloma	0.00	0.00	0.00	0.00
C91	Lymphoid Leuk.	0.00	0.00	0.00	0.00
C92-94	Myeloid Leukaemia	0.05	0.05	0.05	0.05
C95	Leukaemia Uns	0.02	0.02	0.02	0.02
O&U	Other and Uns	0.00	0.00	0.00	0.00
	All Sites	3.52	3.46	6.50	6.29

TABLE BRS-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Males
Barshi

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C01-02	Tongue	8	100.0	0	0.0	0	0.0	0	0.0	0	0.0	8	100.0
C03-06	Mouth	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C07-08	Salivary Gland	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C09	Tonsil	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C10	Oth. Oropharynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C11	Nasopharynx	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C12-13	Hypopharynx	20	90.9	0	0.0	2	9.1	0	0.0	0	0.0	22	100.0
C14	Pharynx Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C15	Oesophagus	13	81.3	1	6.3	1	6.3	0	0.0	1	6.3	16	100.0
C16	Stomach	7	63.6	0	0.0	3	27.3	1	9.1	0	0.0	11	100.0
C17	Small Intestine	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C18	Colon	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C19-20	Rectum	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C21	Anus & Anal Canal	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C22	Liver	8	66.7	0	0.0	0	0.0	4	33.3	0	0.0	12	100.0
C23-24	Gallbladder etc.	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C25	Pancreas	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0	2	100.0
C30-31	Nose, Sinuses etc.	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C32	Larynx	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C33-34	Lung etc.	8	80.0	0	0.0	1	10.0	1	10.0	0	0.0	10	100.0
C37-38	Other Thoracic Organs	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C40-41	Bone	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C50	Breast	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C60	Penis	9	90.0	0	0.0	1	10.0	0	0.0	0	0.0	10	100.0
C61	Prostate	4	80.0	0	0.0	1	20.0	0	0.0	0	0.0	5	100.0
C62	Testis	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C63	Other Male Genital	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C64	Kidney etc.	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C70-72	Brain, Nervous System	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C73	Thyroid	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C74	Adrenal Gland	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C77	Sec Lymph Nodes	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C78	Sec Resp & Digestive	5	71.4	1	14.3	0	0.0	1	14.3	0	0.0	7	100.0
C79	Sec Others	0	0.0	1	50.0	0	0.0	1	50.0	0	0.0	2	100.0
C81	Hodgkins Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C82-85,C96	NHL	7	77.8	0	0.0	0	0.0	2	22.2	0	0.0	9	100.0
C90	Multiple Myeloma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C91	Lymphoid Leuk.	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C92-94	Myeloid Leukaemia	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C95	Leukaemia Uns	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
O&U	Other and Uns	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	3	100.0
	All Sites	176	87.1	3	1.5	10	5.0	12	5.9	1	0.5	202	100.0

TABLE BRS-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Females
Barshi

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C01-02	Tongue	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C03-06	Mouth	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C07-08	Salivary Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C09	Tonsil	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C10	Oth. Oropharynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C11	Nasopharynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C12-13	Hypopharynx	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C14	Pharynx Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C15	Oesophagus	9	69.2	3	23.1	1	7.7	0	0.0	0	0.0	13	100.0
C16	Stomach	3	60.0	0	0.0	1	20.0	1	20.0	0	0.0	5	100.0
C17	Small Intestine	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C18	Colon	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C19-20	Rectum	5	71.4	0	0.0	2	28.6	0	0.0	0	0.0	7	100.0
C21	Anus & Anal Canal	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C22	Liver	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C23-24	Gallbladder etc.	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C25	Pancreas	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	1	100.0
C30-31	Nose, Sinuses etc.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C32	Larynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C33-34	Lung etc.	3	60.0	0	0.0	2	40.0	0	0.0	0	0.0	5	100.0
C37-38	Other Thoracic Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C40-41	Bone	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	3	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C50	Breast	25	92.6	0	0.0	2	7.4	0	0.0	0	0.0	27	100.0
C51	Vulva	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	3	100.0
C52	Vagina	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C53	Cervix Uteri	88	91.7	0	0.0	8	8.3	0	0.0	0	0.0	96	100.0
C54	Corpus Uteri	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C55	Uterus Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C56	Ovary etc.	4	66.7	0	0.0	0	0.0	1	16.7	1	16.7	6	100.0
C57	Other Female Genital	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C58	Placenta	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C64	Kidney etc.	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C70-72	Brain, Nervous System	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C73	Thyroid	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C74	Adrenal Gland	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C77	Sec Lymph Nodes	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	3	100.0
C78	Sec Resp & Digestive	5	83.3	0	0.0	0	0.0	1	16.7	0	0.0	6	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C81	Hodgkins Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C82-85,C96	NHL	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C90	Multiple Myeloma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C92-94	Myeloid Leukaemia	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	3	100.0
C95	Leukaemia Uns	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
O&U	Other and Uns	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	1	100.0
	All Sites	191	86.0	6	2.7	19	8.6	5	2.3	1	0.5	222	100.0

**TABLE BRS-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Males
Barshi**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C01-02	Tongue	7	87.5	0	0.0	1	12.5	0	0.0	0	0.0	0	0.0	8	100.0
C03-06	Mouth	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C07-08	Salivary Gland	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C09	Tonsil	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C10	Oth. Oropharynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C11	Nasopharynx	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C12-13	Hypopharynx	18	81.8	1	4.5	1	4.5	0	0.0	0	0.0	2	9.1	22	100.0
C14	Pharynx Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C15	Oesophagus	13	81.3	0	0.0	0	0.0	0	0.0	0	0.0	3	18.8	16	100.0
C16	Stomach	7	63.6	0	0.0	0	0.0	0	0.0	0	0.0	4	36.4	11	100.0
C17	Small Intestine	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C18	Colon	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C19-20	Rectum	8	72.7	0	0.0	3	27.3	0	0.0	0	0.0	0	0.0	11	100.0
C21	Anus & Anal Canal	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C22	Liver	4	33.3	0	0.0	4	33.3	0	0.0	0	0.0	4	33.3	12	100.0
C23-24	Gallbladder etc.	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0
C25	Pancreas	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	2	100.0
C30-31	Nose, Sinuses etc.	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0
C32	Larynx	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C33-34	Lung etc.	5	50.0	1	10.0	2	20.0	0	0.0	0	0.0	2	20.0	10	100.0
C37-38	Other Thoracic Organs	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C40-41	Bone	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C50	Breast	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C60	Penis	9	90.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	10	100.0
C61	Prostate	3	60.0	0	0.0	0	0.0	1	20.0	0	0.0	1	20.0	5	100.0
C62	Testis	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C63	Other Male Genital	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C64	Kidney etc.	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C70-72	Brain, Nervous System	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C73	Thyroid	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C74	Adrenal Gland	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C77	Sec Lymph Nodes	0	0.0	0	0.0	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0
C78	Sec Resp & Digestive	0	0.0	1	14.3	4	57.1	0	0.0	0	0.0	2	28.6	7	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	2	100.0
C81	Hodgkins Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C82-85,C96	NHL	7	77.8	0	0.0	0	0.0	0	0.0	0	0.0	2	22.2	9	100.0
C90	Multiple Myeloma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0	2	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0	0	0.0	5	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0	3	100.0
O&U	Other and Uns	0	0.0	2	66.7	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
	All Sites	140	69.3	5	2.5	20	9.9	1	0.5	10	5.0	26	12.9	202	100.0

TABLE BRS-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Females
Barshi

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C01-02	Tongue	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C03-06	Mouth	5	83.3	0	0.0	1	16.7	0	0.0	0	0.0	0	0.0	6	100.0
C07-08	Salivary Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C09	Tonsil	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C10	Oth. Oropharynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C11	Nasopharynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C12-13	Hypopharynx	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C14	Pharynx Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C15	Oesophagus	9	69.2	0	0.0	0	0.0	0	0.0	0	0.0	4	30.8	13	100.0
C16	Stomach	3	60.0	0	0.0	0	0.0	0	0.0	0	0.0	2	40.0	5	100.0
C17	Small Intestine	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C18	Colon	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C19-20	Rectum	5	71.4	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	7	100.0
C21	Anus & Anal Canal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C22	Liver	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	2	100.0
C23-24	Gallbladder etc.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C25	Pancreas	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C30-31	Nose, Sinuses etc.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C32	Larynx	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C33-34	Lung etc.	2	40.0	0	0.0	1	20.0	0	0.0	0	0.0	2	40.0	5	100.0
C37-38	Other Thoracic Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C40-41	Bone	2	66.7	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
C43	Melanoma of Skin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C44	Other Skin	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C50	Breast	23	85.2	0	0.0	2	7.4	0	0.0	0	0.0	2	7.4	27	100.0
C51	Vulva	2	66.7	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
C52	Vagina	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C53	Cervix Uteri	85	88.5	0	0.0	3	3.1	0	0.0	0	0.0	8	8.3	96	100.0
C54	Corpus Uteri	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C55	Uterus Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C56	Ovary etc.	3	50.0	0	0.0	1	16.7	0	0.0	0	0.0	2	33.3	6	100.0
C57	Other Female Genital	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C58	Placenta	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C64	Kidney etc.	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C68	Uns. Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C70-72	Brain, Nervous System	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C73	Thyroid	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	3	100.0
C74	Adrenal Gland	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C77	Sec Lymph Nodes	0	0.0	0	0.0	2	66.7	0	0.0	0	0.0	1	33.3	3	100.0
C78	Sec Resp & Digestive	0	0.0	0	0.0	5	83.3	0	0.0	0	0.0	1	16.7	6	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C81	Hodgkins Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C82-85,C96	NHL	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C90	Multiple Myeloma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	1	33.3	3	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0	3	100.0
O&U	Other and Uns	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
	All Sites	169	76.1	0	0.0	17	7.7	0	0.0	5	2.3	31	14.0	222	100.0

**TABLE BRS-8.1(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1.30
C16	Stomach	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1.30
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1.30
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C62	Testis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1.30
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	2	1	1	0	3	4	3	5	9	9	10	9	7	10	0	73	94.81	
	All Sites	0	0	2	2	1	0	3	4	3	7	10	9	10	9	7	10	0	77	100.00	

**TABLE BRS-8.1(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C16	Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1.00
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1.00
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C53	Cervix Uteri	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	1.00
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1.00
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	1	0	0	1	1	0	2	6	4	10	8	9	11	17	10	15	0	95	95	95.00
	All Sites	1	0	1	1	1	0	2	6	4	10	9	9	11	18	11	16	0	100	100.00	

**TABLE BRS-8.2(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C16	Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1.30
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1.30
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C62	Testis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	1	3	0	0	0	1	0	4	3	4	2	9	13	6	13	16	0	75	75	97.40
	All Sites	1	3	0	0	0	1	0	4	3	4	2	10	13	7	13	16	0	77	100.00	

**TABLE BRS-8.2(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C16	Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C53	Cervix Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	2	0	1	1	1	1	6	9	3	17	4	15	10	7	4	0	81	100.00	
	All Sites	0	2	0	1	1	1	1	6	9	3	17	4	15	10	7	4	0	81	100.00	

**TABLE BRS-8.3(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.65
C16	Stomach	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.65
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.65
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.65
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.65
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C62	Testis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.65
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	1	3	2	1	1	1	3	8	6	9	11	18	23	15	20	26	0	148	96.10
	All Sites	1	3	2	2	1	1	3	8	6	11	12	19	23	16	20	26	0	154	100.00

**TABLE BRS-8.3(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Barshi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C16	Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.55
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.55
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C53	Cervix Uteri	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.55
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.55
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.55
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	1	2	0	2	2	1	3	12	13	13	25	13	26	27	17	19	0	176	97.24
	All Sites	1	2	1	2	2	1	3	12	13	13	26	13	26	28	18	20	0	181	100.00

TABLE BRS-9.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Males
Barshi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.39	0.47	0.47	1.52
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.50	0.50	1.60
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.50	0.50	1.60
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C92-94	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.39	0.39	0.39	0.00
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
O&U	0.0	0.0	7.9	4.4	4.7	0.0	17.2	24.7	22.9	41.4	84.8	105.7	114.9	160.2	153.5	213.4	28.13	33.06	3.89	59.37
All	0.0	0.0	7.9	8.8	4.7	0.0	17.2	24.7	22.9	58.0	94.3	105.7	114.9	160.2	153.5	213.4	29.67	34.92	4.00	64.10

TABLE BRS-9.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Males
Barshi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	0.0	0.0	0.38	0.53	0.53	0.00
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	0.0	0.0	0.38	0.47	0.47	1.50
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C92-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
O&U	2.8	8.7	0.0	0.0	0.0	5.1	0.0	24.5	22.7	32.9	18.7	104.7	147.9	105.6	281.9	337.2	28.71	33.02	3.83	51.13
All	2.8	8.7	0.0	0.0	0.0	5.1	0.0	24.5	22.7	32.9	18.7	116.3	147.9	123.2	281.9	337.2	29.47	34.02	3.90	52.63

TABLE BRS-9.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Males
Barshi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0	0.0	0.19	0.23	0.23	0.76
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.25	0.25	0.80
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	0.0	0.19	0.27	0.27	0.00
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.19	0.23	0.23	0.75
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.25	0.25	0.80
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C92-94	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.20	0.20	0.00
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
O&U	1.4	4.4	4.0	2.2	2.3	2.6	8.6	24.6	22.8	37.2	51.6	105.2	131.5	132.7	218.1	275.7	28.42	33.05	2.73	55.24
All	1.4	4.4	4.0	4.4	2.3	2.6	8.6	24.6	22.8	45.4	56.3	111.1	131.5	141.6	218.1	275.7	29.57	34.47	2.79	58.34

POPULATION BASED CANCER REGISTRY, BHOPAL

Gandhi Medical College, Bhopal

Dr V. K. Bharadwaj, Principal Investigator

Dr S. Surange, Research Officer

Dr R. Dikshit, Research Officer

Mr A. Shrivastava, Research Officer

A chemical disaster caused by the leakage of toxic gases from the Union Carbide factory in Bhopal on the night of 3rd December 1984 led to massive mortality and morbidity in the city. Methyl isocyanate (MIC) was supposed to be the major content of the toxic gases, which caused the disaster. Immediately after this tragedy, Indian Council of Medical Research initiated many studies to evaluate the ill effects of the toxic gases among the gas exposed population. Along with these studies, a special Population Based Cancer Registry was established at Bhopal to ascertain the magnitude of cancer problem in central India and to evaluate the carcinogenic effects of MIC. The registry started functioning from January 1986 with the objective of registration of all cancer cases residing in Bhopal urban area. Long term objective of this special registry is to study the Methyl Isocyanate gas exposed population of Bhopal for possible carcinogenic effects.

Bhopal is situated on the Arera Hills at an altitude of 505 metres above the sea level. It is situated 23.07° North and 77.12° East with a total area of 284.90 Sq. km. The density of population as per 2001 Census is 4755.46 / Sq. km.

The information is obtained on all cancer patients diagnosed in 63 medical centres, dispensaries, primary health centres and pathological laboratories. The social workers visit these centres and collect data by interviewing the cases whenever possible or from medical records. The data thus collected is entered on computers and various range and consistency checks are performed. Duplicate checks are carried out both by using computers and manually.

Over the years the registry has observed a very high incidence of tobacco related cancers with a rising trend of oral cavity and lung malignancies among males. Among females high incidences of breast and genital malignancies have been recorded. Cancer of breast has shown a rising trend.

Death registration system in Bhopal is far from adequate resulting in under registration of cancer mortality. Efforts to improve the mortality statistics using burial grounds and crematoriums data have been taken up since 2003. All deaths irrespective of the cause of death mentioned are noted and then matched with the morbidity data. The matched deaths are then updated. The unmatched cancer deaths are traced back by house visits and scrutiny of medical records. Cases with no other details, other than those available on the death certificate, are registered as "Death Certificate Only". Significant improvement has already been observed.

Staff of Population Based Registry, Bhopal

Dr Sunil Surange	:	Research Officer (medical)
Dr Atul Shrivastava	:	Research Officer (statistics)
Dr Rajesh Dikshit	:	Research Officer (field supervisor)
Mrs Alka Goley	:	Social Investigator
Ms Sushma Shrivastava	:	Social Investigator
Ms Shubhra Trivedi	:	Social Investigator
Mrs Ragini Nair	:	Typist
Mr Jagannathan Nair	:	Messenger

Figure BHP-1 :
Population Pyramid showing Average Age Distribution of 1999-2000




TABLE BHP-1:
Main Sources* of Registration of Incident Cases of Cancer in Bhopal (1999-2000)

Name of the Institution (Source Code)	Number	%
Jawahar Lal Nehru Cancer Hospital (56)	936	52.0
Hamida Hospital (1)	565	31.4
Sultania Zanana Hospital (2)	80	4.4
Kasturba Hospital (4)	68	3.8
Tata Memorial Hospital (21)	64	3.6
D.C.O (51)	44	2.4
Parulkar Clinic (54)	27	1.5
Navoday Nursing Home (10)	13	0.7
Niramay Nursing Home (11)	2	0.1
Total All Sources	1799	100.0

- * 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 1999-2000.
- * 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE BHP-2.1(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0.43
C01-02	Tongue	0	0	0	0	0	1	0	3	4	6	6	7	7	5	5	2	0	46	9.89
C03-06	Mouth	0	0	0	0	0	1	1	4	4	3	3	4	7	3	3	2	0	35	7.53
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	2	0	2	1	0	1	1	3	0	3	0	13	2.80
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	1	0	5	1.08
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	0.65
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	2	4	3	4	5	6	2	0	27	5.81
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	3	0.65
C15	Oesophagus	0	0	0	0	0	0	1	1	1	2	6	5	5	4	5	6	0	36	7.74
C16	Stomach	0	0	0	0	0	0	0	1	0	0	3	2	1	1	0	1	0	9	1.94
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	1	0	0	0	0	0	1	0	3	0	1	0	6	1.29
C19-20	Rectum	0	0	0	0	0	0	1	1	0	2	1	1	3	1	4	1	0	15	3.23
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.22
C22	Liver	0	0	0	0	0	0	0	0	0	1	2	2	1	4	0	0	0	10	2.15
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	1	2	0	1	1	1	0	6	1.29
C25	Pancreas	0	0	0	0	0	0	0	1	0	0	2	1	1	1	2	0	0	8	1.72
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	3	0.65
C32	Larynx	0	0	0	0	0	0	1	1	1	1	2	4	5	3	3	3	0	24	5.16
C33-34	Lung etc.	0	0	0	0	0	0	1	2	2	5	9	11	8	6	5	5	0	54	11.61
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	1	1	2	0	1	0	0	0	0	0	0	0	0	0	0	5	1.08
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	0.43
C44	Other Skin	0	0	0	0	0	0	0	0	2	0	1	2	1	3	0	0	0	9	1.94
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	4	0.86
C50	Breast	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	0.43
C60	Penis	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0	4	0.86
C61	Prostate	0	0	0	0	0	0	0	0	0	0	2	3	5	2	7	5	0	24	5.16
C62	Testis	0	1	0	0	0	0	0	0	3	0	0	1	0	0	0	0	0	5	1.08
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	1	0	0	0	0	0	1	3	0	1	0	0	0	0	6	1.29
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	0	0	1	1	1	4	1	2	3	0	14	3.01
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.22
C70-72	Brain, Nervous System	1	1	1	0	1	1	1	1	3	1	2	2	0	0	0	0	0	15	3.23
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.22
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	1	1	1	0	1	0	0	0	0	5	1.08
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	4	0.86
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	1	0	0	0	1	0	1	0	0	0	1	0	0	0	0	4	0.86
C82-85,C96	NHL	3	0	0	0	1	2	0	3	1	1	2	1	0	2	1	1	0	18	3.87
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	0	0	1	2	0	0	0	0	5	1.08
C91	Lymphoid Leuk.	1	1	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	5	1.08
C92-94	Myeloid Leukaemia	0	0	0	0	1	1	2	1	2	0	0	0	1	1	0	0	0	9	1.94
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	1	1	0	1	0	0	2	3	3	2	2	2	0	17	3.66
	All Sites	5	4	4	3	6	8	13	21	32	33	61	63	65	57	50	40	0	465	100.00

**TABLE BHP-2.1(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	2	0	1	2	1	2	0	1	1	0	10	2.43
C03-06	Mouth	0	0	0	0	0	0	2	1	1	2	7	2	5	1	0	4	0	25	6.08
C07-08	Salivary Gland	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.24
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.24
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.24
C11	Nasopharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3	0.73
C12-13	Hypopharynx	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	3	0.73
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	1	2	2	1	1	2	2	3	1	0	15	3.65
C16	Stomach	0	0	0	0	0	0	0	0	0	2	0	1	2	0	0	0	0	5	1.22
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	3	0.73
C19-20	Rectum	0	0	0	0	0	2	0	1	1	1	1	0	1	0	1	0	0	8	1.95
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	1	0	0	0	0	1	0	1	0	0	0	0	0	1	1	2	0	7	1.70
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	2	0	3	4	2	1	1	0	0	15	3.65
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.24
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.24
C32	Larynx	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	0	4	0.97
C33-34	Lung etc.	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	1	0	5	1.22
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	3	0.73
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	1	2	1	0	2	1	0	7	1.70
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	4	0.97
C50	Breast	0	0	0	0	1	4	8	12	11	16	15	12	14	4	3	2	0	102	24.82
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3	0.73
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	0.49
C53	Cervix Uteri	0	0	0	0	0	1	2	6	10	14	13	13	12	9	6	3	0	89	21.65
C54	Corpus Uteri	0	0	0	0	0	0	1	0	0	1	3	1	4	0	0	0	0	10	2.43
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	1	0	0	0	0	0	3	5	4	3	2	0	0	0	18	4.38
C57	Other Female Genital	0	0	0	0	0	0	0	0	1	0	0	3	0	0	0	0	0	4	0.97
C58	Placenta	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.24
C64	Kidney etc.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	0.49
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0.49
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.49
C70-72	Brain, Nervous System	0	0	0	1	3	0	0	2	0	2	0	0	1	1	0	0	0	10	2.43
C73	Thyroid	0	0	0	0	0	0	1	1	1	0	0	1	1	0	0	0	0	5	1.22
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0.49
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2	0.49
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3	0.73
C82-85,C96	NHL	1	0	1	0	1	0	0	1	1	0	1	0	0	1	0	0	0	7	1.70
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	3	0.73
C91	Lymphoid Leuk.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.24
C92-94	Myeloid Leukaemia	0	0	1	3	0	2	0	0	1	0	1	0	1	0	0	1	0	10	2.43
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	2	0	0	2	1	1	0	1	0	3	0	0	1	0	11	2.68
	All Sites	3	3	4	8	6	14	18	32	38	46	60	49	55	27	25	23	0	411	100.00

**TABLE BHP-2.2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.21
C01-02	Tongue	0	0	0	0	0	0	1	2	5	7	6	6	5	4	3	2	0	41	8.42
C03-06	Mouth	0	0	0	0	0	2	2	3	3	3	6	8	4	3	2	1	0	37	7.60
C07-08	Salivary Gland	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	2	0.41
C09	Tonsil	0	0	0	0	0	0	0	0	0	1	1	1	3	1	1	0	0	8	1.64
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	1	0	6	1.23
C11	Nasopharynx	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	0.41
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	3	1	4	5	5	2	3	2	0	26	5.34
C14	Pharynx Unspecified	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	2	0.41
C15	Oesophagus	0	0	0	0	0	0	0	1	3	2	4	6	7	6	5	2	0	36	7.39
C16	Stomach	0	0	0	0	0	0	0	0	1	2	4	1	2	1	1	1	0	13	2.67
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.21
C18	Colon	0	0	0	0	0	1	0	1	1	2	0	1	1	1	1	1	0	10	2.05
C19-20	Rectum	0	0	0	0	0	1	1	2	1	1	1	1	0	1	2	1	0	12	2.46
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0	4	0.82
C22	Liver	0	0	0	0	0	0	0	0	0	0	1	2	3	3	2	1	0	12	2.46
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	1	2	2	2	3	1	2	3	0	17	3.49
C25	Pancreas	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	3	0.62
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	0.41
C32	Larynx	0	0	0	0	0	0	0	0	3	3	2	3	3	2	2	3	0	21	4.31
C33-34	Lung etc.	0	0	0	0	0	0	1	1	2	4	8	9	9	8	6	3	0	51	10.47
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.21
C40-41	Bone	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	0	0	4	0.82
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0.41
C44	Other Skin	0	0	0	0	0	0	0	1	1	2	4	1	0	2	1	0	0	12	2.46
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	0	0	0	1	0	2	1	1	0	1	0	0	7	1.44
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	1	1	1	4	1	0	0	8	1.64
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	2	6	8	6	4	0	26	5.34
C62	Testis	1	0	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0	7	1.44
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.41
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	1	0	1	1	1	1	1	2	1	0	9	1.85
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.41
C70-72	Brain, Nervous System	0	0	0	2	0	0	2	2	1	1	2	1	1	0	1	2	0	15	3.08
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	0.41
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.21
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0.41
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	1	0	1	0	0	1	2	0	0	0	6	1.23
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.21
C81	Hodgkins Disease	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0.41
C82-85,C96	NHL	1	1	1	1	3	1	0	1	2	0	2	2	3	5	1	1	0	25	5.13
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	1	0	1	0	1	0	2	1	0	6	1.23
C91	Lymphoid Leuk.	1	1	2	0	0	0	0	0	0	0	1	1	0	0	0	1	0	7	1.44
C92-94	Myeloid Leukaemia	0	1	2	1	0	2	1	2	0	1	3	1	1	0	1	1	0	17	3.49
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	0	0	0	0	2	3	2	2	0	3	1	3	0	16	3.29
	All Sites	5	5	6	6	7	9	11	23	33	41	62	65	64	61	50	39	0	487	100.00

**TABLE BHP-2.2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.23
C01-02	Tongue	0	0	0	0	0	0	0	0	1	0	0	0	3	0	1	1	0	6	1.38
C03-06	Mouth	0	0	0	0	0	0	1	0	2	2	1	1	6	5	5	4	0	27	6.19
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.23
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	0	4	0.92
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	1	1	1	3	3	2	0	2	0	13	2.98
C16	Stomach	0	0	0	0	0	0	0	1	0	0	1	1	0	1	2	1	0	7	1.61
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	2	0	6	1.38
C19-20	Rectum	0	0	0	0	0	0	0	1	0	1	1	0	2	1	1	0	0	7	1.61
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	0.46
C22	Liver	0	0	0	0	0	0	0	0	1	2	2	0	1	0	1	1	0	8	1.83
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	3	3	3	5	5	2	1	0	22	5.05
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.23
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2	0.46
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.23
C33-34	Lung etc.	0	0	0	0	0	0	0	0	1	1	2	3	3	1	2	0	0	13	2.98
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.23
C43	Melanoma of Skin	0	1	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	4	0.92
C44	Other Skin	0	0	0	1	0	0	0	0	0	0	3	1	0	0	0	0	0	5	1.15
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	1	0	1	1	0	2	0	0	1	0	0	0	1	0	0	7	1.61
C50	Breast	0	0	0	0	1	2	7	10	12	19	17	14	8	5	7	3	0	105	24.08
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.23
C52	Vagina	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	3	0.69
C53	Cervix Uteri	0	0	0	0	0	2	5	8	8	12	17	15	11	4	5	5	0	92	21.10
C54	Corpus Uteri	0	0	0	0	0	0	0	1	1	0	0	3	2	1	1	1	0	10	2.29
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	1	1	0	1	1	2	3	2	1	3	4	1	0	0	0	20	4.59
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	4	0.92
C64	Kidney etc.	1	0	0	0	0	1	0	0	0	0	1	1	1	1	0	0	0	6	1.38
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2	0.46
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.23
C70-72	Brain, Nervous System	0	0	0	1	0	1	0	1	2	0	1	0	0	0	0	0	0	6	1.38
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	4	0.92
C74	Adrenal Gland	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.23
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0.46
C78	Sec Resp & Digestive	0	0	0	0	0	0	1	0	0	1	1	1	0	0	0	0	0	4	0.92
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	1	0	1	0	0	1	2	2	3	0	2	1	0	0	1	0	14	3.21
C90	Multiple Myeloma	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	4	0.92
C91	Lymphoid Leuk.	1	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0.92
C92-94	Myeloid Leukaemia	1	0	0	0	1	1	0	0	2	1	1	1	0	1	0	0	0	9	2.06
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	1	1	0	2	2	0	0	0	0	0	0	0	0	6	1.38
	All Sites	3	3	5	5	6	13	18	34	45	49	62	54	56	32	28	23	0	436	100.00

**TABLE BHP-2.3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	3	0.32
C01-02	Tongue	0	0	0	0	0	1	1	5	9	13	12	13	12	9	8	4	0	87	9.14
C03-06	Mouth	0	0	0	0	0	3	3	7	7	6	9	12	11	6	5	3	0	72	7.56
C07-08	Salivary Gland	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	2	0.21
C09	Tonsil	0	0	0	0	0	0	2	0	2	2	1	2	4	4	1	3	0	21	2.21
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	0	2	1	0	2	3	2	0	11	1.16
C11	Nasopharynx	0	0	0	0	0	0	0	1	0	0	0	2	1	1	0	0	0	5	0.53
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	4	3	8	8	9	7	9	4	0	53	5.57
C14	Pharynx Unspecified	0	0	0	0	1	0	0	0	0	1	2	0	0	0	1	0	0	5	0.53
C15	Oesophagus	0	0	0	0	0	0	1	2	4	4	10	11	12	10	10	8	0	72	7.56
C16	Stomach	0	0	0	0	0	0	0	1	1	2	7	3	3	2	1	2	0	22	2.31
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.11
C18	Colon	0	0	0	0	0	2	0	1	1	2	0	2	1	4	1	2	0	16	1.68
C19-20	Rectum	0	0	0	0	0	1	2	3	1	3	2	2	3	2	6	2	0	27	2.84
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	2	0	5	0.53
C22	Liver	0	0	0	0	0	0	0	0	0	1	3	4	4	7	2	1	0	22	2.31
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	1	2	3	4	3	2	3	4	0	23	2.42
C25	Pancreas	0	0	0	0	0	0	0	1	1	0	2	2	1	2	2	0	0	11	1.16
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	1	0	5	0.53
C32	Larynx	0	0	0	0	0	0	1	1	4	4	4	7	8	5	5	6	0	45	4.73
C33-34	Lung etc.	0	0	0	0	0	0	2	3	4	9	17	20	17	14	11	8	0	105	11.03
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.11
C40-41	Bone	0	0	1	1	3	0	2	0	0	0	1	0	1	0	0	0	0	9	0.95
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	0	4	0.42
C44	Other Skin	0	0	0	0	0	0	0	1	3	2	5	3	1	5	1	0	0	21	2.21
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	0	1	0	0	0	0	1	1	3	1	1	0	2	0	0	11	1.16
C50	Breast	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	0.21
C60	Penis	0	0	0	0	0	0	0	0	1	0	2	1	2	4	1	1	0	12	1.26
C61	Prostate	0	0	0	0	0	0	0	0	0	0	2	5	11	10	13	9	0	50	5.25
C62	Testis	1	1	0	1	1	1	1	1	3	0	0	1	1	0	0	0	0	12	1.26
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	1	1	0	1	0	0	0	0	0	1	3	0	1	0	0	0	0	8	0.84
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	1	0	2	2	2	5	2	4	4	0	23	2.42
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.32
C70-72	Brain, Nervous System	1	1	1	2	1	1	3	3	4	2	4	3	1	0	1	2	0	30	3.15
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	3	0.32
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.11
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	1	1	1	0	2	1	0	0	0	7	0.74
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	1	0	2	1	0	1	4	0	0	0	10	1.05
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.11
C81	Hodgkins Disease	0	0	2	0	1	0	1	0	1	0	0	0	1	0	0	0	0	6	0.63
C82-85,C96	NHL	4	1	1	1	4	3	0	4	3	1	4	3	3	7	2	2	0	43	4.52
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	0	1	1	3	0	2	1	0	11	1.16
C91	Lymphoid Leuk.	2	2	2	1	0	0	0	0	0	0	2	2	0	0	0	1	0	12	1.26
C92-94	Myeloid Leukaemia	0	1	2	1	1	3	3	3	2	1	3	1	2	1	1	1	0	26	2.73
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	1	1	0	1	2	3	4	5	3	5	3	5	0	33	3.47
	All Sites	10	9	10	9	13	17	24	44	65	74	123	128	129	118	100	79	0	952	100.00

**TABLE BHP-2.3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.12
C01-02	Tongue	0	0	0	0	0	0	0	2	1	1	2	1	5	0	2	2	0	16	1.89
C03-06	Mouth	0	0	0	0	0	0	3	1	3	4	8	3	11	6	5	8	0	52	6.14
C07-08	Salivary Gland	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.12
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.24
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.12
C11	Nasopharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3	0.35
C12-13	Hypopharynx	0	0	0	0	0	2	0	1	2	0	0	1	1	0	0	0	0	7	0.83
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	1	3	3	2	4	5	4	3	3	0	28	3.31
C16	Stomach	0	0	0	0	0	0	0	1	0	2	1	2	2	1	2	1	0	12	1.42
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	2	0	1	1	0	2	0	2	0	9	1.06
C19-20	Rectum	0	0	0	0	0	2	0	2	1	2	2	0	3	1	2	0	0	15	1.77
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	0.24
C22	Liver	1	0	0	0	0	1	0	1	1	2	2	0	1	1	2	3	0	15	1.77
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	2	3	6	7	7	6	3	1	0	37	4.37
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0.24
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	3	0.35
C32	Larynx	0	0	0	0	0	0	0	0	1	0	0	1	2	0	1	0	0	5	0.59
C33-34	Lung etc.	0	0	0	0	0	0	0	0	2	1	3	3	3	1	4	1	0	18	2.13
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	0	4	0.47
C43	Melanoma of Skin	0	1	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	4	0.47
C44	Other Skin	0	0	0	1	0	0	0	0	0	0	4	3	1	0	2	1	0	12	1.42
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	1	0	1	1	0	2	1	1	2	0	0	0	1	0	0	11	1.30
C50	Breast	0	0	0	0	2	6	15	22	23	35	32	26	22	9	10	5	0	207	24.44
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	4	0.47
C52	Vagina	0	0	0	0	0	0	1	0	0	0	1	1	1	0	0	1	0	5	0.59
C53	Cervix Uteri	0	0	0	0	0	3	7	14	18	26	30	28	23	13	11	8	0	181	21.37
C54	Corpus Uteri	0	0	0	0	0	0	1	1	1	1	3	4	6	1	1	1	0	20	2.36
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	1	2	0	1	1	2	3	5	6	7	7	3	0	0	0	38	4.49
C57	Other Female Genital	0	0	0	0	0	0	0	0	1	0	0	3	0	0	0	0	0	4	0.47
C58	Placenta	0	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	5	0.59
C64	Kidney etc.	1	0	0	0	0	1	0	0	1	0	1	1	1	1	0	1	0	8	0.94
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0	4	0.47
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0.35
C70-72	Brain, Nervous System	0	0	0	2	3	1	0	3	2	2	1	0	1	1	0	0	0	16	1.89
C73	Thyroid	0	0	0	0	0	0	1	1	1	1	1	2	2	0	0	0	0	9	1.06
C74	Adrenal Gland	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.12
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1	0	4	0.47
C78	Sec Resp & Digestive	0	0	0	0	0	1	1	0	0	1	2	1	0	0	0	0	0	6	0.71
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3	0.35
C82-85,C96	NHL	1	1	1	1	1	0	1	3	3	3	1	2	1	1	0	1	0	21	2.48
C90	Multiple Myeloma	0	0	0	0	0	1	0	1	1	0	2	0	0	1	1	0	0	7	0.83
C91	Lymphoid Leuk.	1	0	2	1	0	0	0	0	0	1	0	0	0	0	0	0	0	5	0.59
C92-94	Myeloid Leukaemia	1	0	1	3	1	3	0	0	3	1	2	1	1	1	0	1	0	19	2.24
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	2	1	1	2	3	3	0	1	0	3	0	0	1	0	17	2.01
	All Sites	6	6	9	13	12	27	36	66	83	95	122	103	111	59	53	46	0	847	100.00

TABLE BHP-4(a): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Males
Bhopal

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.29	0.86	0.00	0.28	0.61	0.66	0.27	0.69	0.91	0.13	0.19	0.61
C01-02	Tongue	5.39	10.72	18.87	4.67	9.86	14.69	6.22	11.76	22.74	5.37	9.65	20.17
C03-06	Mouth	6.12	10.30	24.02	5.66	10.07	16.44	4.73	8.47	16.93	4.85	8.23	17.95
C07-08	Salivary Gland	0.29	0.55	0.42	0.14	0.13	0.41	0.00	0.00	0.00	0.26	0.29	0.61
C09	Tonsil	1.31	2.88	5.11	0.71	1.39	1.78	1.76	3.38	3.38	1.05	2.21	4.64
C10	Oth. Oropharynx	0.15	0.44	0.00	0.28	0.71	0.95	0.68	1.43	1.08	0.79	1.88	1.40
C11	Nasopharynx	0.44	0.95	1.65	0.14	0.41	0.00	0.41	0.95	1.77	0.26	0.38	1.21
C12-13	Hypopharynx	3.64	7.38	10.92	3.54	7.43	11.03	3.65	8.17	10.27	3.41	6.62	13.23
C14	Pharynx Unspecified	0.15	0.17	0.53	0.14	0.16	0.52	0.41	0.77	1.21	0.26	0.27	0.56
C15	Oesophagus	4.96	10.43	12.37	5.10	10.35	19.81	4.86	9.98	14.45	4.72	9.94	16.43
C16	Stomach	2.04	3.94	5.42	1.70	3.48	5.80	1.22	2.18	4.75	1.70	3.09	6.53
C17	Small Intestine	0.15	0.13	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.29	0.00
C18	Colon	1.89	3.57	6.93	1.98	3.75	6.74	0.81	1.90	0.86	1.31	2.35	3.78
C19-20	Rectum	1.02	1.64	1.07	0.99	2.23	2.46	2.03	4.18	5.80	1.57	2.66	3.23
C21	Anus & Anal Canal	0.29	0.32	1.04	0.28	0.33	1.06	0.14	0.27	0.86	0.52	1.10	1.67
C22	Liver	1.17	2.53	4.28	1.70	2.93	2.91	1.35	2.99	4.41	1.57	3.74	4.86
C23-24	Gallbladder etc.	0.58	0.99	1.46	1.13	2.02	5.19	0.81	1.81	2.30	2.23	4.36	7.49
C25	Pancreas	0.58	1.37	1.60	1.42	2.86	5.52	1.08	2.22	3.31	0.39	0.80	1.32
C30-31	Nose, Sinuses etc.	0.29	0.71	0.93	0.85	1.55	2.12	0.41	0.85	1.49	0.26	0.44	0.48
C32	Larynx	2.62	4.77	10.88	3.68	6.86	15.76	3.24	6.70	10.64	2.75	5.38	9.52
C33-34	Lung etc.	8.16	16.34	32.52	6.79	14.78	22.28	7.30	14.33	26.83	6.68	13.75	23.67
C37-38	Other Thoracic Organs	0.15	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.12	0.37
C40-41	Bone	1.02	1.33	2.83	0.57	0.70	1.47	0.68	0.53	0.00	0.52	0.64	1.44
C43	Melanoma of Skin	0.00	0.00	0.00	0.42	1.00	1.85	0.27	0.45	1.44	0.26	0.57	0.61
C44	Other Skin	0.73	1.10	2.51	1.27	1.80	4.47	1.22	2.52	4.20	1.57	2.76	5.15
C45	Mesothelioma	0.15	0.30	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.15	0.13	0.42	1.56	1.73	3.38	0.54	0.88	1.21	0.92	1.52	3.32
C50	Breast	0.29	0.58	1.86	0.14	0.29	0.95	0.27	0.37	1.21	0.00	0.00	0.00
C60	Penis	0.87	1.45	3.32	0.14	0.16	0.52	0.54	0.92	1.98	1.05	2.66	2.27
C61	Prostate	3.06	7.57	5.39	3.96	8.74	9.29	3.24	7.64	8.27	3.41	8.75	6.94
C62	Testis	1.17	1.19	1.81	0.57	0.51	0.52	0.68	0.84	2.35	0.92	0.95	1.25
C63	Other Male Genital	0.00	0.00	0.00	0.14	0.28	0.90	0.00	0.00	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.87	1.53	3.51	0.99	1.92	3.21	0.81	1.13	3.27	0.26	0.25	0.00
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C67	Bladder	2.62	5.51	5.22	2.12	4.43	8.93	1.89	3.97	5.69	1.18	2.46	3.26
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.00	0.57	0.83	0.00	0.14	0.10	0.00	0.26	0.25	0.00
C70-72	Brain, Nervous System	1.31	1.48	2.60	2.26	2.72	6.57	2.03	2.35	5.38	1.96	2.85	4.67
C73	Thyroid	0.29	0.55	0.00	0.00	0.00	0.00	0.14	0.41	0.00	0.26	0.36	1.17
C74	Adrenal Gland	0.15	0.29	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.26	0.83
C77	Sec Lymph Nodes	0.73	1.67	1.51	0.42	0.62	0.66	0.68	0.93	2.99	0.26	0.67	0.88
C78	Sec Resp & Digestive	0.29	0.39	1.25	0.71	1.43	1.87	0.54	1.18	1.21	0.79	1.47	1.86
C79	Sec Others	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.26	0.83
C81	Hodgkins Disease	0.29	0.40	0.93	0.28	0.53	0.00	0.54	0.64	1.40	0.26	0.20	0.00
C82-85,C96	NHL	2.77	3.92	1.55	1.70	3.19	3.09	2.43	3.60	4.30	3.27	5.60	6.76
C90	Multiple Myeloma	0.29	0.52	0.63	0.00	0.00	0.00	0.68	1.14	3.66	0.79	1.65	1.92
C91	Lymphoid Leuk.	0.44	0.42	0.53	0.71	0.71	1.17	0.68	0.82	1.44	0.92	1.17	1.40
C92-94	Myeloid Leukaemia	1.75	1.88	4.55	1.98	2.35	4.82	1.22	1.54	2.28	2.23	2.90	4.76
C95	Leukaemia Uns	0.15	0.17	0.53	0.14	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O&U	Other and Uns	1.75	3.55	6.20	0.42	0.59	1.42	2.30	4.54	6.85	2.10	4.17	5.57
	All Sites	62.83	117.02	189.51	62.28	116.60	191.19	62.84	119.52	193.11	63.79	120.09	194.62

TABLE BHP-4(b): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Females
Bhopal

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.00	0.00	0.00	0.16	0.33	1.05	0.00	0.00	0.00	0.15	0.33	0.00
C01-02	Tongue	1.14	2.16	6.96	1.10	2.35	3.52	1.51	2.71	6.53	0.88	1.76	3.54
C03-06	Mouth	3.58	6.89	15.68	3.94	7.59	15.88	3.77	6.98	16.00	3.94	8.40	10.41
C07-08	Salivary Gland	0.16	0.13	0.00	0.32	0.65	2.10	0.15	0.12	0.00	0.00	0.00	0.00
C09	Tonsil	0.16	0.33	1.08	0.00	0.00	0.00	0.15	0.34	0.00	0.15	0.30	0.97
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.28	0.90	0.00	0.00	0.00
C11	Nasopharynx	0.00	0.00	0.00	0.47	0.68	0.68	0.45	0.82	1.54	0.00	0.00	0.00
C12-13	Hypopharynx	0.33	0.73	1.14	0.32	0.70	0.00	0.45	0.39	0.47	0.58	1.01	3.24
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C15	Oesophagus	2.76	6.33	9.13	1.74	3.29	7.91	2.26	4.47	7.21	1.90	4.02	8.20
C16	Stomach	0.81	1.58	2.44	1.42	2.30	5.45	0.75	1.41	4.56	1.02	2.14	2.34
C17	Small Intestine	0.00	0.00	0.00	0.32	0.59	1.89	0.00	0.00	0.00	0.00	0.00	0.00
C18	Colon	0.16	0.30	0.97	0.47	1.14	1.05	0.45	1.19	1.06	0.88	1.45	2.57
C19-20	Rectum	0.98	1.96	2.45	0.32	0.49	0.00	1.21	1.75	3.76	1.02	1.99	3.98
C21	Anus & Anal Canal	0.16	0.33	1.08	0.79	1.50	2.98	0.00	0.00	0.00	0.29	0.54	1.74
C22	Liver	0.49	1.05	2.22	0.79	1.68	2.51	1.05	1.86	0.47	1.17	2.14	4.78
C23-24	Gallbladder etc.	2.11	4.41	9.21	1.74	3.35	7.08	2.26	4.23	11.14	3.21	7.01	12.70
C25	Pancreas	0.81	1.84	4.44	0.47	1.14	0.78	0.15	0.43	0.00	0.15	0.42	0.00
C30-31	Nose, Sinuses etc.	0.81	1.19	3.40	0.16	0.36	0.00	0.15	0.20	0.65	0.29	0.33	1.08
C32	Larynx	0.49	1.06	1.93	0.32	0.49	0.00	0.60	1.18	2.70	0.15	0.30	0.97
C33-34	Lung etc.	1.46	2.62	5.71	0.95	2.13	1.99	0.75	1.51	1.54	1.90	3.90	9.07
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C40-41	Bone	0.00	0.00	0.00	0.47	0.37	0.00	0.45	0.36	0.00	0.15	0.11	0.00
C43	Melanoma of Skin	0.33	0.58	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.77	1.74
C44	Other Skin	0.49	0.76	2.44	0.47	0.94	0.00	1.05	2.27	4.01	0.73	1.25	3.63
C45	Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	1.14	1.66	3.39	0.79	1.31	1.88	0.60	0.83	2.29	1.02	1.21	1.77
C50	Breast	13.82	23.21	62.81	14.83	25.73	63.14	15.37	25.08	64.80	15.33	25.98	62.65
C51	Vulva	0.16	0.13	0.00	0.16	0.35	0.00	0.45	1.02	0.00	0.15	0.42	0.00
C52	Vagina	0.16	0.16	0.50	0.00	0.00	0.00	0.30	0.66	1.06	0.44	0.69	1.84
C53	Cervix Uteri	14.31	24.74	61.90	13.41	23.43	57.47	13.41	25.02	57.13	13.43	23.80	58.11
C54	Corpus Uteri	0.98	1.64	5.28	1.10	2.08	4.12	1.51	2.76	8.50	1.46	2.96	6.09
C55	Uterus Unspecified	0.16	0.35	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C56	Ovary etc.	3.90	5.75	12.70	3.47	5.45	13.31	2.71	5.31	13.96	2.92	4.62	12.05
C57	Other Female Genital	0.00	0.00	0.00	0.00	0.00	0.00	0.60	1.18	3.82	0.00	0.00	0.00
C58	Placenta	0.16	0.13	0.00	0.32	0.25	0.00	0.15	0.12	0.00	0.58	0.44	0.00
C64	Kidney etc.	0.33	0.31	1.00	0.47	0.59	1.05	0.30	0.54	0.65	0.88	1.56	2.86
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C67	Bladder	0.65	1.44	2.28	0.16	0.45	0.00	0.30	0.67	1.06	0.29	0.61	0.63
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.16	0.16	0.00	0.00	0.00	0.00	0.30	0.27	0.00	0.15	0.42	0.00
C70-72	Brain, Nervous System	0.81	1.33	3.88	1.42	2.05	4.98	1.51	1.94	3.43	0.88	1.04	2.57
C73	Thyroid	1.63	2.82	2.94	1.10	1.34	2.82	0.75	1.10	3.17	0.58	1.11	3.59
C74	Adrenal Gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.11	0.00
C77	Sec Lymph Nodes	0.98	1.91	3.08	0.32	0.42	0.94	0.30	0.77	0.00	0.29	0.44	1.42
C78	Sec Resp & Digestive	0.33	0.66	0.97	0.79	1.76	1.89	0.30	0.40	0.90	0.58	0.93	2.62
C79	Sec Others	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.16	0.13	0.00	0.47	0.56	1.05	0.45	0.35	0.00	0.00	0.00	0.00
C82-85,C96	NHL	1.79	2.51	4.50	1.89	3.70	4.85	1.05	1.42	2.01	2.04	2.96	7.34
C90	Multiple Myeloma	0.65	1.15	2.55	0.32	0.72	0.00	0.45	1.05	0.90	0.58	0.72	1.95
C91	Lymphoid Leuk.	0.81	0.67	0.00	0.32	0.28	0.00	0.15	0.23	0.75	0.58	0.49	0.00
C92-94	Myeloid Leukaemia	1.46	1.82	4.17	1.89	1.99	3.64	1.51	1.87	2.54	1.31	1.98	3.87
C95	Leukaemia Uns	0.16	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O&U	Other and Uns	2.28	4.45	7.49	0.47	0.58	1.46	1.66	2.39	5.01	0.88	0.89	2.15
	All Sites	64.22	111.51	251.56	60.43	105.11	217.46	61.92	107.46	234.48	63.64	111.55	242.46

TABLE BHP-5(a): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Males - Bhopal

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.03	0.03	0.06	0.06
C01-02	Tongue	0.72	0.72	1.41	1.40
C03-06	Mouth	0.62	0.61	1.06	1.05
C07-08	Salivary Gland	0.01	0.01	0.01	0.01
C09	Tonsil	0.15	0.15	0.33	0.33
C10	Oth. Oropharynx	0.04	0.04	0.25	0.25
C11	Nasopharynx	0.06	0.06	0.09	0.09
C12-13	Hypopharynx	0.41	0.41	1.08	1.07
C14	Pharynx Unspecified	0.03	0.03	0.08	0.08
C15	Oesophagus	0.55	0.55	1.36	1.35
C16	Stomach	0.19	0.19	0.31	0.30
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.08	0.08	0.27	0.27
C19-20	Rectum	0.16	0.16	0.52	0.51
C21	Anus & Anal Canal	0.05	0.05	0.05	0.05
C22	Liver	0.17	0.17	0.50	0.50
C23-24	Gallbladder etc.	0.17	0.17	0.38	0.38
C25	Pancreas	0.08	0.08	0.24	0.24
C30-31	Nose, Sinuses etc.	0.03	0.03	0.08	0.08
C32	Larynx	0.35	0.35	0.76	0.76
C33-34	Lung etc.	0.89	0.89	1.89	1.87
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00
C40-41	Bone	0.05	0.05	0.05	0.05
C43	Melanoma of Skin	0.03	0.03	0.08	0.08
C44	Other Skin	0.15	0.15	0.37	0.36
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 +C49	Conn. & Soft Tissue	0.08	0.08	0.18	0.18
C50	Breast	0.02	0.02	0.02	0.02
C60	Penis	0.07	0.07	0.26	0.26
C61	Prostate	0.29	0.29	1.25	1.24
C62	Testis	0.08	0.08	0.08	0.08
C63	Other Male Genital	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.06	0.06	0.06	0.06
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.16	0.16	0.42	0.42
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain, Nervous System	0.19	0.19	0.24	0.24
C73	Thyroid	0.02	0.02	0.05	0.05
C74	Adrenal Gland	0.02	0.02	0.02	0.02
C77	Sec Lymph Nodes	0.06	0.06	0.10	0.10
C78	Sec Resp & Digestive	0.05	0.05	0.18	0.18
C79	Sec Others	0.02	0.02	0.02	0.02
C81	Hodgkins Disease	0.04	0.04	0.04	0.04
C82-85,C96	NHL	0.23	0.23	0.56	0.55
C90	Multiple Myeloma	0.10	0.10	0.19	0.19
C91	Lymphoid Leuk.	0.07	0.07	0.07	0.07
C92-94	Myeloid Leukaemia	0.15	0.15	0.23	0.23
C95	Leukaemia Uns	0.00	0.00	0.00	0.00
O&U	Other and Uns	0.22	0.22	0.53	0.53
	All Sites	6.95	6.71	15.71	14.54

TABLE BHP-5(b): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Females - Bhopal

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.00	0.00	0.00	0.00
C01-02	Tongue	0.17	0.17	0.26	0.26
C03-06	Mouth	0.46	0.46	0.89	0.88
C07-08	Salivary Gland	0.00	0.00	0.00	0.00
C09	Tonsil	0.02	0.02	0.02	0.02
C10	Oth. Oropharynx	0.01	0.01	0.01	0.01
C11	Nasopharynx	0.02	0.02	0.06	0.06
C12-13	Hypopharynx	0.07	0.07	0.07	0.07
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00
C15	Oesophagus	0.26	0.26	0.53	0.53
C16	Stomach	0.12	0.12	0.24	0.24
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.06	0.06	0.13	0.13
C19-20	Rectum	0.13	0.13	0.25	0.25
C21	Anus & Anal Canal	0.03	0.03	0.03	0.03
C22	Liver	0.09	0.09	0.21	0.21
C23-24	Gallbladder etc.	0.41	0.41	0.75	0.75
C25	Pancreas	0.00	0.00	0.07	0.07
C30-31	Nose, Sinuses etc.	0.02	0.02	0.02	0.02
C32	Larynx	0.07	0.07	0.11	0.11
C33-34	Lung etc.	0.18	0.18	0.39	0.39
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00
C40-41	Bone	0.01	0.01	0.01	0.01
C43	Melanoma of Skin	0.03	0.03	0.03	0.03
C44	Other Skin	0.14	0.14	0.22	0.22
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.07	0.07	0.11	0.11
C50	Breast	2.14	2.11	2.88	2.84
C51	Vulva	0.00	0.00	0.08	0.08
C52	Vagina	0.06	0.06	0.06	0.06
C53	Cervix Uteri	1.94	1.92	2.86	2.82
C54	Corpus Uteri	0.26	0.26	0.34	0.34
C55	Uterus Unspecified	0.00	0.00	0.00	0.00
C56	Ovary etc.	0.46	0.46	0.57	0.56
C57	Other Female Genital	0.07	0.07	0.07	0.07
C58	Placenta	0.02	0.02	0.02	0.02
C64	Kidney etc.	0.07	0.07	0.10	0.10
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.03	0.03	0.11	0.11
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.04	0.04
C70-72	Brain, Nervous System	0.11	0.11	0.14	0.14
C73	Thyroid	0.12	0.12	0.12	0.12
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.03	0.03	0.06	0.06
C78	Sec Resp & Digestive	0.07	0.07	0.07	0.07
C79	Sec Others	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.01	0.01	0.01	0.01
C82-85, C96	NHL	0.16	0.16	0.20	0.20
C90	Multiple Myeloma	0.05	0.05	0.12	0.12
C91	Lymphoid Leuk.	0.02	0.02	0.02	0.02
C92-94	Myeloid Leukaemia	0.13	0.13	0.17	0.17
C95	Leukaemia Uns	0.00	0.00	0.00	0.00
O&U	Other and Uns	0.14	0.14	0.14	0.14
	All Sites	8.27	7.94	12.60	11.84

TABLE BHP-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Males
Bhopal

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C01-02	Tongue	86	98.9	0	0.0	1	1.1	0	0.0	0	0.0	87	100.0
C03-06	Mouth	71	98.6	0	0.0	1	1.4	0	0.0	0	0.0	72	100.0
C07-08	Salivary Gland	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C09	Tonsil	21	100.0	0	0.0	0	0.0	0	0.0	0	0.0	21	100.0
C10	Oth. Oropharynx	10	90.9	0	0.0	1	9.1	0	0.0	0	0.0	11	100.0
C11	Nasopharynx	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C12-13	Hypopharynx	51	96.2	0	0.0	2	3.8	0	0.0	0	0.0	53	100.0
C14	Pharynx Unspecified	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C15	Oesophagus	65	90.3	1	1.4	0	0.0	6	8.3	0	0.0	72	100.0
C16	Stomach	19	86.4	1	4.5	0	0.0	2	9.1	0	0.0	22	100.0
C17	Small Intestine	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C18	Colon	14	87.5	0	0.0	0	0.0	2	12.5	0	0.0	16	100.0
C19-20	Rectum	21	77.8	1	3.7	3	11.1	2	7.4	0	0.0	27	100.0
C21	Anus & Anal Canal	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C22	Liver	19	86.4	2	9.1	0	0.0	1	4.5	0	0.0	22	100.0
C23-24	Gallbladder etc.	11	47.8	7	30.4	1	4.3	4	17.4	0	0.0	23	100.0
C25	Pancreas	6	54.5	2	18.2	1	9.1	2	18.2	0	0.0	11	100.0
C30-31	Nose, Sinuses etc.	4	80.0	0	0.0	1	20.0	0	0.0	0	0.0	5	100.0
C32	Larynx	41	91.1	0	0.0	4	8.9	0	0.0	0	0.0	45	100.0
C33-34	Lung etc.	72	68.6	32	30.5	0	0.0	1	1.0	0	0.0	105	100.0
C37-38	Other Thoracic Organs	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C40-41	Bone	9	100.0	0	0.0	0	0.0	0	0.0	0	0.0	9	100.0
C43	Melanoma of Skin	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C44	Other Skin	21	100.0	0	0.0	0	0.0	0	0.0	0	0.0	21	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C50	Breast	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C60	Penis	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C61	Prostate	45	90.0	0	0.0	0	0.0	5	10.0	0	0.0	50	100.0
C62	Testis	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C63	Other Male Genital	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C64	Kidney etc.	8	100.0	0	0.0	0	0.0	0	0.0	0	0.0	8	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	22	95.7	0	0.0	1	4.3	0	0.0	0	0.0	23	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C70-72	Brain, Nervous System	23	76.7	4	13.3	0	0.0	3	10.0	0	0.0	30	100.0
C73	Thyroid	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C74	Adrenal Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C77	Sec Lymph Nodes	6	85.7	0	0.0	0	0.0	1	14.3	0	0.0	7	100.0
C78	Sec Resp & Digestive	4	40.0	1	10.0	1	10.0	3	30.0	1	10.0	10	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	1	100.0
C81	Hodgkins Disease	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C82-85,C96	NHL	43	100.0	0	0.0	0	0.0	0	0.0	0	0.0	43	100.0
C90	Multiple Myeloma	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C91	Lymphoid Leuk.	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C92-94	Myeloid Leukaemia	26	100.0	0	0.0	0	0.0	0	0.0	0	0.0	26	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
O&U	Other and Uns	1	3.0	0	0.0	0	0.0	2	6.1	30	90.9	33	100.0
	All Sites	817	85.8	51	5.4	18	1.9	35	3.7	31	3.3	952	100.0

**TABLE BHP-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Females
Bhopal**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C01-02	Tongue	16	100.0	0	0.0	0	0.0	0	0.0	0	0.0	16	100.0
C03-06	Mouth	51	98.1	0	0.0	1	1.9	0	0.0	0	0.0	52	100.0
C07-08	Salivary Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C09	Tonsil	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C10	Oth. Oropharynx	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C11	Nasopharynx	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C12-13	Hypopharynx	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C14	Pharynx Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C15	Oesophagus	25	89.3	0	0.0	1	3.6	2	7.1	0	0.0	28	100.0
C16	Stomach	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C17	Small Intestine	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C18	Colon	8	88.9	0	0.0	0	0.0	1	11.1	0	0.0	9	100.0
C19-20	Rectum	14	93.3	0	0.0	0	0.0	1	6.7	0	0.0	15	100.0
C21	Anus & Anal Canal	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C22	Liver	10	66.7	1	6.7	0	0.0	4	26.7	0	0.0	15	100.0
C23-24	Gallbladder etc.	28	75.7	6	16.2	1	2.7	2	5.4	0	0.0	37	100.0
C25	Pancreas	0	0.0	1	50.0	0	0.0	1	50.0	0	0.0	2	100.0
C30-31	Nose, Sinuses etc.	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C32	Larynx	4	80.0	0	0.0	1	20.0	0	0.0	0	0.0	5	100.0
C33-34	Lung etc.	12	66.7	5	27.8	1	5.6	0	0.0	0	0.0	18	100.0
C37-38	Other Thoracic Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C40-41	Bone	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C43	Melanoma of Skin	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C44	Other Skin	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C50	Breast	204	98.6	1	0.5	0	0.0	2	1.0	0	0.0	207	100.0
C51	Vulva	3	75.0	0	0.0	1	25.0	0	0.0	0	0.0	4	100.0
C52	Vagina	3	60.0	0	0.0	2	40.0	0	0.0	0	0.0	5	100.0
C53	Cervix Uteri	176	97.2	0	0.0	5	2.8	0	0.0	0	0.0	181	100.0
C54	Corpus Uteri	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	20	100.0
C55	Uterus Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C56	Ovary etc.	37	97.4	0	0.0	0	0.0	1	2.6	0	0.0	38	100.0
C57	Other Female Genital	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C58	Placenta	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C64	Kidney etc.	5	62.5	0	0.0	0	0.0	3	37.5	0	0.0	8	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C70-72	Brain, Nervous System	15	93.8	1	6.3	0	0.0	0	0.0	0	0.0	16	100.0
C73	Thyroid	9	100.0	0	0.0	0	0.0	0	0.0	0	0.0	9	100.0
C74	Adrenal Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C77	Sec Lymph Nodes	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C78	Sec Resp & Digestive	4	66.7	1	16.7	0	0.0	1	16.7	0	0.0	6	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C81	Hodgkins Disease	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C82-85,C96	NHL	21	100.0	0	0.0	0	0.0	0	0.0	0	0.0	21	100.0
C90	Multiple Myeloma	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C91	Lymphoid Leuk.	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C92-94	Myeloid Leukaemia	19	100.0	0	0.0	0	0.0	0	0.0	0	0.0	19	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
O&U	Other and Uns	2	11.8	0	0.0	1	5.9	0	0.0	14	82.4	17	100.0
	All Sites	784	92.6	16	1.9	15	1.8	18	2.1	14	1.7	847	100.0

**TABLE BHP-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Males
Bhopal**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C01-02	Tongue	84	96.6	2	2.3	0	0.0	0	0.0	0	0.0	1	1.1	87	100.0
C03-06	Mouth	65	90.3	1	1.4	5	6.9	0	0.0	0	0.0	1	1.4	72	100.0
C07-08	Salivary Gland	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C09	Tonsil	21	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	21	100.0
C10	Oth. Oropharynx	10	90.9	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	11	100.0
C11	Nasopharynx	4	80.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C12-13	Hypopharynx	46	86.8	2	3.8	3	5.7	0	0.0	0	0.0	2	3.8	53	100.0
C14	Pharynx Unspecified	4	80.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	5	100.0
C15	Oesophagus	64	88.9	1	1.4	0	0.0	0	0.0	0	0.0	7	9.7	72	100.0
C16	Stomach	19	86.4	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6	22	100.0
C17	Small Intestine	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C18	Colon	14	87.5	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	16	100.0
C19-20	Rectum	21	77.8	0	0.0	0	0.0	0	0.0	0	0.0	6	22.2	27	100.0
C21	Anus & Anal Canal	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C22	Liver	17	77.3	0	0.0	2	9.1	0	0.0	0	0.0	3	13.6	22	100.0
C23-24	Gallbladder etc.	8	34.8	2	8.7	1	4.3	0	0.0	0	0.0	12	52.2	23	100.0
C25	Pancreas	5	45.5	1	9.1	0	0.0	0	0.0	0	0.0	5	45.5	11	100.0
C30-31	Nose, Sinuses etc.	3	60.0	0	0.0	1	20.0	0	0.0	0	0.0	1	20.0	5	100.0
C32	Larynx	37	82.2	2	4.4	2	4.4	0	0.0	0	0.0	4	8.9	45	100.0
C33-34	Lung etc.	48	45.7	6	5.7	18	17.1	0	0.0	0	0.0	33	31.4	105	100.0
C37-38	Other Thoracic Organs	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C40-41	Bone	8	88.9	0	0.0	1	11.1	0	0.0	0	0.0	0	0.0	9	100.0
C43	Melanoma of Skin	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C44	Other Skin	20	95.2	0	0.0	1	4.8	0	0.0	0	0.0	0	0.0	21	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	10	90.9	0	0.0	1	9.1	0	0.0	0	0.0	0	0.0	11	100.0
C50	Breast	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	2	100.0
C60	Penis	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C61	Prostate	44	88.0	0	0.0	1	2.0	0	0.0	0	0.0	5	10.0	50	100.0
C62	Testis	10	83.3	0	0.0	0	0.0	0	0.0	1	8.3	1	8.3	12	100.0
C63	Other Male Genital	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C64	Kidney etc.	8	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	22	95.7	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	23	100.0
C68	Uns. Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C70-72	Brain, Nervous System	23	76.7	0	0.0	0	0.0	0	0.0	0	0.0	7	23.3	30	100.0
C73	Thyroid	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	3	100.0
C74	Adrenal Gland	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C77	Sec Lymph Nodes	0	0.0	6	85.7	0	0.0	0	0.0	0	0.0	1	14.3	7	100.0
C78	Sec Resp & Digestive	0	0.0	2	20.0	2	20.0	0	0.0	0	0.0	6	60.0	10	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C81	Hodgkins Disease	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C82-85,C96	NHL	41	95.3	0	0.0	1	2.3	1	2.3	0	0.0	0	0.0	43	100.0
C90	Multiple Myeloma	3	27.3	0	0.0	1	9.1	1	9.1	6	54.5	0	0.0	11	100.0
C91	Lymphoid Leuk.	1	8.3	0	0.0	0	0.0	6	50.0	5	41.7	0	0.0	12	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	17	65.4	9	34.6	0	0.0	26	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
O&U	Other and Uns	1	3.0	0	0.0	0	0.0	0	0.0	0	0.0	32	97.0	33	100.0
	All Sites	701	73.6	27	2.8	42	4.4	25	2.6	22	2.3	135	14.2	952	100.0

**TABLE BHP-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Females
Bhopal**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C01-02	Tongue	15	93.8	0	0.0	1	6.3	0	0.0	0	0.0	0	0.0	16	100.0
C03-06	Mouth	48	92.3	0	0.0	3	5.8	0	0.0	0	0.0	1	1.9	52	100.0
C07-08	Salivary Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C09	Tonsil	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C10	Oth. Oropharynx	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C11	Nasopharynx	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C12-13	Hypopharynx	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C14	Pharynx Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C15	Oesophagus	25	89.3	0	0.0	0	0.0	0	0.0	0	0.0	3	10.7	28	100.0
C16	Stomach	10	83.3	0	0.0	1	8.3	0	0.0	0	0.0	1	8.3	12	100.0
C17	Small Intestine	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C18	Colon	7	77.8	0	0.0	1	11.1	0	0.0	0	0.0	1	11.1	9	100.0
C19-20	Rectum	14	93.3	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	15	100.0
C21	Anus & Anal Canal	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C22	Liver	6	40.0	0	0.0	4	26.7	0	0.0	0	0.0	5	33.3	15	100.0
C23-24	Gallbladder etc.	21	56.8	4	10.8	3	8.1	0	0.0	0	0.0	9	24.3	37	100.0
C25	Pancreas	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	2	100.0
C30-31	Nose, Sinuses etc.	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C32	Larynx	4	80.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	5	100.0
C33-34	Lung etc.	7	38.9	0	0.0	5	27.8	0	0.0	0	0.0	6	33.3	18	100.0
C37-38	Other Thoracic Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C40-41	Bone	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C43	Melanoma of Skin	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C44	Other Skin	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C45	Mesothelioma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C50	Breast	190	91.8	1	0.5	13	6.3	0	0.0	0	0.0	3	1.4	207	100.0
C51	Vulva	3	75.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	4	100.0
C52	Vagina	3	60.0	0	0.0	0	0.0	0	0.0	0	0.0	2	40.0	5	100.0
C53	Cervix Uteri	174	96.1	0	0.0	2	1.1	0	0.0	0	0.0	5	2.8	181	100.0
C54	Corpus Uteri	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	20	100.0
C55	Uterus Unspecified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C56	Ovary etc.	36	94.7	1	2.6	0	0.0	0	0.0	0	0.0	1	2.6	38	100.0
C57	Other Female Genital	3	75.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	4	100.0
C58	Placenta	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C64	Kidney etc.	5	62.5	0	0.0	0	0.0	0	0.0	0	0.0	3	37.5	8	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C68	Uns. Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C70-72	Brain, Nervous System	15	93.8	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	16	100.0
C73	Thyroid	8	88.9	0	0.0	1	11.1	0	0.0	0	0.0	0	0.0	9	100.0
C74	Adrenal Gland	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C77	Sec Lymph Nodes	0	0.0	3	75.0	1	25.0	0	0.0	0	0.0	0	0.0	4	100.0
C78	Sec Resp & Digestive	0	0.0	1	16.7	3	50.0	0	0.0	0	0.0	2	33.3	6	100.0
C79	Sec Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C81	Hodgkins Disease	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C82-85,C96	NHL	19	90.5	0	0.0	0	0.0	2	9.5	0	0.0	0	0.0	21	100.0
C90	Multiple Myeloma	3	42.9	0	0.0	0	0.0	0	0.0	4	57.1	0	0.0	7	100.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	4	80.0	1	20.0	0	0.0	5	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	15	78.9	4	21.1	0	0.0	19	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
O&U	Other and Uns	1	5.9	1	5.9	0	0.0	0	0.0	0	0.0	15	88.2	17	100.0
	All Sites	703	83.0	12	1.4	39	4.6	21	2.5	9	1.1	63	7.4	847	100.0

**TABLE BHP-8.1(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	1	0	0	1	1	1	1	1	0	0	0	6	5.00
C03-06	Mouth	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0	0	6	5.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1.67
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.83
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	1.67
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	1	0	4	3.33
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	1	1	2	0	1	0	1	1	0	7	5.83
C16	Stomach	0	0	0	0	0	0	0	1	1	0	1	0	0	2	0	0	0	5	4.17
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.83
C19-20	Rectum	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.83
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	1.67
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	3	2.50
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	1.67
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	3	2.50
C32	Larynx	0	0	0	0	0	0	1	1	0	1	0	1	1	0	1	0	0	6	5.00
C33-34	Lung etc.	0	0	0	0	0	0	0	1	1	1	1	4	1	4	1	2	0	16	13.33
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.83
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	3	2.50
C62	Testis	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.83
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	4	3.33
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1.67
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.83
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.83
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.83
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1.67
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	1.67
C91	Lymphoid Leuk.	1	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0	4	3.33
C92-94	Myeloid Leukaemia	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	3	2.50
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	2	0	0	0	0	0	4	6	4	4	4	4	0	28	23.33
	All Sites	2	0	1	1	3	0	4	4	9	6	18	16	16	17	11	12	0	120	100.00

**TABLE BHP-8.1(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	4	5.00
C03-06	Mouth	0	0	0	0	0	0	0	0	0	1	1	1	2	1	0	0	0	6	7.50
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1.25
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1.25
C12-13	Hypopharynx	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1.25
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	3	3.75
C16	Stomach	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	2.50
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	2.50
C22	Liver	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	1.25
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	3	3.75
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1.25
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1.25
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1.25
C50	Breast	0	0	0	0	1	0	0	0	3	3	2	1	2	0	0	1	0	13	16.25
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C53	Cervix Uteri	0	0	0	0	0	0	0	0	0	5	1	0	3	1	0	1	0	11	13.75
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1.25
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	2.50
C57	Other Female Genital	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1.25
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1.25
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1.25
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C91	Lymphoid Leuk.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1.25
C92-94	Myeloid Leukaemia	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2	2.50
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	4	0	0	2	2	2	0	2	0	6	0	0	2	0	20	25.00
	All Sites	1	0	0	5	1	3	2	5	8	11	10	4	17	5	3	5	0	80	100.00

**TABLE BHP-8.2(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	1	0	2	2	1	2	3	1	0	12	7.50
C03-06	Mouth	0	1	1	0	0	0	0	1	0	0	0	2	2	1	0	0	0	8	5.00
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	3	1.88
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2	1.25
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.63
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	0	0	1	0	2	1	0	0	0	5	3.13
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.63
C15	Oesophagus	0	0	1	0	0	0	1	0	2	0	1	3	6	3	1	1	0	19	11.88
C16	Stomach	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	3	1.88
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	1.25
C19-20	Rectum	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	3	1.88
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	3	1.88
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	3	1.88
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	1	0	0	0	0	0	1	1	0	0	1	1	1	1	0	7	4.38
C33-34	Lung etc.	0	0	0	0	0	0	0	0	1	3	4	5	1	2	2	1	0	19	11.88
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1.25
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	1	0	2	0	0	0	1	0	0	4	2.50
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.63
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	0	0	7	4.38
C62	Testis	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.63
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.63
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.63
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.63
C70-72	Brain, Nervous System	0	1	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	4	2.50
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.63
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	2	0	0	0	0	1	0	0	0	0	4	2.50
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	1	2	0	0	0	0	0	0	1	1	0	0	0	5	3.13
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1.25
C91	Lymphoid Leuk.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.63
C92-94	Myeloid Leukaemia	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	2	1.25
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	0	0	0	0	4	6	4	4	0	6	2	6	0	32	20.00
	All Sites	0	3	5	1	2	4	2	6	11	15	19	20	24	21	14	13	0	160	100.00

**TABLE BHP-8.2(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1.75
C03-06	Mouth	0	0	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	4	3.51
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2	1.75
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.88
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	4	3.51
C16	Stomach	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	1.75
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.88
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1.75
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	1.75
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	1	1	3	2	0	0	0	7	6.14
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.88
C33-34	Lung etc.	0	0	0	0	0	0	0	0	1	0	2	0	1	0	1	0	0	5	4.39
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.88
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.88
C50	Breast	0	1	2	0	0	3	1	4	1	4	5	0	4	0	3	2	0	30	26.32
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C52	Vagina	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.88
C53	Cervix Uteri	0	3	3	0	0	0	0	2	2	3	2	1	0	0	2	0	0	18	15.79
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	1.75
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2	1.75
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.88
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2	1.75
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	3	2.63
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.88
C82-85,C96	NHL	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	3	2.63
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2	1.75
C91	Lymphoid Leuk.	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1.75
C92-94	Myeloid Leukaemia	0	0	0	1	0	0	1	0	1	0	0	0	0	1	0	0	0	4	3.51
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	0	2	0	2	4	0	0	0	0	0	0	0	0	8	7.02
	All Sites	2	5	8	1	0	5	4	12	13	8	19	6	12	8	8	3	0	114	100.00

**TABLE BHP-8.3(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	1	0	1	1	3	3	2	3	3	1	0	18	6.43	
C03-06	Mouth	0	1	1	0	0	0	0	1	2	0	2	2	3	2	0	0	0	14	5.00	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	1	0	5	1.79	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	3	1.07	
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	1.07	
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	0	1	2	1	2	1	0	1	0	9	3.21	
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.36	
C15	Oesophagus	0	0	1	0	0	0	1	0	3	1	3	3	7	3	2	2	0	26	9.29	
C16	Stomach	0	0	0	0	0	0	0	1	1	1	2	1	0	2	0	0	0	8	2.86	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	3	1.07	
C19-20	Rectum	0	0	0	0	0	0	2	0	0	0	1	0	1	0	0	0	0	4	1.43	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	0	5	1.79	
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	2	0	6	2.14	
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.71	
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	3	1.07	
C32	Larynx	0	0	1	0	0	0	1	1	1	2	0	1	2	1	2	1	0	13	4.64	
C33-34	Lung etc.	0	0	0	0	0	0	0	1	2	4	5	9	2	6	3	3	0	35	12.50	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0.71	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.36	
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	1	0	2	0	0	0	1	0	0	4	1.43	
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C60	Penis	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.36	
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	1	1	4	4	0	0	10	3.57	
C62	Testis	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2	0.71	
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.36	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	1	0	0	0	0	0	0	0	0	1	1	0	1	1	0	5	1.79	
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.36	
C70-72	Brain, Nervous System	0	1	1	0	1	0	0	0	0	1	0	1	1	0	0	0	0	6	2.14	
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.36	
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2	0.71	
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	2	0	0	0	0	1	1	0	0	0	5	1.79	
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	0	0	0	1	2	0	0	0	0	0	0	1	1	1	1	0	7	2.50	
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	4	1.43	
C91	Lymphoid Leuk.	1	0	1	1	0	0	0	0	1	0	0	1	0	0	0	0	0	5	1.79	
C92-94	Myeloid Leukaemia	0	0	0	0	0	1	1	1	1	0	0	0	1	0	0	0	0	5	1.79	
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	0	2	0	0	0	4	6	8	10	4	10	6	10	0	60	21.43	
	All Sites	2	3	6	2	5	4	6	10	20	21	37	36	40	38	25	25	0	280	100.00	

**TABLE BHP-8.3(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Bhopal

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	1	0	0	0	0	0	0	0	1	1	0	1	0	2	0	0	6	3.09
C03-06	Mouth	0	0	2	0	0	0	0	0	1	1	1	1	2	1	0	1	0	10	5.15
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.52
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3	1.55
C12-13	Hypopharynx	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	2	1.03
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	1	0	7	3.61
C16	Stomach	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	0	4	2.06
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.52
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1.03
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	1.03
C22	Liver	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	3	1.55
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	0	0	1	1	3	3	0	0	0	10	5.15
C25	Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.52
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.52
C33-34	Lung etc.	0	0	0	0	0	0	0	0	2	0	2	0	1	0	1	0	0	6	3.09
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.52
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1.03
C50	Breast	0	1	2	0	1	3	1	4	4	7	7	1	6	0	3	3	0	43	22.16
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C52	Vagina	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.52
C53	Cervix Uteri	0	3	3	0	0	0	0	2	2	8	3	1	3	1	2	1	0	29	14.95
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.52
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C56	Ovary etc.	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	0	0	4	2.06
C57	Other Female Genital	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.52
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2	1.03
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	1.03
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2	1.03
C78	Sec Resp & Digestive	0	0	0	0	0	1	0	0	0	0	2	1	0	0	0	0	0	4	2.06
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.52
C82-85,C96	NHL	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	3	1.55
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2	1.03
C91	Lymphoid Leuk.	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1.55
C92-94	Myeloid Leukaemia	0	0	0	2	0	1	1	0	1	0	0	0	0	1	0	0	0	6	3.09
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
O&U	Other and Uns	0	0	0	4	0	2	2	4	6	0	2	0	6	0	0	2	0	28	14.43
	All Sites	3	5	8	6	1	8	6	17	21	19	29	10	29	13	11	8	0	194	100.00

TABLE BHP-9.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Males
Bhopal

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.2	3.6	6.7	7.0	13.5	0.0	0.0	0.81	1.43	0.63	2.97
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	7.2	0.0	7.0	13.5	0.0	0.0	0.81	1.35	0.60	3.06
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	15.1	0.27	0.58	0.41	0.91
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.14	0.28	0.28	0.91
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	13.5	0.0	0.0	0.27	0.67	0.49	0.86
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.6	6.7	0.0	0.0	0.0	15.1	0.54	0.94	0.48	2.07
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.2	7.2	0.0	7.0	0.0	19.6	15.1	0.95	1.68	0.67	3.19
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.6	0.0	3.6	0.0	0.0	27.0	0.0	0.0	0.68	1.26	0.63	1.46
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.14	0.18	0.18	0.58
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.14	0.10	0.10	0.00
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	13.5	0.0	0.0	0.27	0.59	0.44	0.58
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.6	0.0	7.0	0.0	0.0	0.0	0.41	0.65	0.39	2.11
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	7.0	0.0	0.0	0.0	0.27	0.46	0.33	1.49
C30-31	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	15.1	0.41	0.60	0.37	0.50
C32	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.0	0.0	3.2	0.0	6.7	7.0	0.0	19.6	0.0	0.81	1.36	0.61	2.78
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.6	3.2	3.6	26.7	7.0	54.1	19.6	30.2	2.16	4.61	1.21	6.44
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.14	0.18	0.18	0.58
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	39.3	0.0	0.41	1.19	0.69	0.00
C62	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.14	0.10	0.10	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	7.0	0.0	19.6	15.1	0.54	1.24	0.63	1.77
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.27	0.39	0.30	0.91
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	0.0	0.0	0.14	0.41	0.41	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.14	0.15	0.15	0.50
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	0.0	0.0	0.14	0.41	0.41	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	15.1	0.27	0.69	0.50	0.00
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	7.0	0.0	0.0	0.0	0.27	0.46	0.33	1.49
C91	1.2	0.0	0.0	1.3	0.0	0.0	0.0	0.0	2.6	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.54	0.68	0.36	1.36
C92-94	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.41	0.38	0.22	0.88
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
O&U	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	14.4	40.1	28.1	54.1	78.6	60.4	3.78	8.04	1.59	11.11
All	2.4	0.0	1.2	1.3	3.7	0.0	7.0	8.0	23.0	19.4	64.7	106.8	112.3	229.8	216.1	181.3	16.22	31.09	3.03	48.47

TABLE BHP-9.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Males
Bhopal

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.0	12.9	6.8	26.2	57.1	14.6	1.57	3.51	1.06	4.15
C03-06	0.0	1.1	1.1	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	12.9	13.6	13.1	0.0	0.0	1.05	1.78	0.69	3.80
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	0.0	19.0	0.0	0.39	0.92	0.54	1.76
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	14.6	0.26	0.47	0.34	0.56
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.13	0.27	0.27	0.88
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.5	0.0	13.6	13.1	0.0	0.0	0.65	1.23	0.59	2.69
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.13	0.17	0.17	0.56
C15	0.0	0.0	1.1	0.0	0.0	0.0	1.7	0.0	5.0	0.0	3.5	19.4	40.8	39.3	19.0	14.6	2.49	4.94	1.20	9.29
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.5	6.5	0.0	0.0	0.0	0.0	0.39	0.62	0.36	2.00
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	13.1	0.0	0.0	0.26	0.58	0.44	0.61
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	3.5	0.0	6.8	0.0	0.0	0.0	0.39	0.55	0.34	1.44
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	13.6	0.0	0.0	0.0	0.39	0.80	0.46	2.59
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.3	0.39	0.70	0.43	0.37
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	2.5	3.1	0.0	0.0	6.8	13.1	19.0	14.6	0.92	1.78	0.73	1.96
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	9.4	13.9	32.4	6.8	26.2	38.1	14.6	2.49	4.82	1.16	9.60
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.26	0.29	0.21	0.56
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.0	0.0	0.0	0.0	19.0	0.0	0.52	0.88	0.48	1.60
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.19	0.19	0.61
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.8	39.3	38.1	0.0	0.92	2.47	0.95	1.71
C62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.15	0.15	0.48
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.19	0.19	0.61
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.10	0.10	0.00
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.11	0.11	0.00
C70-72	0.0	1.1	0.0	0.0	1.2	0.0	0.0	0.0	0.0	3.1	0.0	6.5	0.0	0.0	0.0	0.0	0.52	0.65	0.35	1.44
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.12	0.12	0.37
C78	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.9	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.52	0.62	0.34	1.63
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.0	1.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	6.8	13.1	0.0	0.0	0.65	0.99	0.51	0.88
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.0	19.0	0.0	0.26	0.65	0.47	0.88
C91	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.10	0.10	0.00
C92-94	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.26	0.38	0.29	0.88
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
O&U	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	18.8	13.9	25.9	0.0	78.6	38.1	87.9	4.19	8.33	1.56	11.15
All	0.0	3.2	5.6	1.3	2.4	5.6	3.4	11.6	27.3	47.0	66.2	129.4	163.2	275.1	266.6	190.4	20.96	39.35	3.33	65.07

TABLE BHP-9.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Males
Bhopal

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.3	1.6	5.3	9.9	6.9	20.0	29.0	7.4	1.20	2.49	0.62	3.57
C03-06	0.0	0.5	0.6	0.0	0.0	0.0	0.0	1.0	2.5	0.0	3.5	6.6	10.4	13.3	0.0	0.0	0.93	1.57	0.46	3.43
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	0.0	9.7	7.4	0.33	0.76	0.34	1.34
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.5	0.0	0.0	7.4	0.20	0.38	0.22	0.73
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.5	6.7	0.0	0.0	0.20	0.47	0.28	0.87
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.6	3.5	3.3	6.9	6.7	0.0	7.4	0.60	1.09	0.38	2.38
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.07	0.09	0.09	0.29
C15	0.0	0.0	0.6	0.0	0.0	0.0	0.9	0.0	3.8	1.6	5.3	9.9	24.2	20.0	19.3	14.9	1.73	3.34	0.69	6.29
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	1.6	3.5	3.3	0.0	13.3	0.0	0.0	0.53	0.94	0.36	1.74
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.8	0.0	0.0	6.7	0.0	0.0	0.20	0.38	0.24	0.59
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.8	0.0	3.5	0.0	0.0	0.0	0.27	0.33	0.18	0.73
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.3	6.9	6.7	0.0	0.0	0.33	0.70	0.32	1.60
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.6	1.8	0.0	3.5	0.0	0.0	14.9	0.40	0.68	0.29	1.23
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.5	0.0	0.0	0.0	0.13	0.23	0.16	0.73
C30-31	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.20	0.29	0.18	0.24
C32	0.0	0.0	0.6	0.0	0.0	0.0	0.9	1.0	1.3	3.2	0.0	3.3	6.9	6.7	19.3	7.4	0.86	1.57	0.47	2.37
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.5	6.4	8.9	29.6	6.9	39.9	29.0	22.3	2.33	4.72	0.84	8.05
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.13	0.15	0.11	0.29
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.07	0.09	0.09	0.29
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.5	0.0	0.0	0.0	9.7	0.0	0.27	0.45	0.24	0.81
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.10	0.10	0.31
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.5	26.6	38.7	0.0	0.67	1.84	0.59	0.87
C62	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.12	0.09	0.24
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.10	0.10	0.31
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.5	0.0	9.7	7.4	0.33	0.66	0.31	0.87
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.05	0.05	0.00
C70-72	0.0	0.5	0.6	0.0	0.6	0.0	0.0	0.0	0.0	1.6	0.0	3.3	3.5	0.0	0.0	0.0	0.40	0.52	0.23	1.18
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.07	0.20	0.20	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.10	0.43
C78	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.0	0.0	0.0	0.0	0.0	3.5	6.7	0.0	0.0	0.33	0.51	0.26	0.83
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.0	0.0	0.0	0.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	3.5	6.7	9.7	7.4	0.47	0.84	0.36	0.45
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	6.9	0.0	9.7	0.0	0.27	0.56	0.29	1.18
C91	0.6	0.0	0.6	0.6	0.0	0.0	0.0	0.0	1.3	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.33	0.39	0.18	0.67
C92-94	0.0	0.0	0.0	0.0	0.0	0.7	0.9	1.0	1.3	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.33	0.38	0.19	0.88
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
O&U	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	5.0	9.5	14.2	32.9	13.8	66.5	58.0	74.4	3.99	8.19	1.11	11.13
ALL	1.2	1.6	3.4	1.3	3.1	2.9	5.2	9.8	25.2	33.4	65.5	118.3	138.2	252.8	241.7	185.9	18.63	35.29	2.26	56.91

POPULATION BASED CANCER REGISTRY, CHENNAI

Cancer Institute (WIA), Adyar, Chennai

Dr V. Shanta, Principal Investigator

Dr R. Swaminathan, Co-Investigator

Dr Nalini, Tutor

Ms M. Kavitha, Statistical Assistant

The Madras Metropolitan Tumour Registry (MMTR), a Population Based Cancer Registry, was established at the Cancer Institute (W.I.A) in 1981 in the network of National Cancer Registry Programme (NCRP) of the Indian Council of Medical Research (ICMR), New Delhi, to study the pattern and trend of cancer incidence and mortality in Chennai City (formerly Madras). The data collection commenced from 1st January 1982.

The Chennai city is situated at sea level on the eastern coast of peninsular India at latitude 13.04° N and longitude 80.17° E. The MMTR caters to an area of 170 km² and an estimated population (entirely urban) of 4.3 millions (951 Females to 1000 Males) as on 1st July 2004. The decadal population growth rate during 1991-2001 was 9.76% and the population density was estimated to be 24,231 persons/km². The literacy rate is 80% (M: 85%; F: 75%), and the predominantly spoken language is Tamil. The majority are Hindus (84%) followed by Muslims (9%), Christians (6%) and the rest belonging to the other religious groups (1%).

General health care, including cancer diagnostic and treatment facilities, are provided by the government health services, the Cancer Institute (WIA), which is a Regional Cancer Centre in Ministry of Health and Family Welfare, Government of India and supplemented by private practitioners and hospitals. The Radiation Oncology division at the Cancer Institute (WIA), is one of the best equipped centres in India. Radiation facilities are also available in four Government and four private hospitals. Surgical and Chemotherapeutic services are offered in government and private hospitals and nursing homes.

Cancer is not a notified disease in India. Therefore registration of cases is done by active method. The registry continues to enjoy good cooperation from all health care facilities in and around Chennai with greater than 210 sources of registration till date: government and private hospitals, nursing homes, clinics, consultants, pathology laboratories, imaging centres and hospices. The principal criterion for the inclusion of cases in the registry is that the cases should have been residing in Chennai for at least a year at the time of first diagnosis of cancer. The Social Investigators of the registry visit the collaborating hospitals regularly and collect data on cancer by interviewing the cases wherever possible and/or from medical records. Deficient medical records are updated by the linkage of data collected from various departments within a hospital for completeness of details. Mortality information on all deaths occurring in the city, irrespective of the stated cause of death in the death certificate, is collected from the Vital Statistics Division (VSD) of the Corporation of Chennai. The completeness of registration of cancer cases in MMTR is estimated to be 96%. Management of data has been progressively computerized to minimize the manual work resulting in the enhancement of data quality. Reliability of data and quality of registration are constantly monitored with emphasis on re-abstraction and coding on a random sample of cases and validity checks

using IARC and other in-house developed computer programs. The fact that the data has been accepted for publication in the IARC publication Cancer Incidence in Five Continents, Vol VIII, without any reservation stands testimony to high level of data quality.

The MMTR, has been the first among the registries of NCRP in carrying out many new registry activities: in undertaking systematic trace-back of cancer cases first identified through a death certificate, in the form of visits to houses and relevant hospitals since 1983; in collecting information on the vital status (alive/dead) of the cases for selected cancer sites by active follow up since 1985; in collecting information on all deaths (cancer or not as the cause of death) from VSD since 1992.

The achievements based on such activities are plentiful. Survival analysis of the top ten cancers was first made available by MMTR among all other registries in NCRP. The availability of mortality information of incident cancer cases was “doubled” leading to an enhancement in the mortality to incidence ratio. The dissemination of cancer information is done by publishing reports on cancer incidence and mortality highlighting the trends and patterns periodically in national/international monographs and scientific journals.

Imparting training in “Principles and Techniques in Cancer Registration” to the students of the IARC courses, delegates from other regional cancer centres and personnel from other medical institutions and cancer registries has become a regular feature. MMTR also provides data on non-residents for the ICMR project on “Development of an Atlas of Cancer in India” and follow up for the IARC project on survival from top ten cancers in Chennai. The MMTR has started a systematic registration of cancer cases (diagnosed from the year 2003) from the entire district of Dindigul in Tamil Nadu through the Dindigul Ambilikkai Cancer Registry (DACR) catering to an estimate population of more than 2 millions. The DACR is expected to provide valuable information on rural incidence pattern in Tamil Nadu.

Staff of Population Based Registry, Chennai

Dr Swaminathan R.	:	Senior Bio-Statistician
Dr Nalini Sreedharan	:	Medical Officer
Ms Kavitha M	:	Statistical Assistant
Mr Balasubramanian S	:	Computer Programmer
Mr Elumalai A	:	Social Investigator
Ms Lakshmi Sarathy K	:	Social Investigator
Ms Mahalakshmi R	:	Social Investigator
Mr Murugaiyan J	:	Social Investigator
Mr Panneerselvam M	:	Social Investigator
Mr Sambandam T.S	:	Social Investigator
Mr Sivakumar S	:	Social Investigator
Mr Dharumadurai V	:	Field Investigator
Mr Gandeeban D	:	Field Investigator
Mr Sivakumar M	:	Field Investigator
Ms Chandrakala T	:	Typist

Figure CHN-1 :
Population Pyramid showing Average Age Distribution of 1999-2000




TABLE CHN-1:
Main Sources* of Registration of Incident Cases of Cancer in Chennai (1999-2000)

Name of the Institution (Source Code)	Number	%
Government General Hospital, Chennai (4)	1612	19.8
Cancer Institute (WIA), Chennai (17)	1428	17.5
Dr. Rai Memorial Cancer Centre, Chennai (47)	715	8.8
Apollo Hospital, Chennai (79)	640	7.9
Government Stanley Hospital, Chennai (13)	626	7.7
Government Royapettah Hospital, Chennai (11)	513	6.3
Government Women's and Children's Hospital, Chennai (14)	423	5.2
Government Kilpauk Medical College and Hospital, Chennai (6)	276	3.4
Peripheral Hospital, Anna Nagar, Chennai (115)	217	2.7
Corporation of Chennai, Chennai (33)	204	2.5
Southern Railway Hospital, Chennai (10)	142	1.7
V H S, Chennai (28)	96	1.2
Jeevodaya, Chennai (233)	96	1.2
Sundaram Medical Foundation, Chennai (207)	94	1.2
Government Institute of Child Health, Chennai (5)	84	1.0
Others	976	12.0
Total All Sources	8142	100.0

* 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 1999-2000.

* 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE CHN-2.1(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	0	2	1	1	0	0	0	5	0.26
C01-02	Tongue	0	0	0	0	0	1	2	6	4	11	13	13	13	18	9	10	0	100	5.16
C03-06	Mouth	0	0	0	0	1	1	1	2	8	5	20	8	21	10	6	3	0	86	4.44
C07-08	Salivary Gland	0	0	1	0	0	0	0	2	0	1	1	2	1	1	1	1	0	11	0.57
C09	Tonsil	0	0	0	0	0	1	1	0	0	3	3	8	3	3	2	1	0	25	1.29
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	2	3	1	3	2	1	5	0	17	0.88
C11	Nasopharynx	0	0	0	2	2	2	1	0	0	1	2	2	1	3	1	2	0	19	0.98
C12-13	Hypopharynx	0	0	0	1	0	1	1	3	3	9	12	17	12	15	7	6	0	87	4.49
C14	Pharynx Unspecified	0	0	0	0	0	1	1	1	0	1	0	2	0	0	1	0	0	7	0.36
C15	Oesophagus	0	0	0	0	2	1	1	1	11	10	23	20	30	25	19	13	0	156	8.05
C16	Stomach	0	0	0	2	3	2	2	11	16	31	31	36	25	31	23	20	0	233	12.02
C17	Small Intestine	0	0	0	0	0	0	0	0	0	2	0	1	0	0	1	1	0	5	0.26
C18	Colon	0	0	0	0	0	3	0	4	1	5	2	7	4	0	3	2	0	31	1.60
C19-20	Rectum	0	0	0	1	1	1	5	5	4	7	9	7	9	9	0	7	0	65	3.35
C21	Anus & Anal Canal	0	0	0	0	0	1	0	1	2	0	2	0	1	1	1	0	0	9	0.46
C22	Liver	0	1	0	0	1	1	1	3	3	2	5	5	6	9	6	8	0	51	2.63
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	3	2	2	4	2	1	1	0	15	0.77
C25	Pancreas	0	0	0	0	0	1	1	2	2	5	9	4	5	4	1	4	0	38	1.96
C30-31	Nose, Sinuses etc.	0	1	0	0	0	0	0	1	0	1	2	2	2	1	1	0	0	11	0.57
C32	Larynx	0	0	0	0	0	3	0	2	6	12	12	19	13	7	7	9	0	90	4.64
C33-34	Lung etc.	0	0	0	0	2	0	2	3	9	14	26	38	29	28	20	11	0	182	9.39
C37-38	Other Thoracic Organs	1	0	0	1	0	0	0	3	1	0	0	1	0	2	1	0	0	10	0.52
C40-41	Bone	0	2	1	6	0	1	0	3	0	1	2	1	4	4	2	1	0	28	1.44
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2	0.10
C44	Other Skin	0	0	0	1	0	0	0	1	2	2	3	0	3	2	2	3	0	19	0.98
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.05
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	2	0	2	0	2	1	0	1	1	4	3	2	2	4	0	0	0	24	1.24
C50	Breast	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	0	0	5	0.26
C60	Penis	0	0	0	0	0	0	1	2	1	6	3	4	7	4	3	1	0	32	1.65
C61	Prostate	0	0	0	0	0	1	0	0	1	1	0	4	16	17	10	18	0	68	3.51
C62	Testis	1	0	0	1	0	4	2	0	1	0	2	0	1	1	0	1	0	14	0.72
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0.10
C64	Kidney etc.	2	0	0	0	0	0	1	0	1	5	5	0	4	4	3	0	0	25	1.29
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.05
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	1	0	0	0	0	0	1	2	1	0	9	3	6	9	9	7	0	48	2.48
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0.10
C70-72	Brain, Nervous System	1	0	3	1	6	3	2	4	5	6	4	4	7	5	3	3	0	57	2.94
C73	Thyroid	0	0	0	0	0	1	2	1	0	2	2	0	1	0	3	2	0	14	0.72
C74	Adrenal Gland	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	4	0.21
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	6	2	8	5	3	3	1	0	29	1.50
C78	Sec Resp & Digestive	0	0	0	0	0	2	1	2	2	4	3	9	5	5	13	8	0	54	2.78
C79	Sec Others	0	0	0	1	1	0	0	0	1	0	2	1	4	0	0	1	0	11	0.57
C81	Hodgkins Disease	2	6	5	1	0	0	1	3	1	1	2	1	2	1	3	0	0	29	1.50
C82-85,C96	NHL	0	2	3	5	5	4	2	2	3	5	12	10	10	12	9	5	0	89	4.59
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	1	2	4	3	5	1	0	3	0	19	0.98
C91	Lymphoid Leuk.	5	3	6	2	0	3	2	0	0	2	0	2	1	3	1	0	0	30	1.55
C92-94	Myeloid Leukaemia	1	4	1	1	3	1	3	2	4	3	3	3	1	4	1	1	0	36	1.86
C95	Leukaemia Uns	0	1	2	1	0	0	2	1	0	0	0	1	1	1	2	0	0	12	0.62
O&U	Other and Uns	1	0	0	0	1	1	0	0	2	2	5	6	3	2	6	2	0	31	1.60
	All Sites	21	20	24	27	30	42	39	75	99	180	245	259	275	256	186	161	0	1939	100.00

**TABLE CHN-2.1(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	1	0	0	2	0	0	0	1	0	0	0	1	0	5	0.24
C01-02	Tongue	0	0	0	0	0	0	1	1	4	2	3	5	2	2	2	3	0	25	1.20
C03-06	Mouth	0	0	0	0	0	2	3	1	3	2	8	10	25	9	9	7	0	79	3.79
C07-08	Salivary Gland	0	0	0	0	0	1	0	0	0	0	1	1	1	0	1	0	0	5	0.24
C09	Tonsil	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	4	0.19
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	3	0.14
C11	Nasopharynx	0	0	0	2	2	0	1	2	0	0	0	0	1	0	0	0	0	8	0.38
C12-13	Hypopharynx	0	0	0	0	0	2	2	5	3	4	2	6	5	5	3	0	0	37	1.78
C14	Pharynx Unspecified	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	1	0	5	0.24
C15	Oesophagus	0	0	0	0	0	1	1	5	3	11	13	14	15	12	6	8	0	89	4.27
C16	Stomach	0	0	0	0	0	5	3	3	5	14	11	13	14	14	6	6	0	94	4.51
C17	Small Intestine	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	4	0.19
C18	Colon	0	0	0	0	0	0	0	1	3	4	3	6	1	5	4	5	0	32	1.54
C19-20	Rectum	0	0	0	1	0	2	3	4	2	3	5	6	4	2	3	3	0	38	1.82
C21	Anus & Anal Canal	0	0	0	0	0	1	0	0	1	0	2	0	2	2	1	0	0	9	0.43
C22	Liver	1	0	0	0	0	0	0	0	1	2	5	1	4	1	3	4	0	22	1.06
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	0	1	1	0	0	0	2	5	0	0	10	0.48
C25	Pancreas	0	0	0	0	0	0	3	2	1	0	3	2	1	2	0	1	0	15	0.72
C30-31	Nose, Sinuses etc.	0	1	0	0	0	0	1	0	0	1	0	2	0	2	0	1	0	8	0.38
C32	Larynx	0	0	0	0	0	0	0	0	2	0	0	1	1	2	3	0	0	9	0.43
C33-34	Lung etc.	0	0	0	0	0	0	1	4	1	3	6	6	5	5	6	3	0	40	1.92
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	2	4	1	4	1	1	1	2	0	2	3	1	0	1	0	23	1.10
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.10
C44	Other Skin	0	0	0	0	0	2	1	1	2	1	1	2	2	2	2	5	0	21	1.01
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	3	0.14
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	1	0	2	0	1	0	2	2	0	0	3	2	1	0	0	14	0.67
C50	Breast	0	0	0	1	2	11	24	50	60	73	67	47	43	36	24	37	0	475	22.79
C51	Vulva	0	0	0	0	0	0	0	0	0	1	3	2	2	1	1	0	0	10	0.48
C52	Vagina	0	0	0	0	1	1	0	0	2	2	2	2	3	0	1	1	0	15	0.72
C53	Cervix Uteri	0	0	0	0	2	3	15	40	56	79	82	74	58	43	37	24	0	513	24.62
C54	Corpus Uteri	0	0	0	0	0	0	0	1	2	2	6	11	7	4	1	4	0	38	1.82
C55	Uterus Unspecified	0	0	0	0	0	0	1	0	0	0	1	3	3	0	0	2	0	10	0.48
C56	Ovary etc.	0	0	3	1	4	5	5	7	11	19	15	11	10	9	13	5	0	118	5.66
C57	Other Female Genital	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	1	0	4	0.19
C58	Placenta	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0.10
C64	Kidney etc.	0	2	0	0	0	0	0	2	0	0	1	2	0	1	0	0	0	8	0.38
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.05
C67	Bladder	0	0	0	0	0	0	0	0	0	2	2	2	1	6	1	1	0	15	0.72
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3	0.14
C70-72	Brain, Nervous System	1	5	0	0	2	3	1	3	4	3	2	5	3	6	2	2	0	42	2.02
C73	Thyroid	0	0	1	0	6	2	7	3	4	3	6	1	3	3	1	0	0	40	1.92
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	2	0	5	0.24
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	1	3	0	7	4	5	1	2	2	0	25	1.20
C79	Sec Others	0	0	1	0	0	1	1	1	0	0	1	0	2	1	0	1	0	9	0.43
C81	Hodgkins Disease	0	1	1	1	3	2	0	1	0	1	0	0	0	0	0	0	0	10	0.48
C82-85,C96	NHL	1	4	1	4	3	1	3	7	3	3	1	3	4	2	2	0	0	42	2.02
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	1	1	3	1	1	3	0	1	0	12	0.58
C91	Lymphoid Leuk.	11	3	4	1	0	0	0	0	0	0	0	1	0	0	0	0	0	20	0.96
C92-94	Myeloid Leukaemia	2	1	0	2	3	2	0	5	2	5	2	2	2	2	0	0	0	30	1.44
C95	Leukaemia Uns	1	4	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	7	0.34
O&U	Other and Uns	0	0	0	0	0	0	1	4	1	1	3	5	5	4	1	1	0	26	1.25
	All Sites	17	23	14	17	33	52	84	162	187	252	271	256	244	194	142	136	0	2084	100.00

**TABLE CHN-2.2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	4	0.20
C01-02	Tongue	0	0	0	0	0	0	4	7	5	4	12	18	13	9	8	5	0	85	4.21
C03-06	Mouth	0	0	0	0	1	2	6	5	8	10	20	14	18	10	10	11	0	115	5.69
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	1	0	5	1	0	2	0	0	10	0.49
C09	Tonsil	0	0	0	0	0	0	1	0	1	4	7	7	3	1	3	0	0	27	1.34
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	2	5	3	3	1	5	3	1	0	23	1.14
C11	Nasopharynx	0	0	1	2	1	3	0	2	1	3	1	1	1	1	1	0	0	18	0.89
C12-13	Hypopharynx	0	0	0	0	2	3	4	1	5	9	10	10	15	20	12	10	0	101	5.00
C14	Pharynx Unspecified	0	0	0	0	1	0	0	1	0	2	2	3	5	2	1	3	0	20	0.99
C15	Oesophagus	0	0	0	0	1	0	4	5	9	14	31	36	21	18	15	20	0	174	8.61
C16	Stomach	0	0	0	0	0	2	6	11	12	36	33	36	31	24	10	18	0	219	10.84
C17	Small Intestine	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	1	0	4	0.20
C18	Colon	0	0	0	1	0	0	1	6	5	5	4	4	4	3	3	5	0	41	2.03
C19-20	Rectum	0	0	0	0	3	1	3	1	2	5	10	6	11	12	4	7	0	65	3.22
C21	Anus & Anal Canal	0	0	0	0	0	0	0	2	2	1	1	3	3	0	0	1	0	13	0.64
C22	Liver	0	0	0	0	1	2	2	0	0	5	8	9	11	6	8	0	0	52	2.57
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	2	0	2	4	5	2	1	2	0	19	0.94
C25	Pancreas	0	0	0	0	0	0	1	1	1	3	2	5	6	2	2	2	0	25	1.24
C30-31	Nose, Sinuses etc.	0	0	0	1	0	0	2	2	0	0	1	1	4	0	1	2	0	14	0.69
C32	Larynx	0	0	0	0	1	0	1	0	3	11	14	13	12	12	4	8	0	79	3.91
C33-34	Lung etc.	0	0	0	0	0	0	1	8	12	18	29	30	23	26	19	16	0	182	9.01
C37-38	Other Thoracic Organs	0	1	0	0	0	0	1	0	0	2	0	0	0	2	0	0	0	6	0.30
C40-41	Bone	1	0	2	3	2	1	1	0	5	1	0	0	2	1	3	1	0	23	1.14
C43	Melanoma of Skin	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0	0	0	4	0.20
C44	Other Skin	1	0	0	0	0	0	0	2	3	2	4	4	3	3	5	0	0	27	1.34
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2	0.10
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	1	1	2	1	1	2	1	1	1	2	2	3	2	0	0	21	1.04
C50	Breast	0	0	0	0	0	0	1	0	1	1	0	0	3	2	1	1	0	10	0.49
C60	Penis	0	0	0	0	0	1	0	1	3	4	5	3	3	8	3	1	0	32	1.58
C61	Prostate	0	0	0	0	0	0	0	0	0	0	1	4	9	16	17	27	0	74	3.66
C62	Testis	1	0	0	0	3	1	3	2	2	0	0	1	0	0	0	0	0	13	0.64
C63	Other Male Genital	0	0	0	0	0	0	0	1	0	0	1	1	1	0	1	0	0	5	0.25
C64	Kidney etc.	4	1	0	1	0	0	0	2	0	2	1	1	7	2	0	1	0	22	1.09
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.05
C67	Bladder	0	0	0	0	0	0	1	0	3	4	3	5	4	8	10	10	0	48	2.38
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	3	4	0	0	0	0	1	0	0	0	1	1	1	0	0	0	0	11	0.54
C70-72	Brain, Nervous System	0	3	6	1	5	5	4	5	7	3	9	6	10	10	1	0	0	75	3.71
C73	Thyroid	0	0	0	0	0	1	0	1	0	1	1	1	3	2	1	0	0	11	0.54
C74	Adrenal Gland	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0.10
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	4	3	6	2	0	2	3	2	2	1	3	2	1	2	0	0	33	1.63
C82-85,C96	NHL	2	3	3	4	3	8	4	5	2	12	6	11	8	5	7	5	0	88	4.35
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	0	1	1	2	3	1	4	0	14	0.69
C91	Lymphoid Leuk.	7	3	4	3	3	1	2	0	0	0	1	3	0	2	0	0	0	29	1.43
C92-94	Myeloid Leukaemia	2	0	3	5	4	5	3	3	3	1	3	1	1	2	0	2	0	38	1.88
C95	Leukaemia Uns	0	2	1	1	2	0	2	0	0	0	0	0	1	0	1	0	0	10	0.49
O&U	Other and Uns	1	1	0	0	2	2	2	9	6	13	23	14	16	29	8	6	0	132	6.53
	All Sites	24	22	24	29	40	39	65	90	111	186	254	273	268	254	170	172	0	2021	100.00

**TABLE CHN-2.2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	0	4	0.19
C01-02	Tongue	0	0	0	0	0	0	1	2	3	3	5	3	3	5	0	3	0	28	1.33
C03-06	Mouth	0	0	0	0	0	0	2	0	4	4	19	15	22	16	9	7	0	98	4.67
C07-08	Salivary Gland	0	1	0	0	0	0	0	0	0	0	1	1	2	0	1	0	0	6	0.29
C09	Tonsil	0	0	0	0	0	0	0	2	0	0	0	0	2	1	0	0	0	5	0.24
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.05
C11	Nasopharynx	0	0	0	0	2	1	0	1	0	0	0	1	0	1	0	0	0	6	0.29
C12-13	Hypopharynx	0	0	0	0	1	1	1	2	3	2	6	4	2	2	0	0	0	24	1.14
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	2	0	2	1	0	1	0	6	0.29
C15	Oesophagus	0	0	0	0	0	0	1	4	11	6	17	12	25	9	14	7	0	106	5.05
C16	Stomach	0	0	0	1	2	7	3	9	8	9	12	11	9	11	10	6	0	98	4.67
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	1	1	2	7	3	5	6	8	1	1	2	0	37	1.76
C19-20	Rectum	0	0	0	0	0	2	2	0	5	6	4	3	6	2	2	2	0	34	1.62
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	2	1	0	1	1	1	0	0	6	0.29
C22	Liver	1	0	0	0	0	0	0	0	2	3	1	4	2	0	1	0	0	14	0.67
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	0	1	3	4	2	2	0	2	0	16	0.76
C25	Pancreas	0	0	0	0	0	1	0	1	2	3	1	1	0	1	3	0	0	13	0.62
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	1	0	2	1	1	1	1	1	0	1	0	9	0.43
C32	Larynx	0	0	0	0	1	0	2	1	0	0	1	1	1	1	0	1	0	9	0.43
C33-34	Lung etc.	0	0	0	1	0	2	1	5	2	1	7	3	6	7	4	2	0	41	1.95
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	4	0.19
C40-41	Bone	0	0	2	1	2	2	1	0	1	4	0	1	1	0	0	0	0	15	0.71
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	2	0	7	0.33
C44	Other Skin	0	0	0	0	1	1	0	2	0	2	2	1	3	2	4	4	0	22	1.05
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.05
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	1	3	2	4	1	1	3	0	3	0	0	0	0	18	0.86
C50	Breast	0	0	0	0	1	11	23	34	58	68	58	69	65	33	32	14	0	466	22.21
C51	Vulva	0	0	0	0	0	0	0	0	0	2	2	0	3	1	4	0	0	12	0.57
C52	Vagina	0	0	0	0	1	0	1	1	0	0	1	1	1	3	1	0	0	10	0.48
C53	Cervix Uteri	0	0	0	0	1	6	11	48	44	81	89	75	86	52	26	21	0	540	25.74
C54	Corpus Uteri	0	0	0	0	0	0	0	0	4	5	5	1	7	3	5	3	0	33	1.57
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	2	1	5	4	2	1	2	2	0	19	0.91
C56	Ovary etc.	0	0	0	1	3	1	4	4	12	24	10	12	14	6	3	4	0	98	4.67
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.10
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	7	1	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	14	0.67
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	1	0	0	0	0	0	1	1	3	4	1	3	0	14	0.67
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0.19
C70-72	Brain, Nervous System	1	1	2	1	3	4	1	5	2	4	3	2	3	2	2	3	0	39	1.86
C73	Thyroid	0	0	0	2	2	3	4	4	10	2	2	4	4	1	2	2	0	42	2.00
C74	Adrenal Gland	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0.14
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	3	0	0	0	0	1	0	0	0	1	0	0	0	0	5	0.24
C82-85,C96	NHL	1	1	0	1	4	3	3	1	3	3	9	2	3	6	1	4	0	45	2.14
C90	Multiple Myeloma	0	0	0	0	0	1	0	0	0	1	1	2	1	2	2	0	0	10	0.48
C91	Lymphoid Leuk.	7	4	0	3	0	0	0	0	0	1	0	0	0	1	0	0	0	16	0.76
C92-94	Myeloid Leukaemia	0	0	4	0	2	3	0	1	0	1	5	1	2	1	0	1	0	21	1.00
C95	Leukaemia Uns	1	0	1	1	0	1	0	0	1	0	2	0	0	0	1	0	0	8	0.38
O&U	Other and Uns	0	0	0	0	1	4	3	5	7	7	7	10	7	8	4	6	0	69	3.29
	All Sites	20	11	9	15	30	58	68	141	196	254	294	259	305	194	138	106	0	2098	100.00

**TABLE CHN-2.3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	0	2	2	3	0	1	0	9	0.23
C01-02	Tongue	0	0	0	0	0	1	6	13	9	15	25	31	26	27	17	15	0	185	4.67
C03-06	Mouth	0	0	0	0	2	3	7	7	16	15	40	22	39	20	16	14	0	201	5.08
C07-08	Salivary Gland	0	0	1	0	0	0	0	3	0	2	1	7	2	1	3	1	0	21	0.53
C09	Tonsil	0	0	0	0	0	1	2	0	1	7	10	15	6	4	5	1	0	52	1.31
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	2	7	6	4	4	7	4	6	0	40	1.01
C11	Nasopharynx	0	0	1	4	3	5	1	2	1	4	3	3	2	4	2	2	0	37	0.93
C12-13	Hypopharynx	0	0	0	1	2	4	5	4	8	18	22	27	27	35	19	16	0	188	4.75
C14	Pharynx Unspecified	0	0	0	0	1	1	1	2	0	3	2	5	5	2	2	3	0	27	0.68
C15	Oesophagus	0	0	0	0	3	1	5	6	20	24	54	56	51	43	34	33	0	330	8.33
C16	Stomach	0	0	0	2	3	4	8	22	28	67	64	72	56	55	33	38	0	452	11.41
C17	Small Intestine	0	0	0	0	0	0	1	0	0	2	1	2	0	0	1	2	0	9	0.23
C18	Colon	0	0	0	1	0	3	1	10	6	10	6	11	8	3	6	7	0	72	1.82
C19-20	Rectum	0	0	0	1	4	2	8	6	6	12	19	13	20	21	4	14	0	130	3.28
C21	Anus & Anal Canal	0	0	0	0	0	1	0	3	4	1	3	3	4	1	1	1	0	22	0.56
C22	Liver	0	1	0	0	2	3	3	3	3	7	13	14	17	15	14	8	0	103	2.60
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	2	3	4	6	9	4	2	3	0	34	0.86
C25	Pancreas	0	0	0	0	0	1	2	3	3	8	11	9	11	6	3	6	0	63	1.59
C30-31	Nose, Sinuses etc.	0	1	0	1	0	0	2	3	0	1	3	3	6	1	2	2	0	25	0.63
C32	Larynx	0	0	0	0	1	3	1	2	9	23	26	32	25	19	11	17	0	169	4.27
C33-34	Lung etc.	0	0	0	0	2	0	3	11	21	32	55	68	52	54	39	27	0	364	9.19
C37-38	Other Thoracic Organs	1	1	0	1	0	0	1	3	1	2	0	1	0	4	1	0	0	16	0.40
C40-41	Bone	1	2	3	9	2	2	1	3	5	2	2	1	6	5	5	2	0	51	1.29
C43	Melanoma of Skin	0	0	0	0	1	0	0	0	2	0	1	0	2	0	0	0	0	6	0.15
C44	Other Skin	1	0	0	1	0	0	0	3	5	4	7	4	6	5	7	3	0	46	1.16
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	3	0.08
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	3	0	3	1	4	2	1	3	2	5	4	4	4	7	2	0	0	45	1.14
C50	Breast	0	0	0	0	0	0	1	0	1	1	1	0	5	3	2	1	0	15	0.38
C60	Penis	0	0	0	0	0	1	1	3	4	10	8	7	10	12	6	2	0	64	1.62
C61	Prostate	0	0	0	0	0	1	0	0	1	1	1	8	25	33	27	45	0	142	3.59
C62	Testis	2	0	0	1	3	5	5	2	3	0	2	1	1	1	0	1	0	27	0.68
C63	Other Male Genital	0	0	0	0	0	0	0	1	0	0	1	1	2	1	1	0	0	7	0.18
C64	Kidney etc.	6	1	0	1	0	0	1	2	1	7	6	1	11	6	3	1	0	47	1.19
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.03
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.03
C67	Bladder	1	0	0	0	0	0	2	2	4	4	12	8	10	17	19	17	0	96	2.42
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	4	4	0	0	0	0	1	0	0	1	1	1	1	0	0	0	0	13	0.33
C70-72	Brain, Nervous System	1	3	9	2	11	8	6	9	12	9	13	10	17	15	4	3	0	132	3.33
C73	Thyroid	0	0	0	0	0	2	2	2	0	3	3	1	4	2	4	2	0	25	0.63
C74	Adrenal Gland	4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	6	0.15
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	6	2	8	5	3	3	1	0	29	0.73
C78	Sec Resp & Digestive	0	0	0	0	0	2	1	2	2	4	3	9	5	5	13	8	0	54	1.36
C79	Sec Others	0	0	0	1	1	0	0	0	1	0	2	1	4	0	0	1	0	11	0.28
C81	Hodgkins Disease	2	10	8	7	2	0	3	6	3	3	3	4	4	2	5	0	0	62	1.57
C82-85,C96	NHL	2	5	6	9	8	12	6	7	5	17	18	21	18	17	16	10	0	177	4.47
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	2	5	4	7	4	1	7	0	33	0.83
C91	Lymphoid Leuk.	12	6	10	5	3	4	4	0	0	2	1	5	1	5	1	0	0	59	1.49
C92-94	Myeloid Leukaemia	3	4	4	6	7	6	6	5	7	4	6	4	2	6	1	3	0	74	1.87
C95	Leukaemia Uns	0	3	3	2	2	0	4	1	0	0	0	1	2	1	3	0	0	22	0.56
O&U	Other and Uns	2	1	0	0	3	3	2	9	8	15	28	20	19	31	14	8	0	163	4.12
	All Sites	45	42	48	56	70	81	104	165	210	366	499	532	543	510	356	333	0	3960	100.00

**TABLE CHN-2.3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	1	0	0	2	0	2	0	2	0	1	0	1	0	9	0.22
C01-02	Tongue	0	0	0	0	0	0	2	3	7	5	8	8	5	7	2	6	0	53	1.27
C03-06	Mouth	0	0	0	0	0	2	5	1	7	6	27	25	47	25	18	14	0	177	4.23
C07-08	Salivary Gland	0	1	0	0	0	1	0	0	0	0	2	2	3	0	2	0	0	11	0.26
C09	Tonsil	0	0	0	0	0	0	0	2	1	1	0	1	2	2	0	0	0	9	0.22
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	4	0.10
C11	Nasopharynx	0	0	0	2	4	1	1	3	0	0	0	1	1	1	0	0	0	14	0.33
C12-13	Hypopharynx	0	0	0	0	1	3	3	7	6	6	8	10	7	7	3	0	0	61	1.46
C14	Pharynx Unspecified	0	0	0	0	0	0	0	2	0	1	3	0	2	1	0	2	0	11	0.26
C15	Oesophagus	0	0	0	0	0	1	2	9	14	17	30	26	40	21	20	15	0	195	4.66
C16	Stomach	0	0	0	1	2	12	6	12	13	23	23	24	23	25	16	12	0	192	4.59
C17	Small Intestine	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	4	0.10
C18	Colon	0	0	0	0	0	1	1	3	10	7	8	12	9	6	5	7	0	69	1.65
C19-20	Rectum	0	0	0	1	0	4	5	4	7	9	9	9	10	4	5	5	0	72	1.72
C21	Anus & Anal Canal	0	0	0	0	0	1	0	0	1	2	3	0	3	3	2	0	0	15	0.36
C22	Liver	2	0	0	0	0	0	0	0	3	5	6	5	6	1	4	4	0	36	0.86
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	2	1	2	3	4	2	4	5	2	0	26	0.62
C25	Pancreas	0	0	0	0	0	1	3	3	3	3	4	3	1	3	3	1	0	28	0.67
C30-31	Nose, Sinuses etc.	0	1	0	0	0	0	2	0	2	2	1	3	1	3	0	2	0	17	0.41
C32	Larynx	0	0	0	0	1	0	2	1	2	0	1	2	2	3	3	1	0	18	0.43
C33-34	Lung etc.	0	0	0	1	0	2	2	9	3	4	13	9	11	12	10	5	0	81	1.94
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	4	0.10
C40-41	Bone	0	0	4	5	3	6	2	1	2	6	0	3	4	1	0	1	0	38	0.91
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1	2	0	9	0.22
C44	Other Skin	0	0	0	0	1	3	1	3	2	3	3	3	5	4	6	9	0	43	1.03
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0	4	0.10
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	1	0	3	3	3	4	3	3	3	0	6	2	1	0	0	32	0.77
C50	Breast	0	0	0	1	3	22	47	84	118	141	125	116	108	69	56	51	0	941	22.50
C51	Vulva	0	0	0	0	0	0	0	0	0	3	5	2	5	2	5	0	0	22	0.53
C52	Vagina	0	0	0	0	2	1	1	1	2	2	3	3	4	3	2	1	0	25	0.60
C53	Cervix Uteri	0	0	0	0	3	9	26	88	100	160	171	149	144	95	63	45	0	1053	25.18
C54	Corpus Uteri	0	0	0	0	0	0	0	1	6	7	11	12	14	7	6	7	0	71	1.70
C55	Uterus Unspecified	0	0	0	0	0	0	1	0	2	1	6	7	5	1	2	4	0	29	0.69
C56	Ovary etc.	0	0	3	2	7	6	9	11	23	43	25	23	24	15	16	9	0	216	5.16
C57	Other Female Genital	0	0	0	0	1	0	0	0	0	0	2	0	1	1	0	1	0	6	0.14
C58	Placenta	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0.05
C64	Kidney etc.	7	3	0	0	0	0	0	2	1	0	2	3	1	3	0	0	0	22	0.53
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.02
C67	Bladder	0	0	0	0	1	0	0	0	0	2	3	3	4	10	2	4	0	29	0.69
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	4	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	7	0.17
C70-72	Brain, Nervous System	2	6	2	1	5	7	2	8	6	7	5	7	6	8	4	5	0	81	1.94
C73	Thyroid	0	0	1	2	8	5	11	7	14	5	8	5	7	4	3	2	0	82	1.96
C74	Adrenal Gland	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0.07
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	2	0	5	0.12
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	1	3	0	7	4	5	1	2	2	0	25	0.60
C79	Sec Others	0	0	1	0	0	1	1	1	0	0	1	0	2	1	0	1	0	9	0.22
C81	Hodgkins Disease	0	1	1	4	3	2	0	1	1	1	0	0	1	0	0	0	0	15	0.36
C82-85,C96	NHL	2	5	1	5	7	4	6	8	6	6	10	5	7	8	3	4	0	87	2.08
C90	Multiple Myeloma	0	0	0	0	0	1	0	1	1	2	4	3	2	5	2	1	0	22	0.53
C91	Lymphoid Leuk.	18	7	4	4	0	0	0	0	0	1	0	1	0	0	1	0	0	36	0.86
C92-94	Myeloid Leukaemia	2	1	4	2	5	5	0	6	2	6	7	3	4	3	0	1	0	51	1.22
C95	Leukaemia Uns	2	4	1	1	0	1	0	0	1	0	2	0	0	1	1	1	0	15	0.36
O&U	Other and Uns	0	0	0	0	1	4	4	9	8	8	10	15	12	12	5	7	0	95	2.27
	All Sites	37	34	23	32	63	110	152	303	383	506	565	515	549	388	280	242	0	4182	100.00

TABLE CHN-3.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Males Chennai

icd-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.9	1.7	2.6	0.0	0.0	0.23	0.31	0.14	0.77
C01-02	0.0	0.0	0.0	0.0	0.0	0.4	1.1	3.4	2.8	10.4	14.3	18.6	21.6	45.9	33.3	36.1	4.69	6.19	0.63	10.73
C03-06	0.0	0.0	0.0	0.0	0.4	0.4	0.5	1.1	5.7	4.7	22.1	11.5	34.9	25.5	22.2	10.8	4.04	5.18	0.57	11.78
C07-08	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.1	0.0	0.9	1.1	2.9	1.7	2.6	3.7	3.6	0.52	0.63	0.20	1.17
C09	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	2.8	3.3	11.5	5.0	7.7	7.4	3.6	1.17	1.51	0.31	3.21
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.3	1.4	5.0	5.1	3.7	18.1	0.80	1.12	0.27	1.73
C11	0.0	0.0	0.0	1.0	0.8	0.9	0.5	0.0	0.0	0.9	2.2	2.9	1.7	7.7	3.7	7.2	0.89	1.05	0.25	1.12
C12-13	0.0	0.0	0.0	0.5	0.0	0.4	0.5	1.7	2.1	8.5	13.2	24.4	19.9	38.3	25.9	21.7	4.08	5.39	0.59	10.25
C14	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.0	0.9	0.0	2.9	0.0	0.0	3.7	0.0	0.33	0.35	0.14	0.66
C15	0.0	0.0	0.0	0.0	0.8	0.4	0.5	0.6	7.8	9.5	25.4	28.7	49.8	63.8	70.2	47.0	7.32	9.87	0.80	17.68
C16	0.0	0.0	0.0	1.0	1.3	0.9	1.1	6.3	11.4	29.4	34.2	51.6	41.5	79.1	85.0	72.3	10.93	14.10	0.94	26.64
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.4	0.0	0.0	3.7	3.6	0.23	0.32	0.14	0.55
C18	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.3	0.7	4.7	2.2	10.0	6.6	0.0	11.1	7.2	1.45	1.72	0.32	4.00
C19-20	0.0	0.0	0.0	0.5	0.4	0.4	2.7	2.9	2.8	6.6	9.9	10.0	14.9	23.0	0.0	25.3	3.05	3.70	0.47	7.21
C21	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	1.4	0.0	2.2	0.0	1.7	2.6	3.7	0.0	0.42	0.48	0.17	0.96
C22	0.0	0.5	0.0	0.0	0.4	0.4	0.5	1.7	2.1	1.9	5.5	7.2	10.0	23.0	22.2	28.9	2.39	3.17	0.46	4.21
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.2	2.9	6.6	5.1	3.7	3.6	0.70	0.96	0.25	2.13
C25	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.1	1.4	4.7	9.9	5.7	8.3	10.2	3.7	14.5	1.78	2.23	0.37	4.83
C30-31	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	2.2	2.9	3.3	2.6	3.7	0.0	0.52	0.65	0.20	1.45
C32	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.1	4.3	11.4	13.2	27.2	21.6	17.9	25.9	32.5	4.22	5.43	0.58	11.68
C33-34	0.0	0.0	0.0	0.0	0.8	0.0	1.1	1.7	6.4	13.3	28.7	54.4	48.2	71.4	73.9	39.8	8.54	11.37	0.86	22.00
C37-38	0.6	0.0	0.0	0.5	0.0	0.0	0.0	1.7	0.7	0.0	0.0	1.4	0.0	5.1	3.7	0.0	0.47	0.55	0.18	0.65
C40-41	0.0	1.1	0.5	2.9	0.0	0.4	0.0	1.7	0.0	0.9	2.2	1.4	6.6	10.2	7.4	3.6	1.31	1.57	0.31	1.91
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.09	0.11	0.08	0.35
C44	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.6	1.4	1.9	3.3	0.0	5.0	5.1	7.4	10.8	0.89	1.16	0.27	1.93
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.18
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	1.2	0.0	1.0	0.0	0.8	0.4	0.0	0.6	0.7	3.8	3.3	2.9	3.3	10.2	0.0	0.0	1.13	1.37	0.29	2.31
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	2.6	3.7	0.0	0.23	0.34	0.15	0.61
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	0.7	5.7	3.3	5.7	11.6	10.2	11.1	3.6	1.50	1.94	0.35	4.23
C61	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.9	0.0	5.7	26.6	43.4	37.0	65.0	3.19	4.77	0.58	4.49
C62	0.6	0.0	0.0	0.5	0.0	1.8	1.1	0.0	0.7	0.0	2.2	0.0	1.7	2.6	0.0	3.6	0.66	0.69	0.19	0.71
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.6	0.0	0.0	0.09	0.14	0.10	0.21
C64	1.2	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.7	4.7	5.5	0.0	6.6	10.2	11.1	0.0	1.17	1.58	0.32	2.80
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.18
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.6	0.0	0.0	0.0	0.0	0.0	0.5	1.1	0.7	0.0	9.9	4.3	10.0	23.0	33.3	25.3	2.25	3.14	0.46	3.80
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.13	0.09	0.18
C70-72	0.6	0.0	1.6	0.5	2.5	1.3	1.1	2.3	3.6	5.7	4.4	5.7	11.6	12.8	11.1	10.8	2.67	3.06	0.42	5.18
C73	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.6	0.0	1.9	2.2	0.0	1.7	0.0	11.1	7.2	0.66	0.79	0.22	1.05
C74	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.26	0.13	0.14
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	5.7	2.2	11.5	8.3	7.7	11.1	3.6	1.36	1.80	0.34	4.12
C78	0.0	0.0	0.0	0.0	0.0	0.9	0.5	1.1	1.4	3.8	3.3	12.9	8.3	12.8	48.1	28.9	2.53	3.42	0.47	4.50
C79	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.0	0.7	0.0	2.2	1.4	6.6	0.0	0.0	3.6	0.52	0.62	0.19	1.54
C81	1.2	3.2	2.6	0.5	0.0	0.0	0.5	1.7	0.7	0.9	2.2	1.4	3.3	2.6	11.1	0.0	1.36	1.58	0.30	1.62
C82-85,C96	0.0	1.1	1.6	2.4	2.1	1.8	1.1	1.1	2.1	4.7	13.2	14.3	16.6	30.6	33.3	18.1	4.18	5.17	0.56	7.68
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	4.4	4.3	8.3	2.6	0.0	10.8	0.89	1.17	0.27	2.84
C91	3.1	1.6	3.1	1.0	0.0	1.3	1.1	0.0	0.0	1.9	0.0	2.9	1.7	7.7	3.7	0.0	1.41	1.67	0.32	0.95
C92-94	0.6	2.2	0.5	0.5	1.3	0.4	1.6	1.1	2.8	2.8	3.3	4.3	1.7	10.2	3.7	3.6	1.69	1.88	0.33	2.62
C95	0.0	0.5	1.0	0.5	0.0	0.0	1.1	0.6	0.0	0.0	0.0	1.4	1.7	2.6	7.4	0.0	0.56	0.64	0.19	0.51
O&U	0.6	0.0	0.0	0.0	0.4	0.4	0.0	0.0	1.4	1.9	5.5	8.6	5.0	5.1	22.2	7.2	1.45	1.90	0.35	3.28
All	12.9	10.8	12.6	13.0	12.6	18.9	20.9	42.8	70.3	170.9	270.1	371.1	456.8	652.9	687.5	581.8	90.98	117.33	2.72	205.35

TABLE CHN-3.1(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Females
Chennai

icd-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.3	0.0	0.0	0.0	1.5	0.0	0.0	0.0	3.3	0.25	0.24	0.11	0.44
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	3.4	2.1	3.8	7.6	3.5	5.2	7.7	9.8	1.24	1.54	0.31	3.23
C03-06	0.0	0.0	0.0	0.0	0.0	0.9	1.8	0.6	2.6	2.1	10.2	15.2	43.3	23.2	34.7	22.9	3.91	5.19	0.59	10.21
C07-08	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.3	1.5	1.7	0.0	3.9	0.0	0.25	0.31	0.14	0.62
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	1.5	0.0	2.6	0.0	0.0	0.20	0.25	0.13	0.56
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	3.9	3.3	0.15	0.21	0.12	0.22
C11	0.0	0.0	0.0	1.0	0.9	0.0	0.6	1.3	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.40	0.34	0.12	0.47
C12-13	0.0	0.0	0.0	0.0	0.0	0.9	1.2	3.2	2.6	4.1	2.5	9.1	8.7	12.9	11.6	0.0	1.83	2.19	0.37	4.62
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.0	1.3	0.0	0.0	0.0	0.0	3.3	0.25	0.27	0.12	0.65
C15	0.0	0.0	0.0	0.0	0.0	0.5	0.6	3.2	2.6	11.4	16.5	21.2	26.0	31.0	23.1	26.1	4.41	5.73	0.61	12.07
C16	0.0	0.0	0.0	0.0	0.0	2.3	1.8	1.9	4.3	14.5	14.0	19.7	24.2	36.2	23.1	19.6	4.65	5.93	0.62	11.93
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.20	0.19	0.10	0.49
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.6	4.1	3.8	9.1	1.7	12.9	15.4	16.3	1.58	2.09	0.37	3.44
C19-20	0.0	0.0	0.0	0.5	0.0	0.9	1.8	2.5	1.7	3.1	6.4	9.1	6.9	5.2	11.6	9.8	1.88	2.21	0.37	4.52
C21	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.9	0.0	2.5	0.0	3.5	5.2	3.9	0.0	0.45	0.59	0.20	1.02
C22	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	6.4	1.5	6.9	2.6	11.6	13.1	1.09	1.48	0.32	2.68
C23-24	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.9	1.0	0.0	0.0	0.0	5.2	19.3	0.0	0.50	0.69	0.22	0.37
C25	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.3	0.9	0.0	3.8	3.0	1.7	5.2	0.0	3.3	0.74	0.84	0.22	1.64
C30-31	0.0	0.5	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.0	0.0	3.0	0.0	5.2	0.0	3.3	0.40	0.49	0.18	0.59
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.5	1.7	5.2	11.6	0.0	0.45	0.62	0.21	0.75
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.5	0.9	3.1	7.6	9.1	8.7	12.9	23.1	9.8	1.98	2.56	0.41	4.78
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	1.1	1.9	0.4	1.8	0.6	0.6	0.9	2.1	0.0	3.0	5.2	2.6	0.0	3.3	1.14	1.17	0.25	1.75
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.7	0.0	0.0	0.0	0.10	0.13	0.09	0.43
C44	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.6	1.7	1.0	1.3	3.0	3.5	5.2	7.7	16.3	1.04	1.27	0.28	1.70
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	3.3	0.15	0.18	0.10	0.37
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.5	0.0	0.9	0.0	0.6	0.0	1.7	2.1	0.0	0.0	5.2	5.2	3.9	0.0	0.69	0.82	0.23	1.40
C50	0.0	0.0	0.0	0.5	0.9	5.0	14.4	31.8	51.5	75.5	85.2	71.3	74.5	93.0	92.5	120.8	23.52	28.05	1.31	63.29
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	3.8	3.0	3.5	2.6	3.9	0.0	0.50	0.67	0.21	1.65
C52	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	1.7	2.1	2.5	3.0	5.2	0.0	3.9	3.3	0.74	0.90	0.24	2.20
C53	0.0	0.0	0.0	0.0	0.9	1.4	9.0	25.5	48.1	81.7	104.3	112.2	100.4	111.1	142.6	78.3	25.40	31.50	1.41	74.31
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	2.1	7.6	16.7	12.1	10.3	3.9	13.1	1.88	2.45	0.40	5.80
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.3	4.5	5.2	0.0	0.0	6.5	0.50	0.62	0.20	1.46
C56	0.0	0.0	1.6	0.5	1.7	2.3	3.0	4.5	9.4	19.7	19.1	16.7	17.3	23.2	50.1	16.3	5.84	7.04	0.66	13.96
C57	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.7	0.0	0.0	3.3	0.20	0.23	0.12	0.43
C58	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.07	0.05	0.00
C64	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3	3.0	0.0	2.6	0.0	0.0	0.40	0.45	0.16	0.84
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	3.0	1.7	15.5	3.9	3.3	0.74	1.05	0.27	1.43
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	1.1	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.15	0.15	0.09	0.00
C70-72	0.7	2.7	0.0	0.0	0.9	1.4	0.6	1.9	3.4	3.1	2.5	7.6	5.2	15.5	7.7	6.5	2.08	2.46	0.39	3.69
C73	0.0	0.0	0.5	0.0	2.6	0.9	4.2	1.9	3.4	3.1	7.6	1.5	5.2	7.7	3.9	0.0	1.98	2.04	0.34	3.73
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	1.3	0.0	0.0	0.0	0.0	6.5	0.25	0.29	0.13	0.53
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.6	0.0	8.9	6.1	8.7	2.6	7.7	6.5	1.24	1.59	0.32	3.96
C79	0.0	0.0	0.5	0.0	0.0	0.5	0.6	0.6	0.0	0.0	1.3	0.0	3.5	2.6	0.0	3.3	0.45	0.50	0.17	0.78
C81	0.0	0.5	0.5	0.5	1.3	0.9	0.0	0.6	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.50	0.42	0.14	0.32
C82-85,C96	0.7	2.2	0.5	1.9	1.3	0.5	1.8	4.5	2.6	3.1	1.3	4.5	6.9	5.2	7.7	0.0	2.08	2.21	0.35	3.65
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	1.0	3.8	1.5	1.7	7.7	0.0	3.3	0.59	0.77	0.23	1.52
C91	7.2	1.6	2.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.99	1.33	0.30	0.20
C92-94	1.3	0.5	0.0	1.0	1.3	0.9	0.0	3.2	1.7	5.2	2.5	3.0	3.5	5.2	0.0	0.0	1.49	1.62	0.31	3.20
C95	0.7	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.3	0.35	0.44	0.17	0.00
O&U	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.5	0.9	1.0	3.8	7.6	8.7	10.3	3.9	3.3	1.29	1.59	0.32	3.57
All	11.2	12.6	7.4	8.2	14.1	23.6	50.3	103.1	160.5	260.7	344.6	388.1	422.6	501.1	547.4	444.0	103.17	126.02	2.82	261.68

TABLE CHN-3.2(a):

Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Males Chennai

icd-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	5.1	0.0	3.6	0.19	0.29	0.15	0.21
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.0	3.5	3.8	13.2	25.6	21.5	23.0	29.5	18.1	3.95	4.99	0.55	10.39
C03-06	0.0	0.0	0.0	0.0	0.4	0.9	3.2	2.8	5.7	9.4	21.9	19.9	29.8	25.5	36.9	39.8	5.35	6.76	0.65	13.42
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	7.1	1.7	0.0	7.4	0.0	0.47	0.59	0.19	1.42
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.7	3.8	7.7	10.0	5.0	2.6	11.1	0.0	1.26	1.58	0.31	4.03
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.7	3.3	4.3	1.7	12.8	11.1	3.6	1.07	1.45	0.31	2.48
C11	0.0	0.0	0.5	0.9	0.4	1.3	0.0	1.1	0.7	2.8	1.1	1.4	1.7	2.6	3.7	0.0	0.84	0.88	0.22	1.48
C12-13	0.0	0.0	0.0	0.0	0.8	1.3	2.1	0.6	3.5	8.5	11.0	14.2	24.8	51.0	44.3	36.2	4.70	6.31	0.64	9.24
C14	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	0.0	1.9	2.2	4.3	8.3	5.1	3.7	10.9	0.93	1.24	0.28	2.45
C15	0.0	0.0	0.0	0.0	0.4	0.0	2.1	2.8	6.4	13.2	34.0	51.3	34.8	45.9	55.3	72.4	8.10	10.58	0.82	20.91
C16	0.0	0.0	0.0	0.0	0.0	0.9	3.2	6.2	8.5	33.9	36.2	51.3	51.3	61.2	36.9	65.2	10.19	12.97	0.89	28.48
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.1	1.4	0.0	0.0	0.0	3.6	0.19	0.22	0.11	0.36
C18	0.0	0.0	0.0	0.5	0.0	0.0	0.5	3.4	3.5	4.7	4.4	5.7	6.6	7.7	11.1	18.1	1.91	2.30	0.37	4.55
C19-20	0.0	0.0	0.0	0.0	1.2	0.4	1.6	0.6	1.4	4.7	11.0	8.5	18.2	30.6	14.8	25.4	3.02	3.97	0.50	6.51
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.4	0.9	1.1	4.3	5.0	0.0	0.0	3.6	0.60	0.71	0.20	2.04
C22	0.0	0.0	0.0	0.0	0.4	0.9	1.1	0.0	0.0	4.7	8.8	12.8	18.2	15.3	29.5	0.0	2.42	3.18	0.45	6.33
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	0.0	2.2	5.7	8.3	5.1	3.7	7.2	0.88	1.16	0.27	2.54
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.7	2.8	2.2	7.1	9.9	5.1	7.4	7.2	1.16	1.52	0.31	3.35
C30-31	0.0	0.0	0.0	0.5	0.0	0.0	1.1	1.1	0.0	0.0	1.1	1.4	6.6	0.0	3.7	7.2	0.65	0.77	0.21	1.43
C32	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.0	2.1	10.4	15.3	18.5	19.9	30.6	14.8	29.0	3.68	4.91	0.56	9.84
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.5	8.5	16.9	31.8	42.7	38.1	66.4	70.1	57.9	8.47	11.20	0.84	21.35
C37-38	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.9	0.0	0.0	0.0	5.1	0.0	0.0	0.28	0.35	0.15	0.36
C40-41	0.6	0.0	1.0	1.4	0.8	0.4	0.5	0.0	3.5	0.9	0.0	0.0	3.3	2.6	11.1	3.6	1.07	1.20	0.26	1.29
C43	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.7	0.0	1.1	0.0	1.7	0.0	0.0	0.0	0.19	0.20	0.10	0.53
C44	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.1	1.9	4.4	5.7	5.0	7.7	18.4	0.0	1.26	1.63	0.32	3.08
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.4	0.0	0.0	0.0	0.0	0.09	0.11	0.08	0.37
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.6	0.0	0.5	0.5	0.8	0.4	0.5	1.1	0.7	0.9	1.1	2.8	3.3	7.7	7.4	0.0	0.98	1.14	0.26	1.51
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.7	0.9	0.0	0.0	5.0	5.1	3.7	3.6	0.47	0.63	0.20	0.96
C60	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	2.1	3.8	5.5	4.3	5.0	20.4	11.1	3.6	1.49	1.97	0.36	3.32
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.7	14.9	40.8	62.7	97.8	3.44	5.31	0.62	2.83
C62	0.6	0.0	0.0	0.0	1.2	0.4	1.6	1.1	1.4	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.60	0.51	0.15	0.68
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.1	1.4	1.7	0.0	3.7	0.0	0.23	0.29	0.13	0.68
C64	2.4	0.5	0.0	0.5	0.0	0.0	0.0	1.1	0.0	1.9	1.1	1.4	11.6	5.1	0.0	3.6	1.02	1.37	0.30	2.44
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.18
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.1	3.8	3.3	7.1	6.6	20.4	36.9	36.2	2.23	3.17	0.46	3.44
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	1.8	2.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.1	1.4	1.7	0.0	0.0	0.0	0.51	0.64	0.20	0.57
C70-72	0.0	1.6	3.1	0.5	2.1	2.2	2.1	2.8	4.9	2.8	9.9	8.5	16.5	25.5	3.7	0.0	3.49	3.93	0.47	6.88
C73	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	0.9	1.1	1.4	5.0	5.1	3.7	0.0	0.51	0.66	0.21	1.29
C74	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.09	0.14	0.10	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	2.1	1.5	2.8	0.8	0.0	1.1	1.7	1.4	1.9	1.1	4.3	3.3	2.6	7.4	0.0	1.54	1.62	0.29	2.12
C82-85,C96	1.2	1.6	1.5	1.9	1.2	3.6	2.1	2.8	1.4	11.3	6.6	15.7	13.2	12.8	25.8	18.1	4.09	4.81	0.53	7.80
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.1	1.4	3.3	7.7	3.7	14.5	0.65	0.92	0.25	1.06
C91	4.2	1.6	2.1	1.4	1.2	0.4	1.1	0.0	0.0	0.0	1.1	4.3	0.0	5.1	0.0	0.0	1.35	1.56	0.30	0.73
C92-94	1.2	0.0	1.5	2.4	1.7	2.2	1.6	1.7	2.1	0.9	3.3	1.4	1.7	5.1	0.0	7.2	1.77	1.78	0.30	1.85
C95	0.0	1.1	0.5	0.5	0.8	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	3.7	0.0	0.47	0.47	0.15	0.21
O&U	0.6	0.5	0.0	0.0	0.8	0.9	1.1	5.1	4.2	12.2	25.2	19.9	26.5	74.0	29.5	21.7	6.14	7.99	0.71	14.23
All	14.5	11.7	12.4	13.8	16.6	17.4	34.6	51.1	78.4	175.1	278.4	388.9	443.5	648.2	627.0	622.9	94.02	120.00	2.73	211.26

TABLE CHN-3.2(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Females
Chennai

icd-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	1.5	0.0	2.6	0.0	0.0	0.20	0.26	0.13	0.59
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	2.6	3.1	6.3	4.5	5.2	12.9	0.0	9.8	1.37	1.73	0.33	3.60
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.4	4.1	24.0	22.7	37.8	41.2	34.5	22.9	4.80	6.52	0.66	13.12
C07-08	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.5	3.4	0.0	3.8	0.0	0.29	0.39	0.16	0.84
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	3.4	2.6	0.0	0.0	0.25	0.29	0.14	0.69
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.05	0.07	0.07	0.00
C11	0.0	0.0	0.0	0.0	0.8	0.5	0.0	0.6	0.0	0.0	0.0	1.5	0.0	2.6	0.0	0.0	0.29	0.28	0.12	0.32
C12-13	0.0	0.0	0.0	0.0	0.4	0.5	0.6	1.3	2.6	2.1	7.6	6.0	3.4	5.1	0.0	0.0	1.18	1.37	0.29	3.58
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.4	2.6	0.0	3.3	0.29	0.41	0.17	0.85
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.5	9.4	6.2	21.4	18.1	43.0	23.2	53.6	22.9	5.19	6.86	0.67	14.84
C16	0.0	0.0	0.0	0.5	0.8	3.2	1.8	5.7	6.8	9.2	15.1	16.6	15.5	28.3	38.3	19.6	4.80	5.82	0.60	10.79
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.5	0.6	1.3	6.0	3.1	6.3	9.1	13.8	2.6	3.8	6.5	1.81	2.20	0.37	5.96
C19-20	0.0	0.0	0.0	0.0	0.0	0.9	1.2	0.0	4.3	6.2	5.0	4.5	10.3	5.1	7.7	6.5	1.67	2.05	0.36	4.75
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.3	0.0	1.7	2.6	3.8	0.0	0.29	0.41	0.17	0.82
C22	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.1	1.3	6.0	3.4	0.0	3.8	0.0	0.69	0.88	0.24	2.35
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.0	3.8	6.0	3.4	5.1	0.0	6.5	0.78	0.99	0.25	2.28
C25	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.6	1.7	3.1	1.3	1.5	0.0	2.6	11.5	0.0	0.64	0.79	0.22	1.45
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.7	1.0	1.3	1.5	1.7	2.6	0.0	3.3	0.44	0.53	0.18	1.15
C32	0.0	0.0	0.0	0.0	0.4	0.0	1.2	0.6	0.0	0.0	1.3	1.5	1.7	2.6	0.0	3.3	0.44	0.48	0.17	0.74
C33-34	0.0	0.0	0.0	0.5	0.0	0.9	0.6	3.2	1.7	1.0	8.8	4.5	10.3	18.0	15.3	6.5	2.01	2.52	0.40	4.48
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.0	0.0	0.0	0.0	2.6	0.0	3.3	0.20	0.24	0.12	0.32
C40-41	0.0	0.0	1.0	0.5	0.8	0.9	0.6	0.0	0.9	4.1	0.0	1.5	1.7	0.0	0.0	0.0	0.74	0.74	0.20	1.38
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.7	5.1	3.8	6.5	0.34	0.49	0.19	0.42
C44	0.0	0.0	0.0	0.0	0.4	0.5	0.0	1.3	0.0	2.1	2.5	1.5	5.2	5.1	15.3	13.1	1.08	1.38	0.30	1.91
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.4	1.4	1.2	2.5	0.9	1.0	3.8	0.0	5.2	0.0	0.0	0.0	0.88	0.87	0.21	2.13
C50	0.0	0.0	0.0	0.0	0.4	5.0	13.7	21.5	49.5	69.8	73.1	104.2	111.8	85.0	122.5	45.7	22.84	27.91	1.32	66.91
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	0.0	5.2	2.6	15.3	0.0	0.59	0.84	0.24	1.47
C52	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.6	0.0	0.0	1.3	1.5	1.7	7.7	3.8	0.0	0.49	0.61	0.20	0.74
C53	0.0	0.0	0.0	0.0	0.4	2.7	6.5	30.4	37.5	83.1	112.2	113.3	147.9	133.9	99.6	68.6	26.46	33.14	1.45	81.02
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.1	6.3	1.5	12.0	7.7	19.1	9.8	1.62	2.18	0.38	4.42
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.0	6.3	6.0	3.4	2.6	7.7	6.5	0.93	1.22	0.28	2.77
C56	0.0	0.0	0.0	0.5	1.3	0.5	2.4	2.5	10.2	24.6	12.6	18.1	24.1	15.4	11.5	13.1	4.80	5.84	0.60	14.72
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.6	0.0	0.0	0.10	0.14	0.10	0.20
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	4.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.3	1.5	1.7	5.1	0.0	0.0	0.69	0.99	0.27	0.79
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	1.3	1.5	5.2	10.3	3.8	9.8	0.69	0.95	0.26	1.06
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.20	0.25	0.13	0.00
C70-72	0.6	0.5	1.0	0.5	1.3	1.8	0.6	3.2	1.7	4.1	3.8	3.0	5.2	5.1	7.7	9.8	1.91	2.11	0.35	3.40
C73	0.0	0.0	0.0	1.0	0.8	1.4	2.4	2.5	8.5	2.1	2.5	6.0	6.9	2.6	7.7	6.5	2.06	2.20	0.35	4.61
C74	0.6	0.5	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.15	0.16	0.10	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.25	0.25	0.11	0.39
C82-85,C96	0.6	0.5	0.0	0.5	1.7	1.4	1.8	0.6	2.6	3.1	11.3	3.0	5.2	15.4	3.8	13.1	2.21	2.60	0.40	4.10
C90	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.0	1.3	3.0	1.7	5.1	7.7	0.0	0.49	0.66	0.21	1.01
C91	4.5	2.1	0.0	1.4	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	3.8	0.0	0.78	1.02	0.26	0.20
C92-94	0.0	0.0	2.1	0.0	0.8	1.4	0.0	0.6	0.0	1.0	6.3	1.5	3.4	2.6	0.0	3.3	1.03	1.12	0.25	1.98
C95	0.6	0.0	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	3.8	0.0	0.39	0.46	0.17	0.57
O&U	0.0	0.0	0.0	0.0	0.4	1.8	1.8	3.2	6.0	7.2	8.8	15.1	12.0	20.6	15.3	19.6	3.38	4.11	0.51	8.08
All	12.9	5.9	4.7	7.2	12.7	26.2	40.5	89.2	167.2	260.5	370.7	391.1	524.6	499.5	528.4	346.1	102.81	127.40	2.83	278.00

TABLE CHN-3.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Males
Chennai

icd-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.4	1.7	3.8	0.0	1.8	0.21	0.30	0.10	0.49
C01-02	0.0	0.0	0.0	0.0	0.0	0.2	1.6	3.7	3.2	7.1	13.7	22.1	21.6	34.4	31.4	27.1	4.32	5.59	0.42	10.56
C03-06	0.0	0.0	0.0	0.0	0.4	0.7	1.9	2.0	5.7	7.1	22.0	15.7	32.3	25.5	29.5	25.3	4.70	5.97	0.43	12.60
C07-08	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.9	0.0	0.9	0.5	5.0	1.7	1.3	5.5	1.8	0.49	0.61	0.14	1.30
C09	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.4	3.3	5.5	10.7	5.0	5.1	9.2	1.8	1.21	1.55	0.22	3.62
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.3	3.3	2.9	3.3	8.9	7.4	10.9	0.93	1.29	0.21	2.11
C11	0.0	0.0	0.3	1.0	0.6	1.1	0.3	0.6	0.4	1.9	1.6	2.1	1.7	5.1	3.7	3.6	0.86	0.97	0.17	1.30
C12-13	0.0	0.0	0.0	0.2	0.4	0.9	1.3	1.1	2.8	8.5	12.1	19.3	22.4	44.6	35.1	28.9	4.39	5.85	0.44	9.74
C14	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.6	0.0	1.4	1.1	3.6	4.1	2.6	3.7	5.4	0.63	0.79	0.16	1.56
C15	0.0	0.0	0.0	0.0	0.6	0.2	1.3	1.7	7.1	11.3	29.7	40.0	42.3	54.9	62.8	59.7	7.71	10.23	0.57	19.30
C16	0.0	0.0	0.0	0.5	0.6	0.9	2.1	6.3	9.9	31.7	35.2	51.4	46.4	70.2	60.9	68.7	10.56	13.53	0.65	27.56
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	0.5	1.4	0.0	0.0	1.8	3.6	0.21	0.27	0.09	0.46
C18	0.0	0.0	0.0	0.2	0.0	0.7	0.3	2.8	2.1	4.7	3.3	7.9	6.6	3.8	11.1	12.7	1.68	2.01	0.24	4.28
C19-20	0.0	0.0	0.0	0.2	0.8	0.4	2.1	1.7	2.1	5.7	10.4	9.3	16.6	26.8	7.4	25.3	3.04	3.84	0.35	6.86
C21	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	1.4	0.5	1.6	2.1	3.3	1.3	1.8	1.8	0.51	0.59	0.13	1.50
C22	0.0	0.3	0.0	0.0	0.4	0.7	0.8	0.9	1.1	3.3	7.1	10.0	14.1	19.1	25.8	14.5	2.41	3.18	0.32	5.27
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.4	2.2	4.3	7.5	5.1	3.7	5.4	0.79	1.06	0.18	2.34
C25	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.9	1.1	3.8	6.0	6.4	9.1	7.7	5.5	10.9	1.47	1.87	0.24	4.08
C30-31	0.0	0.3	0.0	0.2	0.0	0.0	0.5	0.9	0.0	0.5	1.6	2.1	5.0	1.3	3.7	3.6	0.58	0.71	0.15	1.44
C32	0.0	0.0	0.0	0.0	0.2	0.7	0.3	0.6	3.2	10.9	14.3	22.9	20.7	24.2	20.3	30.7	3.95	5.17	0.40	10.76
C33-34	0.0	0.0	0.0	0.0	0.4	0.0	0.8	3.1	7.4	15.1	30.2	48.6	43.1	68.9	72.0	48.8	8.50	11.29	0.60	21.68
C37-38	0.3	0.3	0.0	0.2	0.0	0.0	0.3	0.9	0.4	0.9	0.0	0.7	0.0	5.1	1.8	0.0	0.37	0.45	0.12	0.51
C40-41	0.3	0.5	0.8	2.1	0.4	0.4	0.3	0.9	1.8	0.9	1.1	0.7	5.0	6.4	9.2	3.6	1.19	1.38	0.20	1.60
C43	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.5	0.0	1.7	0.0	0.0	0.0	0.14	0.15	0.06	0.44
C44	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.9	1.8	1.9	3.8	2.9	5.0	6.4	12.9	5.4	1.07	1.39	0.21	2.50
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.7	0.0	0.0	0.0	0.0	0.07	0.09	0.05	0.28
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.9	0.0	0.8	0.2	0.8	0.4	0.3	0.9	0.7	2.4	2.2	2.9	3.3	8.9	3.7	0.0	1.05	1.25	0.19	1.91
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.5	0.5	0.0	4.1	3.8	3.7	1.8	0.35	0.48	0.13	0.78
C60	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.9	1.4	4.7	4.4	5.0	8.3	15.3	11.1	3.6	1.50	1.96	0.25	3.78
C61	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.5	0.5	5.7	20.7	42.1	49.8	81.4	3.32	5.04	0.42	3.66
C62	0.6	0.0	0.0	0.2	0.6	1.1	1.3	0.6	1.1	0.0	1.1	0.7	0.8	1.3	0.0	1.8	0.63	0.60	0.12	0.69
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.7	1.7	1.3	1.8	0.0	0.16	0.21	0.08	0.45
C64	1.8	0.3	0.0	0.2	0.0	0.0	0.3	0.6	0.4	3.3	3.3	0.7	9.1	7.7	5.5	1.8	1.10	1.47	0.22	2.62
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C67	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.6	1.4	1.9	6.6	5.7	8.3	21.7	35.1	30.7	2.24	3.16	0.33	3.62
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	1.2	1.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.5	0.7	0.8	0.0	0.0	0.0	0.30	0.39	0.11	0.38
C70-72	0.3	0.8	2.3	0.5	2.3	1.8	1.6	2.6	4.2	4.3	7.1	7.1	14.1	19.1	7.4	5.4	3.08	3.49	0.32	6.03
C73	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.0	1.4	1.6	0.7	3.3	2.6	7.4	3.6	0.58	0.73	0.15	1.17
C74	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.14	0.20	0.08	0.07
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	2.8	1.1	5.7	4.1	3.8	5.5	1.8	0.68	0.90	0.17	2.05
C78	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.6	0.7	1.9	1.6	6.4	4.1	6.4	24.0	14.5	1.26	1.71	0.24	2.24
C79	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.4	0.0	1.1	0.7	3.3	0.0	0.0	1.8	0.26	0.31	0.10	0.77
C81	0.6	2.7	2.1	1.7	0.4	0.0	0.8	1.7	1.1	1.4	1.6	2.9	3.3	2.6	9.2	0.0	1.45	1.60	0.21	1.87
C82-85,C96	0.6	1.3	1.6	2.1	1.7	2.7	1.6	2.0	1.8	8.0	9.9	15.0	14.9	21.7	29.5	18.1	4.13	4.99	0.39	7.74
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	2.7	2.9	5.8	5.1	1.8	12.7	0.77	1.05	0.18	1.95
C91	3.7	1.6	2.6	1.2	0.6	0.9	1.1	0.0	0.0	0.9	0.5	3.6	0.8	6.4	1.8	0.0	1.38	1.62	0.22	0.84
C92-94	0.9	1.1	1.0	1.4	1.5	1.3	1.6	1.4	2.5	1.9	3.3	2.9	1.7	7.7	1.8	5.4	1.73	1.83	0.22	2.24
C95	0.0	0.8	0.8	0.5	0.4	0.0	1.1	0.3	0.0	0.0	0.0	0.7	1.7	1.3	5.5	0.0	0.51	0.55	0.12	0.36
O&U	0.6	0.3	0.0	0.0	0.6	0.7	0.5	2.6	2.8	7.1	15.4	14.3	15.8	39.5	25.8	14.5	3.81	4.95	0.40	8.77
All	13.7	11.3	12.5	13.4	14.6	18.1	27.8	47.0	74.4	173.0	274.3	380.0	450.1	650.6	657.2	602.3	92.51	118.67	1.93	208.32

**TABLE CHN-3.3(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Females
Chennai**

icd-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.0	1.0	0.0	1.5	0.0	1.3	0.0	1.6	0.22	0.25	0.09	0.52
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.0	3.0	2.6	5.1	6.1	4.3	9.0	3.8	9.8	1.31	1.64	0.23	3.42
C03-06	0.0	0.0	0.0	0.0	0.0	0.5	1.5	0.3	3.0	3.1	17.1	18.9	40.6	32.2	34.6	22.9	4.36	5.86	0.44	11.67
C07-08	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.3	1.5	2.6	0.0	3.8	0.0	0.27	0.35	0.11	0.73
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.5	0.0	0.8	1.7	2.6	0.0	0.0	0.22	0.27	0.09	0.63
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.9	3.3	0.10	0.14	0.07	0.11
C11	0.0	0.0	0.0	0.5	0.8	0.2	0.3	1.0	0.0	0.0	0.0	0.8	0.9	1.3	0.0	0.0	0.34	0.31	0.09	0.39
C12-13	0.0	0.0	0.0	0.0	0.2	0.7	0.9	2.2	2.6	3.1	5.1	7.6	6.0	9.0	5.8	0.0	1.50	1.78	0.23	4.10
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	1.9	0.0	1.7	1.3	0.0	3.3	0.27	0.34	0.10	0.75
C15	0.0	0.0	0.0	0.0	0.0	0.2	0.6	2.9	6.0	8.8	19.0	19.7	34.5	27.1	38.4	24.5	4.80	6.30	0.46	13.46
C16	0.0	0.0	0.0	0.2	0.4	2.7	1.8	3.8	5.6	11.8	14.6	18.2	19.8	32.2	30.7	19.6	4.73	5.88	0.43	11.36
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.09	0.05	0.24
C18	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.0	4.3	3.6	5.1	9.1	7.8	7.7	9.6	11.4	1.70	2.15	0.26	4.70
C19-20	0.0	0.0	0.0	0.2	0.0	0.9	1.5	1.3	3.0	4.6	5.7	6.8	8.6	5.2	9.6	8.2	1.77	2.13	0.26	4.63
C21	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	1.0	1.9	0.0	2.6	3.9	3.8	0.0	0.37	0.50	0.13	0.92
C22	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.6	3.8	3.8	5.2	1.3	7.7	6.5	0.89	1.18	0.20	2.52
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.4	1.0	1.9	3.0	1.7	5.2	9.6	3.3	0.64	0.84	0.17	1.32
C25	0.0	0.0	0.0	0.0	0.0	0.2	0.9	1.0	1.3	1.5	2.5	2.3	0.9	3.9	5.8	1.6	0.69	0.81	0.16	1.54
C30-31	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.0	0.9	1.0	0.6	2.3	0.9	3.9	0.0	3.3	0.42	0.51	0.13	0.87
C32	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.3	0.9	0.0	0.6	1.5	1.7	3.9	5.8	1.6	0.44	0.55	0.13	0.75
C33-34	0.0	0.0	0.0	0.2	0.0	0.5	0.6	2.9	1.3	2.1	8.2	6.8	9.5	15.5	19.2	8.2	1.99	2.54	0.29	4.63
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	1.3	0.0	1.6	0.10	0.12	0.06	0.16
C40-41	0.0	0.0	1.0	1.2	0.6	1.4	0.6	0.3	0.9	3.1	0.0	2.3	3.5	1.3	0.0	1.6	0.94	0.95	0.16	1.56
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	1.7	2.6	1.9	3.3	0.22	0.31	0.10	0.42
C44	0.0	0.0	0.0	0.0	0.2	0.7	0.3	1.0	0.9	1.5	1.9	2.3	4.3	5.2	11.5	14.7	1.06	1.33	0.21	1.80
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.0	0.0	0.0	0.0	1.6	0.10	0.12	0.06	0.28
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.3	0.0	0.6	0.7	0.9	1.3	1.3	1.5	1.9	0.0	5.2	2.6	1.9	0.0	0.79	0.85	0.16	1.77
C50	0.0	0.0	0.0	0.2	0.6	5.0	14.0	26.7	50.5	72.6	79.1	87.8	93.2	89.0	107.6	83.2	23.17	27.98	0.93	65.10
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.2	1.5	4.3	2.6	9.6	0.0	0.54	0.75	0.16	1.56
C52	0.0	0.0	0.0	0.0	0.4	0.2	0.3	0.3	0.9	1.0	1.9	2.3	3.5	3.9	3.8	1.6	0.62	0.75	0.15	1.47
C53	0.0	0.0	0.0	0.0	0.6	2.0	7.8	27.9	42.8	82.4	108.3	112.7	124.3	122.5	121.0	73.5	25.93	32.32	1.01	77.68
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.6	3.6	7.0	9.1	12.1	9.0	11.5	11.4	1.75	2.31	0.28	5.11
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.5	3.8	5.3	4.3	1.3	3.8	6.5	0.71	0.92	0.17	2.12
C56	0.0	0.0	0.8	0.5	1.5	1.4	2.7	3.5	9.8	22.1	15.8	17.4	20.7	19.3	30.7	14.7	5.32	6.44	0.45	14.34
C57	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.9	1.3	0.0	1.6	0.15	0.19	0.08	0.32
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.04	0.03	0.00
C64	2.3	0.8	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.0	1.3	2.3	0.9	3.9	0.0	0.0	0.54	0.72	0.16	0.81
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C67	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0	1.9	2.3	3.5	12.9	3.8	6.5	0.71	1.00	0.19	1.24
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.3	1.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.17	0.20	0.08	0.00
C70-72	0.7	1.6	0.5	0.2	1.1	1.6	0.6	2.5	2.6	3.6	3.2	5.3	5.2	10.3	7.7	8.2	1.99	2.28	0.26	3.55
C73	0.0	0.0	0.3	0.5	1.7	1.1	3.3	2.2	6.0	2.6	5.1	3.8	6.0	5.2	5.8	3.3	2.02	2.12	0.24	4.17
C74	0.3	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.08	0.05	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.6	0.0	0.0	0.0	0.0	3.3	0.12	0.15	0.07	0.26
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.0	4.4	3.0	4.3	1.3	3.8	3.3	0.62	0.79	0.16	1.97
C79	0.0	0.0	0.3	0.0	0.0	0.2	0.3	0.3	0.0	0.0	0.6	0.0	1.7	1.3	0.0	1.6	0.22	0.25	0.09	0.39
C81	0.0	0.3	0.3	1.0	0.6	0.5	0.0	0.3	0.4	0.5	0.0	0.0	0.9	0.0	0.0	0.0	0.37	0.33	0.09	0.36
C82-85,C96	0.7	1.4	0.3	1.2	1.5	0.9	1.8	2.5	2.6	3.1	6.3	3.8	6.0	10.3	5.8	6.5	2.14	2.40	0.27	3.88
C90	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	1.0	2.5	2.3	1.7	6.4	3.8	1.6	0.54	0.71	0.15	1.27
C91	5.9	1.9	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	0.0	0.0	1.9	0.0	0.89	1.17	0.20	0.20
C92-94	0.7	0.3	1.0	0.5	1.1	1.1	0.0	1.9	0.9	3.1	4.4	2.3	3.5	3.9	0.0	1.6	1.26	1.37	0.20	2.59
C95	0.7	1.1	0.3	0.2	0.0	0.2	0.0	0.0	0.4	0.0	1.3	0.0	0.0	1.3	1.9	1.6	0.37	0.45	0.12	0.29
O&U	0.0	0.0	0.0	0.0	0.2	0.9	1.2	2.9	3.4	4.1	6.3	11.3	10.4	15.5	9.6	11.4	2.34	2.85	0.30	5.83
All	12.0	9.2	6.0	7.7	13.4	24.9	45.3	96.1	163.9	260.6	357.7	389.6	473.8	500.3	537.9	395.0	102.99	126.72	2.00	269.88

TABLE CHN-4(a): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Males
Chennai

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.19	0.22	0.70	0.28	0.36	0.91	0.23	0.31	0.77	0.19	0.29	0.21
C01-02	Tongue	4.58	5.98	12.27	4.54	5.81	12.84	4.69	6.19	10.73	3.95	4.99	10.39
C03-06	Mouth	4.68	6.25	11.85	4.35	5.59	10.88	4.04	5.18	11.78	5.35	6.76	13.42
C07-08	Salivary Gland	0.57	0.67	1.69	0.43	0.52	1.33	0.52	0.63	1.17	0.47	0.59	1.42
C09	Tonsil	0.67	0.88	1.61	1.47	1.99	3.52	1.17	1.51	3.21	1.26	1.58	4.03
C10	Oth. Oropharynx	0.76	1.04	1.65	0.90	1.18	2.36	0.80	1.12	1.73	1.07	1.45	2.48
C11	Nasopharynx	0.76	0.86	1.91	0.76	0.94	2.29	0.89	1.05	1.12	0.84	0.88	1.48
C12-13	Hypopharynx	3.29	4.22	8.62	4.64	6.04	13.39	4.08	5.39	10.25	4.70	6.31	9.24
C14	Pharynx Unspecified	0.57	0.74	1.16	0.28	0.34	0.85	0.33	0.35	0.66	0.93	1.24	2.45
C15	Oesophagus	7.06	9.28	17.72	6.96	9.31	18.93	7.32	9.87	17.68	8.10	10.58	20.91
C16	Stomach	10.07	13.12	25.48	10.17	13.17	26.67	10.93	14.10	26.64	10.19	12.97	28.48
C17	Small Intestine	0.10	0.09	0.19	0.14	0.14	0.19	0.23	0.32	0.55	0.19	0.22	0.36
C18	Colon	1.43	1.74	3.69	1.32	1.81	2.76	1.45	1.72	4.00	1.91	2.30	4.55
C19-20	Rectum	2.43	3.12	4.02	2.79	3.45	6.14	3.05	3.70	7.21	3.02	3.97	6.51
C21	Anus & Anal Canal	0.52	0.65	1.62	0.28	0.42	0.40	0.42	0.48	0.96	0.60	0.71	2.04
C22	Liver	2.62	3.38	6.97	2.22	2.93	5.05	2.39	3.17	4.21	2.42	3.18	6.33
C23-24	Gallbladder etc.	0.52	0.80	0.62	0.90	1.20	1.50	0.70	0.96	2.13	0.88	1.16	2.54
C25	Pancreas	1.57	2.12	3.20	1.04	1.29	2.78	1.78	2.23	4.83	1.16	1.52	3.35
C30-31	Nose, Sinuses etc.	0.76	0.99	1.87	0.71	0.98	1.02	0.52	0.65	1.45	0.65	0.77	1.43
C32	Larynx	3.63	4.86	9.84	4.21	5.57	10.14	4.22	5.43	11.68	3.68	4.91	9.84
C33-34	Lung etc.	8.88	11.48	24.90	8.71	11.33	24.28	8.54	11.37	22.00	8.47	11.20	21.35
C37-38	Other Thoracic Organs	0.29	0.34	0.61	0.09	0.11	0.36	0.47	0.55	0.65	0.28	0.35	0.36
C40-41	Bone	1.05	1.09	1.35	1.14	1.06	1.49	1.31	1.57	1.91	1.07	1.20	1.29
C43	Melanoma of Skin	0.19	0.24	0.19	0.14	0.17	0.54	0.09	0.11	0.35	0.19	0.20	0.53
C44	Other Skin	1.05	1.43	1.41	1.32	1.74	2.95	0.89	1.16	1.93	1.26	1.63	3.08
C45	Mesothelioma	0.00	0.00	0.00	0.09	0.13	0.19	0.05	0.06	0.18	0.09	0.11	0.37
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.86	0.86	1.31	1.18	1.29	2.80	1.13	1.37	2.31	0.98	1.14	1.51
C50	Breast	0.19	0.26	0.59	0.14	0.20	0.40	0.23	0.34	0.61	0.47	0.63	0.96
C60	Penis	1.00	1.26	2.72	1.42	1.77	3.35	1.50	1.94	4.23	1.49	1.97	3.32
C61	Prostate	4.25	6.36	5.08	2.74	4.14	2.30	3.19	4.77	4.49	3.44	5.31	2.83
C62	Testis	0.67	0.57	0.56	0.71	0.65	1.20	0.66	0.69	0.71	0.60	0.51	0.68
C63	Other Male Genital	0.14	0.22	0.22	0.09	0.13	0.18	0.09	0.14	0.21	0.23	0.29	0.68
C64	Kidney etc.	1.05	1.46	1.59	1.14	1.51	2.31	1.17	1.58	2.80	1.02	1.37	2.44
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.06	0.18	0.00	0.00	0.00
C66	Ureter	0.05	0.06	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.06	0.18
C67	Bladder	2.15	3.02	3.90	1.85	2.69	2.29	2.25	3.14	3.80	2.23	3.17	3.44
C68	Uns.Urinary Organs	0.05	0.06	0.19	0.05	0.06	0.19	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.43	0.61	0.00	0.24	0.29	0.21	0.09	0.13	0.18	0.51	0.64	0.57
C70-72	Brain, Nervous System	3.05	3.36	5.59	2.41	2.56	4.46	2.67	3.06	5.18	3.49	3.93	6.88
C73	Thyroid	1.15	1.42	2.53	0.99	1.15	2.80	0.66	0.79	1.05	0.51	0.66	1.29
C74	Adrenal Gland	0.00	0.00	0.00	0.09	0.11	0.00	0.19	0.26	0.14	0.09	0.14	0.00
C77	Sec Lymph Nodes	1.43	1.89	3.55	1.56	1.97	4.43	1.36	1.80	4.12	0.00	0.00	0.00
C78	Sec Resp & Digestive	2.29	2.88	6.98	1.85	2.42	4.35	2.53	3.42	4.50	0.00	0.00	0.00
C79	Sec Others	0.52	0.72	1.13	0.66	0.83	1.72	0.52	0.62	1.54	0.00	0.00	0.00
C81	Hodgkins Disease	0.91	0.90	1.29	0.71	0.66	0.46	1.36	1.58	1.62	1.54	1.62	2.12
C82-85,C96	NHL	2.96	3.51	6.15	3.69	4.20	8.18	4.18	5.17	7.68	4.09	4.81	7.80
C90	Multiple Myeloma	0.52	0.68	1.49	0.66	0.86	1.80	0.89	1.17	2.84	0.65	0.92	1.06
C91	Lymphoid Leuk.	1.10	1.28	0.81	1.80	2.00	0.57	1.41	1.67	0.95	1.35	1.56	0.73
C92-94	Myeloid Leukaemia	1.43	1.54	2.18	1.56	1.59	2.10	1.69	1.88	2.62	1.77	1.78	1.85
C95	Leukaemia Uns	0.38	0.51	0.30	0.47	0.57	0.32	0.56	0.64	0.51	0.47	0.47	0.21
O&U	Other and Uns	1.24	1.49	2.30	1.51	1.84	2.49	1.45	1.90	3.28	6.14	7.99	14.23
	All Sites	86.09	110.54	195.77	87.49	111.14	202.66	90.98	117.33	205.35	94.02	120.00	211.26

TABLE CHN-4(b): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Females
Chennai

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.10	0.14	0.20	0.25	0.36	0.40	0.25	0.24	0.44	0.20	0.26	0.59
C01-02	Tongue	1.26	1.75	2.67	1.35	1.69	4.12	1.24	1.54	3.23	1.37	1.73	3.60
C03-06	Mouth	4.24	5.61	10.22	4.10	5.42	10.39	3.91	5.19	10.21	4.80	6.52	13.12
C07-08	Salivary Gland	0.30	0.36	0.77	0.20	0.21	0.57	0.25	0.31	0.62	0.29	0.39	0.84
C09	Tonsil	0.20	0.27	0.40	0.15	0.19	0.35	0.20	0.25	0.56	0.25	0.29	0.69
C10	Oth. Oropharynx	0.25	0.33	0.58	0.20	0.27	0.63	0.15	0.21	0.22	0.05	0.07	0.00
C11	Nasopharynx	0.45	0.47	0.94	0.15	0.17	0.00	0.40	0.34	0.47	0.29	0.28	0.32
C12-13	Hypopharynx	1.77	2.17	4.48	1.20	1.50	3.44	1.83	2.19	4.62	1.18	1.37	3.58
C14	Pharynx Unspecified	0.00	0.00	0.00	0.15	0.21	0.22	0.25	0.27	0.65	0.29	0.41	0.85
C15	Oesophagus	4.45	5.70	12.29	5.35	6.85	14.25	4.41	5.73	12.07	5.19	6.86	14.84
C16	Stomach	4.75	6.04	12.70	6.55	7.94	17.57	4.65	5.93	11.93	4.80	5.82	10.79
C17	Small Intestine	0.10	0.13	0.41	0.05	0.07	0.22	0.20	0.19	0.49	0.00	0.00	0.00
C18	Colon	2.07	2.76	5.10	1.45	1.65	3.48	1.58	2.09	3.44	1.81	2.20	5.96
C19-20	Rectum	2.07	2.63	4.02	2.15	2.62	5.55	1.88	2.21	4.52	1.67	2.05	4.75
C21	Anus & Anal Canal	0.35	0.45	0.94	0.30	0.42	0.20	0.45	0.59	1.02	0.29	0.41	0.82
C22	Liver	0.81	0.99	2.28	0.55	0.72	1.36	1.09	1.48	2.68	0.69	0.88	2.35
C23-24	Gallbladder etc.	0.76	0.99	1.46	0.55	0.74	1.67	0.50	0.69	0.37	0.78	0.99	2.28
C25	Pancreas	0.81	1.05	2.25	0.60	0.81	1.87	0.74	0.84	1.64	0.64	0.79	1.45
C30-31	Nose, Sinuses etc.	0.45	0.64	1.03	0.35	0.43	0.77	0.40	0.49	0.59	0.44	0.53	1.15
C32	Larynx	0.40	0.51	1.14	0.60	0.73	2.11	0.45	0.62	0.75	0.44	0.48	0.74
C33-34	Lung etc.	2.07	2.60	5.57	1.60	2.07	3.79	1.98	2.56	4.78	2.01	2.52	4.48
C37-38	Other Thoracic Organs	0.10	0.15	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.24	0.32
C40-41	Bone	0.45	0.40	0.00	0.90	0.91	1.24	1.14	1.17	1.75	0.74	0.74	1.38
C43	Melanoma of Skin	0.25	0.32	0.77	0.55	0.62	1.40	0.10	0.13	0.43	0.34	0.49	0.42
C44	Other Skin	0.61	0.77	1.55	0.90	1.20	1.99	1.04	1.27	1.70	1.08	1.38	1.91
C45	Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.18	0.37	0.05	0.06	0.20
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.86	1.03	1.69	0.95	1.10	1.58	0.69	0.82	1.40	0.88	0.87	2.13
C50	Breast	22.59	27.41	62.58	21.56	25.98	56.79	23.52	28.05	63.29	22.84	27.91	66.91
C51	Vulva	0.25	0.30	0.41	0.80	1.09	2.31	0.50	0.67	1.65	0.59	0.84	1.47
C52	Vagina	0.56	0.71	1.23	0.70	0.88	2.34	0.74	0.90	2.20	0.49	0.61	0.74
C53	Cervix Uteri	24.81	30.67	76.09	24.41	30.06	75.46	25.40	31.50	74.31	26.46	33.14	81.02
C54	Corpus Uteri	2.83	3.80	7.63	1.65	2.18	4.40	1.88	2.45	5.80	1.62	2.18	4.42
C55	Uterus Unspecified	0.40	0.54	0.99	0.60	0.70	1.68	0.50	0.62	1.46	0.93	1.22	2.77
C56	Ovary etc.	4.50	4.96	10.64	5.85	7.17	14.86	5.84	7.04	13.96	4.80	5.84	14.72
C57	Other Female Genital	0.10	0.10	0.21	0.00	0.00	0.00	0.20	0.23	0.43	0.10	0.14	0.20
C58	Placenta	0.15	0.11	0.00	0.00	0.00	0.00	0.10	0.07	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.66	0.95	0.77	0.80	1.02	1.12	0.40	0.45	0.84	0.69	0.99	0.79
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.06	0.20	0.00	0.00	0.00
C67	Bladder	0.71	0.94	1.38	1.15	1.56	1.14	0.74	1.05	1.43	0.69	0.95	1.06
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.15	0.24	0.00	0.25	0.38	0.17	0.15	0.15	0.00	0.20	0.25	0.00
C70-72	Brain, Nervous System	1.97	2.14	4.30	2.15	2.39	4.01	2.08	2.46	3.69	1.91	2.11	3.40
C73	Thyroid	1.77	1.89	4.03	1.55	1.72	3.51	1.98	2.04	3.73	2.06	2.20	4.61
C74	Adrenal Gland	0.05	0.08	0.00	0.40	0.50	0.00	0.00	0.00	0.00	0.15	0.16	0.00
C77	Sec Lymph Nodes	0.81	0.95	2.25	0.50	0.63	1.66	0.25	0.29	0.53	0.00	0.00	0.00
C78	Sec Resp & Digestive	1.26	1.59	3.72	1.15	1.43	3.51	1.24	1.59	3.96	0.00	0.00	0.00
C79	Sec Others	0.35	0.51	0.64	0.45	0.64	0.84	0.45	0.50	0.78	0.00	0.00	0.00
C81	Hodgkins Disease	0.25	0.25	0.37	0.45	0.43	0.55	0.50	0.42	0.32	0.25	0.25	0.39
C82-85,C96	NHL	2.17	2.64	4.98	2.45	2.88	4.60	2.08	2.21	3.65	2.21	2.60	4.10
C90	Multiple Myeloma	0.51	0.66	1.15	0.60	0.84	1.49	0.59	0.77	1.52	0.49	0.66	1.01
C91	Lymphoid Leuk.	0.91	1.21	0.20	0.80	0.85	0.72	0.99	1.33	0.20	0.78	1.02	0.20
C92-94	Myeloid Leukaemia	1.21	1.26	1.52	1.20	1.23	1.83	1.49	1.62	3.20	1.03	1.12	1.98
C95	Leukaemia Uns	0.30	0.33	0.41	0.40	0.51	0.53	0.35	0.44	0.00	0.39	0.46	0.57
O&U	Other and Uns	1.21	1.53	1.98	0.90	1.16	2.05	1.29	1.59	3.57	3.38	4.11	8.08
	All Sites	100.45	124.01	261.20	101.98	125.14	264.89	103.17	126.02	261.68	102.81	127.40	278.00

TABLE CHN-5(a): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Males - Chennai

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.04	0.04
C01-02	Tongue	0.37	0.37	0.70	0.69
C03-06	Mouth	0.44	0.44	0.71	0.71
C07-08	Salivary Gland	0.05	0.05	0.08	0.08
C09	Tonsil	0.13	0.13	0.20	0.20
C10	Oth. Oropharynx	0.07	0.07	0.15	0.15
C11	Nasopharynx	0.06	0.06	0.10	0.10
C12-13	Hypopharynx	0.35	0.35	0.74	0.74
C14	Pharynx Unspecified	0.06	0.06	0.09	0.09
C15	Oesophagus	0.67	0.67	1.26	1.25
C16	Stomach	0.93	0.92	1.58	1.57
C17	Small Intestine	0.02	0.02	0.03	0.03
C18	Colon	0.14	0.14	0.22	0.22
C19-20	Rectum	0.25	0.25	0.42	0.42
C21	Anus & Anal Canal	0.05	0.05	0.07	0.07
C22	Liver	0.19	0.19	0.42	0.42
C23-24	Gallbladder etc.	0.08	0.08	0.13	0.13
C25	Pancreas	0.14	0.14	0.21	0.21
C30-31	Nose, Sinuses etc.	0.06	0.06	0.08	0.08
C32	Larynx	0.37	0.37	0.59	0.59
C33-34	Lung etc.	0.74	0.74	1.45	1.44
C37-38	Other Thoracic Organs	0.02	0.02	0.05	0.05
C40-41	Bone	0.08	0.08	0.15	0.15
C43	Melanoma of Skin	0.02	0.02	0.02	0.02
C44	Other Skin	0.08	0.08	0.18	0.18
C45	Mesothelioma	0.01	0.01	0.01	0.01
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.08	0.08	0.14	0.14
C50	Breast	0.03	0.03	0.07	0.07
C60	Penis	0.13	0.13	0.26	0.26
C61	Prostate	0.14	0.14	0.60	0.60
C62	Testis	0.04	0.04	0.05	0.05
C63	Other Male Genital	0.02	0.02	0.03	0.03
C64	Kidney etc.	0.10	0.10	0.17	0.17
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.13	0.13	0.41	0.41
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.03	0.03	0.03	0.03
C70-72	Brain, Nervous System	0.25	0.25	0.38	0.38
C73	Thyroid	0.04	0.04	0.09	0.09
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C77	Sec Lymph Nodes	0.07	0.07	0.12	0.12
C78	Sec Resp & Digestive	0.08	0.08	0.23	0.23
C79	Sec Others	0.03	0.03	0.03	0.03
C81	Hodgkins Disease	0.10	0.10	0.16	0.16
C82-85,C96	NHL	0.32	0.32	0.57	0.57
C90	Multiple Myeloma	0.07	0.07	0.10	0.10
C91	Lymphoid Leuk.	0.09	0.09	0.13	0.13
C92-94	Myeloid Leukaemia	0.11	0.11	0.16	0.16
C95	Leukaemia Uns	0.03	0.03	0.07	0.07
O&U	Other and Uns	0.30	0.30	0.63	0.63
	All Sites	7.55	7.27	14.09	13.14

TABLE CHN-5(b): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Females - Chennai

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.02	0.02
C01-02	Tongue	0.11	0.11	0.18	0.18
C03-06	Mouth	0.42	0.42	0.76	0.76
C07-08	Salivary Gland	0.03	0.03	0.05	0.05
C09	Tonsil	0.02	0.02	0.03	0.03
C10	Oth. Oropharynx	0.00	0.00	0.01	0.01
C11	Nasopharynx	0.02	0.02	0.03	0.03
C12-13	Hypopharynx	0.14	0.14	0.22	0.22
C14	Pharynx Unspecified	0.02	0.02	0.03	0.03
C15	Oesophagus	0.46	0.46	0.79	0.78
C16	Stomach	0.39	0.39	0.71	0.71
C17	Small Intestine	0.01	0.01	0.01	0.01
C18	Colon	0.16	0.16	0.24	0.24
C19-20	Rectum	0.16	0.16	0.24	0.24
C21	Anus & Anal Canal	0.03	0.03	0.07	0.07
C22	Liver	0.09	0.09	0.13	0.13
C23-24	Gallbladder etc.	0.04	0.04	0.12	0.12
C25	Pancreas	0.05	0.05	0.10	0.10
C30-31	Nose, Sinuses etc.	0.03	0.03	0.05	0.05
C32	Larynx	0.03	0.03	0.08	0.08
C33-34	Lung etc.	0.16	0.16	0.33	0.33
C37-38	Other Thoracic Organs	0.00	0.00	0.01	0.01
C40-41	Bone	0.07	0.07	0.08	0.08
C43	Melanoma of Skin	0.02	0.02	0.04	0.04
C44	Other Skin	0.07	0.07	0.15	0.15
C45	Mesothelioma	0.01	0.01	0.01	0.01
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.07	0.07	0.09	0.09
C50	Breast	2.15	2.13	3.13	3.08
C51	Vulva	0.05	0.05	0.11	0.11
C52	Vagina	0.05	0.05	0.09	0.09
C53	Cervix Uteri	2.54	2.51	3.76	3.69
C54	Corpus Uteri	0.17	0.17	0.28	0.28
C55	Uterus Unspecified	0.08	0.08	0.10	0.10
C56	Ovary etc.	0.48	0.48	0.73	0.73
C57	Other Female Genital	0.01	0.01	0.02	0.02
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.04	0.04	0.06	0.06
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.04	0.04	0.13	0.13
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain, Nervous System	0.14	0.14	0.23	0.23
C73	Thyroid	0.16	0.16	0.22	0.22
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.01	0.01	0.01	0.01
C78	Sec Resp & Digestive	0.07	0.07	0.09	0.09
C79	Sec Others	0.02	0.02	0.02	0.02
C81	Hodgkins Disease	0.02	0.02	0.02	0.02
C82-85,C96	NHL	0.16	0.16	0.24	0.24
C90	Multiple Myeloma	0.04	0.04	0.09	0.09
C91	Lymphoid Leuk.	0.06	0.06	0.06	0.06
C92-94	Myeloid Leukaemia	0.10	0.10	0.12	0.12
C95	Leukaemia Uns	0.02	0.02	0.04	0.04
O&U	Other and Uns	0.20	0.20	0.33	0.33
	All Sites	9.30	8.88	14.49	13.49

**TABLE CHN-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Males
Chennai**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	66.7	0	0.0	3	33.3	0	0.0	0	0.0	9	100.0
C01-02	Tongue	155	83.8	0	0.0	29	15.7	0	0.0	1	0.5	185	100.0
C03-06	Mouth	168	83.6	0	0.0	33	16.4	0	0.0	0	0.0	201	100.0
C07-08	Salivary Gland	17	81.0	1	4.8	3	14.3	0	0.0	0	0.0	21	100.0
C09	Tonsil	45	86.5	0	0.0	7	13.5	0	0.0	0	0.0	52	100.0
C10	Oth. Oropharynx	34	85.0	0	0.0	6	15.0	0	0.0	0	0.0	40	100.0
C11	Nasopharynx	31	83.8	1	2.7	3	8.1	1	2.7	1	2.7	37	100.0
C12-13	Hypopharynx	170	90.4	0	0.0	17	9.0	1	0.5	0	0.0	188	100.0
C14	Pharynx Unspecified	17	63.0	0	0.0	4	14.8	0	0.0	6	22.2	27	100.0
C15	Oesophagus	229	69.4	18	5.5	7	2.1	72	21.8	4	1.2	330	100.0
C16	Stomach	264	58.4	1	0.2	13	2.9	157	34.7	17	3.8	452	100.0
C17	Small Intestine	4	44.4	0	0.0	0	0.0	5	55.6	0	0.0	9	100.0
C18	Colon	45	62.5	3	4.2	2	2.8	21	29.2	1	1.4	72	100.0
C19-20	Rectum	98	75.4	3	2.3	6	4.6	22	16.9	1	0.8	130	100.0
C21	Anus & Anal Canal	20	90.9	0	0.0	1	4.5	1	4.5	0	0.0	22	100.0
C22	Liver	76	73.8	0	0.0	2	1.9	22	21.4	3	2.9	103	100.0
C23-24	Gallbladder etc.	15	44.1	0	0.0	0	0.0	19	55.9	0	0.0	34	100.0
C25	Pancreas	29	46.0	0	0.0	0	0.0	32	50.8	2	3.2	63	100.0
C30-31	Nose, Sinuses etc.	23	92.0	0	0.0	2	8.0	0	0.0	0	0.0	25	100.0
C32	Larynx	142	84.0	1	0.6	20	11.8	3	1.8	3	1.8	169	100.0
C33-34	Lung etc.	214	58.8	97	26.6	4	1.1	36	9.9	13	3.6	364	100.0
C37-38	Other Thoracic Organs	12	75.0	0	0.0	0	0.0	3	18.8	1	6.3	16	100.0
C40-41	Bone	35	68.6	0	0.0	4	7.8	12	23.5	0	0.0	51	100.0
C43	Melanoma of Skin	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C44	Other Skin	42	91.3	0	0.0	4	8.7	0	0.0	0	0.0	46	100.0
C45	Mesothelioma	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	45	100.0	0	0.0	0	0.0	0	0.0	0	0.0	45	100.0
C50	Breast	12	80.0	0	0.0	1	6.7	0	0.0	2	13.3	15	100.0
C60	Penis	47	73.4	0	0.0	16	25.0	0	0.0	1	1.6	64	100.0
C61	Prostate	96	67.6	0	0.0	7	4.9	37	26.1	2	1.4	142	100.0
C62	Testis	21	77.8	0	0.0	3	11.1	2	7.4	1	3.7	27	100.0
C63	Other Male Genital	5	71.4	0	0.0	2	28.6	0	0.0	0	0.0	7	100.0
C64	Kidney etc.	44	93.6	0	0.0	0	0.0	2	4.3	1	2.1	47	100.0
C65	Renal Pelvis	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C66	Ureter	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C67	Bladder	73	76.0	0	0.0	2	2.1	21	21.9	0	0.0	96	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	13	100.0
C70-72	Brain, Nervous System	116	87.9	0	0.0	1	0.8	12	9.1	3	2.3	132	100.0
C73	Thyroid	22	88.0	0	0.0	0	0.0	2	8.0	1	4.0	25	100.0
C74	Adrenal Gland	4	66.7	0	0.0	1	16.7	1	16.7	0	0.0	6	100.0
C77	Sec Lymph Nodes	23	79.3	0	0.0	4	13.8	2	6.9	0	0.0	29	100.0
C78	Sec Resp & Digestive	7	13.0	3	5.6	0	0.0	42	77.8	2	3.7	54	100.0
C79	Sec Others	5	45.5	2	18.2	0	0.0	4	36.4	0	0.0	11	100.0
C81	Hodgkins Disease	61	98.4	0	0.0	0	0.0	0	0.0	1	1.6	62	100.0
C82-85,C96	NHL	174	98.3	0	0.0	0	0.0	0	0.0	3	1.7	177	100.0
C90	Multiple Myeloma	32	97.0	0	0.0	0	0.0	1	3.0	0	0.0	33	100.0
C91	Lymphoid Leuk.	59	100.0	0	0.0	0	0.0	0	0.0	0	0.0	59	100.0
C92-94	Myeloid Leukaemia	73	98.6	0	0.0	0	0.0	0	0.0	1	1.4	74	100.0
C95	Leukaemia Uns	19	86.4	0	0.0	0	0.0	0	0.0	3	13.6	22	100.0
O&U	Other and Uns	57	35.0	3	1.8	16	9.8	60	36.8	27	16.6	163	100.0
	All Sites	2909	73.5	133	3.4	224	5.7	593	15.0	101	2.6	3960	100.0

**TABLE CHN-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Females
Chennai**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	8	88.9	0	0.0	1	11.1	0	0.0	0	0.0	9	100.0
C01-02	Tongue	42	79.2	0	0.0	8	15.1	0	0.0	3	5.7	53	100.0
C03-06	Mouth	138	78.0	0	0.0	38	21.5	0	0.0	1	0.6	177	100.0
C07-08	Salivary Gland	8	72.7	0	0.0	2	18.2	1	9.1	0	0.0	11	100.0
C09	Tonsil	7	77.8	0	0.0	2	22.2	0	0.0	0	0.0	9	100.0
C10	Oth. Oropharynx	3	75.0	0	0.0	1	25.0	0	0.0	0	0.0	4	100.0
C11	Nasopharynx	14	100.0	0	0.0	0	0.0	0	0.0	0	0.0	14	100.0
C12-13	Hypopharynx	53	86.9	0	0.0	7	11.5	1	1.6	0	0.0	61	100.0
C14	Pharynx Unspecified	8	72.7	1	9.1	2	18.2	0	0.0	0	0.0	11	100.0
C15	Oesophagus	151	77.4	7	3.6	4	2.1	28	14.4	5	2.6	195	100.0
C16	Stomach	109	56.8	0	0.0	6	3.1	69	35.9	8	4.2	192	100.0
C17	Small Intestine	1	25.0	0	0.0	0	0.0	3	75.0	0	0.0	4	100.0
C18	Colon	46	66.7	2	2.9	3	4.3	16	23.2	2	2.9	69	100.0
C19-20	Rectum	55	76.4	0	0.0	3	4.2	12	16.7	2	2.8	72	100.0
C21	Anus & Anal Canal	14	93.3	0	0.0	0	0.0	1	6.7	0	0.0	15	100.0
C22	Liver	26	72.2	0	0.0	1	2.8	3	8.3	6	16.7	36	100.0
C23-24	Gallbladder etc.	15	57.7	0	0.0	0	0.0	9	34.6	2	7.7	26	100.0
C25	Pancreas	7	25.0	1	3.6	1	3.6	17	60.7	2	7.1	28	100.0
C30-31	Nose, Sinuses etc.	13	76.5	0	0.0	4	23.5	0	0.0	0	0.0	17	100.0
C32	Larynx	13	72.2	0	0.0	3	16.7	2	11.1	0	0.0	18	100.0
C33-34	Lung etc.	46	56.8	19	23.5	0	0.0	13	16.0	3	3.7	81	100.0
C37-38	Other Thoracic Organs	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C40-41	Bone	28	73.7	0	0.0	3	7.9	6	15.8	1	2.6	38	100.0
C43	Melanoma of Skin	9	100.0	0	0.0	0	0.0	0	0.0	0	0.0	9	100.0
C44	Other Skin	39	90.7	0	0.0	3	7.0	0	0.0	1	2.3	43	100.0
C45	Mesothelioma	3	75.0	0	0.0	0	0.0	1	25.0	0	0.0	4	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	32	100.0	0	0.0	0	0.0	0	0.0	0	0.0	32	100.0
C50	Breast	813	86.4	1	0.1	109	11.6	6	0.6	12	1.3	941	100.0
C51	Vulva	20	90.9	0	0.0	2	9.1	0	0.0	0	0.0	22	100.0
C52	Vagina	21	84.0	0	0.0	3	12.0	0	0.0	1	4.0	25	100.0
C53	Cervix Uteri	931	88.4	0	0.0	110	10.4	1	0.1	11	1.0	1053	100.0
C54	Corpus Uteri	65	91.5	0	0.0	4	5.6	0	0.0	2	2.8	71	100.0
C55	Uterus Unspecified	18	62.1	0	0.0	6	20.7	4	13.8	1	3.4	29	100.0
C56	Ovary etc.	151	69.9	0	0.0	17	7.9	42	19.4	6	2.8	216	100.0
C57	Other Female Genital	3	50.0	0	0.0	1	16.7	1	16.7	1	16.7	6	100.0
C58	Placenta	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C64	Kidney etc.	20	90.9	0	0.0	0	0.0	1	4.5	1	4.5	22	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C67	Bladder	21	72.4	0	0.0	0	0.0	8	27.6	0	0.0	29	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C70-72	Brain, Nervous System	70	86.4	0	0.0	1	1.2	9	11.1	1	1.2	81	100.0
C73	Thyroid	71	86.6	0	0.0	3	3.7	7	8.5	1	1.2	82	100.0
C74	Adrenal Gland	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C77	Sec Lymph Nodes	3	60.0	0	0.0	2	40.0	0	0.0	0	0.0	5	100.0
C78	Sec Resp & Digestive	7	28.0	2	8.0	0	0.0	16	64.0	0	0.0	25	100.0
C79	Sec Others	3	33.3	1	11.1	0	0.0	5	55.6	0	0.0	9	100.0
C81	Hodgkins Disease	15	100.0	0	0.0	0	0.0	0	0.0	0	0.0	15	100.0
C82-85,C96	NHL	85	97.7	0	0.0	0	0.0	0	0.0	2	2.3	87	100.0
C90	Multiple Myeloma	22	100.0	0	0.0	0	0.0	0	0.0	0	0.0	22	100.0
C91	Lymphoid Leuk.	36	100.0	0	0.0	0	0.0	0	0.0	0	0.0	36	100.0
C92-94	Myeloid Leukaemia	50	98.0	0	0.0	0	0.0	0	0.0	1	2.0	51	100.0
C95	Leukaemia Uns	14	93.3	0	0.0	0	0.0	0	0.0	1	6.7	15	100.0
O&U	Other and Uns	32	33.7	2	2.1	8	8.4	27	28.4	26	27.4	95	100.0
	All Sites	3375	80.7	36	0.9	359	8.6	309	7.4	103	2.5	4182	100.0

**TABLE CHN-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Males
Chennai**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	66.7	0	0.0	0	0.0	0	0.0	0	0.0	3	33.3	9	100.0
C01-02	Tongue	154	83.2	0	0.0	1	0.5	0	0.0	0	0.0	30	16.2	185	100.0
C03-06	Mouth	167	83.1	1	0.5	0	0.0	0	0.0	0	0.0	33	16.4	201	100.0
C07-08	Salivary Gland	17	81.0	0	0.0	0	0.0	0	0.0	0	0.0	4	19.0	21	100.0
C09	Tonsil	44	84.6	1	1.9	0	0.0	0	0.0	0	0.0	7	13.5	52	100.0
C10	Oth. Oropharynx	34	85.0	0	0.0	0	0.0	0	0.0	0	0.0	6	15.0	40	100.0
C11	Nasopharynx	26	70.3	2	5.4	3	8.1	0	0.0	0	0.0	6	16.2	37	100.0
C12-13	Hypopharynx	167	88.8	1	0.5	2	1.1	0	0.0	0	0.0	18	9.6	188	100.0
C14	Pharynx Unspecified	17	63.0	0	0.0	0	0.0	0	0.0	0	0.0	10	37.0	27	100.0
C15	Oesophagus	224	67.9	4	1.2	1	0.3	0	0.0	0	0.0	101	30.6	330	100.0
C16	Stomach	258	57.1	4	0.9	2	0.4	0	0.0	0	0.0	188	41.6	452	100.0
C17	Small Intestine	4	44.4	0	0.0	0	0.0	0	0.0	0	0.0	5	55.6	9	100.0
C18	Colon	43	59.7	2	2.8	0	0.0	0	0.0	0	0.0	27	37.5	72	100.0
C19-20	Rectum	98	75.4	0	0.0	0	0.0	0	0.0	0	0.0	32	24.6	130	100.0
C21	Anus & Anal Canal	20	90.9	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	22	100.0
C22	Liver	73	70.9	0	0.0	3	2.9	0	0.0	0	0.0	27	26.2	103	100.0
C23-24	Gallbladder etc.	15	44.1	0	0.0	0	0.0	0	0.0	0	0.0	19	55.9	34	100.0
C25	Pancreas	26	41.3	2	3.2	1	1.6	0	0.0	0	0.0	34	54.0	63	100.0
C30-31	Nose, Sinuses etc.	23	92.0	0	0.0	0	0.0	0	0.0	0	0.0	2	8.0	25	100.0
C32	Larynx	140	82.8	1	0.6	1	0.6	0	0.0	0	0.0	27	16.0	169	100.0
C33-34	Lung etc.	152	41.8	16	4.4	46	12.6	0	0.0	0	0.0	150	41.2	364	100.0
C37-38	Other Thoracic Organs	11	68.8	1	6.3	0	0.0	0	0.0	0	0.0	4	25.0	16	100.0
C40-41	Bone	34	66.7	0	0.0	1	2.0	0	0.0	0	0.0	16	31.4	51	100.0
C43	Melanoma of Skin	5	83.3	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C44	Other Skin	41	89.1	0	0.0	1	2.2	0	0.0	0	0.0	4	8.7	46	100.0
C45	Mesothelioma	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	3	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	45	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	45	100.0
C50	Breast	12	80.0	0	0.0	0	0.0	0	0.0	0	0.0	3	20.0	15	100.0
C60	Penis	47	73.4	0	0.0	0	0.0	0	0.0	0	0.0	17	26.6	64	100.0
C61	Prostate	95	66.9	1	0.7	0	0.0	0	0.0	0	0.0	46	32.4	142	100.0
C62	Testis	20	74.1	1	3.7	0	0.0	0	0.0	0	0.0	6	22.2	27	100.0
C63	Other Male Genital	5	71.4	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	7	100.0
C64	Kidney etc.	42	89.4	1	2.1	0	0.0	0	0.0	1	2.1	3	6.4	47	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C66	Ureter	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C67	Bladder	69	71.9	1	1.0	3	3.1	0	0.0	0	0.0	23	24.0	96	100.0
C68	Uns. Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	12	92.3	0	0.0	1	7.7	0	0.0	0	0.0	0	0.0	13	100.0
C70-72	Brain, Nervous System	116	87.9	0	0.0	0	0.0	0	0.0	0	0.0	16	12.1	132	100.0
C73	Thyroid	17	68.0	1	4.0	4	16.0	0	0.0	0	0.0	3	12.0	25	100.0
C74	Adrenal Gland	4	66.7	0	0.0	0	0.0	0	0.0	0	0.0	2	33.3	6	100.0
C77	Sec Lymph Nodes	0	0.0	18	62.1	5	17.2	0	0.0	0	0.0	6	20.7	29	100.0
C78	Sec Resp & Digestive	0	0.0	7	13.0	0	0.0	0	0.0	0	0.0	47	87.0	54	100.0
C79	Sec Others	0	0.0	3	27.3	2	18.2	0	0.0	0	0.0	6	54.5	11	100.0
C81	Hodgkins Disease	61	98.4	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	62	100.0
C82-85,C96	NHL	174	98.3	0	0.0	0	0.0	0	0.0	0	0.0	3	1.7	177	100.0
C90	Multiple Myeloma	8	24.2	0	0.0	0	0.0	0	0.0	24	72.7	1	3.0	33	100.0
C91	Lymphoid Leuk.	1	1.7	0	0.0	0	0.0	0	0.0	58	98.3	0	0.0	59	100.0
C92-94	Myeloid Leukaemia	3	4.1	0	0.0	0	0.0	1	1.4	69	93.2	1	1.4	74	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	19	86.4	3	13.6	22	100.0
O&U	Other and Uns	14	8.6	31	19.0	11	6.7	0	0.0	1	0.6	106	65.0	163	100.0
	All Sites	2547	64.3	100	2.5	89	2.2	1	0.0	172	4.3	1051	26.5	3960	100.0

**TABLE CHN-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Females
Chennai**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	8	88.9	0	0.0	0	0.0	0	0.0	0	0.0	1	11.1	9	100.0
C01-02	Tongue	42	79.2	0	0.0	0	0.0	0	0.0	0	0.0	11	20.8	53	100.0
C03-06	Mouth	138	78.0	0	0.0	0	0.0	0	0.0	0	0.0	39	22.0	177	100.0
C07-08	Salivary Gland	8	72.7	0	0.0	0	0.0	0	0.0	0	0.0	3	27.3	11	100.0
C09	Tonsil	7	77.8	0	0.0	0	0.0	0	0.0	0	0.0	2	22.2	9	100.0
C10	Oth. Oropharynx	3	75.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	4	100.0
C11	Nasopharynx	14	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	14	100.0
C12-13	Hypopharynx	53	86.9	0	0.0	0	0.0	0	0.0	0	0.0	8	13.1	61	100.0
C14	Pharynx Unspecified	8	72.7	0	0.0	0	0.0	0	0.0	0	0.0	3	27.3	11	100.0
C15	Oesophagus	148	75.9	0	0.0	2	1.0	0	0.0	1	0.5	44	22.6	195	100.0
C16	Stomach	106	55.2	2	1.0	1	0.5	0	0.0	0	0.0	83	43.2	192	100.0
C17	Small Intestine	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	3	75.0	4	100.0
C18	Colon	44	63.8	2	2.9	0	0.0	0	0.0	0	0.0	23	33.3	69	100.0
C19-20	Rectum	55	76.4	0	0.0	0	0.0	0	0.0	0	0.0	17	23.6	72	100.0
C21	Anus & Anal Canal	12	80.0	0	0.0	2	13.3	0	0.0	0	0.0	1	6.7	15	100.0
C22	Liver	26	72.2	0	0.0	0	0.0	0	0.0	0	0.0	10	27.8	36	100.0
C23-24	Gallbladder etc.	14	53.8	1	3.8	0	0.0	0	0.0	0	0.0	11	42.3	26	100.0
C25	Pancreas	7	25.0	0	0.0	0	0.0	0	0.0	0	0.0	21	75.0	28	100.0
C30-31	Nose, Sinuses etc.	12	70.6	0	0.0	1	5.9	0	0.0	0	0.0	4	23.5	17	100.0
C32	Larynx	13	72.2	0	0.0	0	0.0	0	0.0	0	0.0	5	27.8	18	100.0
C33-34	Lung etc.	29	35.8	9	11.1	8	9.9	0	0.0	0	0.0	35	43.2	81	100.0
C37-38	Other Thoracic Organs	3	75.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	4	100.0
C40-41	Bone	28	73.7	0	0.0	0	0.0	0	0.0	0	0.0	10	26.3	38	100.0
C43	Melanoma of Skin	9	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	9	100.0
C44	Other Skin	38	88.4	0	0.0	1	2.3	0	0.0	0	0.0	4	9.3	43	100.0
C45	Mesothelioma	2	50.0	0	0.0	1	25.0	0	0.0	0	0.0	1	25.0	4	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	31	96.9	1	3.1	0	0.0	0	0.0	0	0.0	0	0.0	32	100.0
C50	Breast	730	77.6	8	0.9	73	7.8	0	0.0	2	0.2	128	13.6	941	100.0
C51	Vulva	19	86.4	1	4.5	0	0.0	0	0.0	0	0.0	2	9.1	22	100.0
C52	Vagina	21	84.0	0	0.0	0	0.0	0	0.0	0	0.0	4	16.0	25	100.0
C53	Cervix Uteri	928	88.1	1	0.1	2	0.2	0	0.0	0	0.0	122	11.6	1053	100.0
C54	Corpus Uteri	60	84.5	1	1.4	4	5.6	0	0.0	0	0.0	6	8.5	71	100.0
C55	Uterus Unspecified	17	58.6	1	3.4	0	0.0	0	0.0	0	0.0	11	37.9	29	100.0
C56	Ovary etc.	127	58.8	2	0.9	22	10.2	0	0.0	0	0.0	65	30.1	216	100.0
C57	Other Female Genital	3	50.0	0	0.0	0	0.0	0	0.0	0	0.0	3	50.0	6	100.0
C58	Placenta	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C64	Kidney etc.	20	90.9	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	22	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C67	Bladder	21	72.4	0	0.0	0	0.0	0	0.0	0	0.0	8	27.6	29	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C70-72	Brain, Nervous System	70	86.4	0	0.0	0	0.0	0	0.0	0	0.0	11	13.6	81	100.0
C73	Thyroid	66	80.5	1	1.2	4	4.9	0	0.0	0	0.0	11	13.4	82	100.0
C74	Adrenal Gland	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C77	Sec Lymph Nodes	0	0.0	2	40.0	1	20.0	0	0.0	0	0.0	2	40.0	5	100.0
C78	Sec Resp & Digestive	1	4.0	3	12.0	3	12.0	0	0.0	0	0.0	18	72.0	25	100.0
C79	Sec Others	0	0.0	2	22.2	1	11.1	0	0.0	0	0.0	6	66.7	9	100.0
C81	Hodgkins Disease	15	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	15	100.0
C82-85,C96	NHL	85	97.7	0	0.0	0	0.0	0	0.0	0	0.0	2	2.3	87	100.0
C90	Multiple Myeloma	3	13.6	0	0.0	0	0.0	0	0.0	19	86.4	0	0.0	22	100.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	0	0.0	36	100.0	0	0.0	36	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	0	0.0	50	98.0	1	2.0	51	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	14	93.3	1	6.7	15	100.0
O&U	Other and Uns	10	10.5	17	17.9	5	5.3	0	0.0	0	0.0	63	66.3	95	100.0
	All Sites	3067	73.3	54	1.3	132	3.2	0	0.0	122	2.9	807	19.3	4182	100.0

**TABLE CHN-8.1(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	2	2	2	4	6	6	1	6	1	1	0	31	3.45	
C03-06	Mouth	0	0	0	0	0	0	2	0	2	1	3	4	0	3	0	2	0	17	1.89	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	3	0.33	
C09	Tonsil	0	0	0	0	0	1	0	0	0	0	0	2	0	0	1	1	0	5	0.56	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	3	0.33	
C11	Nasopharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2	0.22	
C12-13	Hypopharynx	0	0	0	1	0	0	0	1	0	5	4	3	4	5	3	1	0	27	3.00	
C14	Pharynx Unspecified	0	0	0	0	0	0	1	1	0	1	0	1	1	1	0	0	0	6	0.67	
C15	Oesophagus	0	0	0	0	0	0	0	0	4	3	9	10	6	6	7	2	0	47	5.23	
C16	Stomach	0	0	0	2	1	2	2	2	5	11	18	5	13	14	10	7	0	92	10.23	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0.22	
C18	Colon	0	0	0	0	0	0	0	1	0	0	1	1	0	0	2	1	0	6	0.67	
C19-20	Rectum	0	0	0	0	0	1	1	1	0	0	3	0	2	4	2	2	0	16	1.78	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	3	0.33	
C22	Liver	0	0	0	0	0	0	0	0	0	1	3	4	2	3	1	5	0	19	2.11	
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	1	0	2	2	0	0	0	0	5	0.56	
C25	Pancreas	0	0	0	0	0	0	0	2	1	1	3	4	2	3	0	1	0	17	1.89	
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.11	
C32	Larynx	0	0	0	0	0	0	0	0	1	3	2	3	0	0	1	2	0	12	1.33	
C33-34	Lung etc.	0	0	0	0	1	0	0	1	3	6	14	18	13	11	4	6	0	77	8.57	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	3	1	1	0	0	0	0	0	0	2	1	1	1	0	10	1.11	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.11	
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	1	1	0	0	0	0	2	1	0	1	2	0	0	0	0	9	1.00	
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.11	
C60	Penis	0	0	0	0	0	0	1	2	1	0	1	1	0	0	0	0	0	6	0.67	
C61	Prostate	0	0	0	0	0	1	0	0	0	1	0	1	4	5	2	6	0	20	2.22	
C62	Testis	0	0	0	0	1	2	0	0	0	0	0	0	0	1	0	1	0	5	0.56	
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0.22	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.11	
C67	Bladder	0	0	0	0	0	0	1	1	0	0	1	0	3	2	3	1	0	12	1.33	
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.11	
C70-72	Brain, Nervous System	1	0	2	0	2	0	0	0	0	0	0	0	2	1	2	1	0	11	1.22	
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	0	4	0.44	
C74	Adrenal Gland	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.11	
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.11	
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	3	0.33	
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	1	0	0	0	0	2	0	0	0	0	0	1	0	0	4	0.44	
C82-85,C96	NHL	0	0	0	1	0	0	2	2	1	2	2	6	2	4	3	0	0	25	2.78	
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	3	0.33	
C91	Lymphoid Leuk.	1	3	3	1	0	1	0	0	1	2	0	0	1	2	1	0	0	16	1.78	
C92-94	Myeloid Leukaemia	0	0	1	0	1	2	2	0	3	1	1	0	0	1	1	1	0	14	1.56	
C95	Leukaemia Uns	0	0	0	1	0	0	1	0	0	0	0	0	0	0	1	0	0	3	0.33	
O&U	Other and Uns	2	1	2	1	2	3	7	10	10	26	29	53	63	58	45	43	0	355	39.49	
	All Sites	6	4	9	12	9	14	23	26	40	74	105	131	129	135	94	88	0	899	100.00	

**TABLE CHN-8.1(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	3	0.40
C01-02	Tongue	0	0	0	0	0	0	0	0	0	2	1	0	1	1	0	2	0	7	0.94
C03-06	Mouth	0	0	0	0	0	0	0	1	0	0	0	4	2	1	5	3	0	16	2.15
C07-08	Salivary Gland	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.13
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.13
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0.27
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	1	3	0	1	1	2	0	1	1	0	0	0	10	1.34
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	2	2	7	4	4	2	2	1	3	0	27	3.62
C16	Stomach	0	0	0	0	0	2	2	4	1	6	4	4	6	5	3	1	0	38	5.10
C17	Small Intestine	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.13
C18	Colon	0	0	0	0	0	0	0	0	1	1	0	2	2	2	3	3	0	14	1.88
C19-20	Rectum	0	0	1	0	0	1	1	2	0	0	0	1	3	1	0	0	0	10	1.34
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0.27
C22	Liver	0	0	0	0	0	0	0	0	0	1	2	0	1	1	1	3	0	9	1.21
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	0	1	0	0	0	1	1	1	0	0	5	0.67
C25	Pancreas	0	0	0	0	0	0	2	1	0	0	1	0	1	1	0	1	0	7	0.94
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	3	0.40
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C33-34	Lung etc.	0	0	0	0	0	0	1	1	0	2	3	5	2	1	3	3	0	21	2.82
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	1	1	0	2	0	0	0	1	0	0	1	1	0	0	0	7	0.94
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	1	1	1	0	0	1	0	0	0	0	0	0	4	0.54
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	1	0	0	0	0	0	0	0	2	1	0	0	0	4	0.54
C50	Breast	0	0	0	0	0	1	5	12	13	8	9	11	7	9	5	9	0	89	11.95
C51	Vulva	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0.27
C52	Vagina	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	4	0.54
C53	Cervix Uteri	0	0	0	0	1	1	6	8	14	26	14	12	13	7	6	3	0	111	14.90
C54	Corpus Uteri	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0	3	0	8	1.07
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	3	0.40
C56	Ovary etc.	0	0	1	1	1	1	0	3	2	5	10	1	4	3	5	1	0	38	5.10
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	1	0	4	0.54
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	0	0	0	0	1	0	1	0	0	0	0	1	2	0	1	0	6	0.81
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0.27
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.13
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0.27
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.13
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C82-85,C96	NHL	0	1	0	0	0	1	1	2	1	1	0	2	1	1	0	1	0	12	1.61
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	3	0.40
C91	Lymphoid Leuk.	2	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0.81
C92-94	Myeloid Leukaemia	0	0	0	2	1	0	0	2	1	3	2	1	1	1	0	0	0	14	1.88
C95	Leukaemia Uns	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.13
O&U	Other and Uns	3	0	3	0	5	2	4	19	16	22	28	41	36	36	16	15	0	246	33.02
	All Sites	5	4	6	5	9	16	27	61	53	92	86	91	94	87	53	56	0	745	100.00

**TABLE CHN-8.2(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	4	0.46
C01-02	Tongue	0	0	0	0	0	1	1	0	3	5	2	5	3	5	5	7	0	37	4.22
C03-06	Mouth	0	0	0	0	2	0	1	1	0	3	8	12	9	8	2	3	0	49	5.59
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	3	0.34
C09	Tonsil	0	0	0	0	0	0	0	0	1	2	2	3	3	2	1	0	0	14	1.60
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	2	2	1	0	1	1	0	0	8	0.91
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0	6	0.68
C12-13	Hypopharynx	0	0	0	0	1	1	1	1	1	4	7	7	7	6	3	8	0	47	5.37
C14	Pharynx Unspecified	0	0	0	0	1	0	0	1	0	1	1	1	1	2	1	2	0	11	1.26
C15	Oesophagus	0	0	0	0	0	0	0	3	2	7	15	12	13	17	9	10	0	88	10.05
C16	Stomach	0	0	0	0	1	0	2	6	10	18	16	25	17	16	12	18	0	141	16.10
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	1	0	0	0	0	1	3	1	3	4	1	0	0	0	14	1.60
C19-20	Rectum	0	0	0	0	0	0	0	1	0	1	4	1	2	3	1	2	0	15	1.71
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	3	0.34
C22	Liver	0	0	0	0	1	0	1	0	0	1	5	3	8	3	4	1	0	27	3.08
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	0	1	2	4	2	0	2	0	11	1.26
C25	Pancreas	0	0	0	0	0	0	1	0	0	0	1	3	4	1	2	1	0	13	1.48
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1	0	4	0.46
C32	Larynx	0	0	0	0	0	0	2	0	2	2	8	5	8	3	2	6	0	38	4.34
C33-34	Lung etc.	0	0	0	0	0	0	3	1	6	9	13	14	13	20	11	5	0	95	10.84
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.11
C40-41	Bone	0	2	0	0	0	0	0	1	2	1	0	0	1	0	1	0	0	8	0.91
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.11
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0.23
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	1	0	0	0	0	0	0	0	0	1	1	0	1	0	0	4	0.46
C50	Breast	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	0	4	0.46
C60	Penis	0	0	0	0	0	1	0	0	0	1	1	2	3	3	1	0	0	12	1.37
C61	Prostate	0	0	0	0	0	0	0	0	0	0	0	1	1	5	4	8	0	19	2.17
C62	Testis	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.11
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0.23
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	1	2	1	2	2	3	2	2	0	15	1.71
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.11
C70-72	Brain, Nervous System	0	0	2	2	1	1	0	1	2	1	2	2	4	3	1	1	0	23	2.63
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0	5	0.57
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.23
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	1	1	2	3	3	4	1	0	15	1.71
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	3	0.34
C81	Hodgkins Disease	0	1	0	1	0	0	0	0	0	0	0	1	0	2	1	1	0	7	0.80
C82-85,C96	NHL	1	1	0	1	3	4	1	2	1	1	0	3	2	4	3	2	0	29	3.31
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	3	0	7	0.80
C91	Lymphoid Leuk.	2	2	3	1	2	0	0	0	0	1	0	3	1	1	0	0	0	16	1.83
C92-94	Myeloid Leukaemia	2	1	1	2	3	3	1	1	0	1	2	0	1	2	0	2	0	22	2.51
C95	Leukaemia Uns	0	0	1	0	1	0	2	0	0	0	0	0	0	0	1	0	0	5	0.57
O&U	Other and Uns	0	0	0	0	2	1	1	1	1	4	6	3	7	12	2	4	0	44	5.02
	All Sites	5	7	8	8	18	13	17	22	36	73	105	122	134	136	80	92	0	876	100.00

**TABLE CHN-8.2(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0.29
C01-02	Tongue	0	0	0	0	0	0	0	0	5	0	1	1	0	1	1	1	0	10	1.47
C03-06	Mouth	0	0	0	0	0	0	2	1	1	2	4	4	9	2	4	2	0	31	4.57
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.15
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0.29
C11	Nasopharynx	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.15
C12-13	Hypopharynx	0	0	0	0	0	0	0	2	0	3	2	2	3	3	2	1	0	18	2.65
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	0.29
C15	Oesophagus	0	0	0	0	0	0	1	1	4	3	11	9	13	5	6	3	0	56	8.25
C16	Stomach	0	0	0	0	0	1	4	2	6	6	8	3	10	9	2	4	0	55	8.10
C17	Small Intestine	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.15
C18	Colon	0	0	0	0	0	1	0	1	1	0	1	2	1	1	0	1	0	9	1.33
C19-20	Rectum	0	0	0	0	0	2	1	1	1	2	1	1	0	0	3	1	0	13	1.91
C21	Anus & Anal Canal	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.15
C22	Liver	0	0	0	0	0	0	0	0	3	1	0	2	1	0	1	0	0	8	1.18
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	1	0	0	0	2	1	0	1	1	0	6	0.88
C25	Pancreas	0	0	0	0	0	0	1	0	1	0	0	2	0	1	2	0	0	7	1.03
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.15
C32	Larynx	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	0	4	0.59
C33-34	Lung etc.	0	0	0	0	0	1	0	4	1	1	5	1	3	5	4	2	0	27	3.98
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.15
C40-41	Bone	0	0	0	0	0	0	0	0	1	2	0	2	0	0	0	0	0	5	0.74
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	4	0.59
C44	Other Skin	0	0	0	0	0	1	0	0	0	0	0	1	2	1	0	0	0	5	0.74
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.15
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0.29
C50	Breast	0	0	0	0	0	2	8	8	15	12	24	8	26	23	12	15	0	153	22.53
C51	Vulva	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	4	0.59
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.15
C53	Cervix Uteri	0	0	0	0	0	1	1	5	11	14	23	15	8	11	5	7	0	101	14.87
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0	0	0	5	0.74
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	1	1	3	3	0	0	0	1	0	9	1.33
C56	Ovary etc.	0	0	1	0	1	0	0	1	4	8	3	4	4	2	1	4	0	33	4.86
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.15
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	2	0	0	0	0	0	0	1	1	0	0	2	1	3	0	0	0	10	1.47
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0.29
C70-72	Brain, Nervous System	0	0	0	0	0	2	0	1	1	0	3	2	1	0	0	2	0	12	1.77
C73	Thyroid	0	0	0	0	0	0	0	0	2	0	0	2	2	0	0	0	0	6	0.88
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2	0.29
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C81	Hodgkins Disease	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	3	0.44
C82-85,C96	NHL	0	0	0	1	0	1	0	1	1	2	2	1	2	1	1	2	0	15	2.21
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	3	0.44
C91	Lymphoid Leuk.	3	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	5	0.74
C92-94	Myeloid Leukaemia	0	1	1	1	0	1	0	1	1	2	2	2	0	1	0	0	0	13	1.91
C95	Leukaemia Uns	0	0	0	1	0	1	0	0	0	0	1	0	0	0	1	0	0	4	0.59
O&U	Other and Uns	0	0	0	0	0	2	0	2	2	2	2	1	3	5	2	3	0	24	3.53
	All Sites	6	2	2	3	3	16	21	33	64	63	103	78	100	80	50	55	0	679	100.00

**TABLE CHN-8.3(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	4	0.23
C01-02	Tongue	0	0	0	0	0	1	3	2	5	9	8	11	4	11	6	8	0	68	3.83
C03-06	Mouth	0	0	0	0	2	0	3	1	2	4	11	16	9	11	2	5	0	66	3.72
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	0	1	2	0	1	1	0	0	6	0.34
C09	Tonsil	0	0	0	0	0	1	0	0	1	2	2	5	3	2	2	1	0	19	1.07
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	3	2	2	0	1	1	1	0	11	0.62
C11	Nasopharynx	0	0	0	0	0	0	0	0	1	1	1	1	1	2	1	0	0	8	0.45
C12-13	Hypopharynx	0	0	0	1	1	1	1	2	1	9	11	10	11	11	6	9	0	74	4.17
C14	Pharynx Unspecified	0	0	0	0	1	0	1	2	0	2	1	2	2	3	1	2	0	17	0.96
C15	Oesophagus	0	0	0	0	0	0	0	3	6	10	24	22	19	23	16	12	0	135	7.61
C16	Stomach	0	0	0	2	2	2	4	8	15	29	34	30	30	30	22	25	0	233	13.13
C17	Small Intestine	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0.11
C18	Colon	0	0	0	1	0	0	0	1	1	3	2	4	4	1	2	1	0	20	1.13
C19-20	Rectum	0	0	0	0	0	1	1	2	0	1	7	1	4	7	3	4	0	31	1.75
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	2	0	1	0	2	1	0	0	0	6	0.34
C22	Liver	0	0	0	0	1	0	1	0	0	2	8	7	10	6	5	6	0	46	2.59
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	0	0	1	1	4	6	2	0	2	0	16	0.90
C25	Pancreas	0	0	0	0	0	0	1	2	1	1	4	7	6	4	2	2	0	30	1.69
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0	1	0	5	0.28
C32	Larynx	0	0	0	0	0	0	2	0	3	5	10	8	8	3	3	8	0	50	2.82
C33-34	Lung etc.	0	0	0	0	1	0	3	2	9	15	27	32	26	31	15	11	0	172	9.69
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.06
C40-41	Bone	0	2	0	3	1	1	0	1	2	1	0	0	3	1	2	1	0	18	1.01
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	0.11
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0.11
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	0	2	1	0	0	0	0	2	1	0	2	3	0	1	0	0	13	0.73
C50	Breast	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	1	0	5	0.28
C60	Penis	0	0	0	0	0	1	1	2	1	1	2	3	3	3	1	0	0	18	1.01
C61	Prostate	0	0	0	0	0	1	0	0	0	1	0	2	5	10	6	14	0	39	2.20
C62	Testis	0	0	0	0	1	3	0	0	0	0	0	0	0	1	0	1	0	6	0.34
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	4	0.23
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.06
C67	Bladder	0	0	0	0	0	0	1	1	1	2	2	2	5	5	5	3	0	27	1.52
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	2	0.11
C70-72	Brain, Nervous System	1	0	4	2	3	1	0	1	2	1	2	2	6	4	3	2	0	34	1.92
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	2	0	1	2	1	2	0	9	0.51
C74	Adrenal Gland	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.06
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	3	0.17
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	1	1	3	3	4	5	1	0	18	1.01
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	3	0.17
C81	Hodgkins Disease	0	1	0	2	0	0	0	0	2	0	0	1	0	2	2	1	0	11	0.62
C82-85,C96	NHL	1	1	0	2	3	4	3	4	2	3	2	9	4	8	6	2	0	54	3.04
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	2	1	3	0	0	4	0	10	0.56
C91	Lymphoid Leuk.	3	5	6	2	2	1	0	0	1	3	0	3	2	3	1	0	0	32	1.80
C92-94	Myeloid Leukaemia	2	1	2	2	4	5	3	1	3	2	3	0	1	3	1	3	0	36	2.03
C95	Leukaemia Uns	0	0	1	1	1	0	3	0	0	0	0	0	0	0	2	0	0	8	0.45
O&U	Other and Uns	2	1	2	1	4	4	8	11	11	30	35	56	70	70	47	47	0	399	22.48
	All Sites	11	11	17	20	27	27	40	48	76	147	210	253	263	271	174	180	0	1775	100.00

**TABLE CHN-8.3(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Chennai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	1	0	5	0.35
C01-02	Tongue	0	0	0	0	0	0	0	0	5	2	2	1	1	2	1	3	0	17	1.19
C03-06	Mouth	0	0	0	0	0	0	2	2	1	2	4	8	11	3	9	5	0	47	3.30
C07-08	Salivary Gland	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.07
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	0.14
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	4	0.28
C11	Nasopharynx	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.07
C12-13	Hypopharynx	0	0	0	0	0	1	3	2	1	4	4	2	4	4	2	1	0	28	1.97
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	0.14
C15	Oesophagus	0	0	0	0	0	0	1	3	6	10	15	13	15	7	7	6	0	83	5.83
C16	Stomach	0	0	0	0	0	3	6	6	7	12	12	7	16	14	5	5	0	93	6.53
C17	Small Intestine	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	2	0.14
C18	Colon	0	0	0	0	0	1	0	1	2	1	1	4	3	3	3	4	0	23	1.62
C19-20	Rectum	0	0	1	0	0	3	2	3	1	2	1	2	3	1	3	1	0	23	1.62
C21	Anus & Anal Canal	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	3	0.21
C22	Liver	0	0	0	0	0	0	0	0	3	2	2	2	2	1	2	3	0	17	1.19
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	1	1	0	0	2	2	1	2	1	0	11	0.77
C25	Pancreas	0	0	0	0	0	0	3	1	1	0	1	2	1	2	2	1	0	14	0.98
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0	4	0.28
C32	Larynx	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	0	4	0.28
C33-34	Lung etc.	0	0	0	0	0	1	1	5	1	3	8	6	5	6	7	5	0	48	3.37
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.07
C40-41	Bone	0	0	1	1	0	2	0	0	1	3	0	2	1	1	0	0	0	12	0.84
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	4	0.28
C44	Other Skin	0	0	0	0	0	2	1	1	0	0	1	1	2	1	0	0	0	9	0.63
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.07
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	1	0	0	0	0	0	0	0	3	2	0	0	0	6	0.42
C50	Breast	0	0	0	0	0	3	13	20	28	20	33	19	33	32	17	24	0	242	16.99
C51	Vulva	0	0	0	0	0	0	0	1	0	0	2	0	2	0	1	0	0	6	0.42
C52	Vagina	0	0	0	0	0	0	0	0	0	2	2	0	1	0	0	0	0	5	0.35
C53	Cervix Uteri	0	0	0	0	1	2	7	13	25	40	37	27	21	18	11	10	0	212	14.89
C54	Corpus Uteri	0	0	0	0	0	0	0	1	0	0	2	1	3	3	0	3	0	13	0.91
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	1	1	3	4	1	0	0	2	0	12	0.84
C56	Ovary etc.	0	0	2	1	2	1	0	4	6	13	13	5	8	5	6	5	0	71	4.99
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.07
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	2	0	0	0	0	0	0	1	1	0	0	2	1	3	0	0	0	10	0.70
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	1	0	4	0.28
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0.14
C70-72	Brain, Nervous System	0	0	0	0	0	3	0	2	1	0	3	2	2	2	0	3	0	18	1.26
C73	Thyroid	0	0	0	0	0	0	0	0	2	0	0	2	2	2	0	0	0	8	0.56
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.07
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	0	4	0.28
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.07
C81	Hodgkins Disease	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	3	0.21
C82-85,C96	NHL	0	1	0	1	0	2	1	3	2	3	2	3	3	2	1	3	0	27	1.90
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	0	0	1	1	0	3	1	0	0	6	0.42
C91	Lymphoid Leuk.	5	4	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	11	0.77
C92-94	Myeloid Leukaemia	0	1	1	3	1	1	0	3	2	5	4	3	1	2	0	0	0	27	1.90
C95	Leukaemia Uns	0	0	0	1	0	1	0	0	0	0	1	0	0	0	1	1	0	5	0.35
O&U	Other and Uns	3	0	3	0	5	4	4	21	18	24	30	42	39	41	18	18	0	270	18.96
	All Sites	11	6	8	8	12	32	48	94	117	155	189	169	194	167	103	111	0	1424	100.00

TABLE CHN-9.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Males
Chennai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.4	3.8	6.6	8.6	1.7	15.3	3.7	3.6	1.45	1.79	0.33	3.62
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.4	0.9	3.3	5.7	0.0	7.7	0.0	7.2	0.80	0.98	0.24	1.73
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.4	0.0	2.6	0.0	0.0	0.14	0.19	0.11	0.36
C09	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	3.7	3.6	0.23	0.30	0.14	0.37
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.4	0.0	0.0	0.0	3.6	0.14	0.19	0.11	0.37
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.09	0.10	0.07	0.32
C12-13	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.6	0.0	4.7	4.4	4.3	6.6	12.8	11.1	3.6	1.27	1.70	0.33	3.15
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.9	0.0	1.4	1.7	2.6	0.0	0.0	0.28	0.32	0.14	0.69
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.8	9.9	14.3	10.0	15.3	25.9	7.2	2.21	2.93	0.43	5.84
C16	0.0	0.0	0.0	1.0	0.4	0.9	1.1	1.1	3.6	10.4	19.8	7.2	21.6	35.7	37.0	25.3	4.32	5.62	0.60	9.84
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	3.7	0.0	0.09	0.13	0.09	0.18
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.1	1.4	0.0	0.0	7.4	3.6	0.28	0.37	0.15	0.47
C19-20	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.0	0.0	3.3	0.0	3.3	10.2	7.4	7.2	0.75	1.00	0.26	1.07
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.1	0.0	1.7	0.0	0.0	0.0	0.14	0.16	0.10	0.53
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.3	5.7	3.3	7.7	3.7	18.1	0.89	1.25	0.29	1.89
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.9	3.3	0.0	0.0	0.0	0.23	0.30	0.14	0.98
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7	0.9	3.3	5.7	3.3	7.7	0.0	3.6	0.80	1.00	0.25	2.24
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.05	0.08	0.08	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.8	2.2	4.3	0.0	0.0	3.7	7.2	0.56	0.71	0.21	1.60
C33-34	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	2.1	5.7	15.4	25.8	21.6	28.1	14.8	21.7	3.61	4.78	0.55	10.23
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	1.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.6	3.7	3.6	0.47	0.55	0.18	0.43
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.18
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.6	0.0	0.5	0.5	0.0	0.0	0.0	0.0	1.4	0.9	0.0	1.4	3.3	0.0	0.0	0.0	0.42	0.50	0.17	1.07
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.18
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	0.7	0.0	1.1	1.4	0.0	0.0	0.0	0.0	0.28	0.26	0.11	0.72
C61	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.9	0.0	1.4	6.6	12.8	7.4	21.7	0.94	1.38	0.31	1.23
C62	0.0	0.0	0.0	0.0	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.6	0.23	0.25	0.12	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	2.6	0.0	0.0	0.09	0.13	0.09	0.18
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.18
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	1.1	0.0	5.0	5.1	11.1	3.6	0.56	0.77	0.23	0.93
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.03	0.03	0.00
C70-72	0.6	0.0	1.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.6	7.4	3.6	0.52	0.66	0.21	0.43
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	1.7	0.0	0.0	3.6	0.19	0.25	0.13	0.58
C74	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.07	0.07	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.05	0.07	0.07	0.21
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.6	3.7	0.0	0.14	0.21	0.12	0.18
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.19	0.20	0.10	0.27
C82-85,C96	0.0	0.0	0.0	0.5	0.0	0.0	1.1	1.1	0.7	1.9	2.2	8.6	3.3	10.2	11.1	0.0	1.17	1.45	0.30	2.62
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.7	0.0	0.0	3.6	0.14	0.20	0.11	0.40
C91	0.6	1.6	1.6	0.5	0.0	0.4	0.0	0.0	0.7	1.9	0.0	0.0	1.7	5.1	3.7	0.0	0.75	0.91	0.23	0.72
C92-94	0.0	0.0	0.5	0.0	0.4	0.9	1.1	0.0	2.1	0.9	1.1	0.0	0.0	2.6	3.7	3.6	0.66	0.68	0.19	0.77
C95	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.14	0.15	0.09	0.00
O&U	1.2	0.5	1.0	0.5	0.8	1.3	3.8	5.7	7.1	24.7	32.0	75.9	104.6	147.9	166.3	155.4	16.66	22.68	1.22	35.71
All	3.7	2.2	4.7	5.8	3.8	6.3	12.3	14.8	28.4	70.3	115.8	187.7	214.3	344.3	347.4	318.0	42.18	55.46	1.89	92.50

TABLE CHN-9.1(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Females
Chennai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	3.9	3.3	0.15	0.20	0.12	0.20
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.3	0.0	1.7	2.6	0.0	6.5	0.35	0.47	0.18	0.83
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	6.1	3.5	2.6	19.3	9.8	0.79	1.08	0.27	1.35
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.04	0.04	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	3.9	0.0	0.10	0.14	0.10	0.21
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.5	1.8	0.0	0.9	1.0	2.5	0.0	1.7	2.6	0.0	0.0	0.50	0.53	0.17	1.00
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.7	7.2	5.1	6.1	3.5	5.2	3.9	9.8	1.34	1.68	0.33	4.03
C16	0.0	0.0	0.0	0.0	0.0	0.9	1.2	2.5	0.9	6.2	5.1	6.1	10.4	12.9	11.6	3.3	1.88	2.32	0.39	4.80
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	3.0	3.5	5.2	11.6	9.8	0.69	0.96	0.26	1.20
C19-20	0.0	0.0	0.5	0.0	0.0	0.5	0.6	1.3	0.0	0.0	0.0	1.5	5.2	2.6	0.0	0.0	0.50	0.54	0.18	1.11
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	3.9	0.0	0.10	0.15	0.10	0.22
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.5	0.0	1.7	2.6	3.9	9.8	0.45	0.61	0.20	0.83	
C23-24	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.9	0.0	0.0	0.0	1.7	2.6	3.9	0.0	0.25	0.31	0.14	0.39
C25	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.0	0.0	1.3	0.0	1.7	2.6	0.0	3.3	0.35	0.39	0.15	0.55
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	5.2	0.0	0.0	0.15	0.22	0.13	0.21
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.0	2.1	3.8	7.6	3.5	2.6	11.6	9.8	1.04	1.34	0.30	2.56
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.5	0.5	0.0	0.9	0.0	0.0	0.0	1.0	0.0	0.0	1.7	2.6	0.0	0.0	0.35	0.37	0.15	0.42
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.6	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.20	0.17	0.09	0.33
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	2.6	0.0	0.0	0.20	0.25	0.13	0.45
C50	0.0	0.0	0.0	0.0	0.0	0.5	3.0	7.6	11.2	8.3	11.4	16.7	12.1	23.2	19.3	29.4	4.41	5.24	0.57	10.80
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.10	0.11	0.08	0.35
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	0.0	0.0	0.0	0.0	0.0	0.20	0.25	0.13	0.81
C53	0.0	0.0	0.0	0.0	0.4	0.5	3.6	5.1	12.0	26.9	17.8	18.2	22.5	18.1	23.1	9.8	5.50	6.65	0.64	16.64
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.3	1.5	1.7	2.6	0.0	9.8	0.40	0.51	0.18	0.75
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.7	0.0	0.0	3.3	0.15	0.20	0.11	0.42
C56	0.0	0.0	0.5	0.5	0.4	0.5	0.0	1.9	1.7	5.2	12.7	1.5	6.9	7.7	19.3	3.3	1.88	2.35	0.39	4.84
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.6	0.0	3.3	0.20	0.25	0.13	0.22
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.6	0.0	0.0	0.0	0.0	1.7	5.2	0.0	3.3	0.30	0.36	0.15	0.35
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.10	0.15	0.11	0.00
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	2.6	0.0	0.0	0.10	0.14	0.10	0.20
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.05	0.07	0.07	0.22
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C82-85,C96	0.0	0.5	0.0	0.0	0.0	0.5	0.6	1.3	0.9	1.0	0.0	3.0	1.7	2.6	0.0	3.3	0.59	0.65	0.19	1.23
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	3.9	0.0	0.15	0.23	0.13	0.00
C91	1.3	1.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.30	0.37	0.15	0.00
C92-94	0.0	0.0	0.0	1.0	0.4	0.0	0.0	1.3	0.9	3.1	2.5	1.5	1.7	2.6	0.0	0.0	0.69	0.77	0.21	1.84
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.05	0.07	0.07	0.00
O&U	2.0	0.0	1.6	0.0	2.1	0.9	2.4	12.1	13.7	22.8	35.6	62.2	62.3	93.0	61.7	49.0	12.18	15.44	1.00	31.21
All	3.3	2.2	3.2	2.4	3.8	7.3	16.2	38.8	45.5	95.2	109.4	138.0	162.8	224.7	204.3	182.8	36.88	45.73	1.71	91.19

TABLE CHN-9.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Males
Chennai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.0	0.0	0.0	0.0	0.19	0.26	0.13	0.82
C01-02	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	2.1	4.7	2.2	7.1	5.0	12.8	18.4	25.4	1.72	2.33	0.39	3.23
C03-06	0.0	0.0	0.0	0.0	0.8	0.0	0.5	0.6	0.0	2.8	8.8	17.1	14.9	20.4	7.4	10.9	2.28	3.00	0.44	6.20
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.4	0.0	0.0	3.7	0.0	0.14	0.16	0.10	0.29
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	2.2	4.3	5.0	5.1	3.7	0.0	0.65	0.86	0.23	2.05
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	2.2	1.4	0.0	2.6	3.7	0.0	0.37	0.47	0.17	1.04
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.4	1.7	5.1	3.7	0.0	0.28	0.41	0.17	0.58
C12-13	0.0	0.0	0.0	0.0	0.4	0.4	0.5	0.6	0.7	3.8	7.7	10.0	11.6	15.3	11.1	29.0	2.19	2.91	0.43	4.99
C14	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	0.0	0.9	1.1	1.4	1.7	5.1	3.7	7.2	0.51	0.67	0.21	0.87
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.4	6.6	16.4	17.1	21.5	43.4	33.2	36.2	4.09	5.64	0.61	9.51
C16	0.0	0.0	0.0	0.0	0.4	0.0	1.1	3.4	7.1	16.9	17.5	35.6	28.1	40.8	44.3	65.2	6.56	8.58	0.74	16.36
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.7	2.8	1.1	4.3	6.6	2.6	0.0	0.0	0.65	0.82	0.22	2.27
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	4.4	1.4	3.3	7.7	3.7	7.2	0.70	0.95	0.25	1.61
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.7	2.6	0.0	0.0	0.14	0.19	0.11	0.35
C22	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.9	5.5	4.3	13.2	7.7	14.8	3.6	1.26	1.69	0.33	3.33
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8	6.6	5.1	0.0	7.2	0.51	0.73	0.22	1.40
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.1	4.3	6.6	2.6	7.4	3.6	0.60	0.82	0.23	1.58
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.1	0.0	0.0	2.6	0.0	3.6	0.19	0.24	0.12	0.29
C32	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.4	1.9	8.8	7.1	13.2	7.7	7.4	21.7	1.77	2.33	0.38	4.68
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.6	4.2	8.5	14.2	19.9	21.5	51.0	40.6	18.1	4.42	5.97	0.62	10.22
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.05	0.08	0.08	0.00
C40-41	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.6	1.4	0.9	0.0	0.0	1.7	0.0	3.7	0.0	0.37	0.42	0.15	0.78
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.05	0.05	0.05	0.18
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	3.7	0.0	0.09	0.13	0.09	0.18
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.7	0.0	3.7	0.0	0.19	0.24	0.12	0.40
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.7	0.0	3.7	3.6	0.19	0.25	0.13	0.35
C60	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.9	1.1	2.8	5.0	7.7	3.7	0.0	0.56	0.76	0.22	1.37
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.7	12.8	14.8	29.0	0.88	1.38	0.32	0.40
C62	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.04	0.04	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	2.6	0.0	0.0	0.09	0.13	0.10	0.18
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	1.1	2.8	3.3	7.7	7.4	7.2	0.70	0.98	0.26	1.47
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.05	0.07	0.07	0.21
C70-72	0.0	0.0	1.0	0.9	0.4	0.4	0.0	0.6	1.4	0.9	2.2	2.8	6.6	7.7	3.7	3.6	1.07	1.29	0.28	2.14
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	5.1	3.7	3.6	0.23	0.35	0.16	0.18
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.7	0.0	0.0	0.0	0.09	0.12	0.09	0.40
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	2.8	5.0	7.7	14.8	3.6	0.70	1.02	0.27	1.37
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	0.0	0.0	0.0	0.14	0.19	0.11	0.60
C81	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	5.1	3.7	3.6	0.33	0.45	0.17	0.18
C82-85,C96	0.6	0.5	0.0	0.5	1.2	1.8	0.5	1.1	0.7	0.9	0.0	4.3	3.3	10.2	11.1	7.2	1.35	1.59	0.31	1.52
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	3.3	0.0	0.0	10.9	0.33	0.46	0.17	0.78
C91	1.2	1.1	1.5	0.5	0.8	0.0	0.0	0.0	0.0	0.9	0.0	4.3	1.7	2.6	0.0	0.0	0.74	0.87	0.22	0.95
C92-94	1.2	0.5	0.5	0.9	1.2	1.3	0.5	0.6	0.0	0.9	2.2	0.0	1.7	5.1	0.0	7.2	1.02	1.13	0.25	0.86
C95	0.0	0.0	0.5	0.0	0.4	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.23	0.22	0.10	0.00
O&U	0.0	0.0	0.0	0.0	0.8	0.4	0.5	0.6	0.7	3.8	6.6	4.3	11.6	30.6	7.4	14.5	2.05	2.76	0.43	4.08
All	3.0	3.7	4.1	3.8	7.5	5.8	9.1	12.5	25.4	68.7	115.1	173.8	221.8	347.1	295.0	333.2	40.75	54.01	1.86	90.24

TABLE CHN-9.2(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Females
Chennai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	3.8	0.0	0.10	0.14	0.10	0.20
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	1.3	1.5	0.0	2.6	3.8	3.3	0.49	0.60	0.19	1.22
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.9	2.1	5.0	6.0	15.5	5.1	15.3	6.5	1.52	1.99	0.36	4.27
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.05	0.08	0.08	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.10	0.13	0.09	0.00
C11	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.03	0.03	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.1	2.5	3.0	5.2	7.7	7.7	3.3	0.88	1.16	0.28	2.30
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.10	0.14	0.10	0.44
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	3.4	3.1	13.9	13.6	22.4	12.9	23.0	9.8	2.74	3.64	0.49	8.25
C16	0.0	0.0	0.0	0.0	0.0	0.5	2.4	1.3	5.1	6.2	10.1	4.5	17.2	23.2	7.7	13.1	2.70	3.41	0.47	6.86
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.04	0.04	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.6	0.9	0.0	1.3	3.0	1.7	2.6	0.0	3.3	0.44	0.52	0.18	1.10
C19-20	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.9	2.1	1.3	1.5	0.0	0.0	11.5	3.3	0.64	0.74	0.21	1.08
C21	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.03	0.03	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.0	0.0	3.0	1.7	0.0	3.8	0.0	0.39	0.48	0.17	1.31
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	3.0	1.7	0.0	3.8	3.3	0.29	0.37	0.15	0.73
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.0	3.0	0.0	2.6	7.7	0.0	0.34	0.44	0.17	0.55
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.19
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	1.5	1.7	2.6	0.0	0.0	0.20	0.24	0.12	0.42
C33-34	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.5	0.9	1.0	6.3	1.5	5.2	12.9	15.3	6.5	1.32	1.71	0.34	2.73
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.05	0.07	0.07	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	0.0	3.0	0.0	0.0	0.0	0.0	0.25	0.30	0.13	0.95
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.5	1.7	0.0	0.0	3.3	0.20	0.26	0.13	0.62
C44	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.5	3.4	2.6	0.0	0.0	0.25	0.31	0.14	0.64
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.6	0.0	0.0	0.10	0.15	0.10	0.22
C50	0.0	0.0	0.0	0.0	0.0	0.9	4.8	5.1	12.8	12.3	30.3	12.1	44.7	59.2	45.9	49.0	7.50	9.63	0.79	18.05
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	1.7	0.0	3.8	0.0	0.20	0.27	0.14	0.63
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.05	0.07	0.07	0.22
C53	0.0	0.0	0.0	0.0	0.0	0.5	0.6	3.2	9.4	14.4	29.0	22.7	13.8	28.3	19.1	22.9	4.95	6.28	0.63	14.58
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.4	5.1	0.0	0.0	0.25	0.36	0.16	0.65
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	3.8	4.5	0.0	0.0	0.0	3.3	0.44	0.55	0.18	1.56
C56	0.0	0.0	0.5	0.0	0.4	0.0	0.0	0.6	3.4	8.2	3.8	6.0	6.9	5.1	3.8	13.1	1.62	2.01	0.35	4.65
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.06	0.20
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	0.0	0.0	3.0	1.7	7.7	0.0	0.0	0.49	0.67	0.21	0.90
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.10	0.14	0.10	0.00
C70-72	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6	0.9	0.0	3.8	3.0	1.7	0.0	0.0	6.5	0.59	0.67	0.20	1.51
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.0	3.4	0.0	0.0	0.0	0.29	0.36	0.15	1.16
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.10	0.12	0.09	0.39
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.0	0.0	0.0	1.7	0.0	0.0	0.0	0.15	0.17	0.10	0.42
C82-85,C96	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.6	0.9	2.1	2.5	1.5	3.4	2.6	3.8	6.5	0.74	0.90	0.24	1.73
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.5	0.0	2.6	0.0	0.0	0.15	0.20	0.12	0.40
C91	1.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.25	0.34	0.15	0.17
C92-94	0.0	0.5	0.5	0.5	0.0	0.5	0.0	0.6	0.9	2.1	2.5	3.0	0.0	2.6	0.0	0.0	0.64	0.72	0.20	1.48
C95	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	3.8	0.0	0.20	0.22	0.11	0.20
O&U	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.3	1.7	2.1	2.5	1.5	5.2	12.9	7.7	9.8	1.18	1.50	0.31	2.24
All	3.9	1.1	1.0	1.4	1.3	7.2	12.5	20.9	54.6	64.6	129.9	117.8	172.0	206.0	191.5	179.6	33.27	42.31	1.65	85.45

TABLE CHN-9.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Males
Chennai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.5	0.0	0.0	0.0	0.09	0.13	0.06	0.41
C01-02	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.6	1.8	4.3	4.4	7.9	3.3	14.0	11.1	14.5	1.59	2.06	0.26	3.43
C03-06	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.3	0.7	1.9	6.0	11.4	7.5	14.0	3.7	9.0	1.54	1.99	0.25	3.97
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	1.4	0.0	1.3	1.8	0.0	0.14	0.18	0.07	0.33
C09	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.9	1.1	3.6	2.5	2.6	3.7	1.8	0.44	0.58	0.14	1.21
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	1.1	1.4	0.0	1.3	1.8	1.8	0.26	0.33	0.10	0.70
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.5	0.7	0.8	2.6	1.8	0.0	0.19	0.25	0.09	0.45
C12-13	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.6	0.4	4.3	6.0	7.1	9.1	14.0	11.1	16.3	1.73	2.30	0.27	4.08
C14	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.6	0.0	0.9	0.5	1.4	1.7	3.8	1.8	3.6	0.40	0.50	0.13	0.78
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	4.7	13.2	15.7	15.8	29.3	29.5	21.7	3.15	4.29	0.37	7.68
C16	0.0	0.0	0.0	0.5	0.4	0.4	1.1	2.3	5.3	13.7	18.7	21.4	24.9	38.3	40.6	45.2	5.44	7.11	0.47	13.11
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.8	0.0	0.05	0.07	0.05	0.09
C18	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.4	1.4	1.1	2.9	3.3	1.3	3.7	1.8	0.47	0.60	0.14	1.37
C19-20	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.0	0.5	3.8	0.7	3.3	8.9	5.5	7.2	0.72	0.97	0.18	1.34
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.5	0.0	1.7	1.3	0.0	0.0	0.14	0.17	0.07	0.44
C22	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.9	4.4	5.0	8.3	7.7	9.2	10.9	1.07	1.47	0.22	2.61
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	2.9	5.0	2.6	0.0	3.6	0.37	0.52	0.13	1.19
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.4	0.5	2.2	5.0	5.0	5.1	3.7	3.6	0.70	0.91	0.17	1.91
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.0	0.0	2.6	0.0	1.8	0.12	0.16	0.07	0.14
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.1	2.4	5.5	5.7	6.6	3.8	5.5	14.5	1.17	1.52	0.22	3.14
C33-34	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.6	3.2	7.1	14.8	22.9	21.6	39.5	27.7	19.9	4.02	5.37	0.42	10.22
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.02	0.04	0.04	0.00
C40-41	0.0	0.5	0.0	0.7	0.2	0.2	0.0	0.3	0.7	0.5	0.0	0.0	2.5	1.3	3.7	1.8	0.42	0.49	0.12	0.60
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.04	0.18
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.8	0.0	0.05	0.07	0.05	0.09
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.3	0.0	0.5	0.2	0.0	0.0	0.0	0.0	0.7	0.5	0.0	1.4	2.5	0.0	1.8	0.0	0.30	0.37	0.10	0.73
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.8	0.0	1.8	1.8	0.12	0.16	0.07	0.27
C60	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.4	0.5	1.1	2.1	2.5	3.8	1.8	0.0	0.42	0.51	0.12	1.04
C61	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.0	1.4	4.1	12.8	11.1	25.3	0.91	1.38	0.22	0.81
C62	0.0	0.0	0.0	0.0	0.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.8	0.14	0.14	0.06	0.00
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	2.6	0.0	0.0	0.09	0.13	0.07	0.18
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.9	1.1	1.4	4.1	6.4	9.2	5.4	0.63	0.87	0.17	1.20
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.05	0.05	0.04	0.11
C70-72	0.3	0.0	1.0	0.5	0.6	0.2	0.0	0.3	0.7	0.5	1.1	1.4	5.0	5.1	5.5	3.6	0.79	0.98	0.17	1.29
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	0.0	0.8	2.6	1.8	3.6	0.21	0.30	0.10	0.38
C74	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.04	0.04	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.7	0.0	0.0	0.0	0.07	0.09	0.05	0.31
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	2.1	2.5	5.1	9.2	1.8	0.42	0.61	0.15	0.78
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.7	0.0	0.0	0.0	0.07	0.09	0.05	0.30
C81	0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.0	2.6	3.7	1.8	0.26	0.33	0.10	0.23
C82-85,C96	0.3	0.3	0.0	0.5	0.6	0.9	0.8	1.1	0.7	1.4	1.1	6.4	3.3	10.2	11.1	3.6	1.26	1.52	0.21	2.07
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7	2.5	0.0	0.0	7.2	0.23	0.33	0.10	0.59
C91	0.9	1.3	1.6	0.5	0.4	0.2	0.0	0.0	0.4	1.4	0.0	2.1	1.7	3.8	1.8	0.0	0.75	0.89	0.16	0.83
C92-94	0.6	0.3	0.5	0.5	0.8	1.1	0.8	0.3	1.1	0.9	1.6	0.0	0.8	3.8	1.8	5.4	0.84	0.91	0.16	0.82
C95	0.0	0.0	0.3	0.2	0.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.19	0.18	0.07	0.00
O&U	0.6	0.3	0.5	0.2	0.8	0.9	2.1	3.1	3.9	14.2	19.2	40.0	58.0	89.3	86.8	85.0	9.32	12.70	0.65	19.86
All	3.4	3.0	4.4	4.8	5.6	6.0	10.7	13.7	26.9	69.5	115.4	180.7	218.0	345.7	321.2	325.6	41.47	54.73	1.32	91.37

TABLE CHN-9.3(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Females
Chennai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	3.8	1.6	0.12	0.17	0.08	0.20
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.0	1.3	0.8	0.9	2.6	1.9	4.9	0.42	0.53	0.13	1.03
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.4	1.0	2.5	6.1	9.5	3.9	17.3	8.2	1.16	1.53	0.23	2.82
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.3	0.0	0.0	0.05	0.07	0.05	0.10
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.9	3.3	0.10	0.14	0.07	0.10
C11	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.2	0.9	0.6	0.4	2.1	2.5	1.5	3.5	5.2	3.8	1.6	0.69	0.85	0.16	1.65
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.05	0.07	0.05	0.22
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	2.6	5.2	9.5	9.8	12.9	9.0	13.4	9.8	2.04	2.66	0.29	6.15
C16	0.0	0.0	0.0	0.0	0.0	0.7	1.8	1.9	3.0	6.2	7.6	5.3	13.8	18.1	9.6	8.2	2.29	2.87	0.30	5.83
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.05	0.04	0.10
C18	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.9	0.5	0.6	3.0	2.6	3.9	5.8	6.5	0.57	0.74	0.16	1.15
C19-20	0.0	0.0	0.3	0.0	0.0	0.7	0.6	1.0	0.4	1.0	0.6	1.5	2.6	1.3	5.8	1.6	0.57	0.64	0.14	1.10
C21	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.9	0.0	0.07	0.09	0.05	0.11
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	1.3	1.5	1.7	1.3	3.8	4.9	0.42	0.55	0.13	1.07
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	0.0	0.0	1.5	1.7	1.3	3.8	1.6	0.27	0.34	0.11	0.56
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.4	0.0	0.6	1.5	0.9	2.6	3.8	1.6	0.34	0.41	0.11	0.55
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	2.6	0.0	0.0	0.10	0.14	0.07	0.20
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.8	0.9	1.3	0.0	0.0	0.10	0.12	0.06	0.21
C33-34	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.6	0.4	1.5	5.1	4.5	4.3	7.7	13.4	8.2	1.18	1.52	0.22	2.65
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.02	0.03	0.03	0.00
C40-41	0.0	0.0	0.3	0.2	0.0	0.5	0.0	0.0	0.4	1.5	0.0	1.5	0.9	1.3	0.0	0.0	0.30	0.33	0.10	0.69
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.9	0.0	0.0	1.6	0.10	0.13	0.06	0.31
C44	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.6	0.8	1.7	1.3	0.0	0.0	0.22	0.24	0.08	0.48
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.6	0.0	0.0	0.15	0.20	0.08	0.33
C50	0.0	0.0	0.0	0.0	0.0	0.7	3.9	6.3	12.0	10.3	20.9	14.4	28.5	41.3	32.7	39.2	5.96	7.44	0.49	14.44
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.3	0.0	1.7	0.0	1.9	0.0	0.15	0.19	0.08	0.49
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	0.0	0.9	0.0	0.0	0.0	0.12	0.16	0.07	0.51
C53	0.0	0.0	0.0	0.0	0.2	0.5	2.1	4.1	10.7	20.6	23.4	20.4	18.1	23.2	21.1	16.3	5.22	6.46	0.45	15.61
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.3	0.8	2.6	3.9	0.0	4.9	0.32	0.43	0.12	0.70
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.9	3.0	0.9	0.0	0.0	3.3	0.30	0.37	0.11	0.99
C56	0.0	0.0	0.5	0.2	0.4	0.2	0.0	1.3	2.6	6.7	8.2	3.8	6.9	6.4	11.5	8.2	1.75	2.18	0.26	4.75
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	1.5	0.9	3.9	0.0	0.0	0.25	0.33	0.11	0.45
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	0.0	1.6	0.10	0.12	0.06	0.11
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.05	0.07	0.05	0.00
C70-72	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.4	0.0	1.9	1.5	1.7	2.6	0.0	4.9	0.44	0.52	0.13	0.93
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.5	1.7	2.6	0.0	0.0	0.20	0.26	0.09	0.58
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.5	0.0	1.3	0.0	0.0	0.10	0.13	0.07	0.29
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.02	0.03	0.03	0.11
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.07	0.08	0.05	0.21
C82-85,C96	0.0	0.3	0.0	0.2	0.0	0.5	0.3	1.0	0.9	1.5	1.3	2.3	2.6	2.6	1.9	4.9	0.66	0.78	0.15	1.48
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	3.9	1.9	0.0	0.15	0.22	0.09	0.20
C91	1.6	1.1	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.27	0.35	0.11	0.08
C92-94	0.0	0.3	0.3	0.7	0.2	0.2	0.0	1.0	0.9	2.6	2.5	2.3	0.9	2.6	0.0	0.0	0.66	0.74	0.15	1.66
C95	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.9	1.6	0.12	0.14	0.07	0.10
O&U	1.0	0.0	0.8	0.0	1.1	0.9	1.2	6.7	7.7	12.4	19.0	31.8	33.7	52.9	34.6	29.4	6.65	8.45	0.52	16.68
All	3.6	1.6	2.1	1.9	2.5	7.2	14.3	29.8	50.1	79.8	119.7	127.9	167.4	215.3	197.9	181.2	35.07	44.02	1.19	88.32

POPULATION BASED CANCER REGISTRY, DELHI Institute Rotary Cancer Hospital, All India Institute of Medical Sciences, New Delhi

Dr Kusum Verma, MD(Path.), MIAC, FAMS,

Professor and Head of Pathology, AIIMS, Delhi and Principal Investigator, Delhi Cancer Registry

Dr B.B. Tyagi, M.Sc., Ph.D, Scientist - IV, Delhi Cancer Registry

Mr N. Manoharan, M.Sc., P.G.D.C.A., Scientist - I, Delhi Cancer Registry

The Population Based Cancer Registry (PBCR) at Dr. B.R. Ambedkar Institute Rotary Cancer Hospital, AIIMS, New Delhi was established in January 1986 with the aim of obtaining reliable morbidity and mortality cancer data among the Delhi residents.

Dr. Vinod Raina, Professor of Medical Oncology, Dr. B.R. Ambedkar Institute Rotary Cancer Hospital, AIIMS, New Delhi become the Professor in-charge of the Delhi Cancer Registry from 1st September 2004.

Delhi is a densely populated urban metropolis with an area of 1483 sq.kms, situated between the Himalayas and the Aravalli range in the heart of Indian sub-continent. It lies between 28° 25' and 28° 53' North latitude and 76° 50' and 73° 20' East longitude. Its maximum length is 51.90 kms and greatest width is 48.48 kms. It is surrounded on the north, west and south by Haryana and the east by Uttar Pradesh. The Delhi for the purpose of census was divided into 4 tracts viz.:-

- (I) Delhi Municipal Corporation (Urban)
- (II) New Delhi Municipal Committee
- (III) Delhi Cantonment and
- (IV) 29 Census towns

According to 2001 census the population of Delhi is 1,37,82,976 with 3.81% annual growth rate and 46.31% decennial growth rate during 1991-2001. The sex ratio in Delhi is 821 females per 1000 males. The literacy rate is 82% (Male: 87%; Females: 75%). The density of population is 9294 persons per sq. kms.

As per Population Census 1991 the total area of Delhi is 1483 sq. kms and its rural and urban composition are 797.66 sq. kms and 685.34 sq. kms respectively.

During Population Census 2001, the area of NCT of Delhi has remained the same at 1483 sq. kms. However, its rural-urban composition has undergone change. According to provisional results released by Directorate of Census Operations, Delhi, rural-urban break-up of N.C.T of Delhi is 591.91 sq. kms and 891.09 sq. kms respectively.

So, the PBCR, Delhi covers an area of 891.09 sq. kms comprising a population of 1,28,19,761 (Males: 70,30,671; Females: 57,82,090) as per 2001 census. The registry collects morbidity and mortality data on cancer patients from 159 major Government Hospital/centres/Institutions, more than 250 private hospitals and nursing homes, and the Department of Vital Statistics of the Delhi Municipal Corporation, New Delhi Municipal Committee and the Cantonment Board.

There has been no change in cancer registration system, methodology, diagnostic criteria and working of the registry from the previous years.

Staff of Population Based Registry, Delhi

Dr Kusum Verma MD, MIAC, FAMS	:	Head (upto 31st August 2004)
Dr Vinod Raina MD, FRCP	:	Head (From 1st September 2004 onwards)
Dr B.B. Tyagi M.Sc., Ph.D.	:	Scientist – IV
Mr N. Manoharan M.Sc., P.G.D.C.A	:	Scientist – I
Mr Ashok Kumar Singh M.S.W	:	Medical Social Service Officer - Gr.I
Mr Ratnesh Kumar M.S.W	:	Medical Social Service Officer - Gr.I
Mr Shamboo Prasad Bhdola M.A	:	Medical Social Service Officer - Gr.II
Ms Gayathri Sharma M.A	:	Medical Social Service Officer - Gr.II
Ms Sudha Saxena M.A	:	Medical Social Service Officer - Gr.II
Mr C.P. Yadav M.S.W	:	Medical Social Service Officer - Gr.II
Mr S.K. Rai M.S.W	:	Medical Social Service Officer - Gr.II
Mr Anand Kumar Sharma M.S.W	:	Medical Social Service Officer - Gr.II
Ms Veena Chauhan	:	Data Entry Operator - Gr.I
Ms Garima Negi	:	Lower Division Clerk

Figure DEL-1 :
Population Pyramid showing Average Age Distribution of 1999-2000




TABLE DEL-1:
Main Sources* of Registration of Incident Cases of Cancer in Delhi (1999-2000)

Name of the Institution (Source Code)	Number	%
AIIMS (2)	3140	17.2
Rajiv Gandhi C. H. (153)	2952	16.2
Safdarjang (3)	2305	12.6
ICPO/MAMC/LNJP (7)	2265	12.4
Dharmashila (151)	1091	6.0
Gangaram (14)	942	5.2
RML (18)	793	4.3
Batra (15)	707	3.9
GB Plant (8)	526	2.9
DCOs (99)	406	2.2
LHMC (9)	376	2.1
ESI (20)	332	1.8
IRCH (1)	292	1.6
St. Stephen's (16)	280	1.5
Apollo Hospital (159)	280	1.5
Holy Family (13)	176	1.0
Others	1371	7.5
Total All Sources	18234	100.0

* 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 1999-2000.

* 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE DEL-2.1(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	1	1	0	1	0	1	1	0	0	0	0	5	0.11
C01-02	Tongue	0	0	1	1	2	2	5	16	8	29	46	41	34	21	11	16	0	233	5.21
C03-06	Mouth	0	0	0	0	1	3	7	10	16	22	16	20	25	10	13	7	0	150	3.35
C07-08	Salivary Gland	0	0	0	1	2	7	0	1	5	4	2	0	4	1	2	0	0	29	0.65
C09	Tonsil	0	0	0	0	0	1	1	3	7	8	15	9	12	12	7	3	1	79	1.77
C10	Oth. Oropharynx	0	0	0	0	0	0	0	2	2	4	2	3	3	3	2	1	0	22	0.49
C11	Nasopharynx	0	1	0	1	0	1	1	2	3	1	4	1	1	1	4	2	0	23	0.51
C12-13	Hypopharynx	1	0	0	0	2	0	1	1	10	6	7	10	10	18	8	6	0	80	1.79
C14	Pharynx Unspecified	0	0	0	0	0	0	1	0	2	2	2	1	4	3	1	4	0	20	0.45
C15	Oesophagus	0	0	0	0	0	2	1	10	12	25	35	29	34	25	28	20	2	223	4.99
C16	Stomach	0	0	0	0	2	5	1	7	8	13	11	19	19	6	7	6	1	105	2.35
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.04
C18	Colon	0	0	0	0	3	2	2	5	20	13	12	17	15	13	13	12	0	127	2.84
C19-20	Rectum	0	0	0	0	2	4	11	4	9	8	13	5	7	5	3	5	1	77	1.72
C21	Anus & Anal Canal	0	0	0	0	2	0	3	5	4	4	5	2	3	5	1	2	0	36	0.80
C22	Liver	3	0	2	1	1	2	5	5	6	8	9	9	9	10	6	6	1	83	1.86
C23-24	Gallbladder etc.	0	0	0	0	3	3	2	10	14	12	15	22	20	19	18	11	0	149	3.33
C25	Pancreas	0	0	0	0	0	0	2	3	7	8	6	14	13	8	7	5	0	73	1.63
C30-31	Nose, Sinuses etc.	2	0	0	0	2	0	0	1	1	0	0	1	0	1	0	2	0	10	0.22
C32	Larynx	0	1	0	1	0	5	10	13	18	33	45	35	46	46	30	18	0	301	6.73
C33-34	Lung etc.	0	0	0	0	1	4	4	9	32	25	59	63	77	58	58	38	4	432	9.66
C37-38	Other Thoracic Organs	0	0	0	1	1	0	0	1	1	1	1	0	1	1	0	0	0	8	0.18
C40-41	Bone	4	9	9	16	8	3	3	2	5	4	3	8	8	2	1	1	0	86	1.92
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	4	1	0	2	1	1	1	1	0	11	0.25
C44	Other Skin	0	1	0	2	1	3	1	5	2	3	2	3	7	4	1	5	0	40	0.89
C45	Mesothelioma	0	0	0	0	1	0	0	0	1	0	1	1	2	3	1	1	0	11	0.25
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	2	6	1	3	5	10	3	11	6	7	12	3	4	2	0	6	1	82	1.83
C50	Breast	0	0	0	0	0	0	0	0	3	4	3	2	3	1	1	4	0	21	0.47
C60	Penis	0	0	0	0	0	2	4	2	7	8	7	3	5	4	1	4	0	47	1.05
C61	Prostate	0	0	0	0	0	0	0	1	0	4	17	20	33	45	56	64	3	243	5.43
C62	Testis	5	0	0	1	3	6	5	5	4	1	2	1	0	2	0	2	0	37	0.83
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	3	0.07
C64	Kidney etc.	11	4	0	2	0	1	1	5	3	11	18	10	11	5	4	10	0	96	2.15
C65	Renal Pelvis	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0	0	0	4	0.09
C66	Ureter	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.02
C67	Bladder	1	0	0	0	1	1	2	5	10	8	21	17	35	18	35	25	0	179	4.00
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.02
C69	Eye	12	5	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	20	0.45
C70-72	Brain, Nervous System	7	5	9	8	10	12	19	13	18	17	19	10	15	3	8	8	0	181	4.05
C73	Thyroid	0	0	0	3	3	3	8	4	3	6	4	7	4	3	6	2	0	56	1.25
C74	Adrenal Gland	5	4	0	0	0	1	1	0	1	2	0	0	0	0	0	0	0	14	0.31
C77	Sec Lymph Nodes	1	0	0	0	3	0	3	3	5	10	13	5	9	3	7	6	2	70	1.56
C78	Sec Resp & Digestive	0	0	0	0	0	1	2	0	5	8	8	14	12	3	3	8	1	65	1.45
C79	Sec Others	1	0	1	1	0	0	0	1	4	6	4	4	11	5	4	5	0	47	1.05
C81	Hodgkins Disease	3	12	9	8	7	5	11	10	1	3	1	5	4	0	4	1	0	84	1.88
C82-85,C96	NHL	3	5	7	14	17	15	8	10	17	17	10	18	17	25	12	9	2	206	4.61
C90	Multiple Myeloma	0	0	0	0	0	0	2	2	4	7	8	12	10	6	8	7	0	66	1.48
C91	Lymphoid Leuk.	27	22	19	17	8	7	3	3	3	0	6	4	3	2	4	3	0	131	2.93
C92-94	Myeloid Leukaemia	1	6	10	11	10	13	18	6	17	19	5	6	7	4	4	4	1	142	3.17
C95	Leukaemia Uns	0	4	3	4	3	1	0	1	1	3	2	1	1	0	1	0	0	25	0.56
O&U	Other and Uns	9	5	2	7	5	14	11	16	11	19	21	18	20	31	20	28	0	237	5.30
	All Sites	98	90	74	103	109	139	164	214	321	396	496	479	562	439	401	368	20	4473	100.00

**TABLE DEL-2.1(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0	4	0.09
C01-02	Tongue	0	0	0	0	1	1	2	1	5	5	11	7	7	6	5	4	0	55	1.23
C03-06	Mouth	0	1	0	0	1	3	2	6	6	3	9	13	3	3	5	2	0	57	1.27
C07-08	Salivary Gland	0	0	0	0	2	3	1	1	3	6	5	1	0	0	0	1	0	23	0.51
C09	Tonsil	0	1	0	0	0	0	1	0	3	3	2	2	1	0	0	0	0	13	0.29
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	0	0	2	0	0	1	1	0	5	0.11
C11	Nasopharynx	0	0	1	2	0	1	1	0	0	0	1	1	0	0	2	0	0	9	0.20
C12-13	Hypopharynx	0	0	0	0	1	1	1	1	1	2	0	2	2	3	0	1	0	15	0.33
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	3	0.07
C15	Oesophagus	0	0	0	0	2	4	4	2	6	10	13	18	18	18	13	12	2	122	2.72
C16	Stomach	0	0	0	1	1	3	2	11	9	7	5	6	7	6	3	4	1	66	1.47
C17	Small Intestine	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	3	0.07
C18	Colon	0	0	0	0	2	3	3	10	4	8	10	15	10	2	3	2	1	73	1.63
C19-20	Rectum	0	0	0	0	3	2	4	1	4	6	7	6	6	5	1	1	0	46	1.03
C21	Anus & Anal Canal	0	0	0	0	1	1	0	0	1	0	0	5	2	3	0	1	0	14	0.31
C22	Liver	0	0	0	0	1	1	2	7	1	1	5	1	2	3	5	0	1	30	0.67
C23-24	Gallbladder etc.	0	0	0	0	0	5	9	15	28	37	59	38	39	32	32	12	0	306	6.83
C25	Pancreas	0	0	0	0	0	1	0	3	5	8	5	3	9	7	7	2	0	50	1.12
C30-31	Nose, Sinuses etc.	1	0	0	1	1	0	1	0	0	2	0	0	2	2	4	0	0	14	0.31
C32	Larynx	0	0	0	0	0	0	0	0	4	2	3	3	5	4	4	3	0	28	0.63
C33-34	Lung etc.	0	0	0	0	1	4	3	9	10	14	13	14	18	11	12	5	0	114	2.55
C37-38	Other Thoracic Organs	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3	0.07
C40-41	Bone	0	3	9	2	4	6	3	5	3	3	3	2	2	2	0	2	0	49	1.09
C43	Melanoma of Skin	0	0	0	0	0	1	1	1	0	2	0	0	0	0	1	0	0	6	0.13
C44	Other Skin	0	0	0	1	0	2	0	3	3	4	6	2	4	2	0	5	0	32	0.71
C45	Mesothelioma	0	0	0	0	1	0	1	0	0	1	2	1	5	4	0	1	0	16	0.36
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	4	3	2	4	4	7	5	6	8	6	3	6	5	3	3	1	0	70	1.56
C50	Breast	0	0	0	0	11	30	75	117	154	139	173	110	126	84	55	33	2	1109	24.77
C51	Vulva	0	0	0	0	0	0	1	0	0	0	1	4	0	1	3	3	0	13	0.29
C52	Vagina	0	0	0	0	0	0	0	0	2	2	2	3	2	2	1	2	1	17	0.38
C53	Cervix Uteri	0	0	0	1	5	15	48	66	102	95	103	82	86	44	30	12	8	697	15.56
C54	Corpus Uteri	0	0	0	0	1	0	2	3	6	11	12	15	16	13	6	2	0	87	1.94
C55	Uterus Unspecified	0	0	0	0	0	0	0	3	2	3	5	2	8	1	0	2	0	26	0.58
C56	Ovary etc.	1	3	5	3	9	9	15	28	38	33	46	32	33	21	9	16	1	302	6.74
C57	Other Female Genital	0	0	0	1	0	2	0	1	1	1	0	1	0	1	1	0	0	9	0.20
C58	Placenta	0	0	1	0	1	1	0	1	1	0	0	0	0	0	0	0	0	5	0.11
C64	Kidney etc.	5	2	0	0	1	2	0	2	2	2	5	3	8	9	1	2	0	44	0.98
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	1	3	5	3	3	10	5	7	8	1	47	1.05
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	4	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	7	0.16
C70-72	Brain, Nervous System	3	5	6	7	6	6	7	15	14	5	11	6	7	2	1	2	0	103	2.30
C73	Thyroid	0	0	2	3	11	11	11	10	4	7	16	8	14	6	3	2	1	109	2.43
C74	Adrenal Gland	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	0.13
C77	Sec Lymph Nodes	0	0	0	1	0	0	1	0	2	1	2	1	3	4	1	0	0	16	0.36
C78	Sec Resp & Digestive	0	0	0	0	0	0	2	2	0	5	6	5	8	5	3	2	1	39	0.87
C79	Sec Others	0	0	0	0	1	1	4	7	1	3	3	3	3	5	3	3	0	37	0.83
C81	Hodgkins Disease	1	3	3	1	2	1	4	2	1	4	3	1	0	3	0	1	0	30	0.67
C82-85,C96	NHL	3	7	1	0	8	4	6	8	9	6	14	10	15	14	8	6	0	119	2.66
C90	Multiple Myeloma	0	2	0	0	0	0	1	1	5	8	10	9	6	4	6	5	1	58	1.30
C91	Lymphoid Leuk.	12	9	5	2	6	4	3	3	2	1	5	2	1	3	1	2	0	61	1.36
C92-94	Myeloid Leukaemia	1	4	7	7	8	11	11	12	16	9	7	8	4	3	4	2	0	114	2.55
C95	Leukaemia Uns	2	3	1	1	2	1	2	0	0	1	0	1	0	0	0	0	0	14	0.31
O&U	Other and Uns	8	4	2	7	6	17	8	6	7	13	15	18	17	16	17	21	1	183	4.09
	All Sites	47	53	47	45	105	165	248	371	479	485	606	476	515	363	264	186	23	4478	100.00

**TABLE DEL-2.2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	1	0	0	1	0	1	0	3	0	0	2	0	2	0	10	0.21
C01-02	Tongue	0	0	0	0	3	4	7	8	27	23	44	28	23	30	23	13	2	235	5.00
C03-06	Mouth	0	1	0	1	2	4	6	12	9	12	29	16	27	25	10	10	1	165	3.51
C07-08	Salivary Gland	0	0	1	0	1	4	2	2	0	4	2	6	3	3	4	2	0	34	0.72
C09	Tonsil	0	0	0	1	0	0	2	6	9	11	17	4	12	7	3	4	0	76	1.62
C10	Oth. Oropharynx	0	0	0	0	0	0	0	2	3	5	1	2	3	3	4	3	1	27	0.57
C11	Nasopharynx	0	0	2	2	0	1	0	2	1	1	1	2	3	3	2	1	0	21	0.45
C12-13	Hypopharynx	0	1	0	0	0	0	2	0	8	4	9	8	13	9	8	8	1	71	1.51
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	2	0	0	3	2	3	3	0	0	13	0.28
C15	Oesophagus	0	0	0	0	1	2	2	10	18	27	26	42	32	25	22	22	4	233	4.95
C16	Stomach	0	0	0	3	2	3	4	7	10	15	17	18	20	17	4	7	2	129	2.74
C17	Small Intestine	0	0	0	0	0	0	1	0	3	1	1	0	1	0	0	1	0	8	0.17
C18	Colon	0	0	1	0	1	3	3	10	11	14	15	10	11	9	8	9	1	106	2.25
C19-20	Rectum	0	1	1	4	1	3	8	5	8	7	13	5	5	9	5	10	0	85	1.81
C21	Anus & Anal Canal	0	0	0	0	1	0	0	1	3	1	3	1	3	4	2	0	0	19	0.40
C22	Liver	3	1	1	2	3	1	6	7	3	9	10	8	12	12	12	9	0	99	2.10
C23-24	Gallbladder etc.	0	0	0	0	1	4	5	5	16	15	9	15	23	18	23	14	1	149	3.17
C25	Pancreas	0	0	1	0	1	2	4	3	10	5	9	6	8	17	8	11	1	86	1.83
C30-31	Nose, Sinuses etc.	2	0	0	0	1	2	1	0	2	2	0	0	2	0	1	0	0	13	0.28
C32	Larynx	0	1	0	2	0	3	7	11	20	30	47	49	50	50	26	28	2	326	6.93
C33-34	Lung etc.	0	2	0	0	0	1	5	13	28	35	53	72	70	77	49	44	1	450	9.57
C37-38	Other Thoracic Organs	0	0	0	2	3	1	0	0	0	1	0	0	1	1	0	0	0	9	0.19
C40-41	Bone	2	5	15	11	7	6	8	9	1	4	7	4	3	4	6	1	2	95	2.02
C43	Melanoma of Skin	0	0	0	0	0	1	0	0	1	2	0	2	0	0	0	3	0	9	0.19
C44	Other Skin	0	0	0	0	0	3	0	4	2	4	4	3	3	4	3	2	1	33	0.70
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	2	2	0	1	3	1	1	0	11	0.23
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	9	4	1	3	8	10	4	2	5	6	5	2	8	4	3	0	0	74	1.57
C50	Breast	0	0	0	0	0	0	1	0	3	7	3	0	8	8	0	3	1	34	0.72
C60	Penis	1	0	0	1	2	1	7	2	4	5	5	0	2	4	8	3	1	46	0.98
C61	Prostate	0	0	0	1	0	2	1	0	0	4	10	16	19	55	58	72	1	239	5.08
C62	Testis	4	0	3	2	6	9	6	12	3	2	6	1	1	0	1	0	0	56	1.19
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	3	0.06
C64	Kidney etc.	11	2	1	1	0	1	2	2	7	13	17	19	10	15	8	5	2	116	2.47
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2	0.04
C67	Bladder	0	1	0	0	0	2	3	6	9	16	24	18	38	34	37	34	3	225	4.78
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	0.04
C69	Eye	12	3	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	17	0.36
C70-72	Brain, Nervous System	7	10	15	10	13	15	18	13	28	17	21	17	19	18	12	3	2	238	5.06
C73	Thyroid	0	1	1	4	5	3	1	5	8	10	2	4	6	8	5	1	0	64	1.36
C74	Adrenal Gland	3	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	6	0.13
C77	Sec Lymph Nodes	0	0	1	1	3	0	3	2	4	7	8	9	9	6	3	3	2	61	1.30
C78	Sec Resp & Digestive	0	1	1	0	0	2	0	5	3	3	4	5	3	9	6	2	0	44	0.94
C79	Sec Others	0	1	1	0	0	0	1	2	3	0	6	6	8	5	2	5	0	40	0.85
C81	Hodgkins Disease	4	16	17	8	10	7	6	2	8	5	1	3	2	3	1	1	0	94	2.00
C82-85,C96	NHL	12	11	6	14	18	12	10	15	14	17	26	22	24	26	26	21	1	275	5.85
C90	Multiple Myeloma	0	0	0	0	0	1	1	1	4	7	12	10	21	12	8	8	0	85	1.81
C91	Lymphoid Leuk.	22	20	24	9	8	7	8	2	1	6	1	6	7	6	6	6	0	139	2.95
C92-94	Myeloid Leukaemia	4	7	8	7	8	14	16	19	12	13	13	6	3	5	7	6	1	149	3.17
C95	Leukaemia Uns	2	5	2	3	3	4	2	3	1	1	1	2	1	0	2	0	0	32	0.68
O&U	Other and Uns	1	3	5	0	2	6	5	9	12	17	17	14	18	14	13	13	2	151	3.21
All	All Sites	99	99	108	93	114	144	169	219	327	393	505	466	539	567	434	392	36	4704	100.00

**TABLE DEL-2.2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	0	4	0.09
C01-02	Tongue	0	0	0	0	0	1	3	2	5	8	15	4	7	4	6	4	1	60	1.31
C03-06	Mouth	0	0	0	0	0	2	4	5	6	8	14	6	7	4	9	2	0	67	1.46
C07-08	Salivary Gland	0	0	0	0	1	0	1	0	2	1	2	1	3	2	0	0	0	13	0.28
C09	Tonsil	0	0	0	0	0	1	0	0	1	1	2	0	0	1	2	1	0	9	0.20
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	1	0	1	1	0	0	1	0	1	0	0	5	0.11
C12-13	Hypopharynx	0	0	0	0	1	1	0	0	1	0	4	1	3	1	1	0	0	13	0.28
C14	Pharynx Unspecified	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	1	0	3	0.07
C15	Oesophagus	0	0	0	0	1	2	0	9	13	13	14	10	20	22	9	10	1	124	2.71
C16	Stomach	0	0	0	0	2	2	5	6	3	10	7	6	4	4	5	2	0	56	1.22
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	2	1	4	0	0	0	0	7	0.15
C18	Colon	0	0	0	2	1	1	5	4	4	4	7	12	7	8	5	6	0	66	1.44
C19-20	Rectum	0	0	0	1	2	2	4	6	1	7	9	3	8	3	2	7	0	55	1.20
C21	Anus & Anal Canal	0	0	0	0	2	2	1	1	2	0	2	3	4	0	1	0	0	18	0.39
C22	Liver	2	0	0	0	1	3	5	4	6	7	7	6	5	8	6	3	1	64	1.40
C23-24	Gallbladder etc.	0	0	0	0	0	10	11	27	26	32	39	38	37	29	20	16	2	287	6.27
C25	Pancreas	0	0	0	0	0	0	2	5	3	4	3	2	5	3	4	2	0	33	0.72
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	2	1	2	0	0	1	1	0	0	0	0	8	0.17
C32	Larynx	0	1	0	0	1	0	2	5	5	6	5	6	10	1	2	1	2	47	1.03
C33-34	Lung etc.	0	0	1	0	1	4	2	1	5	11	14	11	12	11	9	9	0	91	1.99
C37-38	Other Thoracic Organs	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	3	0.07
C40-41	Bone	0	2	7	7	8	0	4	2	7	1	4	4	2	0	4	1	0	53	1.16
C43	Melanoma of Skin	0	0	0	0	1	0	0	1	1	2	2	0	3	1	1	0	0	12	0.26
C44	Other Skin	0	0	0	1	1	0	2	0	1	4	2	0	6	0	3	3	0	23	0.50
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	4	2	1	3	0	2	4	1	17	0.37
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	2	0	3	3	3	2	3	5	6	5	5	2	5	2	4	1	0	51	1.11
C50	Breast	0	0	0	0	12	28	60	108	181	182	164	125	130	87	44	36	5	1162	25.38
C51	Vulva	0	0	0	0	0	1	0	1	2	1	2	0	3	3	2	1	0	16	0.35
C52	Vagina	0	0	0	0	0	0	1	1	2	2	2	2	4	2	2	1	0	19	0.41
C53	Cervix Uteri	0	0	1	0	8	10	31	75	109	118	96	103	103	57	34	24	17	786	17.17
C54	Corpus Uteri	0	0	0	0	0	0	2	8	10	9	23	16	17	17	8	4	0	114	2.49
C55	Uterus Unspecified	0	0	0	0	0	0	0	1	5	0	5	0	1	1	3	1	0	17	0.37
C56	Ovary etc.	0	1	5	6	9	11	28	26	46	45	46	26	35	30	12	17	3	346	7.56
C57	Other Female Genital	0	0	0	0	1	0	0	1	1	1	2	0	0	0	0	0	0	6	0.13
C58	Placenta	0	0	0	0	2	1	2	1	0	0	0	0	0	0	0	0	0	6	0.13
C64	Kidney etc.	2	1	1	0	0	2	0	1	3	3	5	5	3	5	1	2	0	34	0.74
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.02
C66	Ureter	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2	0.04
C67	Bladder	0	0	0	0	1	1	5	0	0	2	6	4	5	8	4	4	0	40	0.87
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	2	1	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	6	0.13
C70-72	Brain, Nervous System	2	4	8	5	8	1	11	12	12	9	14	5	9	7	4	1	1	113	2.47
C73	Thyroid	1	0	0	5	12	18	17	10	11	11	14	3	11	9	4	6	1	133	2.90
C74	Adrenal Gland	1	0	1	1	0	0	1	1	1	0	0	0	0	0	0	0	0	6	0.13
C77	Sec Lymph Nodes	0	0	0	0	0	0	1	2	2	4	2	0	2	6	1	0	0	20	0.44
C78	Sec Resp & Digestive	0	0	0	0	1	0	2	0	1	6	2	9	6	4	2	3	0	36	0.79
C79	Sec Others	0	0	0	0	1	0	3	0	2	2	5	6	7	1	2	0	0	29	0.63
C81	Hodgkins Disease	0	1	8	1	7	2	2	2	4	0	5	3	2	0	0	0	0	37	0.81
C82-85,C96	NHL	3	3	7	2	7	6	7	5	8	8	14	11	11	15	7	9	0	123	2.69
C90	Multiple Myeloma	0	0	0	0	0	1	1	1	6	7	4	7	8	10	9	7	0	61	1.33
C91	Lymphoid Leuk.	15	17	10	7	4	3	2	2	1	6	0	0	0	3	1	3	0	74	1.62
C92-94	Myeloid Leukaemia	0	2	6	3	11	12	9	8	10	7	4	5	6	4	1	3	1	92	2.01
C95	Leukaemia Uns	0	0	1	3	1	0	0	2	1	3	3	0	1	1	2	1	0	19	0.41
O&U	Other and Uns	3	1	0	1	2	4	3	4	4	8	14	11	12	14	4	6	1	92	2.01
All	All Sites	34	34	59	49	114	137	245	356	526	564	593	460	535	388	245	203	37	4579	100.00

**TABLE DEL-2.3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	1	0	0	2	1	1	1	3	1	1	2	0	2	0	15	0.16
C01-02	Tongue	0	0	1	1	5	6	12	24	35	52	90	69	57	51	34	29	2	468	5.10
C03-06	Mouth	0	1	0	1	3	7	13	22	25	34	45	36	52	35	23	17	1	315	3.43
C07-08	Salivary Gland	0	0	1	1	3	11	2	3	5	8	4	6	7	4	6	2	0	63	0.69
C09	Tonsil	0	0	0	1	0	1	3	9	16	19	32	13	24	19	10	7	1	155	1.69
C10	Oth. Oropharynx	0	0	0	0	0	0	0	4	5	9	3	5	6	6	6	4	1	49	0.53
C11	Nasopharynx	0	1	2	3	0	2	1	4	4	2	5	3	4	4	6	3	0	44	0.48
C12-13	Hypopharynx	1	1	0	0	2	0	3	1	18	10	16	18	23	27	16	14	1	151	1.65
C14	Pharynx Unspecified	0	0	0	0	0	0	1	0	4	2	2	4	6	6	4	4	0	33	0.36
C15	Oesophagus	0	0	0	0	1	4	3	20	30	52	61	71	66	50	50	42	6	456	4.97
C16	Stomach	0	0	0	3	4	8	5	14	18	28	28	37	39	23	11	13	3	234	2.55
C17	Small Intestine	0	0	0	0	0	0	1	0	3	1	2	0	2	0	0	1	0	10	0.11
C18	Colon	0	0	1	0	4	5	5	15	31	27	27	27	26	22	21	21	1	233	2.54
C19-20	Rectum	0	1	1	4	3	7	19	9	17	15	26	10	12	14	8	15	1	162	1.77
C21	Anus & Anal Canal	0	0	0	0	3	0	3	6	7	5	8	3	6	9	3	2	0	55	0.60
C22	Liver	6	1	3	3	4	3	11	12	9	17	19	17	21	22	18	15	1	182	1.98
C23-24	Gallbladder etc.	0	0	0	0	4	7	7	15	30	27	24	37	43	37	41	25	1	298	3.25
C25	Pancreas	0	0	1	0	1	2	6	6	17	13	15	20	21	25	15	16	1	159	1.73
C30-31	Nose, Sinuses etc.	4	0	0	0	3	2	1	1	3	2	0	1	2	1	1	2	0	23	0.25
C32	Larynx	0	2	0	3	0	8	17	24	38	63	92	84	96	96	56	46	2	627	6.83
C33-34	Lung etc.	0	2	0	0	1	5	9	22	60	60	112	135	147	135	107	82	5	882	9.61
C37-38	Other Thoracic Organs	0	0	0	3	4	1	0	1	1	2	1	0	2	2	0	0	0	17	0.19
C40-41	Bone	6	14	24	27	15	9	11	11	6	8	10	12	11	6	7	2	2	181	1.97
C43	Melanoma of Skin	0	0	0	0	0	1	0	0	5	3	0	4	1	1	1	4	0	20	0.22
C44	Other Skin	0	1	0	2	1	6	1	9	4	7	6	6	10	8	4	7	1	73	0.80
C45	Mesothelioma	0	0	0	0	1	0	0	0	2	2	3	1	3	6	2	2	0	22	0.24
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	11	10	2	6	13	20	7	13	11	13	17	5	12	6	3	6	1	156	1.70
C50	Breast	0	0	0	0	0	0	1	0	6	11	6	2	11	9	1	7	1	55	0.60
C60	Penis	1	0	0	1	2	3	11	4	11	13	12	3	7	8	9	7	1	93	1.01
C61	Prostate	0	0	0	1	0	2	1	1	0	8	27	36	52	100	114	136	4	482	5.25
C62	Testis	9	0	3	3	9	15	11	17	7	3	8	2	1	2	1	2	0	93	1.01
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	2	2	1	0	1	0	0	6	0.07
C64	Kidney etc.	22	6	1	3	0	2	3	7	10	24	35	29	21	20	12	15	2	212	2.31
C65	Renal Pelvis	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0	0	0	4	0.04
C66	Ureter	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	3	0.03
C67	Bladder	1	1	0	0	1	3	5	11	19	24	45	35	73	52	72	59	3	404	4.40
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	3	0.03
C69	Eye	24	8	1	0	0	0	0	0	0	1	0	2	1	0	0	0	0	37	0.40
C70-72	Brain, Nervous System	14	15	24	18	23	27	37	26	46	34	40	27	34	21	20	11	2	419	4.57
C73	Thyroid	0	1	1	7	8	6	9	9	11	16	6	11	10	11	11	3	0	120	1.31
C74	Adrenal Gland	8	6	0	0	0	1	1	0	1	3	0	0	0	0	0	0	0	20	0.22
C77	Sec Lymph Nodes	1	0	1	1	6	0	6	5	9	17	21	14	18	9	10	9	4	131	1.43
C78	Sec Resp & Digestive	0	1	1	0	0	3	2	5	8	11	12	19	15	12	9	10	1	109	1.19
C79	Sec Others	1	1	2	1	0	0	1	3	7	6	10	10	19	10	6	10	0	87	0.95
C81	Hodgkins Disease	7	28	26	16	17	12	17	12	9	8	2	8	6	3	5	2	0	178	1.94
C82-85,C96	NHL	15	16	13	28	35	27	18	25	31	34	36	40	41	51	38	30	3	481	5.24
C90	Multiple Myeloma	0	0	0	0	0	1	3	3	8	14	20	22	31	18	16	15	0	151	1.65
C91	Lymphoid Leuk.	49	42	43	26	16	14	11	5	4	6	7	10	10	8	10	9	0	270	2.94
C92-94	Myeloid Leukaemia	5	13	18	18	18	27	34	25	29	32	18	12	10	9	11	10	2	291	3.17
C95	Leukaemia Uns	2	9	5	7	6	5	2	4	2	4	3	3	2	0	3	0	0	57	0.62
O&U	Other and Uns	10	8	7	7	7	20	16	25	23	36	38	32	38	45	33	41	2	388	4.23
	All Sites	197	189	182	196	223	283	333	433	648	789	1001	945	1101	1006	835	760	56	9177	100.00

**TABLE DEL-2.3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	1	1	2	0	3	0	0	8	0.09
C01-02	Tongue	0	0	0	0	1	2	5	3	10	13	26	11	14	10	11	8	1	115	1.27
C03-06	Mouth	0	1	0	0	1	5	6	11	12	11	23	19	10	7	14	4	0	124	1.37
C07-08	Salivary Gland	0	0	0	0	3	3	2	1	5	7	7	2	3	2	0	1	0	36	0.40
C09	Tonsil	0	1	0	0	0	1	1	0	4	4	4	2	1	1	2	1	0	22	0.24
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	0	0	2	0	0	1	1	0	5	0.06
C11	Nasopharynx	0	0	1	2	0	1	2	0	1	1	1	1	1	0	3	0	0	14	0.15
C12-13	Hypopharynx	0	0	0	0	2	2	1	1	2	2	4	3	5	4	1	1	0	28	0.31
C14	Pharynx Unspecified	0	0	0	0	0	1	0	0	1	2	1	0	0	0	0	1	0	6	0.07
C15	Oesophagus	0	0	0	0	3	6	4	11	19	23	27	28	38	40	22	22	3	246	2.72
C16	Stomach	0	0	0	1	3	5	7	17	12	17	12	12	11	10	8	6	1	122	1.35
C17	Small Intestine	0	0	0	0	0	0	0	0	1	0	2	2	4	1	0	0	0	10	0.11
C18	Colon	0	0	0	2	3	4	8	14	8	12	17	27	17	10	8	8	1	139	1.53
C19-20	Rectum	0	0	0	1	5	4	8	7	5	13	16	9	14	8	3	8	0	101	1.12
C21	Anus & Anal Canal	0	0	0	0	3	3	1	1	3	0	2	8	6	3	1	1	0	32	0.35
C22	Liver	2	0	0	0	2	4	7	11	7	8	12	7	7	11	11	3	2	94	1.04
C23-24	Gallbladder etc.	0	0	0	0	0	15	20	42	54	69	98	76	76	61	52	28	2	593	6.55
C25	Pancreas	0	0	0	0	0	1	2	8	8	12	8	5	14	10	11	4	0	83	0.92
C30-31	Nose, Sinuses etc.	2	0	0	1	1	0	3	1	2	2	0	1	3	2	4	0	0	22	0.24
C32	Larynx	0	1	0	0	1	0	2	5	9	8	8	9	15	5	6	4	2	75	0.83
C33-34	Lung etc.	0	0	1	0	2	8	5	10	15	25	27	25	30	22	21	14	0	205	2.26
C37-38	Other Thoracic Organs	0	0	0	1	1	2	0	1	1	0	0	0	0	0	0	0	0	6	0.07
C40-41	Bone	0	5	16	9	12	6	7	7	10	4	7	6	4	2	4	3	0	102	1.13
C43	Melanoma of Skin	0	0	0	0	1	1	1	2	1	4	2	0	3	1	2	0	0	18	0.20
C44	Other Skin	0	0	0	2	1	2	2	3	4	8	8	2	10	2	3	8	0	55	0.61
C45	Mesothelioma	0	0	0	0	1	0	1	0	0	5	4	2	8	4	2	5	1	33	0.36
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	6	3	5	7	7	9	8	11	14	11	8	8	10	5	7	2	0	121	1.34
C50	Breast	0	0	0	0	23	58	135	225	335	321	337	235	256	171	99	69	7	2271	25.07
C51	Vulva	0	0	0	0	0	1	1	1	2	1	3	4	3	4	5	4	0	29	0.32
C52	Vagina	0	0	0	0	0	0	1	1	4	4	4	5	6	4	3	3	1	36	0.40
C53	Cervix Uteri	0	0	1	1	13	25	79	141	211	213	199	185	189	101	64	36	25	1483	16.37
C54	Corpus Uteri	0	0	0	0	1	0	4	11	16	20	35	31	33	30	14	6	0	201	2.22
C55	Uterus Unspecified	0	0	0	0	0	0	0	4	7	3	10	2	9	2	3	3	0	43	0.47
C56	Ovary etc.	1	4	10	9	18	20	43	54	84	78	92	58	68	51	21	33	4	648	7.15
C57	Other Female Genital	0	0	0	1	1	2	0	2	2	2	2	1	0	1	1	0	0	15	0.17
C58	Placenta	0	0	1	0	3	2	2	2	1	0	0	0	0	0	0	0	0	11	0.12
C64	Kidney etc.	7	3	1	0	1	4	0	3	5	5	10	8	11	14	2	4	0	78	0.86
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.01
C66	Ureter	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2	0.02
C67	Bladder	0	0	0	0	1	1	6	1	3	7	9	7	15	13	11	12	1	87	0.96
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	6	3	0	0	0	1	0	0	1	0	0	0	0	0	1	1	0	13	0.14
C70-72	Brain, Nervous System	5	9	14	12	14	7	18	27	26	14	25	11	16	9	5	3	1	216	2.38
C73	Thyroid	1	0	2	8	23	29	28	20	15	18	30	11	25	15	7	8	2	242	2.67
C74	Adrenal Gland	3	1	3	1	0	0	1	1	1	0	0	0	0	0	0	0	1	12	0.13
C77	Sec Lymph Nodes	0	0	0	1	0	0	2	2	4	5	4	1	5	10	2	0	0	36	0.40
C78	Sec Resp & Digestive	0	0	0	0	1	0	4	2	1	11	8	14	14	9	5	5	1	75	0.83
C79	Sec Others	0	0	0	0	2	1	7	7	3	5	8	9	10	6	5	3	0	66	0.73
C81	Hodgkins Disease	1	4	11	2	9	3	6	4	5	4	8	4	2	3	0	1	0	67	0.74
C82-85,C96	NHL	6	10	8	2	15	10	13	13	17	14	28	21	26	29	15	15	0	242	2.67
C90	Multiple Myeloma	0	2	0	0	0	1	2	2	11	15	14	16	14	14	15	12	1	119	1.31
C91	Lymphoid Leuk.	27	26	15	9	10	7	5	5	3	7	5	2	1	6	2	5	0	135	1.49
C92-94	Myeloid Leukaemia	1	6	13	10	19	23	20	20	26	16	11	13	10	7	5	5	1	206	2.27
C95	Leukaemia Uns	2	3	2	4	3	1	2	2	1	4	3	1	1	1	2	1	0	33	0.36
O&U	Other and Uns	11	5	2	8	8	21	11	10	11	21	29	29	29	30	21	27	2	275	3.04
	All Sites	81	87	106	94	219	302	493	727	1005	1049	1199	936	1050	751	509	389	60	9057	100.00

TABLE DEL-3.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Males
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.0	0.7	0.8	0.0	0.0	0.0	0.08	0.10	0.05	0.29
C01-02	0.0	0.0	0.1	0.2	0.3	0.3	0.8	3.1	2.1	10.2	21.4	26.9	26.6	25.2	18.8	29.8	3.55	5.99	0.41	13.35
C03-06	0.0	0.0	0.0	0.0	0.2	0.5	1.2	1.9	4.2	7.8	7.5	13.1	19.5	12.0	22.3	13.0	2.29	3.70	0.32	8.11
C07-08	0.0	0.0	0.0	0.2	0.3	1.1	0.0	0.2	1.3	1.4	0.9	0.0	3.1	1.2	3.4	0.0	0.44	0.57	0.12	1.12
C09	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	1.8	2.8	7.0	5.9	9.4	14.4	12.0	5.6	1.19	2.08	0.25	4.12
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.4	0.9	2.0	2.3	3.6	3.4	1.9	0.34	0.57	0.13	1.16
C11	0.0	0.1	0.0	0.2	0.0	0.2	0.2	0.4	0.8	0.4	1.9	0.7	0.8	1.2	6.9	3.7	0.35	0.54	0.12	0.78
C12-13	0.1	0.0	0.0	0.0	0.3	0.0	0.2	0.2	2.6	2.1	3.3	6.6	7.8	21.6	13.7	11.2	1.22	2.23	0.26	3.34
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.7	0.9	0.7	3.1	3.6	1.7	7.4	0.30	0.57	0.13	0.88
C15	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.9	3.2	8.8	16.3	19.1	26.6	30.0	48.0	37.2	3.37	6.11	0.43	11.21
C16	0.0	0.0	0.0	0.0	0.3	0.8	0.2	1.3	2.1	4.6	5.1	12.5	14.9	7.2	12.0	11.2	1.59	2.61	0.27	5.91
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	0.0	0.0	0.0	0.03	0.05	0.04	0.18
C18	0.0	0.0	0.0	0.0	0.5	0.3	0.3	1.0	5.3	4.6	5.6	11.2	11.7	15.6	22.3	22.3	1.94	3.29	0.31	5.95
C19-20	0.0	0.0	0.0	0.0	0.3	0.6	1.9	0.8	2.4	2.8	6.1	3.3	5.5	6.0	5.1	9.3	1.16	1.66	0.21	3.26
C21	0.0	0.0	0.0	0.0	0.3	0.0	0.5	1.0	1.1	1.4	2.3	1.3	2.3	6.0	1.7	3.7	0.55	0.81	0.15	1.51
C22	0.4	0.0	0.3	0.2	0.2	0.3	0.8	1.0	1.6	2.8	4.2	5.9	7.0	12.0	10.3	11.2	1.25	2.02	0.24	3.39
C23-24	0.0	0.0	0.0	0.0	0.5	0.5	0.3	1.9	3.7	4.2	7.0	14.5	15.6	22.8	30.8	20.5	2.27	3.95	0.34	6.92
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	1.8	2.8	2.8	9.2	10.2	9.6	12.0	9.3	1.11	1.96	0.24	3.97
C30-31	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.3	0.0	0.0	0.7	0.0	1.2	0.0	3.7	0.15	0.22	0.08	0.17
C32	0.0	0.1	0.0	0.2	0.0	0.8	1.7	2.5	4.8	11.6	21.0	23.0	36.0	55.2	51.4	33.5	4.59	8.09	0.49	14.65
C33-34	0.0	0.0	0.0	0.0	0.2	0.6	0.7	1.7	8.5	8.8	27.5	41.4	60.2	69.6	99.4	70.7	6.53	12.17	0.61	21.23
C37-38	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.2	0.3	0.4	0.5	0.0	0.8	1.2	0.0	0.0	0.12	0.17	0.06	0.33
C40-41	0.5	1.2	1.3	2.5	1.2	0.5	0.5	0.4	1.3	1.4	1.4	5.3	6.3	2.4	1.7	1.9	1.31	1.56	0.18	2.31
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	0.0	1.3	0.8	1.2	1.7	1.9	0.17	0.28	0.09	0.54
C44	0.0	0.1	0.0	0.3	0.2	0.5	0.2	1.0	0.5	1.1	0.9	2.0	5.5	4.8	1.7	9.3	0.61	0.96	0.16	1.60
C45	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.5	0.7	1.6	3.6	1.7	1.9	0.17	0.32	0.10	0.41
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.3	0.8	0.1	0.5	0.8	1.5	0.5	2.1	1.6	2.5	5.6	2.0	3.1	2.4	0.0	11.2	1.24	1.53	0.19	2.75
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	1.4	1.3	2.3	1.2	1.7	7.4	0.32	0.57	0.13	1.12
C60	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.4	1.8	2.8	3.3	2.0	3.9	4.8	1.7	7.4	0.72	1.09	0.17	2.26
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.4	7.9	13.1	25.8	54.0	95.9	119.0	3.66	7.97	0.52	6.61
C62	0.7	0.0	0.0	0.2	0.5	0.9	0.8	1.0	1.1	0.4	0.9	0.7	0.0	2.4	0.0	3.7	0.56	0.62	0.11	0.69
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.8	0.0	0.0	0.0	0.05	0.08	0.05	0.26
C64	1.5	0.5	0.0	0.3	0.0	0.2	0.2	1.0	0.8	3.9	8.4	6.6	8.6	6.0	6.9	18.6	1.46	2.34	0.25	4.40
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.5	0.0	0.0	1.2	0.0	0.0	0.06	0.09	0.05	0.13
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.07
C67	0.1	0.0	0.0	0.0	0.2	0.2	0.3	1.0	2.6	2.8	9.8	11.2	27.4	21.6	60.0	46.5	2.73	5.25	0.40	7.80
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.08
C69	1.6	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.30	0.33	0.08	0.17
C70-72	1.0	0.7	1.3	1.3	1.5	1.8	3.2	2.5	4.8	6.0	8.9	6.6	11.7	3.6	13.7	14.9	2.76	3.53	0.29	6.35
C73	0.0	0.0	0.0	0.5	0.5	0.5	1.4	0.8	0.8	2.1	1.9	4.6	3.1	3.6	10.3	3.7	0.85	1.21	0.18	2.01
C74	0.7	0.5	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.21	0.22	0.06	0.19
C77	0.1	0.0	0.0	0.0	0.5	0.0	0.5	0.6	1.3	3.5	6.1	3.3	7.0	3.6	12.0	11.2	1.04	1.70	0.22	3.36
C78	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	1.3	2.8	3.7	9.2	9.4	3.6	5.1	14.9	0.98	1.72	0.22	3.80
C79	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.2	1.1	2.1	1.9	2.6	8.6	6.0	6.9	9.3	0.72	1.29	0.20	2.40
C81	0.4	1.6	1.3	1.3	1.1	0.8	1.9	1.9	0.3	1.1	0.5	3.3	3.1	0.0	6.9	1.9	1.28	1.35	0.16	1.53
C82-85,C96	0.4	0.7	1.0	2.2	2.6	2.3	1.4	1.9	4.5	6.0	4.7	11.8	13.3	30.0	20.6	16.7	3.11	4.51	0.34	6.40
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.1	2.5	3.7	7.9	7.8	7.2	13.7	13.0	1.01	1.82	0.23	3.39
C91	3.7	3.0	2.8	2.7	1.2	1.1	0.5	0.6	0.8	0.0	2.8	2.6	2.3	2.4	6.9	5.6	2.00	2.19	0.21	1.36
C92-94	0.1	0.8	1.5	1.7	1.5	2.0	3.0	1.1	4.5	6.7	2.3	3.9	5.5	4.8	6.9	7.4	2.15	2.51	0.23	3.98
C95	0.0	0.5	0.4	0.6	0.5	0.2	0.0	0.2	0.3	1.1	0.9	0.7	0.8	0.0	1.7	0.0	0.38	0.43	0.09	0.63
O&U	1.2	0.7	0.3	1.1	0.8	2.1	1.9	3.1	2.9	6.7	9.8	11.8	15.6	37.2	34.3	52.1	3.61	5.87	0.41	7.58
All	13.4	12.1	11.1	16.2	16.8	20.9	27.8	41.0	84.8	139.8	231.3	314.8	439.4	527.1	687.0	684.3	67.90	110.86	1.76	186.03

TABLE DEL-3.1(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Females
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	4.7	0.0	0.07	0.16	0.08	0.22
C01-02	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.3	1.9	2.3	6.8	5.1	6.3	8.6	11.7	8.2	1.02	1.78	0.25	3.45
C03-06	0.0	0.2	0.0	0.0	0.2	0.5	0.4	1.5	2.3	1.4	5.6	9.5	2.7	4.3	11.7	4.1	1.06	1.62	0.23	3.49
C07-08	0.0	0.0	0.0	0.0	0.4	0.5	0.2	0.3	1.1	2.8	3.1	0.7	0.0	0.0	0.0	2.1	0.43	0.56	0.12	1.41
C09	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	1.1	1.4	1.2	1.5	0.9	0.0	0.0	0.0	0.24	0.34	0.10	1.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.5	0.0	0.0	2.3	2.1	0.09	0.17	0.08	0.26
C11	0.0	0.0	0.2	0.4	0.0	0.2	0.2	0.0	0.0	0.0	0.6	0.7	0.0	0.0	4.7	0.0	0.17	0.23	0.09	0.19
C12-13	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.4	0.9	0.0	1.5	1.8	4.3	0.0	2.1	0.28	0.44	0.12	0.73
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.06	0.08	0.05	0.26
C15	0.0	0.0	0.0	0.0	0.4	0.7	0.8	0.5	2.3	4.7	8.1	13.2	16.2	25.8	30.5	24.7	2.22	4.04	0.38	6.54
C16	0.0	0.0	0.0	0.2	0.2	0.5	0.4	2.8	3.4	3.3	3.1	4.4	6.3	8.6	7.0	8.2	1.20	1.82	0.24	3.72
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.0	1.4	0.0	0.0	0.06	0.10	0.06	0.17
C18	0.0	0.0	0.0	0.0	0.4	0.5	0.6	2.5	1.5	3.8	6.2	11.0	9.0	2.9	7.0	4.1	1.33	2.00	0.25	5.09
C19-20	0.0	0.0	0.0	0.0	0.6	0.3	0.8	0.3	1.5	2.8	4.3	4.4	5.4	7.2	2.3	2.1	0.85	1.31	0.20	2.85
C21	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.0	0.0	3.7	1.8	4.3	0.0	2.1	0.26	0.44	0.12	0.78
C22	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.8	0.4	0.5	3.1	0.7	1.8	4.3	11.7	0.0	0.54	0.83	0.17	1.33
C23-24	0.0	0.0	0.0	0.0	0.0	0.9	1.9	3.8	10.6	17.4	36.6	27.9	35.0	45.9	75.0	24.7	5.67	9.81	0.58	20.19
C25	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	1.9	3.8	3.1	2.2	8.1	10.0	16.4	4.1	0.93	1.68	0.25	3.07
C30-31	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.9	0.0	0.0	1.8	2.9	9.4	0.0	0.26	0.47	0.13	0.41
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.9	1.9	2.2	4.5	5.7	9.4	6.2	0.52	0.99	0.19	1.64
C33-34	0.0	0.0	0.0	0.0	0.2	0.7	0.6	2.3	3.8	6.6	8.1	10.3	16.2	15.8	28.1	10.3	2.11	3.57	0.35	7.16
C37-38	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.04	0.03	0.05
C40-41	0.0	0.5	1.6	0.4	0.8	1.0	0.6	1.3	1.1	1.4	1.9	1.5	1.8	2.9	0.0	4.1	0.91	1.03	0.16	1.46
C43	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.9	0.0	0.0	0.0	0.0	2.3	0.0	0.11	0.14	0.07	0.23
C44	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.8	1.1	1.9	3.7	1.5	3.6	2.9	0.0	10.3	0.59	0.95	0.18	1.99
C45	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.5	1.2	0.7	4.5	5.7	0.0	2.1	0.30	0.54	0.14	0.97
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.6	0.5	0.3	0.8	0.8	1.2	1.0	1.5	3.0	2.8	1.9	4.4	4.5	4.3	7.0	2.1	1.30	1.65	0.21	2.88
C50	0.0	0.0	0.0	0.0	2.1	5.1	15.7	29.5	58.5	65.3	107.5	80.8	113.2	120.5	128.9	67.9	20.50	31.41	1.00	72.05
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	2.9	0.0	1.4	7.0	6.2	0.24	0.47	0.13	0.48
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	1.2	2.2	1.8	2.9	2.3	4.1	0.30	0.54	0.14	1.05
C53	0.0	0.0	0.0	0.2	0.9	2.6	10.1	16.6	38.8	44.6	64.0	60.2	77.3	63.1	70.3	24.7	12.76	19.40	0.78	47.43
C54	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.8	2.3	5.2	7.5	11.0	14.4	18.7	14.1	4.1	1.61	2.84	0.31	6.07
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	1.4	3.1	1.5	7.2	1.4	0.0	4.1	0.48	0.80	0.16	2.18
C56	0.2	0.5	0.9	0.6	1.7	1.5	3.1	7.1	14.4	15.5	28.6	23.5	29.7	30.1	21.1	32.9	5.57	8.41	0.51	18.63
C57	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.3	0.4	0.5	0.0	0.7	0.0	1.4	2.3	0.0	0.17	0.23	0.08	0.31
C58	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.08	0.04	0.12
C64	0.8	0.3	0.0	0.0	0.2	0.3	0.0	0.5	0.8	0.9	3.1	2.2	7.2	12.9	2.3	4.1	0.81	1.34	0.21	2.14
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.1	2.3	1.9	2.2	9.0	7.2	16.4	16.5	0.85	1.65	0.25	2.47
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.13	0.15	0.06	0.00
C70-72	0.5	0.8	1.0	1.5	1.1	1.0	1.5	3.8	5.3	2.3	6.8	4.4	6.3	2.9	2.3	4.1	1.91	2.29	0.24	4.70
C73	0.0	0.0	0.3	0.6	2.1	1.9	2.3	2.5	1.5	3.3	9.9	5.9	12.6	8.6	7.0	4.1	2.00	2.70	0.28	5.40
C74	0.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.08	0.04	0.00
C77	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.8	0.5	1.2	0.7	2.7	5.7	2.3	0.0	0.30	0.52	0.14	0.88
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	2.3	3.7	3.7	7.2	7.2	7.0	4.1	0.70	1.26	0.21	2.55
C79	0.0	0.0	0.0	0.0	0.2	0.2	0.8	1.8	0.4	1.4	1.9	2.2	2.7	7.2	7.0	6.2	0.69	1.06	0.19	1.62
C81	0.2	0.5	0.5	0.2	0.4	0.2	0.8	0.5	0.4	1.9	1.9	0.7	0.0	4.3	0.0	2.1	0.56	0.68	0.14	0.93
C82-85,C96	0.5	1.1	0.2	0.0	1.5	0.7	1.3	2.0	3.4	2.8	8.7	7.3	13.5	20.1	18.7	12.3	2.20	3.41	0.34	5.69
C90	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.3	1.9	3.8	6.2	6.6	5.4	5.7	14.1	10.3	1.06	1.85	0.25	3.69
C91	1.8	1.4	0.9	0.4	1.1	0.7	0.6	0.8	0.8	0.5	3.1	1.5	0.9	4.3	2.3	4.1	1.13	1.28	0.18	1.19
C92-94	0.2	0.6	1.2	1.5	1.5	1.9	2.3	3.0	6.1	4.2	4.3	5.9	3.6	4.3	9.4	4.1	2.11	2.53	0.26	4.50
C95	0.3	0.5	0.2	0.2	0.4	0.2	0.4	0.0	0.0	0.5	0.0	0.7	0.0	0.0	0.0	0.0	0.26	0.24	0.07	0.19
O&U	1.2	0.6	0.3	1.5	1.1	2.9	1.7	1.5	2.7	6.1	9.3	13.2	15.3	23.0	39.8	43.2	3.37	5.37	0.43	7.17
All	7.2	8.0	8.2	9.4	19.7	28.3	51.9	93.6	182.1	227.9	376.4	349.7	462.8	520.9	618.6	382.6	82.48	127.39	2.02	263.00

TABLE DEL-3.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Males
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.3	0.0	1.3	0.0	0.0	2.3	0.0	3.6	0.15	0.25	0.08	0.27
C01-02	0.0	0.0	0.0	0.0	0.4	0.6	1.1	1.5	6.8	7.8	19.7	17.6	17.2	34.5	37.8	23.2	3.41	5.75	0.39	10.79
C03-06	0.0	0.1	0.0	0.2	0.3	0.6	1.0	2.2	2.3	4.1	13.0	10.1	20.2	28.8	16.4	17.8	2.40	4.08	0.34	7.66
C07-08	0.0	0.0	0.1	0.0	0.1	0.6	0.3	0.4	0.0	1.4	0.9	3.8	2.2	3.5	6.6	3.6	0.50	0.79	0.14	1.26
C09	0.0	0.0	0.0	0.2	0.0	0.0	0.3	1.1	2.3	3.7	7.6	2.5	9.0	8.1	4.9	7.1	1.11	1.78	0.22	4.09
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	1.7	0.4	1.3	2.2	3.5	6.6	5.4	0.38	0.67	0.14	1.07
C11	0.0	0.0	0.3	0.3	0.0	0.1	0.0	0.4	0.3	0.3	0.4	1.3	2.2	3.5	3.3	1.8	0.31	0.49	0.11	0.71
C12-13	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	2.0	1.4	4.0	5.0	9.7	10.4	13.1	14.3	1.02	1.89	0.23	3.21
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.9	1.5	3.5	4.9	0.0	0.19	0.37	0.10	0.54
C15	0.0	0.0	0.0	0.0	0.1	0.3	0.3	1.8	4.6	9.1	11.6	26.5	24.0	28.8	36.1	39.2	3.35	5.96	0.41	11.40
C16	0.0	0.0	0.0	0.5	0.3	0.4	0.6	1.3	2.5	5.1	7.6	11.3	15.0	19.6	6.6	12.5	1.86	3.07	0.29	6.35
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.3	0.4	0.0	0.7	0.0	0.0	1.8	0.12	0.16	0.06	0.38
C18	0.0	0.0	0.1	0.0	0.1	0.4	0.5	1.8	2.8	4.7	6.7	6.3	8.2	10.4	13.1	16.1	1.54	2.46	0.26	4.77
C19-20	0.0	0.1	0.1	0.6	0.1	0.4	1.3	0.9	2.0	2.4	5.8	3.2	3.7	10.4	8.2	17.8	1.24	1.92	0.23	2.86
C21	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.8	0.3	1.3	0.6	2.2	4.6	3.3	0.0	0.28	0.47	0.11	0.84
C22	0.4	0.1	0.1	0.3	0.4	0.1	1.0	1.3	0.8	3.0	4.5	5.0	9.0	13.8	19.7	16.1	1.45	2.43	0.26	3.52
C23-24	0.0	0.0	0.0	0.0	0.1	0.6	0.8	0.9	4.1	5.1	4.0	9.5	17.2	20.7	37.8	25.0	2.16	3.86	0.33	6.04
C25	0.0	0.0	0.1	0.0	0.1	0.3	0.6	0.6	2.5	1.7	4.0	3.8	6.0	19.6	13.1	19.6	1.24	2.21	0.25	2.84
C30-31	0.3	0.0	0.0	0.0	0.1	0.3	0.2	0.0	0.5	0.7	0.0	0.0	1.5	0.0	1.6	0.0	0.19	0.24	0.07	0.42
C32	0.0	0.1	0.0	0.3	0.0	0.4	1.1	2.0	5.1	10.2	21.0	30.9	37.5	57.6	42.7	49.9	4.74	8.54	0.49	15.55
C33-34	0.0	0.3	0.0	0.0	0.0	0.1	0.8	2.4	7.1	11.8	23.7	45.4	52.5	88.7	80.5	78.5	6.57	12.31	0.60	20.58
C37-38	0.0	0.0	0.0	0.3	0.4	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.7	1.2	0.0	0.0	0.13	0.16	0.06	0.16
C40-41	0.3	0.6	2.1	1.7	1.0	0.9	1.3	1.7	0.3	1.4	3.1	2.5	2.2	4.6	9.9	1.8	1.36	1.58	0.18	1.75
C43	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.7	0.0	1.3	0.0	0.0	0.0	5.4	0.13	0.22	0.08	0.34
C44	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.5	1.4	1.8	1.9	2.2	4.6	4.9	3.6	0.47	0.75	0.14	1.33
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.9	0.0	0.7	3.5	1.6	1.8	0.16	0.30	0.09	0.42
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	1.2	0.5	0.1	0.5	1.2	1.4	0.6	0.4	1.3	2.0	2.2	1.3	6.0	4.6	4.9	0.0	1.08	1.35	0.17	2.01
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	2.4	1.3	0.0	6.0	9.2	0.0	5.4	0.48	0.89	0.16	1.60
C60	0.1	0.0	0.0	0.2	0.3	0.1	1.1	0.4	1.0	1.7	2.2	0.0	1.5	4.6	13.1	5.4	0.66	1.00	0.16	1.15
C61	0.0	0.0	0.0	0.2	0.0	0.3	0.2	0.0	0.0	1.4	4.5	10.1	14.2	63.3	95.3	128.4	3.48	7.70	0.50	4.12
C62	0.5	0.0	0.4	0.3	0.9	1.3	1.0	2.2	0.8	0.7	2.7	0.6	0.7	0.0	1.6	0.0	0.82	0.80	0.11	1.32
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0	0.0	1.6	0.0	0.04	0.08	0.05	0.15
C64	1.4	0.3	0.1	0.2	0.0	0.1	0.3	0.4	1.8	4.4	7.6	12.0	7.5	17.3	13.1	8.9	1.67	2.77	0.27	5.01
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.04	0.03	0.11
C67	0.0	0.1	0.0	0.0	0.0	0.3	0.5	1.1	2.3	5.4	10.7	11.3	28.5	39.2	60.8	60.6	3.25	6.33	0.44	8.58
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.8	0.03	0.06	0.04	0.08
C69	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.0	0.0	0.0	0.25	0.28	0.07	0.16
C70-72	0.9	1.3	2.1	1.5	1.9	2.2	2.9	2.4	7.1	5.8	9.4	10.7	14.2	20.7	19.7	5.4	3.45	4.58	0.32	7.69
C73	0.0	0.1	0.1	0.6	0.7	0.4	0.2	0.9	2.0	3.4	0.9	2.5	4.5	9.2	8.2	1.8	0.94	1.37	0.18	2.28
C74	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.09	0.04	0.07
C77	0.0	0.0	0.1	0.2	0.4	0.0	0.5	0.4	1.0	2.4	3.6	5.7	6.7	6.9	4.9	5.4	0.86	1.40	0.19	2.91
C78	0.0	0.1	0.1	0.0	0.0	0.3	0.0	0.9	0.8	1.0	1.8	3.2	2.2	10.4	9.9	3.6	0.64	1.10	0.18	1.51
C79	0.0	0.1	0.1	0.0	0.0	0.0	0.2	0.4	0.8	0.0	2.7	3.8	6.0	5.8	3.3	8.9	0.58	1.05	0.17	1.91
C81	0.5	2.1	2.4	1.2	1.5	1.0	1.0	0.4	2.0	1.7	0.4	1.9	1.5	3.5	1.6	1.8	1.37	1.43	0.16	1.30
C82-85,C96	1.6	1.4	0.9	2.1	2.7	1.7	1.6	2.8	3.5	5.8	11.6	13.9	18.0	29.9	42.7	37.5	4.01	6.13	0.40	8.32
C90	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	1.0	2.4	5.4	6.3	15.7	13.8	13.1	14.3	1.24	2.35	0.26	4.40
C91	2.9	2.6	3.4	1.4	1.2	1.0	1.3	0.4	0.3	2.0	0.4	3.8	5.2	6.9	9.9	10.7	2.03	2.45	0.23	1.75
C92-94	0.5	0.9	1.1	1.1	1.2	2.0	2.6	3.5	3.0	4.4	5.8	3.8	2.2	5.8	11.5	10.7	2.16	2.57	0.23	3.83
C95	0.3	0.6	0.3	0.5	0.4	0.6	0.3	0.6	0.3	0.3	0.4	1.3	0.7	0.0	3.3	0.0	0.47	0.50	0.10	0.55
O&U	0.1	0.4	0.7	0.0	0.3	0.9	0.8	1.7	3.0	5.8	7.6	8.8	13.5	16.1	21.4	23.2	2.18	3.54	0.31	6.13
All	12.9	12.8	15.5	14.0	16.8	20.8	27.5	40.2	82.9	133.0	225.8	293.7	404.2	652.9	713.1	699.1	68.27	112.56	1.75	176.06

TABLE DEL-3.2(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Females
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.9	0.0	2.2	0.0	0.07	0.13	0.07	0.27
C01-02	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.5	1.8	3.6	8.9	2.8	6.0	5.5	13.5	7.9	1.05	1.80	0.24	3.73
C03-06	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.2	2.2	3.6	8.3	4.2	6.0	5.5	20.2	3.9	1.19	1.97	0.25	4.03
C07-08	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.7	0.5	1.2	0.7	2.6	2.8	0.0	0.0	0.23	0.37	0.11	0.85
C09	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.5	1.2	0.0	0.0	1.4	4.5	2.0	0.16	0.29	0.10	0.35
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.5	0.0	0.0	0.9	0.0	2.2	0.0	0.09	0.14	0.07	0.27
C12-13	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.0	2.4	0.7	2.6	1.4	2.2	0.0	0.23	0.39	0.11	0.88
C14	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	2.0	0.05	0.08	0.05	0.09
C15	0.0	0.0	0.0	0.0	0.2	0.3	0.0	2.2	4.7	5.9	8.3	7.1	17.3	30.3	20.2	19.7	2.19	3.91	0.37	6.96
C16	0.0	0.0	0.0	0.0	0.4	0.3	1.0	1.5	1.1	4.5	4.2	4.2	3.5	5.5	11.2	3.9	1.00	1.52	0.22	3.03
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	3.5	0.0	0.0	0.0	0.12	0.23	0.09	0.73
C18	0.0	0.0	0.0	0.4	0.2	0.2	1.0	1.0	1.5	1.8	4.2	8.5	6.0	11.0	11.2	11.8	1.17	1.96	0.25	3.36
C19-20	0.0	0.0	0.0	0.2	0.4	0.3	0.8	1.5	0.4	3.2	5.4	2.1	6.9	4.1	4.5	13.8	0.98	1.54	0.22	2.99
C21	0.0	0.0	0.0	0.0	0.4	0.3	0.2	0.2	0.7	0.0	1.2	2.1	3.5	0.0	2.2	0.0	0.32	0.45	0.11	1.10
C22	0.3	0.0	0.0	0.0	0.2	0.5	1.0	1.0	2.2	3.2	4.2	4.2	4.3	11.0	13.5	5.9	1.12	1.80	0.24	3.00
C23-24	0.0	0.0	0.0	0.0	0.0	1.6	2.2	6.5	9.5	14.4	23.3	26.8	31.9	39.9	45.0	31.6	5.07	8.33	0.52	17.22
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.1	1.8	1.8	1.4	4.3	4.1	9.0	3.9	0.59	0.97	0.18	1.82
C30-31	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.7	0.0	0.0	0.7	0.9	0.0	0.0	0.0	0.14	0.16	0.06	0.39
C32	0.0	0.1	0.0	0.0	0.2	0.0	0.4	1.2	1.8	2.7	3.0	4.2	8.6	1.4	4.5	2.0	0.80	1.23	0.19	3.25
C33-34	0.0	0.0	0.2	0.0	0.2	0.7	0.4	0.2	1.8	5.0	8.3	7.8	10.4	15.2	20.2	17.8	1.62	2.88	0.31	5.04
C37-38	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.05	0.03	0.07
C40-41	0.0	0.3	1.2	1.4	1.4	0.0	0.8	0.5	2.6	0.5	2.4	2.8	1.7	0.0	9.0	2.0	0.94	1.15	0.17	1.65
C43	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.9	1.2	0.0	2.6	1.4	2.2	0.0	0.21	0.35	0.11	0.82
C44	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.0	0.4	1.8	1.2	0.0	5.2	0.0	6.7	5.9	0.41	0.71	0.15	1.28
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.2	0.7	2.6	0.0	4.5	7.9	0.28	0.55	0.14	0.97
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.3	0.0	0.5	0.6	0.5	0.3	0.6	1.2	2.2	2.3	3.0	1.4	4.3	2.8	9.0	2.0	0.91	1.26	0.19	2.31
C50	0.0	0.0	0.0	0.0	2.2	4.6	12.1	26.1	66.0	82.1	97.8	88.1	112.1	119.8	99.0	71.1	20.56	31.62	0.98	75.34
C51	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.7	0.5	1.2	0.0	2.6	4.1	4.5	2.0	0.28	0.52	0.13	0.80
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.9	1.2	1.4	3.5	2.8	4.5	2.0	0.34	0.59	0.14	1.18
C53	0.0	0.0	0.2	0.0	1.4	1.6	6.2	18.2	39.8	53.2	57.2	72.6	88.8	78.5	76.5	47.4	13.67	21.46	0.81	51.58
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	3.6	4.1	13.7	11.3	14.7	23.4	18.0	7.9	2.03	3.55	0.34	7.43
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	0.0	3.0	0.0	0.9	1.4	6.7	2.0	0.30	0.52	0.13	0.99
C56	0.0	0.1	0.8	1.2	1.6	1.8	5.6	6.3	16.8	20.3	27.4	18.3	30.2	41.3	27.0	33.6	6.10	9.18	0.53	19.08
C57	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.11	0.14	0.06	0.40
C58	0.0	0.0	0.0	0.0	0.4	0.2	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11	0.08	0.03	0.05
C64	0.3	0.1	0.2	0.0	0.0	0.3	0.0	0.2	1.1	1.4	3.0	3.5	2.6	6.9	2.2	3.9	0.60	0.98	0.18	1.79
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.02	0.04	0.04	0.00
C66	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.04	0.05	0.04	0.11
C67	0.0	0.0	0.0	0.0	0.2	0.2	1.0	0.0	0.0	0.9	3.6	2.8	4.3	11.0	9.0	7.9	0.71	1.27	0.21	1.67
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11	0.12	0.06	0.07
C70-72	0.3	0.6	1.3	1.0	1.4	0.2	2.2	2.9	4.4	4.1	8.3	3.5	7.8	9.6	9.0	2.0	1.99	2.62	0.27	5.00
C73	0.1	0.0	0.0	1.0	2.2	3.0	3.4	2.4	4.0	5.0	8.3	2.1	9.5	12.4	9.0	11.8	2.35	3.08	0.29	5.05
C74	0.1	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11	0.10	0.04	0.12
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.7	1.8	1.2	0.0	1.7	8.3	2.2	0.0	0.36	0.61	0.14	1.00
C78	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.4	2.7	1.2	6.3	5.2	5.5	4.5	5.9	0.64	1.12	0.19	2.27
C79	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.0	0.7	0.9	3.0	4.2	6.0	1.4	4.5	0.0	0.52	0.84	0.16	2.12
C81	0.0	0.1	1.3	0.2	1.3	0.3	0.4	0.5	1.5	0.0	3.0	2.1	1.7	0.0	0.0	0.0	0.66	0.72	0.13	1.35
C82-85,C96	0.4	0.4	1.2	0.4	1.3	1.0	1.4	1.2	2.9	3.6	8.3	7.8	9.5	20.7	15.7	17.8	2.19	3.36	0.33	5.07
C90	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	2.2	3.2	2.4	4.9	6.9	13.8	20.2	13.8	1.08	2.05	0.27	2.99
C91	2.2	2.5	1.7	1.4	0.7	0.5	0.4	0.5	0.4	2.7	0.0	0.0	0.0	4.1	2.2	5.9	1.32	1.41	0.18	0.69
C92-94	0.0	0.3	1.0	0.6	2.0	2.0	1.8	1.9	3.6	3.2	2.4	3.5	5.2	5.5	2.2	5.9	1.62	1.92	0.22	3.20
C95	0.0	0.0	0.2	0.6	0.2	0.0	0.0	0.5	0.4	1.4	1.8	0.0	0.9	1.4	4.5	2.0	0.34	0.51	0.13	0.83
O&U	0.4	0.1	0.0	0.2	0.4	0.7	0.6	1.0	1.5	3.6	8.3	7.8	10.4	19.3	9.0	11.8	1.62	2.70	0.30	4.85
All	5.0	4.9	9.9	9.8	20.6	22.6	49.2	86.2	191.9	254.4	353.6	324.4	461.5	534.5	551.1	400.8	80.72	125.40	1.96	261.49

TABLE DEL-3.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Males
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.1	0.2	0.7	0.3	0.4	1.2	0.0	1.8	0.11	0.17	0.05	0.28
C01-02	0.0	0.0	0.1	0.1	0.4	0.4	1.0	2.3	4.5	9.0	20.5	22.2	21.8	30.0	28.5	26.4	3.48	5.87	0.28	12.05
C03-06	0.0	0.1	0.0	0.1	0.2	0.5	1.1	2.1	3.2	5.9	10.3	11.6	19.9	20.6	19.3	15.5	2.34	3.89	0.23	7.88
C07-08	0.0	0.0	0.1	0.1	0.2	0.8	0.2	0.3	0.6	1.4	0.9	1.9	2.7	2.4	5.0	1.8	0.47	0.68	0.09	1.19
C09	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.8	2.1	3.3	7.3	4.2	9.2	11.2	8.4	6.4	1.15	1.93	0.16	4.10
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	1.6	0.7	1.6	2.3	3.5	5.0	3.6	0.36	0.62	0.09	1.11
C11	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.4	0.5	0.3	1.1	1.0	1.5	2.4	5.0	2.7	0.33	0.51	0.08	0.75
C12-13	0.1	0.1	0.0	0.0	0.2	0.0	0.2	0.1	2.3	1.7	3.7	5.8	8.8	15.9	13.4	12.7	1.12	2.06	0.17	3.28
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.3	0.5	1.3	2.3	3.5	3.4	3.6	0.25	0.47	0.08	0.70
C15	0.0	0.0	0.0	0.0	0.1	0.3	0.2	1.9	3.9	9.0	13.9	22.8	25.3	29.4	41.9	38.2	3.36	6.04	0.29	11.31
C16	0.0	0.0	0.0	0.2	0.3	0.6	0.4	1.3	2.3	4.8	6.4	11.9	14.9	13.5	9.2	11.8	1.72	2.85	0.20	6.14
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	0.2	0.5	0.0	0.8	0.0	0.0	0.9	0.07	0.11	0.04	0.28
C18	0.0	0.0	0.1	0.0	0.3	0.4	0.4	1.4	4.0	4.7	6.2	8.7	10.0	12.9	17.6	19.1	1.73	2.87	0.20	5.35
C19-20	0.0	0.1	0.1	0.3	0.2	0.5	1.6	0.8	2.2	2.6	5.9	3.2	4.6	8.2	6.7	13.7	1.20	1.80	0.15	3.06
C21	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.6	0.9	0.9	1.8	1.0	2.3	5.3	2.5	1.8	0.41	0.64	0.09	1.17
C22	0.4	0.1	0.2	0.2	0.3	0.2	0.9	1.1	1.2	2.9	4.3	5.5	8.0	12.9	15.1	13.7	1.35	2.23	0.18	3.46
C23-24	0.0	0.0	0.0	0.0	0.3	0.5	0.6	1.4	3.9	4.7	5.5	11.9	16.5	21.8	34.4	22.8	2.22	3.90	0.24	6.47
C25	0.0	0.0	0.1	0.0	0.1	0.1	0.5	0.6	2.2	2.2	3.4	6.4	8.0	14.7	12.6	14.6	1.18	2.09	0.17	3.39
C30-31	0.3	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.4	0.3	0.0	0.3	0.8	0.6	0.8	1.8	0.17	0.23	0.05	0.30
C32	0.0	0.1	0.0	0.2	0.0	0.6	1.4	2.3	4.9	10.9	21.0	27.0	36.8	56.4	47.0	41.9	4.67	8.32	0.35	15.11
C33-34	0.0	0.1	0.0	0.0	0.1	0.4	0.7	2.1	7.8	10.4	25.6	43.4	56.3	79.4	89.8	74.7	6.55	12.24	0.43	20.90
C37-38	0.0	0.0	0.0	0.2	0.3	0.1	0.0	0.1	0.1	0.3	0.2	0.0	0.8	1.2	0.0	0.0	0.13	0.16	0.04	0.25
C40-41	0.4	0.9	1.8	2.1	1.1	0.7	0.9	1.0	0.8	1.4	2.3	3.9	4.2	3.5	5.9	1.8	1.34	1.57	0.13	2.03
C43	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.5	0.0	1.3	0.4	0.6	0.8	3.6	0.15	0.25	0.06	0.44
C44	0.0	0.1	0.0	0.2	0.1	0.4	0.1	0.8	0.5	1.2	1.4	1.9	3.8	4.7	3.4	6.4	0.54	0.86	0.11	1.46
C45	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.3	0.7	0.3	1.1	3.5	1.7	1.8	0.16	0.31	0.07	0.42
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.7	0.7	0.1	0.5	1.0	1.5	0.6	1.2	1.4	2.2	3.9	1.6	4.6	3.5	2.5	5.5	1.16	1.44	0.13	2.37
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.8	1.9	1.4	0.6	4.2	5.3	0.8	6.4	0.40	0.73	0.10	1.37
C60	0.1	0.0	0.0	0.1	0.2	0.2	0.9	0.4	1.4	2.2	2.7	1.0	2.7	4.7	7.6	6.4	0.69	1.04	0.12	1.70
C61	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	1.4	6.2	11.6	19.9	58.8	95.6	123.8	3.57	7.83	0.36	5.34
C62	0.6	0.0	0.2	0.2	0.7	1.1	0.9	1.6	0.9	0.5	1.8	0.6	0.4	1.2	0.8	1.8	0.69	0.71	0.08	1.01
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.4	0.0	0.8	0.0	0.04	0.08	0.03	0.21
C64	1.5	0.4	0.1	0.2	0.0	0.1	0.2	0.7	1.3	4.1	8.0	9.3	8.0	11.8	10.1	13.7	1.57	2.56	0.19	4.71
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.6	0.0	0.0	0.03	0.04	0.02	0.06
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.02	0.09
C67	0.1	0.1	0.0	0.0	0.1	0.2	0.4	1.0	2.5	4.1	10.3	11.3	28.0	30.6	60.4	53.7	2.99	5.80	0.30	8.20
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.9	0.02	0.04	0.03	0.08
C69	1.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.4	0.0	0.0	0.0	0.28	0.30	0.05	0.17
C70-72	0.9	1.0	1.8	1.4	1.7	2.0	3.1	2.4	6.0	5.9	9.1	8.7	13.0	12.3	16.8	10.0	3.11	4.06	0.22	7.04
C73	0.0	0.1	0.1	0.5	0.6	0.4	0.7	0.8	1.4	2.8	1.4	3.5	3.8	6.5	9.2	2.7	0.90	1.29	0.13	2.15
C74	0.5	0.4	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.15	0.15	0.03	0.13
C77	0.1	0.0	0.1	0.1	0.5	0.0	0.5	0.5	1.2	2.9	4.8	4.5	6.9	5.3	8.4	8.2	0.95	1.55	0.14	3.13
C78	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	1.0	1.9	2.7	6.1	5.7	7.1	7.6	9.1	0.81	1.40	0.14	2.63
C79	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.3	0.9	1.0	2.3	3.2	7.3	5.9	5.0	9.1	0.65	1.17	0.13	2.15
C81	0.5	1.8	1.9	1.2	1.3	0.9	1.4	1.1	1.2	1.4	0.5	2.6	2.3	1.8	4.2	1.8	1.33	1.39	0.11	1.41
C82-85,C96	1.0	1.1	1.0	2.2	2.6	2.0	1.5	2.3	4.0	5.9	8.2	12.9	15.7	30.0	31.9	27.3	3.57	5.34	0.26	7.38
C90	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	1.0	2.4	4.6	7.1	11.9	10.6	13.4	13.7	1.13	2.09	0.18	3.90
C91	3.3	2.8	3.1	2.0	1.2	1.0	0.9	0.5	0.5	1.0	1.6	3.2	3.8	4.7	8.4	8.2	2.02	2.32	0.15	1.56
C92-94	0.3	0.9	1.3	1.4	1.4	2.0	2.8	2.3	3.8	5.5	4.1	3.9	3.8	5.3	9.2	9.1	2.16	2.54	0.16	3.91
C95	0.1	0.6	0.4	0.5	0.5	0.4	0.2	0.4	0.3	0.7	0.7	1.0	0.8	0.0	2.5	0.0	0.43	0.47	0.07	0.59
O&U	0.7	0.5	0.5	0.5	0.5	1.5	1.3	2.3	3.0	6.2	8.7	10.3	14.5	26.5	27.7	37.3	2.88	4.68	0.26	6.84
All	13.2	12.5	13.3	15.1	16.8	20.9	27.6	40.6	83.9	136.4	228.6	304.1	421.6	591.4	700.5	692.0	68.11	111.75	1.24	180.98

TABLE DEL-3.3(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Females
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	0.9	0.0	3.4	0.0	0.07	0.14	0.05	0.25
C01-02	0.0	0.0	0.0	0.0	0.1	0.2	0.5	0.4	1.9	3.0	7.9	4.0	6.2	7.0	12.6	8.1	1.03	1.79	0.17	3.59
C03-06	0.0	0.1	0.0	0.0	0.1	0.4	0.6	1.4	2.2	2.5	7.0	6.8	4.4	4.9	16.1	4.0	1.12	1.80	0.17	3.76
C07-08	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.1	0.9	1.6	2.1	0.7	1.3	1.4	0.0	1.0	0.33	0.46	0.08	1.12
C09	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.7	0.9	1.2	0.7	0.4	0.7	2.3	1.0	0.20	0.31	0.07	0.67
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.0	0.0	1.1	1.0	0.05	0.08	0.04	0.13
C11	0.0	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.2	0.2	0.3	0.4	0.4	0.0	3.4	0.0	0.13	0.19	0.05	0.23
C12-13	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.4	0.5	1.2	1.1	2.2	2.8	1.1	1.0	0.25	0.41	0.08	0.80
C14	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.5	0.3	0.0	0.0	0.0	0.0	1.0	0.05	0.08	0.03	0.17
C15	0.0	0.0	0.0	0.0	0.3	0.5	0.4	1.4	3.5	5.3	8.2	10.1	16.7	28.1	25.3	22.2	2.20	3.97	0.26	6.76
C16	0.0	0.0	0.0	0.1	0.3	0.4	0.7	2.1	2.2	3.9	3.7	4.3	4.8	7.0	9.2	6.0	1.10	1.67	0.16	3.37
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.7	1.8	0.7	0.0	0.0	0.09	0.16	0.05	0.45
C18	0.0	0.0	0.0	0.2	0.3	0.3	0.8	1.7	1.5	2.8	5.2	9.7	7.5	7.0	9.2	8.1	1.25	1.98	0.18	4.21
C19-20	0.0	0.0	0.0	0.1	0.5	0.3	0.8	0.9	0.9	3.0	4.9	3.2	6.2	5.6	3.4	8.1	0.92	1.43	0.15	2.93
C21	0.0	0.0	0.0	0.0	0.3	0.3	0.1	0.1	0.6	0.0	0.6	2.9	2.6	2.1	1.1	1.0	0.29	0.45	0.08	0.94
C22	0.1	0.0	0.0	0.0	0.2	0.3	0.7	1.4	1.3	1.8	3.7	2.5	3.1	7.7	12.6	3.0	0.83	1.32	0.15	2.18
C23-24	0.0	0.0	0.0	0.0	0.0	1.3	2.1	5.2	10.1	15.9	29.8	27.3	33.5	42.9	59.7	28.2	5.36	9.06	0.39	18.68
C25	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.0	1.5	2.8	2.4	1.8	6.2	7.0	12.6	4.0	0.75	1.32	0.15	2.43
C30-31	0.1	0.0	0.0	0.1	0.1	0.0	0.3	0.1	0.4	0.5	0.0	0.4	1.3	1.4	4.6	0.0	0.20	0.31	0.07	0.40
C32	0.0	0.1	0.0	0.0	0.1	0.0	0.2	0.6	1.7	1.8	2.4	3.2	6.6	3.5	6.9	4.0	0.66	1.11	0.14	2.46
C33-34	0.0	0.0	0.1	0.0	0.2	0.7	0.5	1.2	2.8	5.8	8.2	9.0	13.2	15.5	24.1	14.1	1.86	3.22	0.23	6.08
C37-38	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.05	0.02	0.06
C40-41	0.0	0.4	1.4	0.9	1.1	0.5	0.7	0.9	1.9	0.9	2.1	2.2	1.8	1.4	4.6	3.0	0.93	1.09	0.12	1.56
C43	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.9	0.6	0.0	1.3	0.7	2.3	0.0	0.16	0.25	0.06	0.53
C44	0.0	0.0	0.0	0.2	0.1	0.2	0.2	0.4	0.7	1.8	2.4	0.7	4.4	1.4	3.4	8.1	0.50	0.83	0.12	1.63
C45	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	1.2	1.2	0.7	3.5	2.8	2.3	5.0	0.29	0.54	0.10	0.97
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.4	0.2	0.4	0.7	0.6	0.8	0.8	1.4	2.6	2.5	2.4	2.9	4.4	3.5	8.0	2.0	1.10	1.45	0.14	2.59
C50	0.0	0.0	0.0	0.0	2.1	4.9	13.8	27.8	62.4	73.9	102.6	84.6	112.7	120.2	113.6	69.5	20.54	31.52	0.70	73.75
C51	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.4	0.2	0.9	1.4	1.3	2.8	5.7	4.0	0.26	0.49	0.10	0.64
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	0.9	1.2	1.8	2.6	2.8	3.4	3.0	0.32	0.57	0.10	1.12
C53	0.0	0.0	0.1	0.1	1.2	2.1	8.1	17.4	39.3	49.0	60.6	66.6	83.2	71.0	73.5	36.3	13.22	20.45	0.56	49.56
C54	0.0	0.0	0.0	0.0	0.1	0.0	0.4	1.4	3.0	4.6	10.7	11.2	14.5	21.1	16.1	6.0	1.82	3.20	0.23	6.76
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.7	3.0	0.7	4.0	1.4	3.4	3.0	0.39	0.66	0.10	1.58
C56	0.1	0.3	0.9	0.9	1.7	1.7	4.4	6.7	15.6	18.0	28.0	20.9	29.9	35.9	24.1	33.3	5.84	8.80	0.37	18.86
C57	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.2	0.4	0.5	0.6	0.4	0.0	0.7	1.1	0.0	0.14	0.18	0.05	0.35
C58	0.0	0.0	0.1	0.0	0.3	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.08	0.02	0.08
C64	0.5	0.2	0.1	0.0	0.1	0.3	0.0	0.4	0.9	1.2	3.0	2.9	4.8	9.8	2.3	4.0	0.71	1.16	0.14	1.96
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.01	0.02	0.02	0.00
C66	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.02	0.02	0.02	0.06
C67	0.0	0.0	0.0	0.0	0.1	0.1	0.6	0.1	0.6	1.6	2.7	2.5	6.6	9.1	12.6	12.1	0.78	1.46	0.16	2.06
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.4	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.1	1.0	0.12	0.14	0.04	0.04
C70-72	0.4	0.7	1.2	1.2	1.3	0.6	1.8	3.3	4.8	3.2	7.6	4.0	7.0	6.3	5.7	3.0	1.95	2.46	0.18	4.85
C73	0.1	0.0	0.2	0.8	2.1	2.4	2.9	2.5	2.8	4.1	9.1	4.0	11.0	10.5	8.0	8.1	2.18	2.89	0.20	5.22
C74	0.2	0.1	0.3	0.1	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.09	0.03	0.06
C77	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.7	1.2	1.2	0.4	2.2	7.0	2.3	0.0	0.33	0.57	0.10	0.94
C78	0.0	0.0	0.0	0.0	0.1	0.0	0.4	0.2	0.2	2.5	2.4	5.0	6.2	6.3	5.7	5.0	0.67	1.19	0.14	2.41
C79	0.0	0.0	0.0	0.0	0.2	0.1	0.7	0.9	0.6	1.2	2.4	3.2	4.4	4.2	5.7	3.0	0.60	0.95	0.12	1.88
C81	0.1	0.3	0.9	0.2	0.8	0.3	0.6	0.5	0.9	0.9	2.4	1.4	0.9	2.1	0.0	1.0	0.61	0.70	0.09	1.15
C82-85,C96	0.4	0.7	0.7	0.2	1.4	0.8	1.3	1.6	3.2	3.2	8.5	7.6	11.4	20.4	17.2	15.1	2.20	3.39	0.23	5.37
C90	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.2	2.0	3.5	4.3	5.8	6.2	9.8	17.2	12.1	1.07	1.95	0.19	3.34
C91	2.0	1.9	1.3	0.9	0.9	0.6	0.5	0.6	0.6	1.6	1.5	0.7	0.4	4.2	2.3	5.0	1.22	1.35	0.13	0.93
C92-94	0.1	0.4	1.1	1.0	1.7	1.9	2.1	2.5	4.8	3.7	3.3	4.7	4.4	4.9	5.7	5.0	1.86	2.22	0.17	3.84
C95	0.1	0.2	0.2	0.4	0.3	0.1	0.2	0.2	0.9	0.9	0.9	0.4	0.4	0.7	2.3	1.0	0.30	0.38	0.07	0.51
O&U	0.8	0.4	0.2	0.8	0.7	1.8	1.1	1.2	2.0	4.8	8.8	10.4	12.8	21.1	24.1	27.2	2.48	4.01	0.26	5.99
All	6.1	6.4	9.1	9.6	20.2	25.4	50.6	89.8	187.1	241.4	364.9	336.8	462.2	527.9	584.3	392.0	81.61	126.41	1.41	262.29

**TABLE DEL-4(a): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Males
Delhi**

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.15	0.25	0.67	0.24	0.39	0.74	0.08	0.10	0.29	0.15	0.25	0.27
C01-02	Tongue	3.11	5.37	11.41	3.10	5.27	11.33	3.55	5.99	13.35	3.41	5.75	10.79
C03-06	Mouth	2.68	4.36	9.43	2.65	4.31	9.98	2.29	3.70	8.11	2.40	4.08	7.66
C07-08	Salivary Gland	0.43	0.74	1.13	0.64	1.06	2.05	0.44	0.57	1.12	0.50	0.79	1.26
C09	Tonsil	1.16	1.99	4.35	1.18	1.84	4.21	1.19	2.08	4.12	1.11	1.78	4.09
C10	Oth. Oropharynx	0.63	1.18	2.31	0.46	0.79	2.05	0.34	0.57	1.16	0.38	0.67	1.07
C11	Nasopharynx	0.27	0.40	0.35	0.35	0.48	0.94	0.35	0.54	0.78	0.31	0.49	0.71
C12-13	Hypopharynx	1.76	3.20	6.78	1.35	2.52	4.22	1.22	2.23	3.34	1.02	1.89	3.21
C14	Pharynx Unspecified	0.25	0.47	0.88	0.35	0.62	1.32	0.30	0.57	0.88	0.19	0.37	0.54
C15	Oesophagus	2.88	5.13	9.86	3.42	6.10	11.94	3.37	6.11	11.21	3.35	5.96	11.40
C16	Stomach	1.86	3.26	6.25	1.80	3.06	6.51	1.59	2.61	5.91	1.86	3.07	6.35
C17	Small Intestine	0.22	0.28	0.42	0.21	0.29	0.51	0.03	0.05	0.18	0.12	0.16	0.38
C18	Colon	1.54	2.52	4.58	1.46	2.30	4.59	1.94	3.29	5.95	1.54	2.46	4.77
C19-20	Rectum	1.04	1.61	2.50	1.19	1.91	3.48	1.16	1.66	3.26	1.24	1.92	2.86
C21	Anus & Anal Canal	0.55	0.94	1.70	0.51	0.80	1.08	0.55	0.81	1.51	0.28	0.47	0.84
C22	Liver	0.94	1.61	2.65	1.33	2.41	4.40	1.25	2.02	3.39	1.45	2.43	3.52
C23-24	Gallbladder etc.	1.96	3.42	6.09	2.27	4.05	7.46	2.27	3.95	6.92	2.16	3.86	6.04
C25	Pancreas	1.06	1.83	3.65	1.21	2.02	3.96	1.11	1.96	3.97	1.24	2.21	2.84
C30-31	Nose, Sinuses etc.	0.25	0.27	0.31	0.21	0.34	0.48	0.15	0.22	0.17	0.19	0.24	0.42
C32	Larynx	5.07	9.10	17.35	4.26	7.51	14.14	4.59	8.09	14.65	4.74	8.54	15.55
C33-34	Lung etc.	7.11	13.07	24.44	7.39	13.44	25.16	6.53	12.17	21.23	6.57	12.31	20.58
C37-38	Other Thoracic Organs	0.08	0.08	0.21	0.06	0.08	0.09	0.12	0.17	0.33	0.13	0.16	0.16
C40-41	Bone	1.08	1.12	1.26	1.41	1.57	2.11	1.31	1.56	2.31	1.36	1.58	1.75
C43	Melanoma of Skin	0.23	0.33	0.37	0.29	0.53	0.84	0.17	0.28	0.54	0.13	0.22	0.34
C44	Other Skin	0.86	1.43	1.92	0.57	0.96	1.18	0.61	0.96	1.60	0.47	0.75	1.33
C45	Mesothelioma	0.00	0.00	0.00	0.35	0.66	1.05	0.17	0.32	0.41	0.16	0.30	0.42
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	1.34	1.56	2.38	1.24	1.71	1.82	1.24	1.53	2.75	1.08	1.35	2.01
C50	Breast	0.38	0.63	1.28	0.35	0.64	1.07	0.32	0.57	1.12	0.48	0.89	1.60
C60	Penis	0.55	0.95	1.64	0.49	0.75	1.40	0.72	1.09	2.26	0.66	1.00	1.15
C61	Prostate	3.51	7.68	6.81	4.23	9.25	6.71	3.66	7.97	6.61	3.48	7.70	4.12
C62	Testis	0.81	0.85	1.13	0.65	0.70	0.82	0.56	0.62	0.69	0.82	0.80	1.32
C63	Other Male Genital	0.00	0.00	0.00	0.02	0.04	0.00	0.05	0.08	0.26	0.04	0.08	0.15
C64	Kidney etc.	1.44	2.25	3.98	1.75	2.82	6.11	1.46	2.34	4.40	1.67	2.77	5.01
C65	Renal Pelvis	0.02	0.02	0.00	0.02	0.04	0.00	0.06	0.09	0.13	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.02	0.04	0.00	0.02	0.02	0.07	0.03	0.04	0.11
C67	Bladder	3.00	5.82	8.12	3.11	6.00	7.46	2.73	5.25	7.80	3.25	6.33	8.58
C68	Uns.Urinary Organs	0.03	0.08	0.00	0.05	0.09	0.18	0.02	0.02	0.08	0.03	0.06	0.08
C69	Eye	0.33	0.33	0.00	0.24	0.27	0.12	0.30	0.33	0.17	0.25	0.28	0.16
C70-72	Brain, Nervous System	3.40	4.23	6.76	3.69	4.71	7.36	2.76	3.53	6.35	3.45	4.58	7.69
C73	Thyroid	0.81	1.15	2.27	0.62	0.84	1.71	0.85	1.21	2.01	0.94	1.37	2.28
C74	Adrenal Gland	0.20	0.23	0.13	0.27	0.29	0.18	0.21	0.22	0.19	0.09	0.09	0.07
C77	Sec Lymph Nodes	1.06	1.87	3.89	1.08	1.82	3.53	1.04	1.70	3.36	0.86	1.40	2.91
C78	Sec Resp & Digestive	1.16	2.06	3.66	0.81	1.40	2.75	0.98	1.72	3.80	0.64	1.10	1.51
C79	Sec Others	0.41	0.72	0.72	0.84	1.52	2.34	0.72	1.29	2.40	0.58	1.05	1.91
C81	Hodgkins Disease	1.31	1.46	1.61	1.35	1.50	1.82	1.28	1.35	1.53	1.37	1.43	1.30
C82-85,C96	NHL	3.40	4.83	6.78	3.23	4.69	7.39	3.11	4.51	6.40	4.01	6.13	8.32
C90	Multiple Myeloma	1.38	2.45	4.86	1.45	2.64	4.54	1.01	1.82	3.39	1.24	2.35	4.40
C91	Lymphoid Leuk.	2.39	2.80	2.71	2.49	2.89	2.58	2.00	2.19	1.36	2.03	2.45	1.75
C92-94	Myeloid Leukaemia	2.34	2.65	4.36	2.18	2.51	3.46	2.15	2.51	3.98	2.16	2.57	3.83
C95	Leukaemia Uns	0.48	0.53	0.78	0.60	0.68	0.98	0.38	0.43	0.63	0.47	0.50	0.55
O&U	Other and Uns	5.07	8.61	13.85	4.43	7.40	13.04	3.61	5.87	7.58	2.18	3.54	6.13
	All Sites	71.98	117.71	198.61	73.44	120.56	203.20	67.90	110.86	186.03	68.27	112.56	176.06

**TABLE DEL-4(b): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Females
Delhi**

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.06	0.11	0.05	0.10	0.15	0.33	0.07	0.16	0.22	0.07	0.13	0.27
C01-02	Tongue	1.17	2.10	3.82	1.10	2.04	4.07	1.02	1.78	3.45	1.05	1.80	3.73
C03-06	Mouth	1.61	2.70	5.14	1.16	1.99	4.22	1.06	1.62	3.49	1.19	1.97	4.03
C07-08	Salivary Gland	0.36	0.61	0.92	0.27	0.34	0.47	0.43	0.56	1.41	0.23	0.37	0.85
C09	Tonsil	0.28	0.52	0.92	0.35	0.57	1.32	0.24	0.34	1.00	0.16	0.29	0.35
C10	Oth. Oropharynx	0.08	0.12	0.40	0.19	0.31	1.01	0.09	0.17	0.26	0.00	0.00	0.00
C11	Nasopharynx	0.12	0.17	0.34	0.14	0.20	0.40	0.17	0.23	0.19	0.09	0.14	0.27
C12-13	Hypopharynx	0.28	0.49	1.11	0.33	0.51	1.39	0.28	0.44	0.73	0.23	0.39	0.88
C14	Pharynx Unspecified	0.16	0.25	0.80	0.04	0.06	0.18	0.06	0.08	0.26	0.05	0.08	0.09
C15	Oesophagus	1.67	3.12	5.45	2.12	3.84	6.86	2.22	4.04	6.54	2.19	3.91	6.96
C16	Stomach	1.35	2.15	3.72	1.27	1.93	3.54	1.20	1.82	3.72	1.00	1.52	3.03
C17	Small Intestine	0.20	0.33	0.39	0.08	0.13	0.23	0.06	0.10	0.17	0.12	0.23	0.73
C18	Colon	1.11	1.76	3.56	1.20	2.12	3.42	1.33	2.00	5.09	1.17	1.96	3.36
C19-20	Rectum	1.00	1.53	2.87	0.79	1.19	2.92	0.85	1.31	2.85	0.98	1.54	2.99
C21	Anus & Anal Canal	0.18	0.30	0.26	0.15	0.25	0.28	0.26	0.44	0.78	0.32	0.45	1.10
C22	Liver	0.74	1.14	2.16	0.54	0.95	2.09	0.54	0.83	1.33	1.12	1.80	3.00
C23-24	Gallbladder etc.	5.59	9.71	19.63	5.56	9.73	19.78	5.67	9.81	20.19	5.07	8.33	17.22
C25	Pancreas	0.94	1.55	2.73	0.81	1.40	2.51	0.93	1.68	3.07	0.59	0.97	1.82
C30-31	Nose, Sinuses etc.	0.22	0.32	0.31	0.12	0.18	0.58	0.26	0.47	0.41	0.14	0.16	0.39
C32	Larynx	0.78	1.27	2.11	0.68	1.08	2.34	0.52	0.99	1.64	0.80	1.23	3.25
C33-34	Lung etc.	1.67	2.89	6.32	1.68	3.06	5.26	2.11	3.57	7.16	1.62	2.88	5.04
C37-38	Other Thoracic Organs	0.02	0.02	0.00	0.12	0.15	0.38	0.06	0.04	0.05	0.05	0.05	0.07
C40-41	Bone	0.96	0.98	0.98	0.98	1.12	1.01	0.91	1.03	1.46	0.94	1.15	1.65
C43	Melanoma of Skin	0.18	0.32	0.81	0.17	0.33	0.28	0.11	0.14	0.23	0.21	0.35	0.82
C44	Other Skin	0.84	1.40	2.41	0.50	0.86	1.49	0.59	0.95	1.99	0.41	0.71	1.28
C45	Mesothelioma	0.04	0.05	0.15	0.21	0.38	0.66	0.30	0.54	0.97	0.28	0.55	0.97
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	1.11	1.34	2.56	1.39	1.74	3.16	1.30	1.65	2.88	0.91	1.26	2.31
C50	Breast	19.43	29.20	68.15	20.87	31.73	75.62	20.50	31.41	72.05	20.56	31.62	75.34
C51	Vulva	0.34	0.64	0.74	0.21	0.39	0.61	0.24	0.47	0.48	0.28	0.52	0.80
C52	Vagina	0.32	0.62	0.78	0.15	0.25	0.63	0.30	0.54	1.05	0.34	0.59	1.18
C53	Cervix Uteri	15.41	23.43	55.16	13.10	20.16	48.99	12.76	19.40	47.43	13.67	21.46	51.58
C54	Corpus Uteri	1.99	3.33	6.63	2.22	3.91	7.78	1.61	2.84	6.07	2.03	3.55	7.43
C55	Uterus Unspecified	0.50	0.88	1.98	0.39	0.65	1.40	0.48	0.80	2.18	0.30	0.52	0.99
C56	Ovary etc.	6.15	9.50	20.19	6.13	9.65	22.12	5.57	8.41	18.63	6.10	9.18	19.08
C57	Other Female Genital	0.16	0.21	0.41	0.27	0.33	0.67	0.17	0.23	0.31	0.11	0.14	0.40
C58	Placenta	0.34	0.26	0.05	0.27	0.21	0.05	0.09	0.08	0.12	0.11	0.08	0.05
C64	Kidney etc.	0.84	1.23	2.00	0.60	0.86	1.88	0.81	1.34	2.14	0.60	0.98	1.79
C65	Renal Pelvis	0.00	0.00	0.00	0.02	0.04	0.00	0.00	0.00	0.00	0.02	0.04	0.00
C66	Ureter	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.11
C67	Bladder	0.86	1.60	2.44	0.93	1.74	2.81	0.85	1.65	2.47	0.71	1.27	1.67
C68	Uns. Urinary Organs	0.02	0.05	0.00	0.04	0.06	0.20	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.22	0.24	0.05	0.15	0.16	0.10	0.13	0.15	0.00	0.11	0.12	0.07
C70-72	Brain, Nervous System	1.97	2.54	5.00	2.37	2.94	5.20	1.91	2.29	4.70	1.99	2.62	5.00
C73	Thyroid	1.63	2.25	4.58	1.68	2.00	4.13	2.00	2.70	5.40	2.35	3.08	5.05
C74	Adrenal Gland	0.12	0.13	0.37	0.17	0.21	0.39	0.09	0.08	0.00	0.11	0.10	0.12
C77	Sec Lymph Nodes	0.52	0.92	1.10	0.48	0.85	1.45	0.30	0.52	0.88	0.36	0.61	1.00
C78	Sec Resp & Digestive	1.15	1.90	3.38	0.73	1.33	2.21	0.70	1.26	2.55	0.64	1.12	2.27
C79	Sec Others	0.32	0.56	1.13	0.81	1.13	2.13	0.69	1.06	1.62	0.52	0.84	2.12
C81	Hodgkins Disease	0.60	0.63	0.95	0.64	0.76	0.86	0.56	0.68	0.93	0.66	0.72	1.35
C82-85,C96	NHL	2.17	3.27	5.37	1.77	2.76	4.62	2.20	3.41	5.69	2.19	3.36	5.07
C90	Multiple Myeloma	0.80	1.44	2.46	0.89	1.66	3.07	1.06	1.85	3.69	1.08	2.05	2.99
C91	Lymphoid Leuk.	1.47	1.81	1.31	1.56	1.73	1.48	1.13	1.28	1.19	1.32	1.41	0.69
C92-94	Myeloid Leukaemia	1.71	1.94	3.22	1.97	2.25	3.73	2.11	2.53	4.50	1.62	1.92	3.20
C95	Leukaemia Uns	0.30	0.42	0.38	0.31	0.35	0.40	0.26	0.24	0.19	0.34	0.51	0.83
O&U	Other and Uns	5.19	8.67	14.78	3.95	6.62	11.74	3.37	5.37	7.17	1.62	2.70	4.85
	All Sites	87.28	134.89	272.53	84.73	131.34	274.44	82.48	127.39	263.00	80.72	125.40	261.49

TABLE DEL-5(a): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0-64 Years and from 0-74 Years) 1999-2000: Males - Delhi

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.02	0.02
C01-02	Tongue	0.41	0.41	0.70	0.70
C03-06	Mouth	0.27	0.27	0.47	0.47
C07-08	Salivary Gland	0.05	0.05	0.08	0.08
C09	Tonsil	0.14	0.14	0.23	0.23
C10	Oth. Oropharynx	0.04	0.04	0.08	0.08
C11	Nasopharynx	0.03	0.03	0.06	0.06
C12-13	Hypopharynx	0.11	0.11	0.26	0.26
C14	Pharynx Unspecified	0.02	0.02	0.06	0.06
C15	Oesophagus	0.39	0.39	0.74	0.74
C16	Stomach	0.22	0.22	0.33	0.33
C17	Small Intestine	0.01	0.01	0.01	0.01
C18	Colon	0.18	0.18	0.33	0.33
C19-20	Rectum	0.11	0.11	0.19	0.19
C21	Anus & Anal Canal	0.04	0.04	0.08	0.08
C22	Liver	0.13	0.13	0.27	0.27
C23-24	Gallbladder etc.	0.23	0.23	0.51	0.51
C25	Pancreas	0.12	0.12	0.25	0.25
C30-31	Nose, Sinuses etc.	0.01	0.01	0.02	0.02
C32	Larynx	0.53	0.52	1.04	1.04
C33-34	Lung etc.	0.73	0.73	1.58	1.57
C37-38	Other Thoracic Organs	0.01	0.01	0.02	0.02
C40-41	Bone	0.11	0.11	0.15	0.15
C43	Melanoma of Skin	0.01	0.01	0.02	0.02
C44	Other Skin	0.05	0.05	0.09	0.09
C45	Mesothelioma	0.01	0.01	0.04	0.04
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.10	0.10	0.13	0.13
C50	Breast	0.04	0.04	0.08	0.08
C60	Penis	0.06	0.06	0.12	0.12
C61	Prostate	0.20	0.20	0.97	0.96
C62	Testis	0.05	0.05	0.06	0.06
C63	Other Male Genital	0.01	0.01	0.01	0.01
C64	Kidney etc.	0.17	0.17	0.28	0.28
C65	Renal Pelvis	0.00	0.00	0.01	0.01
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.29	0.29	0.74	0.74
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.02	0.02	0.02	0.02
C70-72	Brain, Nervous System	0.28	0.28	0.43	0.43
C73	Thyroid	0.08	0.08	0.16	0.16
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C77	Sec Lymph Nodes	0.11	0.11	0.18	0.18
C78	Sec Resp & Digestive	0.09	0.09	0.17	0.17
C79	Sec Others	0.08	0.08	0.13	0.13
C81	Hodgkins Disease	0.09	0.09	0.12	0.12
C82-85, C96	NHL	0.30	0.30	0.61	0.61
C90	Multiple Myeloma	0.14	0.14	0.26	0.26
C91	Lymphoid Leuk.	0.13	0.12	0.19	0.19
C92-94	Myeloid Leukaemia	0.17	0.17	0.24	0.24
C95	Leukaemia Uns	0.03	0.03	0.04	0.04
O&U	Other and Uns	0.25	0.25	0.52	0.52
	All Sites	6.67	6.45	13.13	12.31

TABLE DEL-5(b): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Females - Delhi

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.03	0.03
C01-02	Tongue	0.12	0.12	0.22	0.22
C03-06	Mouth	0.13	0.13	0.23	0.23
C07-08	Salivary Gland	0.04	0.04	0.04	0.04
C09	Tonsil	0.02	0.02	0.04	0.04
C10	Oth. Oropharynx	0.00	0.00	0.01	0.01
C11	Nasopharynx	0.01	0.01	0.03	0.03
C12-13	Hypopharynx	0.03	0.03	0.05	0.05
C14	Pharynx Unspecified	0.01	0.01	0.01	0.01
C15	Oesophagus	0.23	0.23	0.50	0.50
C16	Stomach	0.11	0.11	0.19	0.19
C17	Small Intestine	0.02	0.02	0.02	0.02
C18	Colon	0.15	0.15	0.23	0.23
C19-20	Rectum	0.10	0.10	0.15	0.15
C21	Anus & Anal Canal	0.04	0.04	0.05	0.05
C22	Liver	0.08	0.08	0.18	0.18
C23-24	Gallbladder etc.	0.63	0.62	1.14	1.13
C25	Pancreas	0.08	0.08	0.18	0.18
C30-31	Nose, Sinuses etc.	0.02	0.02	0.05	0.05
C32	Larynx	0.08	0.08	0.14	0.14
C33-34	Lung etc.	0.21	0.21	0.41	0.41
C37-38	Other Thoracic Organs	0.00	0.00	0.00	0.00
C40-41	Bone	0.07	0.07	0.10	0.10
C43	Melanoma of Skin	0.02	0.02	0.03	0.03
C44	Other Skin	0.06	0.06	0.08	0.08
C45	Mesothelioma	0.03	0.03	0.06	0.06
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.10	0.10	0.16	0.16
C50	Breast	2.42	2.39	3.59	3.53
C51	Vulva	0.02	0.02	0.07	0.07
C52	Vagina	0.04	0.04	0.07	0.07
C53	Cervix Uteri	1.64	1.62	2.36	2.33
C54	Corpus Uteri	0.23	0.23	0.41	0.41
C55	Uterus Unspecified	0.05	0.05	0.08	0.08
C56	Ovary etc.	0.64	0.64	0.94	0.94
C57	Other Female Genital	0.01	0.01	0.02	0.02
C58	Placenta	0.01	0.01	0.01	0.01
C64	Kidney etc.	0.07	0.07	0.13	0.13
C65	Renal Pelvis	0.00	0.00	0.01	0.01
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.07	0.07	0.18	0.18
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.01	0.01
C70-72	Brain, Nervous System	0.19	0.19	0.25	0.25
C73	Thyroid	0.21	0.21	0.30	0.30
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C77	Sec Lymph Nodes	0.03	0.03	0.08	0.08
C78	Sec Resp & Digestive	0.09	0.09	0.15	0.15
C79	Sec Others	0.07	0.07	0.12	0.12
C81	Hodgkins Disease	0.05	0.05	0.06	0.06
C82-85,C96	NHL	0.21	0.21	0.39	0.39
C90	Multiple Myeloma	0.11	0.11	0.25	0.25
C91	Lymphoid Leuk.	0.07	0.07	0.10	0.10
C92-94	Myeloid Leukaemia	0.16	0.16	0.21	0.21
C95	Leukaemia Uns	0.02	0.02	0.04	0.04
O&U	Other and Uns	0.23	0.23	0.46	0.45
	All Sites	9.05	8.65	14.61	13.59

**TABLE DEL-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Males
Delhi**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	14	93.3	0	0.0	1	6.7	0	0.0	0	0.0	15	100.0
C01-02	Tongue	415	88.7	0	0.0	47	10.0	1	0.2	5	1.1	468	100.0
C03-06	Mouth	284	90.2	2	0.6	26	8.3	1	0.3	2	0.6	315	100.0
C07-08	Salivary Gland	55	87.3	0	0.0	8	12.7	0	0.0	0	0.0	63	100.0
C09	Tonsil	133	85.8	0	0.0	17	11.0	0	0.0	5	3.2	155	100.0
C10	Oth. Oropharynx	38	77.6	0	0.0	8	16.3	0	0.0	3	6.1	49	100.0
C11	Nasopharynx	35	79.5	0	0.0	8	18.2	0	0.0	1	2.3	44	100.0
C12-13	Hypopharynx	125	82.8	0	0.0	22	14.6	1	0.7	3	2.0	151	100.0
C14	Pharynx Unspecified	29	87.9	0	0.0	3	9.1	0	0.0	1	3.0	33	100.0
C15	Oesophagus	321	70.4	6	1.3	59	12.9	55	12.1	15	3.3	456	100.0
C16	Stomach	160	68.4	3	1.3	39	16.7	15	6.4	17	7.3	234	100.0
C17	Small Intestine	8	80.0	0	0.0	1	10.0	0	0.0	1	10.0	10	100.0
C18	Colon	175	75.1	1	0.4	51	21.9	4	1.7	2	0.9	233	100.0
C19-20	Rectum	115	71.0	0	0.0	39	24.1	4	2.5	4	2.5	162	100.0
C21	Anus & Anal Canal	41	74.5	0	0.0	13	23.6	1	1.8	0	0.0	55	100.0
C22	Liver	141	77.5	1	0.5	33	18.1	3	1.6	4	2.2	182	100.0
C23-24	Gallbladder etc.	163	54.7	18	6.0	69	23.2	40	13.4	8	2.7	298	100.0
C25	Pancreas	112	70.4	1	0.6	38	23.9	1	0.6	7	4.4	159	100.0
C30-31	Nose, Sinuses etc.	19	82.6	0	0.0	4	17.4	0	0.0	0	0.0	23	100.0
C32	Larynx	482	76.9	1	0.2	131	20.9	8	1.3	5	0.8	627	100.0
C33-34	Lung etc.	689	78.1	52	5.9	109	12.4	12	1.4	20	2.3	882	100.0
C37-38	Other Thoracic Organs	13	76.5	0	0.0	4	23.5	0	0.0	0	0.0	17	100.0
C40-41	Bone	145	80.1	2	1.1	33	18.2	0	0.0	1	0.6	181	100.0
C43	Melanoma of Skin	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	20	100.0
C44	Other Skin	62	84.9	0	0.0	10	13.7	1	1.4	0	0.0	73	100.0
C45	Mesothelioma	17	77.3	0	0.0	2	9.1	0	0.0	3	13.6	22	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	143	91.7	0	0.0	12	7.7	1	0.6	0	0.0	156	100.0
C50	Breast	39	70.9	2	3.6	10	18.2	0	0.0	4	7.3	55	100.0
C60	Penis	75	80.6	0	0.0	17	18.3	1	1.1	0	0.0	93	100.0
C61	Prostate	385	79.9	5	1.0	81	16.8	2	0.4	9	1.9	482	100.0
C62	Testis	84	90.3	0	0.0	9	9.7	0	0.0	0	0.0	93	100.0
C63	Other Male Genital	5	83.3	0	0.0	1	16.7	0	0.0	0	0.0	6	100.0
C64	Kidney etc.	189	89.2	0	0.0	21	9.9	1	0.5	1	0.5	212	100.0
C65	Renal Pelvis	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C66	Ureter	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C67	Bladder	300	74.3	11	2.7	85	21.0	3	0.7	5	1.2	404	100.0
C68	Uns.Urinary Organs	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	3	100.0
C69	Eye	34	91.9	0	0.0	3	8.1	0	0.0	0	0.0	37	100.0
C70-72	Brain, Nervous System	357	85.2	0	0.0	47	11.2	8	1.9	7	1.7	419	100.0
C73	Thyroid	88	73.3	0	0.0	32	26.7	0	0.0	0	0.0	120	100.0
C74	Adrenal Gland	15	75.0	0	0.0	5	25.0	0	0.0	0	0.0	20	100.0
C77	Sec Lymph Nodes	115	87.8	0	0.0	10	7.6	3	2.3	3	2.3	131	100.0
C78	Sec Resp & Digestive	81	74.3	0	0.0	17	15.6	7	6.4	4	3.7	109	100.0
C79	Sec Others	64	73.6	1	1.1	17	19.5	5	5.7	0	0.0	87	100.0
C81	Hodgkins Disease	178	100.0	0	0.0	0	0.0	0	0.0	0	0.0	178	100.0
C82-85,C96	NHL	481	100.0	0	0.0	0	0.0	0	0.0	0	0.0	481	100.0
C90	Multiple Myeloma	151	100.0	0	0.0	0	0.0	0	0.0	0	0.0	151	100.0
C91	Lymphoid Leuk.	270	100.0	0	0.0	0	0.0	0	0.0	0	0.0	270	100.0
C92-94	Myeloid Leukaemia	291	100.0	0	0.0	0	0.0	0	0.0	0	0.0	291	100.0
C95	Leukaemia Uns	57	100.0	0	0.0	0	0.0	0	0.0	0	0.0	57	100.0
O&U	Other and Uns	155	39.9	1	0.3	80	20.6	4	1.0	148	38.1	388	100.0
	All Sites	7377	80.4	107	1.2	1223	13.3	182	2.0	288	3.1	9177	100.0

**TABLE DEL-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Females
Delhi**

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	7	87.5	0	0.0	0	0.0	1	12.5	0	0.0	8	100.0
C01-02	Tongue	102	88.7	0	0.0	13	11.3	0	0.0	0	0.0	115	100.0
C03-06	Mouth	110	88.7	0	0.0	13	10.5	1	0.8	0	0.0	124	100.0
C07-08	Salivary Gland	27	75.0	0	0.0	8	22.2	1	2.8	0	0.0	36	100.0
C09	Tonsil	18	81.8	0	0.0	4	18.2	0	0.0	0	0.0	22	100.0
C10	Oth. Oropharynx	3	60.0	0	0.0	2	40.0	0	0.0	0	0.0	5	100.0
C11	Nasopharynx	10	71.4	0	0.0	4	28.6	0	0.0	0	0.0	14	100.0
C12-13	Hypopharynx	23	82.1	0	0.0	5	17.9	0	0.0	0	0.0	28	100.0
C14	Pharynx Unspecified	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C15	Oesophagus	178	72.4	2	0.8	37	15.0	27	11.0	2	0.8	246	100.0
C16	Stomach	76	62.3	2	1.6	34	27.9	6	4.9	4	3.3	122	100.0
C17	Small Intestine	5	50.0	0	0.0	5	50.0	0	0.0	0	0.0	10	100.0
C18	Colon	89	64.0	1	0.7	40	28.8	4	2.9	5	3.6	139	100.0
C19-20	Rectum	65	64.4	0	0.0	30	29.7	5	5.0	1	1.0	101	100.0
C21	Anus & Anal Canal	22	68.8	0	0.0	9	28.1	1	3.1	0	0.0	32	100.0
C22	Liver	63	67.0	0	0.0	26	27.7	4	4.3	1	1.1	94	100.0
C23-24	Gallbladder etc.	331	55.8	23	3.9	108	18.2	112	18.9	19	3.2	593	100.0
C25	Pancreas	42	50.6	1	1.2	31	37.3	2	2.4	7	8.4	83	100.0
C30-31	Nose, Sinuses etc.	20	90.9	1	4.5	1	4.5	0	0.0	0	0.0	22	100.0
C32	Larynx	49	65.3	0	0.0	24	32.0	1	1.3	1	1.3	75	100.0
C33-34	Lung etc.	156	76.1	14	6.8	24	11.7	3	1.5	8	3.9	205	100.0
C37-38	Other Thoracic Organs	4	66.7	0	0.0	1	16.7	1	16.7	0	0.0	6	100.0
C40-41	Bone	82	80.4	0	0.0	16	15.7	4	3.9	0	0.0	102	100.0
C43	Melanoma of Skin	17	94.4	0	0.0	1	5.6	0	0.0	0	0.0	18	100.0
C44	Other Skin	48	87.3	0	0.0	7	12.7	0	0.0	0	0.0	55	100.0
C45	Mesothelioma	26	78.8	1	3.0	5	15.2	0	0.0	1	3.0	33	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	106	87.6	0	0.0	15	12.4	0	0.0	0	0.0	121	100.0
C50	Breast	1818	80.1	19	0.8	390	17.2	7	0.3	37	1.6	2271	100.0
C51	Vulva	23	79.3	0	0.0	6	20.7	0	0.0	0	0.0	29	100.0
C52	Vagina	28	77.8	0	0.0	8	22.2	0	0.0	0	0.0	36	100.0
C53	Cervix Uteri	1154	77.8	4	0.3	294	19.8	8	0.5	23	1.6	1483	100.0
C54	Corpus Uteri	175	87.1	0	0.0	23	11.4	1	0.5	2	1.0	201	100.0
C55	Uterus Unspecified	36	83.7	0	0.0	6	14.0	0	0.0	1	2.3	43	100.0
C56	Ovary etc.	514	79.3	5	0.8	121	18.7	3	0.5	5	0.8	648	100.0
C57	Other Female Genital	9	60.0	0	0.0	6	40.0	0	0.0	0	0.0	15	100.0
C58	Placenta	9	81.8	0	0.0	2	18.2	0	0.0	0	0.0	11	100.0
C64	Kidney etc.	73	93.6	0	0.0	5	6.4	0	0.0	0	0.0	78	100.0
C65	Renal Pelvis	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C66	Ureter	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C67	Bladder	54	62.1	1	1.1	30	34.5	2	2.3	0	0.0	87	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	10	76.9	0	0.0	3	23.1	0	0.0	0	0.0	13	100.0
C70-72	Brain, Nervous System	182	84.3	0	0.0	25	11.6	4	1.9	5	2.3	216	100.0
C73	Thyroid	181	74.8	0	0.0	57	23.6	2	0.8	2	0.8	242	100.0
C74	Adrenal Gland	10	83.3	0	0.0	2	16.7	0	0.0	0	0.0	12	100.0
C77	Sec Lymph Nodes	33	91.7	0	0.0	3	8.3	0	0.0	0	0.0	36	100.0
C78	Sec Resp & Digestive	65	86.7	0	0.0	4	5.3	4	5.3	2	2.7	75	100.0
C79	Sec Others	54	81.8	0	0.0	11	16.7	0	0.0	1	1.5	66	100.0
C81	Hodgkins Disease	67	100.0	0	0.0	0	0.0	0	0.0	0	0.0	67	100.0
C82-85,C96	NHL	242	100.0	0	0.0	0	0.0	0	0.0	0	0.0	242	100.0
C90	Multiple Myeloma	119	100.0	0	0.0	0	0.0	0	0.0	0	0.0	119	100.0
C91	Lymphoid Leuk.	135	100.0	0	0.0	0	0.0	0	0.0	0	0.0	135	100.0
C92-94	Myeloid Leukaemia	206	100.0	0	0.0	0	0.0	0	0.0	0	0.0	206	100.0
C95	Leukaemia Uns	33	100.0	0	0.0	0	0.0	0	0.0	0	0.0	33	100.0
O&U	Other and Uns	110	40.0	1	0.4	46	16.7	6	2.2	112	40.7	275	100.0
	All Sites	7028	77.6	75	0.8	1505	16.6	210	2.3	239	2.6	9057	100.0

**TABLE DEL-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Males
Delhi**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	14	93.3	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	15	100.0
C01-02	Tongue	376	80.3	14	3.0	25	5.3	0	0.0	0	0.0	53	11.3	468	100.0
C03-06	Mouth	263	83.5	1	0.3	20	6.3	0	0.0	0	0.0	31	9.8	315	100.0
C07-08	Salivary Gland	42	66.7	1	1.6	12	19.0	0	0.0	0	0.0	8	12.7	63	100.0
C09	Tonsil	112	72.3	10	6.5	11	7.1	0	0.0	0	0.0	22	14.2	155	100.0
C10	Oth. Oropharynx	35	71.4	1	2.0	2	4.1	0	0.0	0	0.0	11	22.4	49	100.0
C11	Nasopharynx	34	77.3	0	0.0	1	2.3	0	0.0	0	0.0	9	20.5	44	100.0
C12-13	Hypopharynx	112	74.2	4	2.6	9	6.0	0	0.0	0	0.0	26	17.2	151	100.0
C14	Pharynx Unspecified	26	78.8	1	3.0	2	6.1	0	0.0	0	0.0	4	12.1	33	100.0
C15	Oesophagus	304	66.7	10	2.2	7	1.5	0	0.0	0	0.0	135	29.6	456	100.0
C16	Stomach	149	63.7	6	2.6	5	2.1	0	0.0	0	0.0	74	31.6	234	100.0
C17	Small Intestine	8	80.0	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	10	100.0
C18	Colon	160	68.7	6	2.6	9	3.9	0	0.0	0	0.0	58	24.9	233	100.0
C19-20	Rectum	108	66.7	3	1.9	4	2.5	0	0.0	0	0.0	47	29.0	162	100.0
C21	Anus & Anal Canal	40	72.7	1	1.8	0	0.0	0	0.0	0	0.0	14	25.5	55	100.0
C22	Liver	106	58.2	3	1.6	32	17.6	0	0.0	0	0.0	41	22.5	182	100.0
C23-24	Gallbladder etc.	124	41.6	24	8.1	15	5.0	0	0.0	0	0.0	135	45.3	298	100.0
C25	Pancreas	93	58.5	9	5.7	10	6.3	0	0.0	0	0.0	47	29.6	159	100.0
C30-31	Nose, Sinuses etc.	16	69.6	1	4.3	2	8.7	0	0.0	0	0.0	4	17.4	23	100.0
C32	Larynx	443	70.7	19	3.0	20	3.2	0	0.0	0	0.0	145	23.1	627	100.0
C33-34	Lung etc.	443	50.2	47	5.3	199	22.6	0	0.0	0	0.0	193	21.9	882	100.0
C37-38	Other Thoracic Organs	9	52.9	1	5.9	3	17.6	0	0.0	0	0.0	4	23.5	17	100.0
C40-41	Bone	133	73.5	2	1.1	10	5.5	0	0.0	0	0.0	36	19.9	181	100.0
C43	Melanoma of Skin	15	75.0	2	10.0	3	15.0	0	0.0	0	0.0	0	0.0	20	100.0
C44	Other Skin	59	80.8	1	1.4	2	2.7	0	0.0	0	0.0	11	15.1	73	100.0
C45	Mesothelioma	10	45.5	0	0.0	7	31.8	0	0.0	0	0.0	5	22.7	22	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	125	80.1	1	0.6	17	10.9	0	0.0	0	0.0	13	8.3	156	100.0
C50	Breast	24	43.6	1	1.8	14	25.5	0	0.0	0	0.0	16	29.1	55	100.0
C60	Penis	67	72.0	3	3.2	5	5.4	0	0.0	0	0.0	18	19.4	93	100.0
C61	Prostate	351	72.8	23	4.8	11	2.3	0	0.0	0	0.0	97	20.1	482	100.0
C62	Testis	70	75.3	3	3.2	11	11.8	0	0.0	0	0.0	9	9.7	93	100.0
C63	Other Male Genital	4	66.7	1	16.7	0	0.0	0	0.0	0	0.0	1	16.7	6	100.0
C64	Kidney etc.	164	77.4	12	5.7	13	6.1	0	0.0	0	0.0	23	10.8	212	100.0
C65	Renal Pelvis	3	75.0	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C66	Ureter	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C67	Bladder	290	71.8	2	0.5	8	2.0	0	0.0	0	0.0	104	25.7	404	100.0
C68	Uns.Urinary Organs	2	66.7	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
C69	Eye	33	89.2	0	0.0	1	2.7	0	0.0	0	0.0	3	8.1	37	100.0
C70-72	Brain, Nervous System	356	85.0	0	0.0	1	0.2	0	0.0	0	0.0	62	14.8	419	100.0
C73	Thyroid	66	55.0	6	5.0	16	13.3	0	0.0	0	0.0	32	26.7	120	100.0
C74	Adrenal Gland	13	65.0	1	5.0	1	5.0	0	0.0	0	0.0	5	25.0	20	100.0
C77	Sec Lymph Nodes	28	21.4	33	25.2	54	41.2	0	0.0	0	0.0	16	12.2	131	100.0
C78	Sec Resp & Digestive	0	0.0	63	57.8	18	16.5	0	0.0	0	0.0	28	25.7	109	100.0
C79	Sec Others	1	1.1	46	52.9	17	19.5	0	0.0	0	0.0	23	26.4	87	100.0
C81	Hodgkins Disease	173	97.2	0	0.0	5	2.8	0	0.0	0	0.0	0	0.0	178	100.0
C82-85,C96	NHL	461	95.8	0	0.0	19	4.0	0	0.0	1	0.2	0	0.0	481	100.0
C90	Multiple Myeloma	0	0.0	0	0.0	0	0.0	0	0.0	151	100.0	0	0.0	151	100.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	0	0.0	270	100.0	0	0.0	270	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0	291	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	57	100.0	0	0.0	57	100.0
O&U	Other and Uns	116	29.9	7	1.8	32	8.2	0	0.0	0	0.0	233	60.1	388	100.0
	All Sites	5584	60.8	370	4.0	653	7.1	0	0.0	770	8.4	1800	19.6	9177	100.0

**TABLE DEL-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Females
Delhi**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	75.0	0	0.0	1	12.5	0	0.0	0	0.0	1	12.5	8	100.0
C01-02	Tongue	94	81.7	2	1.7	6	5.2	0	0.0	0	0.0	13	11.3	115	100.0
C03-06	Mouth	94	75.8	0	0.0	16	12.9	0	0.0	0	0.0	14	11.3	124	100.0
C07-08	Salivary Gland	25	69.4	1	2.8	1	2.8	0	0.0	0	0.0	9	25.0	36	100.0
C09	Tonsil	18	81.8	0	0.0	0	0.0	0	0.0	0	0.0	4	18.2	22	100.0
C10	Oth. Oropharynx	3	60.0	0	0.0	0	0.0	0	0.0	0	0.0	2	40.0	5	100.0
C11	Nasopharynx	9	64.3	1	7.1	0	0.0	0	0.0	0	0.0	4	28.6	14	100.0
C12-13	Hypopharynx	21	75.0	1	3.6	1	3.6	0	0.0	0	0.0	5	17.9	28	100.0
C14	Pharynx Unspecified	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C15	Oesophagus	167	67.9	7	2.8	4	1.6	0	0.0	0	0.0	68	27.6	246	100.0
C16	Stomach	69	56.6	4	3.3	3	2.5	0	0.0	0	0.0	46	37.7	122	100.0
C17	Small Intestine	5	50.0	0	0.0	0	0.0	0	0.0	0	0.0	5	50.0	10	100.0
C18	Colon	79	56.8	5	3.6	5	3.6	0	0.0	0	0.0	50	36.0	139	100.0
C19-20	Rectum	62	61.4	1	1.0	2	2.0	0	0.0	0	0.0	36	35.6	101	100.0
C21	Anus & Anal Canal	18	56.3	2	6.3	2	6.3	0	0.0	0	0.0	10	31.3	32	100.0
C22	Liver	50	53.2	2	2.1	11	11.7	0	0.0	0	0.0	31	33.0	94	100.0
C23-24	Gallbladder etc.	236	39.8	49	8.3	46	7.8	0	0.0	0	0.0	262	44.2	593	100.0
C25	Pancreas	33	39.8	4	4.8	5	6.0	0	0.0	0	0.0	41	49.4	83	100.0
C30-31	Nose, Sinuses etc.	20	90.9	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	22	100.0
C32	Larynx	46	61.3	0	0.0	3	4.0	0	0.0	0	0.0	26	34.7	75	100.0
C33-34	Lung etc.	95	46.3	11	5.4	50	24.4	0	0.0	0	0.0	49	23.9	205	100.0
C37-38	Other Thoracic Organs	4	66.7	0	0.0	0	0.0	0	0.0	0	0.0	2	33.3	6	100.0
C40-41	Bone	78	76.5	0	0.0	4	3.9	0	0.0	0	0.0	20	19.6	102	100.0
C43	Melanoma of Skin	16	88.9	0	0.0	1	5.6	0	0.0	0	0.0	1	5.6	18	100.0
C44	Other Skin	47	85.5	0	0.0	1	1.8	0	0.0	0	0.0	7	12.7	55	100.0
C45	Mesothelioma	15	45.5	0	0.0	11	33.3	0	0.0	0	0.0	7	21.2	33	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	97	80.2	0	0.0	9	7.4	0	0.0	0	0.0	15	12.4	121	100.0
C50	Breast	946	41.7	68	3.0	804	35.4	0	0.0	0	0.0	453	19.9	2271	100.0
C51	Vulva	21	72.4	0	0.0	2	6.9	0	0.0	0	0.0	6	20.7	29	100.0
C52	Vagina	25	69.4	1	2.8	2	5.6	0	0.0	0	0.0	8	22.2	36	100.0
C53	Cervix Uteri	863	58.2	10	0.7	281	18.9	0	0.0	0	0.0	329	22.2	1483	100.0
C54	Corpus Uteri	161	80.1	2	1.0	12	6.0	0	0.0	0	0.0	26	12.9	201	100.0
C55	Uterus Unspecified	31	72.1	1	2.3	4	9.3	0	0.0	0	0.0	7	16.3	43	100.0
C56	Ovary etc.	424	65.4	20	3.1	70	10.8	0	0.0	0	0.0	134	20.7	648	100.0
C57	Other Female Genital	7	46.7	0	0.0	2	13.3	0	0.0	0	0.0	6	40.0	15	100.0
C58	Placenta	7	63.6	1	9.1	1	9.1	0	0.0	0	0.0	2	18.2	11	100.0
C64	Kidney etc.	64	82.1	6	7.7	3	3.8	0	0.0	0	0.0	5	6.4	78	100.0
C65	Renal Pelvis	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C66	Ureter	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C67	Bladder	54	62.1	0	0.0	0	0.0	0	0.0	0	0.0	33	37.9	87	100.0
C68	Uns. Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	8	61.5	0	0.0	2	15.4	0	0.0	0	0.0	3	23.1	13	100.0
C70-72	Brain, Nervous System	181	83.8	0	0.0	1	0.5	0	0.0	0	0.0	34	15.7	216	100.0
C73	Thyroid	136	56.2	13	5.4	32	13.2	0	0.0	0	0.0	61	25.2	242	100.0
C74	Adrenal Gland	10	83.3	0	0.0	0	0.0	0	0.0	0	0.0	2	16.7	12	100.0
C77	Sec Lymph Nodes	9	25.0	12	33.3	12	33.3	0	0.0	0	0.0	3	8.3	36	100.0
C78	Sec Resp & Digestive	0	0.0	54	72.0	11	14.7	0	0.0	0	0.0	10	13.3	75	100.0
C79	Sec Others	0	0.0	34	51.5	20	30.3	0	0.0	0	0.0	12	18.2	66	100.0
C81	Hodgkins Disease	64	95.5	0	0.0	3	4.5	0	0.0	0	0.0	0	0.0	67	100.0
C82-85,C96	NHL	235	97.1	0	0.0	7	2.9	0	0.0	0	0.0	0	0.0	242	100.0
C90	Multiple Myeloma	1	0.8	0	0.0	0	0.0	0	0.0	118	99.2	0	0.0	119	100.0
C91	Lymphoid Leuk.	0	0.0	0	0.0	0	0.0	0	0.0	135	100.0	0	0.0	135	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	0	0.0	206	100.0	0	0.0	206	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	0	0.0	33	100.0	0	0.0	33	100.0
O&U	Other and Uns	83	30.2	3	1.1	24	8.7	0	0.0	0	0.0	165	60.0	275	100.0
	All Sites	4746	52.4	315	3.5	1475	16.3	0	0.0	492	5.4	2029	22.4	9057	100.0

**TABLE DEL-8.1(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	1	0	0	1	2	0	2	2	1	2	0	4	0	15	1.97	
C03-06	Mouth	0	0	0	0	0	0	1	0	1	0	1	3	4	3	1	0	0	14	1.83	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.13	
C09	Tonsil	0	0	0	0	0	0	0	1	0	1	2	2	0	1	1	0	0	8	1.05	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	0.26	
C11	Nasopharynx	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	3	0.39	
C12-13	Hypopharynx	1	0	0	0	0	0	1	1	2	0	1	1	3	4	1	1	0	16	2.10	
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	3	0.39	
C15	Oesophagus	0	0	0	0	0	0	0	0	2	6	9	8	7	4	4	5	0	45	5.90	
C16	Stomach	0	0	0	0	1	0	0	0	4	2	3	5	7	0	0	1	0	23	3.01	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C18	Colon	0	0	0	0	0	0	0	0	2	0	1	3	1	2	4	0	0	13	1.70	
C19-20	Rectum	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	1	0	5	0.66	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C22	Liver	0	0	0	0	0	2	1	0	1	1	1	3	1	3	2	2	0	17	2.23	
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	1	0	3	4	3	6	4	3	0	26	3.41	
C25	Pancreas	0	0	0	0	0	0	0	0	0	1	4	3	2	2	3	2	0	17	2.23	
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.13	
C32	Larynx	1	0	0	0	0	2	0	1	1	1	4	2	1	4	1	2	0	20	2.62	
C33-34	Lung etc.	0	0	0	0	0	0	1	2	13	5	13	13	15	6	12	5	2	87	11.40	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C40-41	Bone	0	2	1	0	1	0	1	0	0	1	2	1	0	0	0	0	0	9	1.18	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C44	Other Skin	0	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0	3	0.39	
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0.26	
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	3	0.39	
C50	Breast	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	3	0.39	
C60	Penis	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.13	
C61	Prostate	0	0	0	0	0	0	0	0	0	0	3	1	5	3	5	10	0	27	3.54	
C62	Testis	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2	0.26	
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C64	Kidney etc.	2	0	0	0	0	0	1	0	1	0	2	1	1	0	1	3	0	12	1.57	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.13	
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	6	0	13	1.70	
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C69	Eye	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.26	
C70-72	Brain, Nervous System	1	2	0	0	0	1	2	1	3	1	2	3	3	1	0	3	0	23	3.01	
C73	Thyroid	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2	0.26	
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C77	Sec Lymph Nodes	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	4	0.52	
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	3	0	6	3	0	0	3	0	15	1.97	
C79	Sec Others	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3	0.39	
C81	Hodgkins Disease	0	0	1	0	0	0	2	2	1	0	0	1	1	0	3	0	0	11	1.44	
C82-85,C96	NHL	0	0	2	3	3	2	1	2	1	0	4	8	2	6	3	0	0	37	4.85	
C90	Multiple Myeloma	0	0	0	0	0	0	1	0	1	1	2	3	2	2	2	2	0	16	2.10	
C91	Lymphoid Leuk.	9	6	2	8	4	4	1	1	2	0	2	2	2	1	0	3	0	47	6.16	
C92-94	Myeloid Leukaemia	1	1	5	1	4	7	6	1	6	3	2	4	4	1	0	4	0	50	6.55	
C95	Leukaemia Uns	0	1	0	3	2	1	0	1	0	2	0	0	1	0	1	0	0	12	1.57	
O&U	Other and Uns	9	5	0	5	4	13	8	8	7	12	10	7	11	18	14	18	0	149	19.53	
	All Sites	27	18	11	21	23	34	29	25	55	44	76	92	84	76	65	81	2	763	100.00	

**TABLE DEL-8.1(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	1	0	0	0	0	0	2	1	0	0	1	1	0	6	1.08
C03-06	Mouth	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	0.36
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.18
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.18
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	2	0	0	0	2	3	0	1	1	2	4	0	15	2.70
C16	Stomach	0	0	0	0	0	2	0	4	2	1	1	0	1	1	0	1	0	13	2.34
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	0	2	3	1	2	3	1	0	2	0	0	14	2.52
C19-20	Rectum	0	0	0	0	0	0	1	0	0	1	1	0	1	1	0	0	0	5	0.90
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.18
C22	Liver	0	0	0	0	1	0	0	1	0	0	0	0	1	1	0	0	1	5	0.90
C23-24	Gallbladder etc.	0	0	0	0	0	1	1	0	4	5	7	5	5	4	3	2	0	37	6.67
C25	Pancreas	0	0	0	0	0	0	0	1	2	3	0	1	2	1	1	1	0	12	2.16
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	1	0	0	1	0	1	0	1	0	1	0	0	5	0.90
C33-34	Lung etc.	0	0	0	0	0	0	0	7	1	3	2	1	5	2	1	2	0	24	4.32
C37-38	Other Thoracic Organs	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2	0.36
C40-41	Bone	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.18
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.18
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.18
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	1	0	0	0	0	0	0	2	1	0	1	0	0	6	1.08
C50	Breast	0	0	0	0	0	2	5	9	9	5	7	10	6	5	6	3	0	67	12.07
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.18
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.18
C53	Cervix Uteri	0	0	0	0	0	0	2	2	8	0	6	3	1	3	2	0	0	27	4.86
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	0	0	5	0	2	1	0	0	8	1.44
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	3	0.54
C56	Ovary etc.	0	0	0	2	2	2	4	4	1	4	7	3	2	4	2	2	0	39	7.03
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.18
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	1	1	0	0	0	1	0	2	1	0	7	1.26
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.18
C70-72	Brain, Nervous System	1	2	1	0	0	0	0	1	0	1	3	1	3	0	1	1	0	15	2.70
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	2	2	1	0	1	1	0	7	1.26
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0.18
C77	Sec Lymph Nodes	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.18
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	1	0	1	1	0	3	0	1	0	1	8	1.44
C79	Sec Others	0	0	0	0	0	1	0	1	0	0	0	0	1	1	0	1	0	5	0.90
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	0.36
C82-85,C96	NHL	0	0	2	0	3	1	2	0	0	3	1	0	0	4	0	1	0	17	3.06
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	1	2	1	4	2	1	1	3	0	15	2.70
C91	Lymphoid Leuk.	1	4	2	1	5	0	2	3	3	1	3	1	0	0	0	0	0	26	4.68
C92-94	Myeloid Leukaemia	0	0	0	2	4	2	5	0	3	2	2	4	2	0	0	2	0	28	5.05
C95	Leukaemia Uns	1	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	5	0.90
O&U	Other and Uns	5	2	1	6	3	12	3	5	4	9	10	11	9	12	10	15	1	118	21.26
	All Sites	8	10	6	13	22	28	27	43	44	47	69	57	52	43	40	42	4	555	100.00

**TABLE DEL-8.2(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.16
C01-02	Tongue	0	0	0	1	0	1	0	0	0	2	4	3	2	4	0	1	0	18	2.85
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	0	6	0.95
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.16
C09	Tonsil	0	0	0	0	0	0	0	1	2	2	2	1	2	0	1	2	0	13	2.06
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0.32
C11	Nasopharynx	0	0	1	0	0	0	0	0	0	0	0	2	1	0	0	0	0	4	0.63
C12-13	Hypopharynx	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1	4	0	8	1.27
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	1	0	1	2	5	1	10	8	8	2	3	1	42	6.65
C16	Stomach	0	0	0	0	0	2	0	0	2	1	3	4	9	5	2	2	1	31	4.91
C17	Small Intestine	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	1	0	4	0.63
C18	Colon	0	0	0	0	0	0	1	2	2	2	1	1	2	4	0	3	1	19	3.01
C19-20	Rectum	0	0	0	0	0	0	2	1	2	0	1	0	1	2	2	0	0	11	1.74
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0.32
C22	Liver	0	0	0	0	0	0	0	1	0	0	4	3	0	4	1	3	0	16	2.53
C23-24	Gallbladder etc.	0	0	0	0	0	1	2	0	5	0	3	4	8	5	2	2	0	32	5.06
C25	Pancreas	0	0	0	0	1	0	1	1	3	2	2	1	3	3	2	2	1	22	3.48
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C32	Larynx	0	0	0	0	0	0	0	0	1	6	1	4	2	1	4	1	0	20	3.16
C33-34	Lung etc.	0	0	0	1	0	0	0	0	5	6	6	21	13	8	12	7	0	79	12.50
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	1	1	0	0	1	0	1	1	1	0	0	1	0	0	7	1.11
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.16
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	2	0	0	1	0	1	0	0	4	0.63
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	0	0	0	1	1	1	0	0	2	0	0	0	0	6	0.95
C50	Breast	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	1	5	0.79
C60	Penis	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	3	0.47
C61	Prostate	0	0	0	0	0	1	0	0	0	0	2	1	1	5	4	8	0	22	3.48
C62	Testis	1	0	0	0	0	3	1	0	0	0	1	0	0	0	0	0	0	6	0.95
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	1	0	0	0	0	0	0	0	0	4	3	0	1	1	0	0	0	10	1.58
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	0	0	2	1	0	3	3	3	3	0	16	2.53
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	0	1	1	1	0	1	0	1	2	0	0	2	0	3	2	1	0	15	2.37
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	3	0.47
C74	Adrenal Gland	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.47
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	1	0	1	0	0	2	0	0	0	0	4	0.63
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	2	0	1	1	1	1	1	0	0	7	1.11
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	3	0.47
C81	Hodgkins Disease	1	1	0	0	0	0	2	1	0	1	1	0	0	1	0	0	0	8	1.27
C82-85,C96	NHL	2	1	0	1	3	2	2	1	4	6	7	5	3	4	2	5	0	48	7.59
C90	Multiple Myeloma	0	0	0	0	0	0	1	1	0	1	1	2	3	3	4	1	0	17	2.69
C91	Lymphoid Leuk.	10	6	8	1	1	4	0	0	0	1	0	3	0	0	2	1	0	37	5.85
C92-94	Myeloid Leukaemia	1	3	3	2	2	1	6	5	0	5	4	3	2	2	3	2	1	45	7.12
C95	Leukaemia Uns	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	3	0.47
O&U	Other and Uns	1	0	0	0	2	1	0	1	2	2	3	3	2	5	2	4	0	28	4.43
	All Sites	20	13	13	10	10	19	21	20	39	57	56	78	77	75	57	60	7	632	100.00

**TABLE DEL-8.2(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2	0.46
C03-06	Mouth	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	3	0.68
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2	0.46
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	0	0	1	3	0	1	5	3	3	2	0	0	0	18	4.11
C16	Stomach	0	0	0	0	0	1	1	1	1	2	1	1	0	2	0	0	0	10	2.28	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	1	0	0	0	0	1	2	2	1	1	0	8	1.83	
C19-20	Rectum	0	0	0	1	0	0	0	1	0	0	1	1	0	0	0	1	0	5	1.14	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C22	Liver	1	0	0	0	0	3	0	0	0	0	2	0	0	2	0	0	0	8	1.83	
C23-24	Gallbladder etc.	0	0	0	0	0	1	1	2	2	6	5	6	5	2	5	6	0	41	9.36	
C25	Pancreas	0	0	0	0	0	0	0	0	1	0	2	1	0	1	0	0	0	5	1.14	
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.23	
C32	Larynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	3	0.68	
C33-34	Lung etc.	0	0	0	0	0	0	0	0	2	1	2	3	2	1	2	1	0	14	3.20	
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1	1	4	0.91	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.23	
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0.46	
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	3	0.68	
C50	Breast	0	0	0	0	1	3	4	11	4	15	8	7	15	7	6	3	1	85	19.41	
C51	Vulva	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.23	
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C53	Cervix Uteri	0	0	0	0	0	0	1	1	6	4	3	3	8	7	5	3	1	42	9.59	
C54	Corpus Uteri	0	0	0	0	0	0	0	1	1	0	2	0	3	1	0	0	0	8	1.83	
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.23	
C56	Ovary etc.	0	0	0	0	0	0	5	1	6	5	2	1	6	4	3	6	0	39	8.90	
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.23	
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	3	0.68	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.23	
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C70-72	Brain, Nervous System	1	0	0	0	0	1	1	1	1	1	1	0	0	2	0	0	0	9	2.05	
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	3	0.68	
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.23	
C78	Sec Resp & Digestive	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	2	0	5	1.14	
C79	Sec Others	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	4	0.91	
C81	Hodgkins Disease	0	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3	0.68	
C82-85,C96	NHL	1	1	1	0	3	2	1	0	2	1	0	3	4	2	2	1	0	24	5.48	
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	2	1	3	1	2	1	0	0	12	2.74	
C91	Lymphoid Leuk.	2	3	5	2	1	0	1	1	1	2	0	0	0	1	0	0	0	19	4.34	
C92-94	Myeloid Leukaemia	0	0	0	3	2	2	2	3	0	5	0	1	0	1	0	1	0	20	4.57	
C95	Leukaemia Uns	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	0	0	4	0.91	
O&U	Other and Uns	1	0	0	0	0	1	2	0	0	3	3	2	2	5	1	3	0	23	5.25	
	All Sites	7	4	7	7	8	15	21	27	37	49	41	42	57	46	36	31	3	438	100.00	

**TABLE DEL-8.3(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.07
C01-02	Tongue	0	0	0	1	1	1	0	1	2	2	6	5	3	6	0	5	0	33	2.37
C03-06	Mouth	0	0	0	0	0	0	1	0	1	0	1	4	6	3	3	1	0	20	1.43
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.14
C09	Tonsil	0	0	0	0	0	0	0	2	2	3	4	3	2	1	2	2	0	21	1.51
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1	4	0.29
C11	Nasopharynx	0	1	1	0	0	0	0	0	0	1	0	2	1	1	0	0	0	7	0.50
C12-13	Hypopharynx	1	0	0	0	0	0	2	1	2	0	2	1	3	5	2	5	0	24	1.72
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	3	0.22
C15	Oesophagus	0	0	0	0	0	1	0	1	4	11	10	18	15	12	6	8	1	87	6.24
C16	Stomach	0	0	0	0	1	2	0	0	6	3	6	9	16	5	2	3	1	54	3.87
C17	Small Intestine	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	1	0	4	0.29
C18	Colon	0	0	0	0	0	0	1	2	4	2	2	4	3	6	4	3	1	32	2.29
C19-20	Rectum	0	0	0	0	0	0	3	1	2	0	1	1	2	3	2	1	0	16	1.15
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0.14
C22	Liver	0	0	0	0	0	2	1	1	1	1	5	6	1	7	3	5	0	33	2.37
C23-24	Gallbladder etc.	0	0	0	0	0	1	2	2	6	0	6	8	11	11	6	5	0	58	4.16
C25	Pancreas	0	0	0	0	1	0	1	1	3	3	6	4	5	5	5	4	1	39	2.80
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.07
C32	Larynx	1	0	0	0	0	2	0	1	2	7	5	6	3	5	5	3	0	40	2.87
C33-34	Lung etc.	0	0	0	1	0	0	1	2	18	11	19	34	28	14	24	12	2	166	11.90
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	2	1	1	2	0	1	1	0	2	3	2	0	0	1	0	0	16	1.15
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	1	0	0	1	0	1	0	1	0	0	0	0	0	4	0.29
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	2	0	0	2	1	1	0	0	6	0.43
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	2	0	1	1	1	1	1	0	0	2	0	0	0	0	9	0.65
C50	Breast	0	0	0	0	0	0	0	0	0	2	2	0	1	0	0	2	1	8	0.57
C60	Penis	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	0	4	0.29
C61	Prostate	0	0	0	0	0	1	0	0	0	0	5	2	6	8	9	18	0	49	3.51
C62	Testis	1	0	0	0	0	4	1	0	0	1	1	0	0	0	0	0	0	8	0.57
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C64	Kidney etc.	3	0	0	0	0	0	1	0	1	4	5	1	2	1	1	3	0	22	1.58
C65	Renal Pelvis	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.07
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	0	0	2	1	1	4	6	5	9	0	29	2.08
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.14
C70-72	Brain, Nervous System	1	3	1	1	0	2	2	2	5	1	2	5	3	4	2	4	0	38	2.72
C73	Thyroid	0	0	0	0	1	0	0	0	1	1	0	0	2	0	0	0	0	5	0.36
C74	Adrenal Gland	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.22
C77	Sec Lymph Nodes	1	0	0	0	1	0	0	1	0	2	0	1	2	0	0	0	0	8	0.57
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	2	3	1	7	4	1	1	3	0	22	1.58
C79	Sec Others	0	0	0	0	0	0	0	0	1	0	1	1	0	1	1	1	0	6	0.43
C81	Hodgkins Disease	1	1	1	0	0	0	4	3	1	1	1	1	1	1	3	0	0	19	1.36
C82-85,C96	NHL	2	1	2	4	6	4	3	3	5	6	11	13	5	10	5	5	0	85	6.09
C90	Multiple Myeloma	0	0	0	0	0	0	2	1	1	2	3	5	5	5	6	3	0	33	2.37
C91	Lymphoid Leuk.	19	12	10	9	5	8	1	1	2	1	2	5	2	1	2	4	0	84	6.02
C92-94	Myeloid Leukaemia	2	4	8	3	6	8	12	6	6	8	6	7	6	3	3	6	1	95	6.81
C95	Leukaemia Uns	0	2	0	3	2	2	1	1	0	2	0	0	1	0	1	0	0	15	1.08
O&U	Other and Uns	10	5	0	5	6	14	8	9	9	14	13	10	13	23	16	22	0	177	12.69
	All Sites	47	31	24	31	33	53	50	45	94	101	132	170	161	151	122	141	9	1395	100.00

**TABLE DEL-8.3(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Delhi

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	1	0	0	0	0	0	3	1	1	0	1	1	0	8	0.81
C03-06	Mouth	0	0	0	1	0	0	0	0	0	1	2	1	0	0	0	0	0	5	0.50
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.10
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	3	0.30
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C15	Oesophagus	0	0	0	0	0	2	0	1	3	2	4	5	4	4	4	4	0	33	3.32
C16	Stomach	0	0	0	0	0	3	1	5	3	3	2	1	1	3	0	1	0	23	2.32
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C18	Colon	0	0	0	0	0	0	1	2	3	1	2	4	3	2	3	1	0	22	2.22
C19-20	Rectum	0	0	0	1	0	0	1	1	0	1	2	1	1	1	0	1	0	10	1.01
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.10
C22	Liver	1	0	0	0	1	3	0	1	0	0	2	0	1	3	0	0	1	13	1.31
C23-24	Gallbladder etc.	0	0	0	0	0	2	2	2	6	11	12	11	10	6	8	8	0	78	7.85
C25	Pancreas	0	0	0	0	0	0	0	1	3	3	2	2	2	2	1	1	0	17	1.71
C30-31	Nose, Sinuses etc.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.10
C32	Larynx	0	0	0	0	0	1	0	0	1	0	1	1	1	0	3	0	0	8	0.81
C33-34	Lung etc.	0	0	0	0	0	0	0	7	3	4	4	4	7	3	3	3	0	38	3.83
C37-38	Other Thoracic Organs	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2	0.20
C40-41	Bone	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0	1	1	5	0.50
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	0.20
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	3	0.30
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	0	0	1	2	0	0	1	1	0	0	2	1	0	1	0	0	9	0.91
C50	Breast	0	0	0	0	1	5	9	20	13	20	15	17	21	12	12	6	1	152	15.31
C51	Vulva	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	0.20
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.10
C53	Cervix Uteri	0	0	0	0	0	0	3	3	14	4	9	6	9	10	7	3	1	69	6.95
C54	Corpus Uteri	0	0	0	0	0	0	0	1	1	0	2	5	3	3	1	0	0	16	1.61
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	4	0.40
C56	Ovary etc.	0	0	0	2	2	2	9	5	7	9	9	4	8	8	5	8	0	78	7.85
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C58	Placenta	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.10
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	0	4	0.40
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	1	1	1	0	1	0	1	0	2	1	0	8	0.81
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.10
C70-72	Brain, Nervous System	2	2	1	0	0	1	1	2	1	2	4	1	3	2	1	1	0	24	2.42
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	3	2	1	1	2	1	0	10	1.01
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0.10
C77	Sec Lymph Nodes	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0.20
C78	Sec Resp & Digestive	0	0	0	0	0	0	1	1	0	1	1	0	3	0	3	2	1	13	1.31
C79	Sec Others	0	0	0	0	0	1	0	1	0	0	0	1	3	1	1	1	0	9	0.91
C81	Hodgkins Disease	0	0	1	0	0	0	0	0	0	0	3	1	0	0	0	0	0	5	0.50
C82-85,C96	NHL	1	1	3	0	6	3	3	0	2	4	1	3	4	6	2	2	0	41	4.13
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	4	2	7	3	3	2	3	0	27	2.72
C91	Lymphoid Leuk.	3	7	7	3	6	0	3	4	4	3	3	1	0	1	0	0	0	45	4.53
C92-94	Myeloid Leukaemia	0	0	0	5	6	4	7	3	3	7	2	5	2	1	0	3	0	48	4.83
C95	Leukaemia Uns	1	1	0	0	1	1	0	1	1	1	0	0	1	0	1	0	0	9	0.91
O&U	Other and Uns	6	2	1	6	3	13	5	5	4	12	13	13	11	17	11	18	1	141	14.20
	All Sites	15	14	13	20	30	43	48	70	81	96	110	99	109	89	76	73	7	993	100.00

TABLE DEL-9.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Males
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.5	0.0	0.9	1.3	0.8	2.4	0.0	7.4	0.23	0.41	0.11	0.56
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.5	2.0	3.1	3.6	1.7	0.0	0.21	0.40	0.11	0.78
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.9	1.3	0.0	1.2	1.7	0.0	0.12	0.20	0.07	0.43
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.03	0.05	0.04	0.16
C11	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.2	0.0	0.0	0.05	0.07	0.04	0.07
C12-13	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.0	0.5	0.7	2.3	4.8	1.7	1.9	0.24	0.43	0.11	0.60
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.2	0.0	1.9	0.05	0.10	0.06	0.08
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.1	4.2	5.3	5.5	4.8	6.9	9.3	0.69	1.26	0.19	2.57
C16	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.1	0.7	1.4	3.3	5.5	0.0	0.0	1.9	0.35	0.58	0.12	1.70
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	2.0	0.8	2.4	6.9	0.0	0.20	0.37	0.11	0.53
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.7	0.8	1.2	0.0	1.9	0.08	0.14	0.07	0.19
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.3	0.4	0.5	2.0	0.8	3.6	3.4	3.7	0.26	0.46	0.12	0.55
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	1.4	2.6	2.3	7.2	6.9	5.6	0.40	0.77	0.16	0.99
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	2.0	1.6	2.4	5.1	3.7	0.26	0.51	0.12	0.83
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.02	0.04	0.04	0.00
C32	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.3	0.4	1.9	1.3	0.8	4.8	1.7	3.7	0.30	0.52	0.12	0.73
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	3.4	1.8	6.1	8.5	11.7	7.2	20.6	9.3	1.30	2.27	0.26	4.67
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.3	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.4	0.9	0.7	0.0	0.0	0.0	0.0	0.14	0.16	0.05	0.30
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.05	0.05	0.03	0.12
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	0.0	0.0	0.03	0.07	0.05	0.10
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.04	0.02	0.00
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	1.9	0.05	0.08	0.05	0.14
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.05
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.7	3.9	3.6	8.6	18.6	0.41	0.90	0.18	0.81
C62	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.03	0.02	0.07
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.9	0.7	0.8	0.0	1.7	5.6	0.18	0.31	0.09	0.39
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.05
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	3.6	3.4	11.2	0.20	0.46	0.13	0.19
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.03	0.02	0.00
C70-72	0.1	0.3	0.0	0.0	0.0	0.2	0.3	0.2	0.8	0.4	0.9	2.0	2.3	1.2	0.0	5.6	0.35	0.52	0.12	0.97
C73	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.03	0.02	0.05
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.06	0.08	0.04	0.15
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.9	2.3	0.0	0.0	5.6	0.23	0.43	0.11	1.02
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	1.7	0.0	0.05	0.07	0.04	0.13
C81	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.4	0.3	0.0	0.0	0.7	0.8	0.0	5.1	0.0	0.17	0.23	0.08	0.31
C82-85,C96	0.0	0.0	0.3	0.5	0.5	0.3	0.2	0.4	0.3	0.0	1.9	5.3	1.6	7.2	5.1	0.0	0.56	0.86	0.15	1.31
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	0.9	2.0	1.6	2.4	3.4	3.7	0.24	0.45	0.12	0.73
C91	1.2	0.8	0.3	1.3	0.6	0.6	0.2	0.2	0.5	0.0	0.9	1.3	1.6	1.2	0.0	5.6	0.72	0.83	0.13	0.66
C92-94	0.1	0.1	0.7	0.2	0.6	1.1	1.0	0.2	1.6	1.1	0.9	2.6	3.1	1.2	0.0	7.4	0.76	0.94	0.15	1.44
C95	0.0	0.1	0.0	0.5	0.3	0.2	0.0	0.2	0.0	0.7	0.0	0.0	0.8	0.0	1.7	0.0	0.18	0.21	0.07	0.27
O&U	1.2	0.7	0.0	0.8	0.6	2.0	1.4	1.5	1.8	4.2	4.7	4.6	8.6	21.6	24.0	33.5	2.27	3.59	0.32	3.93
All	3.7	2.4	1.6	3.3	3.5	5.1	4.9	4.8	14.5	15.5	35.4	60.5	65.7	91.2	111.4	150.6	11.60	19.00	0.73	28.74

TABLE DEL-9.1(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Females
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.0	2.3	2.1	0.11	0.19	0.08	0.30
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.04	0.06	0.04	0.19
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.01	0.01	0.00
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.9	1.9	0.0	0.9	1.4	4.7	8.2	0.28	0.51	0.14	0.60
C16	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	0.8	0.5	0.6	0.0	0.9	1.4	0.0	2.1	0.24	0.31	0.09	0.65
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	0.5	1.2	2.2	0.9	0.0	4.7	0.0	0.26	0.41	0.11	1.01
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.6	0.0	0.9	1.4	0.0	0.0	0.09	0.15	0.07	0.31
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.07
C22	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.9	1.4	0.0	0.0	0.07	0.11	0.06	0.16
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	1.5	2.3	4.3	3.7	4.5	5.7	7.0	4.1	0.69	1.20	0.20	2.50
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.4	0.0	0.7	1.8	1.4	2.3	2.1	0.22	0.38	0.11	0.80
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.6	0.0	0.9	0.0	2.3	0.0	0.09	0.15	0.07	0.29
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.4	1.4	1.2	0.7	4.5	2.9	2.3	4.1	0.44	0.70	0.15	1.56
C37-38	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.03	0.02	0.05
C40-41	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.01	0.01	0.00
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.02	0.04	0.04	0.12
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.9	0.0	2.3	0.0	0.11	0.18	0.08	0.31
C50	0.0	0.0	0.0	0.0	0.0	0.3	1.0	2.3	3.4	2.3	4.3	7.3	5.4	7.2	14.1	6.2	1.24	1.92	0.25	3.90
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.02	0.04	0.04	0.00
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.02	0.05	0.05	0.00
C53	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	3.0	0.0	3.7	2.2	0.9	4.3	4.7	0.0	0.50	0.77	0.16	1.69
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	2.9	2.3	0.0	0.15	0.28	0.10	0.47
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.9	0.0	0.0	0.0	0.06	0.10	0.06	0.32
C56	0.0	0.0	0.0	0.4	0.4	0.3	0.8	1.0	0.4	1.9	4.3	2.2	1.8	5.7	4.7	4.1	0.72	1.07	0.18	1.85
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.0	0.0	0.0	0.9	0.0	4.7	2.1	0.13	0.22	0.09	0.24
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.00
C70-72	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.5	1.9	0.7	2.7	0.0	2.3	2.1	0.28	0.43	0.12	0.88
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.5	0.9	0.0	2.3	2.1	0.13	0.24	0.09	0.51
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.6	0.0	2.7	0.0	2.3	0.0	0.13	0.23	0.09	0.59
C79	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.9	1.4	0.0	2.1	0.09	0.15	0.07	0.16
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.04	0.06	0.04	0.20
C82-85,C96	0.0	0.0	0.3	0.0	0.6	0.2	0.4	0.0	0.0	1.4	0.6	0.0	0.0	5.7	0.0	2.1	0.31	0.44	0.12	0.37
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.6	2.9	1.8	1.4	2.3	6.2	0.28	0.51	0.14	0.97
C91	0.2	0.6	0.3	0.2	0.9	0.0	0.4	0.8	1.1	0.5	1.9	0.7	0.0	0.0	0.0	0.0	0.48	0.49	0.10	0.85
C92-94	0.0	0.0	0.0	0.4	0.8	0.3	1.0	0.0	1.1	0.9	1.2	2.9	1.8	0.0	0.0	4.1	0.52	0.65	0.13	1.21
C95	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.09	0.04	0.09
O&U	0.8	0.3	0.2	1.2	0.6	2.1	0.6	1.3	1.5	4.2	6.2	8.1	8.1	17.2	23.4	30.9	2.17	3.48	0.34	4.44
All	1.2	1.5	1.0	2.7	4.1	4.8	5.7	10.8	16.7	22.1	42.9	41.9	46.7	61.7	93.7	86.4	10.20	15.81	0.72	27.95

TABLE DEL-9.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Males
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.00
C01-02	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.7	1.8	1.9	1.5	4.6	0.0	1.8	0.26	0.46	0.11	0.86
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.0	3.3	1.8	0.09	0.19	0.08	0.27
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.01	0.02	0.02	0.07
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.7	0.9	0.6	1.5	0.0	1.6	3.6	0.19	0.32	0.09	0.68
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.01	0.03	0.03	0.00
C11	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.0	0.0	0.0	0.06	0.09	0.05	0.26
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.0	1.2	1.6	7.1	0.12	0.24	0.09	0.07
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.5	1.7	0.4	6.3	6.0	9.2	3.3	5.4	0.60	1.12	0.18	2.12
C16	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.3	1.3	2.5	6.7	5.8	3.3	3.6	0.44	0.82	0.15	1.58
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.6	0.0	0.0	0.0	1.8	0.06	0.09	0.05	0.18
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.5	0.7	0.4	0.6	1.5	4.6	0.0	5.4	0.26	0.46	0.11	0.65
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.5	0.0	0.4	0.0	0.7	2.3	3.3	0.0	0.16	0.25	0.08	0.30
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.2	0.0	0.0	0.03	0.05	0.04	0.07
C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.8	1.9	0.0	4.6	1.6	5.4	0.23	0.45	0.12	0.57
C23-24	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	1.3	0.0	1.3	2.5	6.0	5.8	3.3	3.6	0.47	0.82	0.15	1.56
C25	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.8	0.7	0.9	0.6	2.2	3.5	3.3	3.6	0.31	0.52	0.12	0.83
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	0.4	2.5	1.5	1.2	6.6	1.8	0.29	0.52	0.12	1.03
C33-34	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.3	2.0	2.7	13.2	9.7	9.2	19.7	12.5	1.16	2.19	0.25	4.04
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.2	0.0	0.3	0.4	0.6	0.0	0.0	1.6	0.0	0.10	0.14	0.06	0.25
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.02	0.02	0.07
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.0	1.6	0.0	0.06	0.10	0.05	0.23
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.3	0.3	0.0	0.0	1.5	0.0	0.0	0.0	0.09	0.12	0.05	0.34
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.7	0.0	0.0	1.8	0.06	0.11	0.06	0.23
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.04	0.07	0.04	0.10
C61	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.9	0.6	0.7	5.8	6.6	14.3	0.32	0.70	0.15	0.32
C62	0.1	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.09	0.08	0.04	0.07
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	0.7	1.2	0.0	0.0	0.15	0.23	0.07	0.58
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.4	0.0	2.2	3.5	4.9	5.4	0.23	0.47	0.12	0.49
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.5	0.0	0.0	1.3	0.0	3.5	3.3	1.8	0.22	0.35	0.10	0.30
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.5	0.0	0.0	0.0	0.04	0.08	0.05	0.26
C74	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.05	0.03	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	1.5	0.0	0.0	0.0	0.06	0.09	0.05	0.29
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.6	0.7	1.2	1.6	0.0	0.10	0.18	0.07	0.35
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.2	0.0	1.8	0.04	0.10	0.06	0.08
C81	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.3	0.4	0.0	0.0	1.2	0.0	0.0	0.12	0.14	0.05	0.17
C82-85,C96	0.3	0.1	0.0	0.2	0.4	0.3	0.3	0.2	1.0	2.0	3.1	3.2	2.2	4.6	3.3	8.9	0.70	1.08	0.17	1.83
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.4	1.3	2.2	3.5	6.6	1.8	0.25	0.47	0.12	0.63
C91	1.3	0.8	1.1	0.2	0.1	0.6	0.0	0.0	0.0	0.3	0.0	1.9	0.0	0.0	3.3	1.8	0.54	0.61	0.11	0.31
C92-94	0.1	0.4	0.4	0.3	0.3	0.1	1.0	0.9	0.0	1.7	1.8	1.9	1.5	2.3	4.9	3.6	0.64	0.83	0.14	1.23
C95	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.03	0.02	0.00
O&U	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.2	0.5	0.7	1.3	1.9	1.5	5.8	3.3	7.1	0.41	0.72	0.14	0.92
All	2.6	1.7	1.9	1.5	1.5	2.7	3.4	3.7	9.9	19.3	25.0	49.2	57.7	86.4	93.7	107.0	9.14	15.43	0.65	24.19

TABLE DEL-9.2(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Females
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.0	0.0	0.04	0.06	0.05	0.21
C03-06	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.05	0.08	0.04	0.19
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.04	0.05	0.04	0.17
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	0.0	0.6	3.5	2.6	4.1	4.5	0.0	0.32	0.57	0.14	1.14
C16	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4	0.9	0.6	0.7	0.0	2.8	0.0	0.0	0.18	0.26	0.09	0.48
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.7	1.7	2.8	2.2	2.0	0.14	0.28	0.10	0.31
C19-20	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.7	0.0	0.0	0.0	2.0	0.09	0.13	0.06	0.23
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C22	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.2	0.0	0.0	2.8	0.0	0.0	0.14	0.20	0.08	0.19
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.7	2.7	3.0	4.2	4.3	2.8	11.2	11.8	0.73	1.30	0.21	2.34
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	0.7	0.0	1.4	0.0	0.0	0.09	0.15	0.07	0.35
C30-31	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	4.5	0.0	0.05	0.12	0.07	0.09
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	1.2	2.1	1.7	1.4	4.5	2.0	0.25	0.45	0.12	0.92
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.05	0.07	0.05	0.07
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.02	0.03	0.03	0.11
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	2.0	0.0	0.04	0.07	0.05	0.09
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.05	0.03	0.12
C50	0.0	0.0	0.0	0.0	0.2	0.5	0.8	2.7	1.5	6.8	4.8	4.9	12.9	9.6	13.5	5.9	1.49	2.39	0.28	5.18
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.07
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C53	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	2.2	1.8	1.8	2.1	6.9	9.6	11.2	5.9	0.73	1.35	0.22	2.27
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	1.2	0.0	2.6	1.4	0.0	0.0	0.14	0.24	0.09	0.64
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.02	0.04	0.04	0.00
C56	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.2	2.2	2.3	1.2	0.7	5.2	5.5	6.7	11.8	0.69	1.17	0.20	1.86
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.01	0.01	0.05
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.9	0.0	0.0	2.0	0.05	0.10	0.06	0.20
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C70-72	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4	0.5	0.6	0.0	0.0	2.8	0.0	0.0	0.16	0.22	0.08	0.30
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.4	2.2	0.0	0.05	0.12	0.07	0.10
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.10
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.9	0.09	0.18	0.09	0.00
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.7	0.0	2.2	0.0	0.07	0.14	0.07	0.31
C81	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.05	0.07	0.04	0.19
C82-85,C96	0.1	0.1	0.2	0.0	0.5	0.3	0.2	0.0	0.7	0.5	0.0	2.1	3.5	2.8	4.5	2.0	0.43	0.63	0.14	0.95
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.9	0.6	2.1	0.9	2.8	2.2	0.0	0.21	0.37	0.11	0.80
C91	0.3	0.4	0.8	0.4	0.2	0.0	0.2	0.2	0.4	0.9	0.0	0.0	0.0	1.4	0.0	0.0	0.34	0.35	0.09	0.29
C92-94	0.0	0.0	0.0	0.6	0.4	0.3	0.4	0.7	0.0	2.3	0.0	0.7	0.0	1.4	0.0	2.0	0.36	0.42	0.10	0.67
C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.9	0.0	2.2	0.0	0.07	0.12	0.06	0.23
O&U	0.1	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	1.4	1.8	1.4	1.7	6.9	2.2	5.9	0.41	0.72	0.16	0.95
All	1.0	0.6	1.2	1.4	1.4	2.5	4.2	6.5	13.5	22.1	24.4	29.6	49.2	63.4	81.0	61.2	7.73	12.63	0.64	22.26

TABLE DEL-9.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Males
Delhi

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.00
C01-02	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.3	0.3	1.4	1.6	1.1	3.5	0.0	4.6	0.25	0.44	0.08	0.71
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	1.3	2.3	1.8	2.5	0.9	0.15	0.29	0.07	0.52
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.01	0.03	0.02	0.09
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	0.9	1.0	0.8	0.6	1.7	1.8	0.16	0.26	0.06	0.56
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.8	0.0	0.02	0.04	0.02	0.08
C11	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.4	0.6	0.0	0.0	0.05	0.08	0.03	0.17
C12-13	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.0	0.5	0.3	1.1	2.9	1.7	4.6	0.18	0.33	0.07	0.33
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.9	0.02	0.05	0.03	0.04
C15	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.5	1.9	2.3	5.8	5.7	7.1	5.0	7.3	0.64	1.19	0.13	2.34
C16	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.8	0.5	1.4	2.9	6.1	2.9	1.7	2.7	0.40	0.70	0.10	1.64
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.9	0.03	0.05	0.02	0.09
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.5	0.3	0.5	1.3	1.1	3.5	3.4	2.7	0.23	0.42	0.08	0.59
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.0	0.2	0.3	0.8	1.8	1.7	0.9	0.12	0.20	0.05	0.25
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.0	0.0	0.01	0.03	0.02	0.03
C22	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	1.1	1.9	0.4	4.1	2.5	4.6	0.25	0.46	0.08	0.56
C23-24	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.8	0.0	1.4	2.6	4.2	6.5	5.0	4.6	0.43	0.80	0.11	1.28
C25	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.4	0.5	1.4	1.3	1.9	2.9	4.2	3.6	0.28	0.51	0.09	0.83
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.01	0.02	0.02	0.00
C32	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	1.2	1.1	1.9	1.1	2.9	4.2	2.7	0.30	0.52	0.09	0.88
C33-34	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2	2.3	1.9	4.3	10.9	10.7	8.2	20.1	10.9	1.22	2.23	0.18	4.35
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.1	0.1	0.1	0.2	0.0	0.1	0.1	0.0	0.3	0.7	0.6	0.0	0.0	0.8	0.0	0.12	0.15	0.04	0.28
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.03	0.03	0.02	0.09
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.8	0.6	0.8	0.0	0.04	0.09	0.04	0.17
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.1	0.1	0.2	0.0	0.0	0.8	0.0	0.0	0.0	0.07	0.08	0.03	0.18
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.4	0.0	0.0	1.8	0.05	0.10	0.04	0.19
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.03	0.04	0.02	0.08
C61	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1.1	0.6	2.3	4.7	7.6	16.4	0.37	0.80	0.12	0.56
C62	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.06	0.06	0.02	0.07
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C64	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.7	1.1	0.3	0.8	0.6	0.8	2.7	0.16	0.27	0.06	0.48
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.03
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.2	0.3	1.5	3.5	4.2	8.2	0.22	0.46	0.09	0.34
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.02	0.01	0.00
C70-72	0.1	0.2	0.1	0.1	0.0	0.1	0.2	0.2	0.6	0.2	0.5	1.6	1.1	2.4	1.7	3.6	0.28	0.43	0.08	0.62
C73	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.8	0.0	0.0	0.0	0.04	0.05	0.03	0.16
C74	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.01	0.00
C77	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.0	0.3	0.8	0.0	0.0	0.0	0.06	0.08	0.03	0.23
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.2	2.3	1.5	0.6	0.8	2.7	0.16	0.30	0.07	0.68
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.3	0.0	0.6	0.8	0.9	0.04	0.08	0.04	0.10
C81	0.1	0.1	0.1	0.0	0.0	0.0	0.3	0.3	0.1	0.2	0.2	0.3	0.4	0.6	2.5	0.0	0.14	0.18	0.05	0.24
C82-85,C96	0.1	0.1	0.1	0.3	0.5	0.3	0.2	0.3	0.6	1.0	2.5	4.2	1.9	5.9	4.2	4.6	0.63	0.98	0.11	1.57
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.3	0.7	1.6	1.9	2.9	5.0	2.7	0.25	0.46	0.08	0.68
C91	1.3	0.8	0.7	0.7	0.4	0.6	0.1	0.1	0.3	0.2	0.5	1.6	0.8	0.6	1.7	3.6	0.63	0.72	0.08	0.48
C92-94	0.1	0.3	0.6	0.2	0.5	0.6	1.0	0.6	0.8	1.4	1.4	2.3	2.3	1.8	2.5	5.5	0.70	0.89	0.10	1.33
C95	0.0	0.1	0.0	0.2	0.2	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.4	0.0	0.8	0.0	0.11	0.12	0.03	0.13
O&U	0.7	0.3	0.0	0.4	0.5	1.0	0.7	0.8	1.2	2.4	3.0	3.2	5.0	13.5	13.4	20.0	1.32	2.12	0.17	2.39
All	3.1	2.0	1.8	2.4	2.5	3.9	4.1	4.2	12.2	17.5	30.1	54.7	61.6	88.8	102.3	128.4	10.35	17.18	0.49	26.42

**TABLE DEL-9.3(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Females
Delhi**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	0.4	0.4	0.0	1.1	1.0	0.07	0.13	0.05	0.25
C03-06	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.4	0.0	0.0	0.0	0.0	0.05	0.07	0.03	0.19
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.01	0.02	0.02	0.05
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.03	0.03	0.02	0.09
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C15	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.6	0.5	1.2	1.8	1.8	2.8	4.6	4.0	0.30	0.54	0.10	0.88
C16	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.6	0.6	0.7	0.6	0.4	0.4	2.1	0.0	1.0	0.21	0.28	0.06	0.56
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C18	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.2	0.6	1.4	1.3	1.4	3.4	1.0	0.20	0.34	0.08	0.65
C19-20	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.2	0.6	0.4	0.4	0.7	0.0	1.0	0.09	0.14	0.05	0.27
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.04
C22	0.1	0.0	0.0	0.0	0.1	0.3	0.0	0.1	0.0	0.0	0.6	0.0	0.4	2.1	0.0	0.0	0.11	0.16	0.05	0.18
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.1	2.5	3.7	4.0	4.4	4.2	9.2	8.1	0.71	1.25	0.15	2.42
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.7	0.6	0.7	0.9	1.4	1.1	1.0	0.15	0.26	0.07	0.57
C30-31	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.00
C32	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.3	0.4	0.4	0.0	3.4	0.0	0.07	0.13	0.05	0.19
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.9	1.2	1.4	3.1	2.1	3.4	3.0	0.34	0.57	0.10	1.23
C37-38	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.01	0.01	0.02
C40-41	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.04	0.04	0.02	0.04
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.02	0.04	0.02	0.11
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.0	0.03	0.05	0.03	0.09
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.2	0.0	0.0	0.7	0.4	0.0	1.1	0.0	0.08	0.11	0.04	0.21
C50	0.0	0.0	0.0	0.0	0.1	0.4	0.9	2.5	2.4	4.6	4.6	6.1	9.2	8.4	13.8	6.0	1.37	2.16	0.19	4.56
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.02	0.03	0.02	0.04
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.01	0.02	0.02	0.00
C53	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	2.6	0.9	2.7	2.2	4.0	7.0	8.0	3.0	0.62	1.07	0.14	1.99
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.6	1.8	1.3	2.1	1.1	0.0	0.15	0.26	0.07	0.56
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	0.0	1.1	0.0	0.04	0.07	0.04	0.15
C56	0.0	0.0	0.0	0.2	0.2	0.2	0.9	0.6	1.3	2.1	2.7	1.4	3.5	5.6	5.7	8.1	0.71	1.12	0.14	1.85
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.02
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.4	0.0	0.0	1.0	0.04	0.07	0.03	0.15
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.3	0.0	0.4	0.0	2.3	1.0	0.07	0.12	0.05	0.17
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.00
C70-72	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.5	1.2	0.4	1.3	1.4	1.1	1.0	0.22	0.32	0.07	0.59
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.4	0.7	2.3	1.0	0.09	0.18	0.06	0.30
C74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C77	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.05
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.3	0.0	1.3	0.0	3.4	2.0	0.11	0.20	0.06	0.29
C79	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.4	1.3	0.7	1.1	1.0	0.08	0.15	0.05	0.24
C81	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.4	0.0	0.0	0.0	0.0	0.05	0.07	0.03	0.19
C82-85,C96	0.1	0.1	0.3	0.0	0.6	0.3	0.3	0.0	0.4	0.9	0.3	1.1	1.8	4.2	2.3	2.0	0.37	0.54	0.09	0.67
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	0.6	2.5	1.3	2.1	2.3	3.0	0.24	0.44	0.09	0.88
C91	0.2	0.5	0.6	0.3	0.6	0.0	0.3	0.5	0.7	0.7	0.9	0.4	0.0	0.7	0.0	0.0	0.41	0.42	0.07	0.57
C92-94	0.0	0.0	0.0	0.5	0.6	0.3	0.7	0.4	0.6	1.6	0.6	1.8	0.9	0.7	0.0	3.0	0.44	0.53	0.08	0.94
C95	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.2	0.2	0.0	0.0	0.4	0.0	1.1	0.0	0.08	0.10	0.04	0.16
O&U	0.4	0.1	0.1	0.6	0.3	1.1	0.5	0.6	0.7	2.8	4.0	4.7	4.8	12.0	12.6	18.1	1.27	2.07	0.19	2.66
All	1.1	1.0	1.1	2.0	2.8	3.6	4.9	8.6	15.1	22.1	33.5	35.6	48.0	62.6	87.2	73.6	8.94	14.19	0.48	25.06

POPULATION BASED CANCER REGISTRY, MUMBAI Indian Cancer Society, Mumbai (Bombay)

Dr A.P. Kurkure, Principal Investigator

Dr B.B. Yeole, Deputy Director and Co-Investigator

The Bombay Cancer Registry was established in June 1963 as a unit of the Indian Cancer Society at Bombay, with the aim of obtaining reliable morbidity and mortality data on cancer from a precisely defined urban population (Greater Bombay). The actual compilation of the data began in 1964. Until then, registration of cancer cases in a population had not been undertaken anywhere in India. Initially the registry functioned in collaboration with Biometry Branch of the National Cancer Institute of USA and also received financial support from the branch till 1975. From 1976 to 1980 financial support was received from the Department of Science and Technology, Government of India and the Indian Cancer Society. Since 1981-82, the registry became part of the National Cancer Registry Programme under the Indian Council of Medical Research.

Information is obtained on all cancer patients diagnosed in 150 government hospitals/ institutions and private hospitals/nursing homes in Bombay, which are under the care of specialists, i.e., surgeons, physicians, pathologists, radiologists and gynecologists. Many hospitals in Bombay are maintained by the Municipal Corporation and the State Government, which are responsible for the organization of public health care and medical services in the city. The major source of the data is the Tata Memorial Centre, which is a postgraduate teaching hospital. The city has seven medical colleges. The diagnosis and treatment of cancer is centralized in certain hospitals. Cancer surgery is undertaken in the bigger hospitals and well-equipped private nursing homes. Facilities for Cobalt-60 therapy are available in nine hospitals.

General medical practitioners are not contacted individually as, according to local practice, only specialists assume charge of cancer patients in private hospitals and nursing homes and even few patients who are not admitted for hospital care are at some stage referred to specialist.

Staff of registry, visit the wards of all collaborating hospitals, at least once a week, to interview each cancer patient as well as those suspected having cancer. All files maintained by various departments of these hospitals are also checked. Care is taken to prevent duplication of an entry relating to a patient already registered.

Supplementary information is gleaned from the death records maintained by the Municipal Corporation. This makes it possible to check on missed cases. Every cancer death not traceable to an entry in the files is labeled as unmatched death and is so registered for the corresponding year.

The registry covers the resident population of Greater Bombay, a densely populated metropolis on the west coast of India, occupying an area of 603 square kilometres situated between latitudes 18°54' to 19°16' N and longitudes 70°47' to 73° E. Greater Bombay is, in fact, an island, joined to the mainland by bridges, and has a warm, humid climate. Census of the population is taken at regular ten-year intervals, the last been taken in March 2001. At the census 11,914,398 persons were recorded (65,77,902 males and 53,36,496 females). Immigration to Bombay continues unabated and the population now has sizeable numbers of people from every State in the Union. Greater Bombay is the only district in India, having cent percent urban population. It is the industrial heart of India and has a multi-religious and multi-lingual population, representing every state in the union, approximately 68.0% being Hindus, 16.8% Muslims, 4.5% Christians and 5.6% Neo-Buddhists and 3.6% Jains, 0.8% Parsis (Zoroastrians) and 0.5% Sikhs.

The reliability of data and quality of the registration has considerably improved. At present percentage of microscopic confirmed cases is 82% and the percentage of cases diagnosed through death certificate alone is 6.6%. The ratio of mortality / incidence cases is 52%. Registry collects information on multiple cancers as per the guidelines and definition provided by the International Association of Cancer Registries.

Registry published yearly reports regularly. The registry has published more than 100 articles in indexed journals and in monographs. The registry data is also used by public health workers for epidemiologic studies, by government for cancer control programme, by journalists for public education and by medical companies for promotion of their product. Registry records follow-up information for major primary sites for the cases registered 1982 onwards.

Figure MUM-1 :
Population Pyramid showing Average Age Distribution of 1999-2000




TABLE MUM-1:
Main Sources* of Registration of Incident Cases of Cancer in Mumbai (1999-2000)

Name of the Institution (Source Code)	Number	%
Tata Memorial Hospital (1)	4400	25.0
BMC (DCO) (200)	1453	8.3
Other Small Hospital (95)	1090	6.2
Bombay Hospital (90)	1005	5.7
K.E.M. (2)	949	5.4
BYL Nair Hospital (5)	794	4.5
Nanavati Hospital (19)	692	3.9
Jaslok Hospital (21)	651	3.7
LTMG Sion Hospital (6)	520	3.0
National Hospital (66)	520	3.0
Private Doctor (96)	485	2.8
Ismail Gen. Hospital (53)	429	2.4
Shanti Avedna (87)	396	2.3
J.J. Hospital (3)	325	1.8
Bhatia Hospital (28)	308	1.8
Breach Candy Hospital (92)	305	1.7
H.N. (9)	267	1.5
LRTC (88)	207	1.2
Others	2785	15.8
Total All Sources	17581	100.0

- * 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 1999-2000.
- * 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE MUM-2.1(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	3	2	1	1	2	1	0	3	2	0	15	0.34
C01-02	Tongue	0	0	0	0	0	2	7	12	22	12	32	33	27	27	16	13	0	203	4.58
C03-06	Mouth	0	0	1	2	0	3	9	21	30	31	41	29	28	16	17	16	0	244	5.51
C07-08	Salivary Gland	0	0	0	0	1	3	1	1	1	3	3	4	1	1	2	0	0	21	0.47
C09	Tonsil	0	0	0	0	0	0	2	3	4	4	9	11	9	5	5	5	0	57	1.29
C10	Oth. Oropharynx	0	0	0	0	0	0	1	0	3	6	5	7	2	4	2	5	0	35	0.79
C11	Nasopharynx	0	0	0	4	1	2	2	2	3	1	4	2	1	3	0	3	0	28	0.63
C12-13	Hypopharynx	0	0	0	0	0	1	4	6	9	18	14	29	35	23	27	22	0	188	4.24
C14	Pharynx Unspecified	0	0	0	0	0	0	0	1	4	4	1	6	6	9	5	5	0	41	0.93
C15	Oesophagus	0	1	0	0	1	3	3	6	12	26	40	32	38	31	31	27	1	252	5.69
C16	Stomach	0	0	0	2	0	4	4	7	11	14	19	29	31	23	16	18	1	179	4.04
C17	Small Intestine	0	0	0	0	0	0	0	1	0	0	1	0	1	0	5	2	0	10	0.23
C18	Colon	0	0	0	0	3	4	2	7	14	9	13	11	17	10	12	21	0	123	2.78
C19-20	Rectum	0	1	3	2	3	5	3	5	4	5	12	8	16	11	13	11	0	102	2.30
C21	Anus & Anal Canal	0	0	0	0	0	0	0	1	1	5	1	1	3	6	2	0	0	20	0.45
C22	Liver	0	0	0	1	1	2	4	10	5	10	13	14	23	33	13	25	0	154	3.48
C23-24	Gallbladder etc.	0	0	0	0	0	0	2	4	4	2	6	10	10	5	8	12	0	63	1.42
C25	Pancreas	0	0	1	0	0	0	0	3	3	4	7	12	12	18	11	11	0	82	1.85
C30-31	Nose, Sinuses etc.	0	0	0	0	0	2	0	1	4	2	2	2	10	4	1	0	1	29	0.65
C32	Larynx	1	0	0	0	1	0	2	10	12	19	24	35	35	41	22	31	0	233	5.26
C33-34	Lung etc.	2	0	0	2	2	3	3	8	26	21	56	53	69	63	59	55	1	423	9.55
C37-38	Other Thoracic Organs	0	0	0	1	3	0	0	0	1	3	2	1	2	0	1	0	0	14	0.32
C40-41	Bone	0	2	9	13	3	3	5	3	3	1	3	5	3	1	4	5	0	63	1.42
C43	Melanoma of Skin	0	0	0	0	0	1	0	1	4	0	2	2	1	3	0	1	0	15	0.34
C44	Other Skin	0	1	1	0	1	2	0	3	3	4	9	3	6	7	3	12	0	55	1.24
C45	Mesothelioma	0	0	0	0	1	1	0	1	0	0	0	0	0	3	1	4	0	11	0.25
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	3	2	2	5	8	6	5	3	4	9	3	6	7	8	4	3	0	78	1.76
C50	Breast	0	0	0	0	0	0	0	2	0	1	1	5	4	4	1	4	0	22	0.50
C60	Penis	0	0	0	0	0	2	0	0	3	4	5	2	1	4	2	4	0	27	0.61
C61	Prostate	1	0	0	0	0	0	0	0	4	5	9	17	33	46	50	98	0	263	5.94
C62	Testis	3	1	0	3	11	10	8	9	5	3	3	1	1	1	0	0	0	59	1.33
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	1	0	0	1	2	2	1	0	7	0.16
C64	Kidney etc.	1	1	0	1	0	1	1	3	7	8	14	8	8	13	7	12	0	85	1.92
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0.05
C67	Bladder	0	0	0	0	2	3	1	6	2	10	13	15	16	34	17	33	0	152	3.43
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	3	2	1	0	0	1	0	0	0	0	2	0	0	0	0	1	0	10	0.23
C70-72	Brain, Nervous System	11	11	13	9	4	8	18	20	16	19	17	18	10	8	13	3	0	198	4.47
C73	Thyroid	0	0	0	2	1	1	5	2	3	3	1	3	4	2	2	3	0	32	0.72
C74	Adrenal Gland	3	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	6	0.14
C77	Sec Lymph Nodes	0	0	0	0	0	0	3	4	7	4	8	10	10	14	14	7	0	81	1.83
C78	Sec Resp & Digestive	0	0	1	1	0	2	0	0	2	3	9	5	8	8	3	2	1	45	1.02
C79	Sec Others	0	0	1	0	0	0	2	0	1	1	7	8	7	0	4	4	0	35	0.79
C81	Hodgkins Disease	2	5	8	2	2	2	6	8	3	4	3	4	0	3	2	2	0	56	1.26
C82-85,C96	NHL	5	12	11	8	12	8	14	13	12	10	16	22	22	24	17	17	0	223	5.03
C90	Multiple Myeloma	0	0	0	0	0	1	3	1	4	5	11	6	11	13	7	9	0	71	1.60
C91	Lymphoid Leuk.	12	15	13	17	3	4	4	3	3	4	1	4	6	3	2	4	0	98	2.21
C92-94	Myeloid Leukaemia	7	2	3	1	5	7	5	7	13	9	6	2	6	7	4	5	0	89	2.01
C95	Leukaemia Uns	1	0	1	2	2	2	1	3	1	2	1	2	2	1	2	3	0	26	0.59
O&U	Other and Uns	2	2	1	2	0	3	4	7	6	6	7	9	12	13	13	17	0	104	2.35
	All Sites	57	58	70	80	71	102	134	211	281	317	458	488	556	556	446	539	5	4429	100.00

**TABLE MUM-2.1(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	3	1	3	0	0	0	0	8	0.19
C01-02	Tongue	0	0	0	0	0	2	1	5	10	4	16	7	10	9	4	3	0	71	1.65
C03-06	Mouth	0	0	0	0	0	2	6	9	15	10	18	24	17	16	11	18	0	146	3.39
C07-08	Salivary Gland	0	0	0	2	1	2	3	2	0	1	0	1	0	1	0	1	0	14	0.32
C09	Tonsil	0	0	0	0	0	0	1	0	0	1	2	0	2	1	2	1	0	10	0.23
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0.05
C11	Nasopharynx	0	0	0	0	0	0	1	2	1	1	0	1	0	0	0	0	0	6	0.14
C12-13	Hypopharynx	0	0	0	0	0	2	0	1	5	9	3	2	1	9	2	3	0	37	0.86
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	1	3	0	1	2	2	6	0	15	0.35
C15	Oesophagus	0	0	0	0	2	1	1	8	14	14	24	21	34	26	16	26	1	188	4.36
C16	Stomach	0	0	0	0	0	0	4	6	4	8	11	8	12	7	12	11	1	84	1.95
C17	Small Intestine	0	0	0	0	0	0	0	2	0	1	0	3	1	1	1	0	0	9	0.21
C18	Colon	0	0	0	0	0	2	0	8	7	14	12	9	10	6	10	14	1	93	2.16
C19-20	Rectum	0	0	0	0	1	2	2	5	8	10	5	12	6	5	2	8	0	66	1.53
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	2	1	3	2	0	1	0	9	0.21
C22	Liver	2	0	0	0	1	1	2	2	8	8	8	12	7	9	6	10	0	76	1.76
C23-24	Gallbladder etc.	0	0	0	0	0	1	3	9	6	10	9	9	9	23	15	15	0	109	2.53
C25	Pancreas	0	0	0	0	0	0	0	1	2	8	2	6	8	6	7	11	0	51	1.18
C30-31	Nose, Sinuses etc.	0	0	0	0	0	1	1	1	0	2	2	1	1	1	1	1	0	12	0.28
C32	Larynx	0	0	0	0	0	1	0	0	1	2	9	1	3	7	3	4	0	31	0.72
C33-34	Lung etc.	0	0	0	0	1	2	1	2	6	9	12	14	20	20	11	14	0	112	2.60
C37-38	Other Thoracic Organs	0	0	0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	5	0.12
C40-41	Bone	0	2	8	6	3	2	2	1	0	0	3	1	1	5	3	2	0	39	0.90
C43	Melanoma of Skin	0	0	0	0	0	0	1	0	0	0	1	2	0	0	1	0	0	5	0.12
C44	Other Skin	0	1	0	1	1	2	1	0	1	5	2	1	2	4	5	1	0	27	0.63
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	1	1	1	0	1	1	1	0	7	0.16
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	4	2	3	2	6	3	6	2	6	3	3	4	3	2	1	0	51	1.18
C50	Breast	0	0	0	0	5	28	51	94	133	160	148	127	115	122	76	64	4	1127	26.14
C51	Vulva	0	0	0	0	1	0	0	3	1	1	3	2	4	1	2	0	0	18	0.42
C52	Vagina	0	0	0	0	0	2	1	0	1	1	4	0	2	3	7	3	0	24	0.56
C53	Cervix Uteri	0	0	0	2	0	7	29	64	75	87	93	69	82	49	37	33	2	629	14.59
C54	Corpus Uteri	0	0	0	0	1	1	1	3	13	10	16	15	14	24	7	3	0	108	2.51
C55	Uterus Unspecified	0	0	0	0	0	0	2	0	2	1	8	2	7	8	5	7	1	43	1.00
C56	Ovary etc.	0	1	4	6	4	15	18	17	30	44	26	29	27	26	17	16	2	282	6.54
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.02
C58	Placenta	0	0	0	1	3	1	3	2	0	1	0	0	0	0	0	0	0	11	0.26
C64	Kidney etc.	3	1	1	1	0	4	0	1	5	2	6	5	3	5	1	4	0	42	0.97
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	1	1	3	5	3	7	5	5	10	1	41	0.95
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	4	0.09
C70-72	Brain, Nervous System	3	11	8	4	9	6	1	14	13	8	17	12	12	14	4	8	0	144	3.34
C73	Thyroid	0	0	1	3	9	8	6	3	5	5	5	7	7	6	2	1	1	69	1.60
C74	Adrenal Gland	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.05
C77	Sec Lymph Nodes	1	0	1	0	0	0	0	1	2	2	3	4	2	2	4	4	0	26	0.60
C78	Sec Resp & Digestive	0	0	1	0	0	0	2	4	8	7	4	7	6	9	7	7	0	62	1.44
C79	Sec Others	0	0	1	0	0	0	0	2	0	2	0	3	2	2	2	1	0	15	0.35
C81	Hodgkins Disease	0	0	0	1	1	1	3	2	0	2	0	1	0	2	1	0	0	14	0.32
C82-85,C96	NHL	2	2	7	2	1	5	7	7	4	8	7	9	12	9	3	22	0	107	2.48
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	8	4	2	10	4	4	6	0	41	0.95
C91	Lymphoid Leuk.	7	5	7	6	2	2	2	2	2	2	1	1	1	1	1	3	0	45	1.04
C92-94	Myeloid Leukaemia	4	1	1	4	4	1	7	4	6	8	1	8	3	3	4	1	0	60	1.39
C95	Leukaemia Uns	3	1	0	1	1	3	2	1	1	0	0	3	1	3	2	6	0	28	0.65
O&U	Other and Uns	2	0	1	0	1	1	3	6	4	9	3	9	9	15	11	11	0	85	1.97
	All Sites	32	30	43	43	55	115	171	301	402	497	507	459	483	477	320	362	14	4311	100.00

**TABLE MUM-2.2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	1	0	1	2	2	2	5	1	0	0	14	0.31
C01-02	Tongue	0	0	0	1	3	2	2	10	16	22	24	35	33	21	12	15	0	196	4.40
C03-06	Mouth	0	0	0	1	0	2	11	16	26	36	42	43	40	30	20	13	1	281	6.31
C07-08	Salivary Gland	1	0	0	1	0	1	1	3	1	1	2	2	1	2	1	3	0	20	0.45
C09	Tonsil	0	0	0	0	1	0	0	4	4	6	10	8	10	5	4	6	0	58	1.30
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	2	5	6	13	5	2	7	3	0	43	0.97
C11	Nasopharynx	0	0	1	5	3	0	0	3	0	1	3	2	1	2	2	0	0	23	0.52
C12-13	Hypopharynx	0	1	1	0	1	0	3	8	11	12	11	24	25	26	20	14	0	157	3.53
C14	Pharynx Unspecified	1	0	0	0	1	0	0	1	3	2	4	6	3	4	8	5	0	38	0.85
C15	Oesophagus	0	0	0	0	0	2	2	5	9	21	38	41	29	40	48	39	1	275	6.18
C16	Stomach	1	1	0	1	1	3	4	3	12	11	24	26	29	31	18	37	0	202	4.54
C17	Small Intestine	0	0	0	0	0	0	0	0	1	1	0	3	1	0	1	1	0	8	0.18
C18	Colon	0	0	0	2	3	3	6	4	11	14	14	27	12	18	16	17	1	148	3.33
C19-20	Rectum	0	0	0	1	2	4	4	12	10	9	8	8	7	10	10	15	0	100	2.25
C21	Anus & Anal Canal	0	0	0	1	1	0	2	0	2	2	4	4	0	1	1	2	0	20	0.45
C22	Liver	3	0	0	0	0	3	1	5	6	8	13	19	26	25	31	31	1	172	3.86
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	3	9	5	5	7	9	8	5	0	53	1.19
C25	Pancreas	0	0	0	1	0	1	2	4	0	3	9	12	8	15	10	9	0	74	1.66
C30-31	Nose, Sinuses etc.	0	0	0	1	1	1	1	2	1	2	7	3	4	0	2	2	0	27	0.61
C32	Larynx	0	0	0	0	0	1	2	5	16	22	45	42	45	42	34	37	0	291	6.54
C33-34	Lung etc.	1	0	0	1	1	0	4	8	14	30	38	52	49	75	49	58	1	381	8.56
C37-38	Other Thoracic Organs	0	0	0	0	1	0	1	0	1	0	0	0	1	0	1	0	0	5	0.11
C40-41	Bone	1	1	8	11	8	2	4	3	1	3	2	5	2	2	0	2	0	55	1.24
C43	Melanoma of Skin	0	0	0	0	1	0	1	0	2	1	0	1	0	1	1	0	0	8	0.18
C44	Other Skin	1	0	0	1	2	1	1	3	7	6	6	12	7	7	7	8	0	69	1.55
C45	Mesothelioma	0	0	1	0	0	0	0	1	1	0	0	1	1	0	2	1	0	8	0.18
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	3	1	3	5	4	2	5	4	5	5	6	7	3	8	4	5	0	70	1.57
C50	Breast	0	0	0	0	0	0	1	0	2	0	3	2	0	1	1	4	0	14	0.31
C60	Penis	0	0	0	0	0	0	2	6	4	3	3	2	4	3	1	3	0	31	0.70
C61	Prostate	0	0	0	0	0	0	0	1	1	2	6	21	18	50	47	96	1	243	5.46
C62	Testis	3	0	0	9	6	9	6	10	3	1	5	1	0	0	1	1	0	55	1.24
C63	Other Male Genital	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0	1	0	5	0.11
C64	Kidney etc.	7	1	0	0	0	0	2	1	4	10	12	12	12	12	3	7	0	83	1.86
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	3	0.07
C67	Bladder	1	1	1	0	1	2	3	5	7	12	14	15	18	23	25	36	0	164	3.68
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	0	1	0	0	0	0	1	0	0	1	0	0	3	0	0	0	7	0.16
C70-72	Brain, Nervous System	10	10	10	7	8	13	8	13	20	21	14	15	18	17	9	11	0	204	4.58
C73	Thyroid	0	0	0	3	2	2	0	2	3	8	0	2	2	1	0	3	0	28	0.63
C74	Adrenal Gland	5	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	6	0.13
C77	Sec Lymph Nodes	0	0	1	0	1	0	4	3	2	8	7	7	12	9	6	6	0	66	1.48
C78	Sec Resp & Digestive	0	0	0	0	0	0	1	0	3	4	11	6	5	5	4	5	0	44	0.99
C79	Sec Others	0	0	0	0	1	1	0	0	0	1	5	6	7	9	4	3	0	37	0.83
C81	Hodgkins Disease	1	10	5	2	6	8	6	1	2	4	4	5	1	0	2	3	0	60	1.35
C82-85,C96	NHL	6	6	6	4	6	7	12	20	15	18	31	21	17	17	16	26	1	229	5.14
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	3	10	5	7	7	11	12	0	57	1.28
C91	Lymphoid Leuk.	17	12	8	8	6	4	4	5	5	0	1	4	5	10	4	7	0	100	2.25
C92-94	Myeloid Leukaemia	4	2	3	0	8	12	7	13	8	11	8	8	6	2	5	10	0	107	2.40
C95	Leukaemia Uns	3	0	3	2	2	0	2	0	1	0	0	0	1	3	4	1	0	22	0.49
O&U	Other and Uns	2	1	1	1	1	3	2	4	3	3	6	15	14	8	8	18	0	90	2.02
All	All Sites	72	47	53	69	82	89	117	193	251	344	464	552	499	561	470	581	7	4451	100.00

**TABLE MUM-2.2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	0	6	0.14
C01-02	Tongue	0	0	0	0	0	2	5	9	11	9	12	8	5	10	9	11	0	91	2.07
C03-06	Mouth	0	0	1	0	1	2	0	4	7	17	18	29	20	22	16	12	0	149	3.39
C07-08	Salivary Gland	0	0	1	0	1	1	1	1	0	1	1	2	2	1	1	1	0	14	0.32
C09	Tonsil	0	0	0	0	0	0	0	0	1	0	0	3	1	3	1	4	0	13	0.30
C10	Oth. Oropharynx	0	0	0	0	0	0	1	0	2	0	0	1	1	0	1	0	0	6	0.14
C11	Nasopharynx	0	0	1	1	2	1	0	0	2	3	0	0	0	0	1	1	0	12	0.27
C12-13	Hypopharynx	0	0	0	0	0	2	1	5	4	2	6	4	4	7	2	2	0	39	0.89
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	1	1	1	0	1	2	3	0	9	0.21
C15	Oesophagus	0	0	0	1	1	0	3	9	6	14	16	22	26	20	20	35	0	173	3.94
C16	Stomach	0	1	0	0	0	2	3	6	8	14	8	6	11	11	11	15	0	96	2.19
C17	Small Intestine	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	3	0.07
C18	Colon	0	0	1	0	0	3	3	2	4	12	15	6	7	16	10	12	0	91	2.07
C19-20	Rectum	0	0	0	0	1	3	1	2	4	6	9	8	11	12	3	8	0	68	1.55
C21	Anus & Anal Canal	0	0	0	0	0	0	0	2	0	1	4	2	3	0	1	1	1	15	0.34
C22	Liver	2	0	0	0	0	2	2	2	6	7	6	11	17	8	12	16	0	91	2.07
C23-24	Gallbladder etc.	0	0	0	0	0	1	1	5	14	9	8	10	8	11	11	14	0	92	2.10
C25	Pancreas	0	0	0	0	2	0	0	3	3	5	1	7	6	13	7	10	2	59	1.34
C30-31	Nose, Sinuses etc.	0	0	0	0	0	1	0	2	1	3	3	3	3	1	3	2	0	22	0.50
C32	Larynx	0	0	0	0	1	0	5	2	5	1	4	5	2	2	4	4	0	35	0.80
C33-34	Lung etc.	0	0	0	0	0	4	2	2	11	14	11	16	18	18	12	18	1	127	2.89
C37-38	Other Thoracic Organs	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0	0	5	0.11
C40-41	Bone	0	2	1	6	4	3	2	1	2	1	2	1	0	2	2	1	0	30	0.68
C43	Melanoma of Skin	0	0	0	0	1	0	0	0	1	0	2	1	0	2	2	1	0	10	0.23
C44	Other Skin	2	0	0	1	0	2	3	2	1	2	0	3	8	2	2	7	0	35	0.80
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0	5	0	10	0.23
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	1	3	3	3	4	5	5	1	4	1	4	4	4	3	0	46	1.05
C50	Breast	0	0	0	0	3	20	44	93	130	179	173	126	104	100	66	70	3	1111	25.31
C51	Vulva	0	0	0	0	0	0	0	1	1	3	0	2	3	1	0	1	0	12	0.27
C52	Vagina	1	0	0	0	0	0	1	2	1	3	6	2	1	3	2	7	0	29	0.66
C53	Cervix Uteri	0	0	0	0	2	5	22	46	81	102	98	71	68	49	43	26	2	615	14.01
C54	Corpus Uteri	0	0	0	0	0	0	0	1	7	13	19	21	20	12	9	4	0	106	2.41
C55	Uterus Unspecified	0	0	0	0	0	2	1	2	1	2	3	4	7	3	5	10	0	40	0.91
C56	Ovary etc.	0	2	5	8	8	7	9	26	20	38	42	40	21	24	25	22	0	297	6.77
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	0.05
C58	Placenta	0	0	0	0	3	1	1	0	0	1	0	0	0	0	0	0	0	6	0.14
C64	Kidney etc.	4	1	0	0	2	0	1	3	2	5	2	3	5	3	2	3	0	36	0.82
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.02
C67	Bladder	0	0	0	0	0	2	0	0	1	4	1	3	6	9	7	8	0	41	0.93
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0.05
C69	Eye	4	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	6	0.14
C70-72	Brain, Nervous System	2	10	8	4	5	10	6	5	9	12	15	10	12	13	8	6	0	135	3.08
C73	Thyroid	0	0	0	0	2	6	6	10	2	6	9	3	6	8	1	7	0	66	1.50
C74	Adrenal Gland	2	2	2	0	1	0	1	0	0	0	0	0	0	1	0	0	0	9	0.21
C77	Sec Lymph Nodes	0	0	0	0	1	0	1	2	1	7	4	4	7	4	5	3	1	40	0.91
C78	Sec Resp & Digestive	0	0	0	0	0	2	0	2	1	2	5	4	5	1	3	6	1	32	0.73
C79	Sec Others	1	0	0	1	0	1	0	5	2	0	1	5	4	0	1	1	0	22	0.50
C81	Hodgkins Disease	0	2	1	3	2	0	0	3	1	2	1	1	4	3	1	3	0	27	0.62
C82-85,C96	NHL	2	0	5	6	6	3	5	7	5	13	16	9	17	15	10	21	0	140	3.19
C90	Multiple Myeloma	0	0	0	0	0	0	1	1	3	0	9	9	5	7	5	3	0	43	0.98
C91	Lymphoid Leuk.	15	11	4	2	2	3	1	4	1	5	1	1	5	6	2	4	1	68	1.55
C92-94	Myeloid Leukaemia	1	1	4	4	3	4	1	8	8	5	7	4	4	7	7	4	1	73	1.66
C95	Leukaemia Uns	1	1	0	0	1	3	0	4	2	1	1	0	2	1	1	1	0	19	0.43
O&U	Other and Uns	1	2	1	1	0	2	1	4	4	4	4	10	8	10	5	7	0	64	1.46
	All Sites	38	37	36	41	58	104	139	295	382	531	551	485	473	453	347	407	13	4390	100.00

**TABLE MUM-2.3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	4	2	2	3	4	3	5	4	2	0	29	0.33
C01-02	Tongue	0	0	0	1	3	4	9	22	38	34	56	68	60	48	28	28	0	399	4.49
C03-06	Mouth	0	0	1	3	0	5	20	37	56	67	83	72	68	46	37	29	1	525	5.91
C07-08	Salivary Gland	1	0	0	1	1	4	2	4	2	4	5	6	2	3	3	3	0	41	0.46
C09	Tonsil	0	0	0	0	1	0	2	7	8	10	19	19	19	10	9	11	0	115	1.30
C10	Oth. Oropharynx	0	0	0	0	0	0	1	0	5	11	11	20	7	6	9	8	0	78	0.88
C11	Nasopharynx	0	0	1	9	4	2	2	5	3	2	7	4	2	5	2	3	0	51	0.57
C12-13	Hypopharynx	0	1	1	0	1	1	7	14	20	30	25	53	60	49	47	36	0	345	3.89
C14	Pharynx Unspecified	1	0	0	0	1	0	0	2	7	6	5	12	9	13	13	10	0	79	0.89
C15	Oesophagus	0	1	0	0	1	5	5	11	21	47	78	73	67	71	79	66	2	527	5.93
C16	Stomach	1	1	0	3	1	7	8	10	23	25	43	55	60	54	34	55	1	381	4.29
C17	Small Intestine	0	0	0	0	0	0	0	1	1	1	1	3	2	0	6	3	0	18	0.20
C18	Colon	0	0	0	2	6	7	8	11	25	23	27	38	29	28	28	38	1	271	3.05
C19-20	Rectum	0	1	3	3	5	9	7	17	14	14	20	16	23	21	23	26	0	202	2.27
C21	Anus & Anal Canal	0	0	0	1	1	0	2	1	3	7	5	5	3	7	3	2	0	40	0.45
C22	Liver	3	0	0	1	1	5	5	15	11	18	26	33	49	58	44	56	1	326	3.67
C23-24	Gallbladder etc.	0	0	0	0	0	0	2	6	7	11	11	15	17	14	16	17	0	116	1.31
C25	Pancreas	0	0	1	1	0	1	2	7	3	7	16	24	20	33	21	20	0	156	1.76
C30-31	Nose, Sinuses etc.	0	0	0	1	1	3	1	3	5	4	9	5	14	4	3	2	1	56	0.63
C32	Larynx	1	0	0	0	1	1	4	15	28	41	69	77	80	83	56	68	0	524	5.90
C33-34	Lung etc.	3	0	0	3	3	3	7	16	40	51	94	105	118	138	108	113	2	804	9.05
C37-38	Other Thoracic Organs	0	0	0	1	4	0	1	0	2	3	2	1	3	0	2	0	0	19	0.21
C40-41	Bone	1	3	17	24	11	5	9	6	4	4	5	10	5	3	4	7	0	118	1.33
C43	Melanoma of Skin	0	0	0	0	1	1	1	1	6	1	2	3	1	4	1	1	0	23	0.26
C44	Other Skin	1	1	1	1	3	3	1	6	10	10	15	15	13	14	10	20	0	124	1.40
C45	Mesothelioma	0	0	1	0	1	1	0	2	1	0	0	1	1	3	3	5	0	19	0.21
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	6	3	5	10	12	8	10	7	9	14	9	13	10	16	8	8	0	148	1.67
C50	Breast	0	0	0	0	0	0	1	2	2	1	4	7	4	5	2	8	0	36	0.41
C60	Penis	0	0	0	0	0	2	2	6	7	7	8	4	5	7	3	7	0	58	0.65
C61	Prostate	1	0	0	0	0	0	0	1	5	7	15	38	51	96	97	194	1	506	5.70
C62	Testis	6	1	0	12	17	19	14	19	8	4	8	2	1	1	1	1	0	114	1.28
C63	Other Male Genital	0	0	0	0	0	0	0	0	1	1	0	2	2	2	2	2	0	12	0.14
C64	Kidney etc.	8	2	0	1	0	1	3	4	11	18	26	20	20	25	10	19	0	168	1.89
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	1	0	5	0.06
C67	Bladder	1	1	1	0	3	5	4	11	9	22	27	30	34	57	42	69	0	316	3.56
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	4	2	2	0	0	1	0	1	0	0	3	0	0	3	0	1	0	17	0.19
C70-72	Brain, Nervous System	21	21	23	16	12	21	26	33	36	40	31	33	28	25	22	14	0	402	4.53
C73	Thyroid	0	0	0	5	3	3	5	4	6	11	1	5	6	3	2	6	0	60	0.68
C74	Adrenal Gland	8	0	0	0	0	0	0	1	0	1	1	0	0	1	0	0	0	12	0.14
C77	Sec Lymph Nodes	0	0	1	0	1	0	7	7	9	12	15	17	22	23	20	13	0	147	1.66
C78	Sec Resp & Digestive	0	0	1	1	0	2	1	0	5	7	20	11	13	13	7	7	1	89	1.00
C79	Sec Others	0	0	1	0	1	1	2	0	1	2	12	14	14	9	8	7	0	72	0.81
C81	Hodgkins Disease	3	15	13	4	8	10	12	9	5	8	7	9	1	3	4	5	0	116	1.31
C82-85,C96	NHL	11	18	17	12	18	15	26	33	27	28	47	43	39	41	33	43	1	452	5.09
C90	Multiple Myeloma	0	0	0	0	0	1	3	1	6	8	21	11	18	20	18	21	0	128	1.44
C91	Lymphoid Leuk.	29	27	21	25	9	8	8	8	8	4	2	8	11	13	6	11	0	198	2.23
C92-94	Myeloid Leukaemia	11	4	6	1	13	19	12	20	21	20	14	10	12	9	9	15	0	196	2.21
C95	Leukaemia Uns	4	0	4	4	4	2	3	3	2	2	1	2	3	4	6	4	0	48	0.54
O&U	Other and Uns	4	3	2	3	1	6	6	11	9	9	13	24	26	21	21	35	0	194	2.18
	All Sites	129	105	123	149	153	191	251	404	532	661	922	1040	1055	1117	916	1120	12	8880	100.00

**TABLE MUM-2.3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
1999-2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	3	1	4	2	2	1	0	14	0.16
C01-02	Tongue	0	0	0	0	0	4	6	14	21	13	28	15	15	19	13	14	0	162	1.86
C03-06	Mouth	0	0	1	0	1	4	6	13	22	27	36	53	37	38	27	30	0	295	3.39
C07-08	Salivary Gland	0	0	1	2	2	3	4	3	0	2	1	3	2	2	1	2	0	28	0.32
C09	Tonsil	0	0	0	0	0	0	1	0	1	1	2	3	3	4	3	5	0	23	0.26
C10	Oth. Oropharynx	0	0	0	0	0	0	1	0	2	0	0	1	2	0	2	0	0	8	0.09
C11	Nasopharynx	0	0	1	1	2	1	1	2	3	4	0	1	0	0	1	1	0	18	0.21
C12-13	Hypopharynx	0	0	0	0	0	4	1	6	9	11	9	6	5	16	4	5	0	76	0.87
C14	Pharynx Unspecified	0	0	0	0	0	0	0	0	0	2	4	1	1	3	4	9	0	24	0.28
C15	Oesophagus	0	0	0	1	3	1	4	17	20	28	40	43	60	46	36	61	1	361	4.15
C16	Stomach	0	1	0	0	0	2	7	12	12	22	19	14	23	18	23	26	1	180	2.07
C17	Small Intestine	0	0	0	0	0	0	0	3	0	1	0	3	1	1	1	2	0	12	0.14
C18	Colon	0	0	1	0	0	5	3	10	11	26	27	15	17	22	20	26	1	184	2.11
C19-20	Rectum	0	0	0	0	2	5	3	7	12	16	14	20	17	17	5	16	0	134	1.54
C21	Anus & Anal Canal	0	0	0	0	0	0	0	2	0	1	6	3	6	2	1	2	1	24	0.28
C22	Liver	4	0	0	0	1	3	4	4	14	15	14	23	24	17	18	26	0	167	1.92
C23-24	Gallbladder etc.	0	0	0	0	0	2	4	14	20	19	17	19	17	34	26	29	0	201	2.31
C25	Pancreas	0	0	0	0	2	0	0	4	5	13	3	13	14	19	14	21	2	110	1.26
C30-31	Nose, Sinuses etc.	0	0	0	0	0	2	1	3	1	5	5	4	4	2	4	3	0	34	0.39
C32	Larynx	0	0	0	0	1	1	5	2	6	3	13	6	5	9	7	8	0	66	0.76
C33-34	Lung etc.	0	0	0	0	1	6	3	4	17	23	23	30	38	38	23	32	1	239	2.75
C37-38	Other Thoracic Organs	0	0	0	0	0	2	0	1	2	1	3	1	0	0	0	0	0	10	0.11
C40-41	Bone	0	4	9	12	7	5	4	2	2	1	5	2	1	7	5	3	0	69	0.79
C43	Melanoma of Skin	0	0	0	0	1	0	1	0	1	0	3	3	0	2	3	1	0	15	0.17
C44	Other Skin	2	1	0	2	1	4	4	2	2	7	2	4	10	6	7	8	0	62	0.71
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	2	2	1	1	3	1	6	0	17	0.20
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	1	5	3	6	5	9	7	11	7	7	7	4	8	7	6	4	0	97	1.11
C50	Breast	0	0	0	0	8	48	95	187	263	339	321	253	219	222	142	134	7	2238	25.72
C51	Vulva	0	0	0	0	1	0	0	4	2	4	3	4	7	2	2	1	0	30	0.34
C52	Vagina	1	0	0	0	0	2	2	2	2	4	10	2	3	6	9	10	0	53	0.61
C53	Cervix Uteri	0	0	0	2	2	12	51	110	156	189	191	140	150	98	80	59	4	1244	14.30
C54	Corpus Uteri	0	0	0	0	1	1	1	4	20	23	35	36	34	36	16	7	0	214	2.46
C55	Uterus Unspecified	0	0	0	0	0	2	3	2	3	3	11	6	14	11	10	17	1	83	0.95
C56	Ovary etc.	0	3	9	14	12	22	27	43	50	82	68	69	48	50	42	38	2	579	6.65
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3	0.03
C58	Placenta	0	0	0	1	6	2	4	2	0	2	0	0	0	0	0	0	0	17	0.20
C64	Kidney etc.	7	2	1	1	2	4	1	4	7	7	8	8	8	8	3	7	0	78	0.90
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.01
C67	Bladder	0	0	0	0	0	2	0	1	2	7	6	6	13	14	12	18	1	82	0.94
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0.02
C69	Eye	6	2	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	10	0.11
C70-72	Brain, Nervous System	5	21	16	8	14	16	7	19	22	20	32	22	24	27	12	14	0	279	3.21
C73	Thyroid	0	0	1	3	11	14	12	13	7	11	14	10	13	14	3	8	1	135	1.55
C74	Adrenal Gland	4	2	2	0	1	0	1	0	0	0	0	0	0	1	0	0	0	11	0.13
C77	Sec Lymph Nodes	1	0	1	0	1	0	1	3	3	9	7	8	9	6	9	7	1	66	0.76
C78	Sec Resp & Digestive	0	0	1	0	0	2	2	6	9	9	9	11	11	10	10	13	1	94	1.08
C79	Sec Others	1	0	1	1	0	1	0	7	2	2	1	8	6	2	3	2	0	37	0.43
C81	Hodgkins Disease	0	2	1	4	3	1	3	5	1	4	1	2	4	5	2	3	0	41	0.47
C82-85,C96	NHL	4	2	12	8	7	8	12	14	9	21	23	18	29	24	13	43	0	247	2.84
C90	Multiple Myeloma	0	0	0	0	0	0	1	1	6	8	13	11	15	11	9	9	0	84	0.97
C91	Lymphoid Leuk.	22	16	11	8	4	5	3	6	3	7	2	2	6	7	3	7	1	113	1.30
C92-94	Myeloid Leukaemia	5	2	5	8	7	5	8	12	14	13	8	12	7	10	11	5	1	133	1.53
C95	Leukaemia Uns	4	2	0	1	2	6	2	5	3	1	1	3	3	4	3	7	0	47	0.54
O&U	Other and Uns	3	2	2	1	1	3	4	10	8	13	7	19	17	25	16	18	0	149	1.71
	All Sites	70	67	79	84	113	219	310	596	784	1028	1058	944	956	930	667	769	27	8701	100.00

TABLE MUM-3.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Males
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.3	0.4	1.1	0.7	0.0	6.1	3.9	0.24	0.38	0.11	0.57
C01-02	0.0	0.0	0.0	0.0	0.0	0.3	1.2	2.3	5.3	3.6	12.4	18.7	20.0	33.7	32.8	25.2	3.18	5.12	0.39	9.19
C03-06	0.0	0.0	0.2	0.3	0.0	0.5	1.6	4.1	7.3	9.4	15.9	16.5	20.7	20.0	34.8	31.1	3.83	5.62	0.39	11.38
C07-08	0.0	0.0	0.0	0.0	0.1	0.5	0.2	0.2	0.2	0.9	1.2	2.3	0.7	1.2	4.1	0.0	0.33	0.44	0.10	0.84
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	1.0	1.2	3.5	6.2	6.7	6.2	10.2	9.7	0.89	1.46	0.21	2.76
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	1.8	1.9	4.0	1.5	5.0	4.1	9.7	0.55	0.90	0.16	1.51
C11	0.0	0.0	0.0	0.7	0.1	0.3	0.3	0.4	0.7	0.3	1.6	1.1	0.7	3.7	0.0	5.8	0.44	0.58	0.12	0.77
C12-13	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.2	2.2	5.5	5.4	16.5	25.9	28.7	55.3	42.7	2.95	5.37	0.41	8.05
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	1.2	0.4	3.4	4.4	11.2	10.2	9.7	0.64	1.21	0.20	1.53
C15	0.0	0.2	0.0	0.0	0.1	0.5	0.5	1.2	2.9	7.9	15.6	18.2	28.1	38.7	63.5	52.4	3.94	6.92	0.46	10.79
C16	0.0	0.0	0.0	0.3	0.0	0.6	0.7	1.4	2.7	4.2	7.4	16.5	22.9	28.7	32.8	34.9	2.79	4.78	0.38	7.87
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.7	0.0	10.2	3.9	0.16	0.34	0.11	0.20
C18	0.0	0.0	0.0	0.0	0.4	0.6	0.3	1.4	3.4	2.7	5.1	6.2	12.6	12.5	24.6	40.8	1.93	3.24	0.32	4.69
C19-20	0.0	0.2	0.5	0.3	0.4	0.8	0.5	1.0	1.0	1.5	4.7	4.5	11.8	13.7	26.6	21.4	1.60	2.68	0.29	3.53
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.5	0.4	0.6	2.2	7.5	4.1	0.0	0.31	0.55	0.13	0.80
C22	0.0	0.0	0.0	0.2	0.1	0.3	0.7	1.9	1.2	3.0	5.1	8.0	17.0	41.2	26.6	48.5	2.41	4.45	0.38	5.23
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.0	0.6	2.3	5.7	7.4	6.2	16.4	23.3	0.99	1.78	0.24	2.52
C25	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.6	0.7	1.2	2.7	6.8	8.9	22.5	22.5	21.4	1.29	2.48	0.29	2.95
C30-31	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	1.0	0.6	0.8	1.1	7.4	5.0	2.0	0.0	0.44	0.70	0.14	1.57
C32	0.2	0.0	0.0	0.0	0.1	0.0	0.3	1.9	2.9	5.8	9.3	19.9	25.9	51.2	45.1	60.2	3.65	6.63	0.46	9.46
C33-34	0.4	0.0	0.0	0.3	0.3	0.5	0.5	1.6	6.3	6.4	21.8	30.1	51.0	78.6	120.9	106.8	6.62	12.26	0.63	16.73
C37-38	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.2	0.9	0.8	0.6	1.5	0.0	2.0	0.0	0.22	0.28	0.08	0.61
C40-41	0.0	0.3	1.5	2.1	0.4	0.5	0.9	0.6	0.7	0.3	1.2	2.8	2.2	1.2	8.2	9.7	0.99	1.23	0.17	1.15
C43	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	1.0	0.0	0.8	1.1	0.7	3.7	0.0	1.9	0.24	0.35	0.10	0.59
C44	0.0	0.2	0.2	0.0	0.1	0.3	0.0	0.6	0.7	1.2	3.5	1.7	4.4	8.7	6.1	23.3	0.86	1.49	0.22	1.84
C45	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	3.7	2.0	7.8	0.17	0.34	0.11	0.04
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.5	0.3	0.3	0.8	1.1	0.9	0.9	0.6	1.0	2.7	1.2	3.4	5.2	10.0	8.2	5.8	1.22	1.65	0.21	2.12
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.4	2.8	3.0	5.0	2.0	7.8	0.34	0.64	0.14	0.94
C60	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	1.2	1.9	1.1	0.7	5.0	4.1	7.8	0.42	0.70	0.15	0.93
C61	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	3.5	9.7	24.4	57.4	102.4	190.3	4.12	9.28	0.58	5.44
C62	0.5	0.2	0.0	0.5	1.5	1.5	1.4	1.7	1.2	0.9	1.2	0.6	0.7	1.2	0.0	0.0	0.93	0.83	0.11	1.11
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	2.5	4.1	1.9	0.11	0.24	0.09	0.15
C64	0.2	0.2	0.0	0.2	0.0	0.2	0.2	0.6	1.7	2.4	5.4	4.5	5.9	16.2	14.3	23.3	1.33	2.29	0.26	3.14
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.9	0.03	0.08	0.06	0.00
C67	0.0	0.0	0.0	0.0	0.3	0.5	0.2	1.2	0.5	3.0	5.1	8.5	11.8	42.4	34.8	64.1	2.38	4.67	0.40	4.35
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.5	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.9	0.16	0.20	0.07	0.13
C70-72	2.0	1.8	2.1	1.5	0.6	1.2	3.1	3.9	3.9	5.8	6.6	10.2	7.4	10.0	26.6	5.8	3.10	3.86	0.30	5.96
C73	0.0	0.0	0.0	0.3	0.1	0.2	0.9	0.4	0.7	0.9	0.4	1.7	3.0	2.5	4.1	5.8	0.50	0.70	0.14	1.06
C74	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	1.2	0.0	0.0	0.09	0.14	0.06	0.12
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.7	1.2	3.1	5.7	7.4	17.5	28.7	13.6	1.27	2.30	0.27	2.90
C78	0.0	0.0	0.2	0.2	0.0	0.3	0.0	0.0	0.5	0.9	3.5	2.8	5.9	10.0	6.1	3.9	0.69	1.16	0.19	1.96
C79	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.2	0.3	2.7	4.5	5.2	0.0	8.2	7.8	0.55	0.91	0.16	1.80
C81	0.4	0.8	1.3	0.3	0.3	0.3	1.0	1.6	0.7	1.2	1.2	2.3	0.0	3.7	4.1	3.9	0.88	1.01	0.15	1.16
C82-85,C96	0.9	1.9	1.8	1.3	1.7	1.2	2.4	2.5	2.9	3.0	6.2	12.5	16.3	30.0	34.8	33.0	3.50	5.18	0.38	6.35
C90	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.2	1.0	1.5	4.3	3.4	8.1	16.2	14.3	17.5	1.11	2.00	0.25	2.70
C91	2.1	2.4	2.1	2.8	0.4	0.6	0.7	0.6	0.7	1.2	0.4	2.3	4.4	3.7	4.1	7.8	1.54	1.85	0.20	1.42
C92-94	1.2	0.3	0.5	0.2	0.7	1.1	0.9	1.4	3.1	2.7	2.3	1.1	4.4	8.7	8.2	9.7	1.40	1.83	0.21	2.50
C95	0.2	0.0	0.2	0.3	0.3	0.3	0.2	0.6	0.2	0.6	0.4	1.1	1.5	1.2	4.1	5.8	0.41	0.57	0.12	0.68
O&U	0.4	0.3	0.2	0.3	0.0	0.5	0.7	1.4	1.5	1.8	2.7	5.1	8.9	16.2	26.6	33.0	1.63	2.85	0.30	3.14
All	10.1	9.4	11.5	13.0	9.8	15.3	23.2	40.9	68.0	96.2	178.2	277.2	411.1	694.0	913.8	1046.4	69.38	116.53	1.88	157.24

TABLE MUM-3.1(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999 - Females
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR	
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.7	0.7	2.6	0.0	0.0	0.15	0.24	0.09	0.77		
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	1.3	3.5	1.7	8.9	5.2	8.7	13.0	8.5	5.2	1.37	2.10	0.26	4.49
C03-06	0.0	0.0	0.0	0.0	0.0	0.4	1.4	2.3	5.3	4.3	10.0	17.8	14.8	23.1	23.3	31.5	2.82	4.42	0.38	8.12	
C07-08	0.0	0.0	0.0	0.4	0.2	0.4	0.7	0.5	0.0	0.4	0.0	0.7	0.0	1.4	0.0	1.7	0.27	0.29	0.08	0.28	
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	1.1	0.0	1.7	1.4	4.2	1.7	0.19	0.33	0.11	0.49	
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.1	0.0	0.04	0.08	0.05	0.11	
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.12	0.12	0.05	0.35	
C12-13	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.8	3.9	1.7	1.5	0.9	13.0	4.2	5.2	0.71	1.14	0.20	1.71	
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	0.0	0.9	2.9	4.2	10.5	0.29	0.53	0.14	0.46	
C15	0.0	0.0	0.0	0.0	0.4	0.2	0.2	2.0	5.0	6.0	13.4	15.5	29.5	37.5	33.9	45.5	3.61	6.02	0.45	10.49	
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.5	1.4	3.4	6.1	5.9	10.4	10.1	25.5	19.2	1.60	2.59	0.30	4.33	
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.0	2.2	0.9	1.4	2.1	0.0	0.17	0.27	0.09	0.58	
C18	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.0	2.5	6.0	6.7	6.7	8.7	8.6	21.2	24.5	1.78	2.78	0.30	5.09	
C19-20	0.0	0.0	0.0	0.0	0.2	0.4	0.5	1.3	2.8	4.3	2.8	8.9	5.2	7.2	4.2	14.0	1.27	1.86	0.24	3.89	
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7	2.6	2.9	0.0	1.7	0.17	0.31	0.10	0.61	
C22	0.4	0.0	0.0	0.0	0.2	0.2	0.5	0.5	2.8	3.4	4.5	8.9	6.1	13.0	12.7	17.5	1.47	2.32	0.28	3.96	
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.7	2.3	2.1	4.3	5.0	6.7	7.8	33.2	31.8	26.2	2.10	3.56	0.36	4.36	
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	3.4	1.1	4.4	7.0	8.6	14.8	19.2	0.98	1.72	0.25	2.50	
C30-31	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.9	1.1	0.7	0.9	1.4	2.1	1.7	0.23	0.34	0.10	0.60	
C32	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.9	5.0	0.7	2.6	10.1	6.4	7.0	0.60	1.04	0.19	1.48	
C33-34	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.5	2.1	3.9	6.7	10.4	17.4	28.8	23.3	24.5	2.16	3.71	0.36	5.91	
C37-38	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.10	0.12	0.05	0.33	
C40-41	0.0	0.3	1.5	1.2	0.5	0.4	0.5	0.3	0.0	0.0	1.7	0.7	0.9	7.2	6.4	3.5	0.75	0.95	0.17	0.53	
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	1.5	0.0	0.0	2.1	0.0	0.10	0.14	0.07	0.28	
C44	0.0	0.2	0.0	0.2	0.2	0.4	0.2	0.0	0.4	2.1	1.1	0.7	1.7	5.8	10.6	1.7	0.52	0.82	0.17	0.98	
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.6	0.7	0.0	1.4	2.1	1.7	0.14	0.23	0.09	0.34	
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
C47+C49	0.2	0.7	0.4	0.6	0.4	1.1	0.7	1.5	0.7	2.6	1.7	2.2	3.5	4.3	4.2	1.7	0.98	1.19	0.18	1.93	
C50	0.0	0.0	0.0	0.0	0.9	5.2	11.8	23.8	47.1	68.6	82.5	94.0	99.9	175.9	161.2	112.0	21.68	32.18	1.01	65.33	
C51	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	0.4	0.4	1.7	1.5	3.5	1.4	4.2	0.0	0.35	0.52	0.13	1.21	
C52	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.4	0.4	2.2	0.0	1.7	4.3	14.8	5.2	0.46	0.80	0.17	0.74	
C53	0.0	0.0	0.0	0.4	0.0	1.3	6.7	16.2	26.6	37.3	51.9	51.0	71.3	70.6	78.5	57.7	12.10	17.67	0.74	39.64	
C54	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.8	4.6	4.3	8.9	11.1	12.2	34.6	14.8	5.2	2.08	3.44	0.34	6.31	
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.7	0.4	4.5	1.5	6.1	11.5	10.6	12.2	0.81	1.42	0.23	1.92	
C56	0.0	0.2	0.7	1.2	0.7	2.8	4.2	4.3	10.6	18.9	14.5	21.5	23.5	37.5	36.1	28.0	5.40	7.67	0.48	14.67	
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.02	0.03	0.03	0.11	
C58	0.0	0.0	0.0	0.2	0.5	0.2	0.7	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.21	0.17	0.05	0.18	
C64	0.6	0.2	0.2	0.2	0.0	0.7	0.0	0.3	1.8	0.9	3.3	3.7	2.6	7.2	2.1	7.0	0.81	1.17	0.19	1.91	
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.3	2.8	2.2	6.1	7.2	10.6	17.5	0.77	1.36	0.22	1.89	
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
C69	0.4	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.08	0.04	0.00	
C70-72	0.6	1.9	1.5	0.8	1.6	1.1	0.2	3.6	4.6	3.4	9.5	8.9	10.4	20.2	8.5	14.0	2.78	3.69	0.33	6.26	
C73	0.0	0.0	0.2	0.6	1.6	1.5	1.4	0.8	1.8	2.1	2.8	5.2	6.1	8.6	4.2	1.7	1.31	1.65	0.22	2.81	
C74	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.05	0.03	0.00	
C77	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.7	0.9	1.7	3.0	1.7	2.9	8.5	7.0	0.50	0.82	0.17	1.23	
C78	0.0	0.0	0.2	0.0	0.0	0.0	0.5	1.0	2.8	3.0	2.2	5.2	5.2	13.0	14.8	12.2	1.20	1.91	0.25	3.03	
C79	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.9	0.0	2.2	1.7	2.9	4.2	1.7	0.29	0.46	0.13	0.77	
C81	0.0	0.0	0.0	0.2	0.2	0.2	0.7	0.5	0.0	0.9	0.0	0.7	0.0	2.9	2.1	0.0	0.27	0.33	0.10	0.36	
C82-85,C96	0.4	0.3	1.3	0.4	0.2	0.9	1.6	1.8	1.4	3.4	3.9	6.7	10.4	13.0	6.4	38.5	2.07	2.98	0.30	4.12	
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.4	2.2	1.5	8.7	5.8	8.5	10.5	0.79	1.34	0.21	2.54	
C91	1.4	0.9	1.3	1.2	0.4	0.4	0.5	0.5	0.7	0.9	0.6	0.7	0.9	1.4	2.1	5.2	0.87	0.97	0.15	0.70	
C92-94	0.8	0.2	0.2	0.8	0.7	0.2	1.6	1.0	2.1	3.4	0.6	5.9	2.6	4.3	8.5	1.7	1.16	1.47	0.20	2.46	
C95	0.6	0.2	0.0	0.2	0.2	0.6	0.5	0.3	0.4	0.0	0.0	2.2	0.9	4.3	4.2	10.5	0.54	0.78	0.16	0.52	
O&U	0.4	0.0	0.2	0.0	0.2	0.2	0.7	1.5	1.4	3.9	1.7	6.7	7.8	21.6	23.3	19.2	1.64	2.70	0.31	3.45	
All	6.2	5.2	7.8	8.7	9.9	21.2	39.4	76.4	142.4	212.9	282.7	339.6	419.8	687.6	678.7	633.3	82.95	124.88	1.99	227.13	

TABLE MUM-3.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Males
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.8	1.1	1.5	6.1	2.0	0.0	0.22	0.39	0.11	0.55
C01-02	0.0	0.0	0.0	0.2	0.4	0.3	0.3	1.9	3.8	6.6	9.2	19.5	23.9	25.7	24.1	28.6	3.02	4.85	0.37	9.46
C03-06	0.0	0.0	0.0	0.2	0.0	0.3	1.9	3.0	6.2	10.7	16.0	24.0	29.0	36.8	40.2	24.8	4.31	6.67	0.43	13.29
C07-08	0.2	0.0	0.0	0.2	0.0	0.1	0.2	0.6	0.2	0.3	0.8	1.1	0.7	2.5	2.0	5.7	0.31	0.46	0.11	0.57
C09	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.8	0.9	1.8	3.8	4.5	7.3	6.1	8.0	11.4	0.89	1.45	0.20	2.80
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	2.3	7.2	3.6	2.5	14.1	5.7	0.66	1.14	0.18	2.15
C11	0.0	0.0	0.2	0.8	0.4	0.0	0.0	0.6	0.0	0.3	1.1	1.1	0.7	2.5	4.0	0.0	0.35	0.46	0.11	0.59
C12-13	0.0	0.2	0.2	0.0	0.1	0.0	0.5	1.5	2.6	3.6	4.2	13.4	18.1	31.9	40.2	26.7	2.42	4.30	0.36	6.24
C14	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.7	0.6	1.5	3.3	2.2	4.9	16.1	9.5	0.58	1.08	0.19	1.25
C15	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	2.1	6.3	14.5	22.9	21.0	49.0	96.5	74.3	4.22	7.97	0.51	9.81
C16	0.2	0.2	0.0	0.2	0.1	0.4	0.7	0.6	2.8	3.3	9.2	14.5	21.0	38.0	36.2	70.5	3.11	5.69	0.42	7.36
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	1.7	0.7	0.0	2.0	1.9	0.12	0.21	0.08	0.41
C18	0.0	0.0	0.0	0.3	0.4	0.4	1.0	0.8	2.6	4.2	5.3	15.1	8.7	22.1	32.2	32.4	2.26	3.78	0.34	5.39
C19-20	0.0	0.0	0.0	0.2	0.3	0.6	0.7	2.3	2.4	2.7	3.1	4.5	5.1	12.3	20.1	28.6	1.54	2.44	0.27	3.14
C21	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.0	0.5	0.6	1.5	2.2	0.0	1.2	2.0	3.8	0.31	0.43	0.10	0.74
C22	0.5	0.0	0.0	0.0	0.0	0.4	0.2	1.0	1.4	2.4	5.0	10.6	18.9	30.6	62.3	59.1	2.63	5.17	0.41	5.52
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	2.7	1.9	2.8	5.1	11.0	16.1	9.5	0.82	1.48	0.22	2.05
C25	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.8	0.0	0.9	3.4	6.7	5.8	18.4	20.1	17.2	1.14	2.11	0.26	2.49
C30-31	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.4	0.2	0.6	2.7	1.7	2.9	0.0	4.0	3.8	0.42	0.59	0.12	1.26
C32	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.0	3.8	6.6	17.2	23.4	32.7	51.5	68.4	70.5	4.48	8.13	0.50	12.19
C33-34	0.2	0.0	0.0	0.2	0.1	0.0	0.7	1.5	3.3	8.9	14.5	29.0	35.6	91.9	98.5	110.5	5.85	11.16	0.60	13.34
C37-38	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.7	0.0	2.0	0.0	0.08	0.10	0.05	0.14
C40-41	0.2	0.2	1.3	1.8	1.1	0.3	0.7	0.6	0.2	0.9	0.8	2.8	1.5	2.5	0.0	3.8	0.85	0.92	0.14	1.00
C43	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.5	0.3	0.0	0.6	0.0	1.2	2.0	0.0	0.12	0.17	0.07	0.22
C44	0.2	0.0	0.0	0.2	0.3	0.1	0.2	0.6	1.7	1.8	2.3	6.7	5.1	8.6	14.1	15.2	1.06	1.75	0.23	2.67
C45	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.6	0.7	0.0	4.0	1.9	0.12	0.21	0.08	0.25
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.5	0.2	0.5	0.8	0.5	0.3	0.8	0.8	1.2	1.5	2.3	3.9	2.2	9.8	8.0	9.5	1.08	1.52	0.20	1.82
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.0	1.1	1.1	0.0	1.2	2.0	7.6	0.22	0.37	0.11	0.42
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.9	0.9	1.1	1.1	2.9	3.7	2.0	5.7	0.48	0.68	0.14	1.28
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	2.3	11.7	13.1	61.3	94.5	182.9	3.72	8.55	0.56	3.76
C62	0.5	0.0	0.0	1.4	0.8	1.3	1.0	1.9	0.7	0.3	1.9	0.6	0.0	0.0	2.0	1.9	0.85	0.80	0.12	0.94
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.1	0.7	0.0	0.0	1.9	0.08	0.13	0.06	0.28
C64	1.2	0.2	0.0	0.0	0.0	0.0	0.3	0.2	0.9	3.0	4.6	6.7	8.7	14.7	6.0	13.3	1.28	2.10	0.24	3.52
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	2.0	0.0	0.05	0.08	0.05	0.12
C67	0.2	0.2	0.2	0.0	0.1	0.3	0.5	1.0	1.7	3.6	5.3	8.4	13.1	28.2	50.3	68.6	2.52	4.83	0.40	4.82
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	3.7	0.0	0.0	0.11	0.18	0.07	0.10
C70-72	1.7	1.6	1.6	1.1	1.1	1.9	1.4	2.5	4.7	6.3	5.3	8.4	13.1	20.8	18.1	21.0	3.14	4.28	0.33	6.24
C73	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.4	0.7	2.4	0.0	1.1	1.5	1.2	0.0	5.7	0.43	0.55	0.11	1.00
C74	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.12	0.05	0.04
C77	0.0	0.0	0.2	0.0	0.1	0.0	0.7	0.6	0.5	2.4	2.7	3.9	8.7	11.0	12.1	11.4	1.02	1.71	0.23	2.72
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	1.2	4.2	3.3	3.6	6.1	8.0	9.5	0.68	1.15	0.18	1.95
C79	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.3	1.9	3.3	5.1	11.0	8.0	5.7	0.57	1.08	0.19	1.45
C81	0.2	1.6	0.8	0.3	0.8	1.2	1.0	0.2	0.5	1.2	1.5	2.8	0.7	0.0	4.0	5.7	0.92	1.02	0.15	1.06
C82-85,C96	1.0	1.0	1.0	0.6	0.8	1.0	2.0	3.8	3.6	5.4	11.8	11.7	12.3	20.8	32.2	49.5	3.51	5.21	0.38	7.48
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	3.8	2.8	5.1	8.6	22.1	22.9	0.88	1.74	0.24	1.90
C91	3.0	1.9	1.3	1.3	0.8	0.6	0.7	1.0	1.2	0.0	0.4	2.2	3.6	12.3	8.0	13.3	1.54	2.11	0.23	1.23
C92-94	0.7	0.3	0.5	0.0	1.1	1.8	1.2	2.5	1.9	3.3	3.1	4.5	4.4	2.5	10.1	19.1	1.65	2.08	0.22	3.11
C95	0.5	0.0	0.5	0.3	0.3	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.7	3.7	8.0	1.9	0.34	0.53	0.13	0.14
O&U	0.3	0.2	0.2	0.2	0.1	0.4	0.3	0.8	0.7	0.9	2.3	8.4	10.2	9.8	16.1	34.3	1.39	2.45	0.28	3.22
All	12.6	7.5	8.6	11.0	11.1	13.1	19.8	36.8	59.6	102.5	177.2	307.8	362.1	687.3	945.2	1107.1	68.40	116.40	1.87	153.49

**TABLE MUM-3.2(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2000 - Females
Mumbai**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.8	4.2	1.7	0.11	0.24	0.10	0.11
C01-02	0.0	0.0	0.0	0.0	0.0	0.4	1.1	2.2	3.8	3.8	6.6	5.8	4.3	14.2	18.8	18.8	1.73	2.60	0.29	4.27
C03-06	0.0	0.0	0.2	0.0	0.2	0.4	0.0	1.0	2.4	7.2	9.9	21.1	17.1	31.2	33.3	20.5	2.83	4.72	0.40	8.56
C07-08	0.0	0.0	0.2	0.0	0.2	0.2	0.2	0.2	0.0	0.4	0.5	1.5	1.7	1.4	2.1	1.7	0.27	0.37	0.11	0.63
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	2.2	0.9	4.2	2.1	6.8	0.25	0.45	0.13	0.46
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	0.0	0.0	0.7	0.9	0.0	2.1	0.0	0.11	0.16	0.07	0.34
C11	0.0	0.0	0.2	0.2	0.4	0.2	0.0	0.0	0.7	1.3	0.0	0.0	0.0	0.0	2.1	1.7	0.23	0.27	0.08	0.38
C12-13	0.0	0.0	0.0	0.0	0.0	0.4	0.2	1.2	1.4	0.8	3.3	2.9	3.4	9.9	4.2	3.4	0.74	1.12	0.19	2.02
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.7	0.0	1.4	4.2	5.1	0.17	0.31	0.10	0.26
C15	0.0	0.0	0.0	0.2	0.2	0.0	0.7	2.2	2.1	5.9	8.8	16.0	22.2	28.3	41.7	59.7	3.28	5.53	0.43	8.32
C16	0.0	0.2	0.0	0.0	0.0	0.4	0.7	1.5	2.8	5.9	4.4	4.4	9.4	15.6	22.9	25.6	1.82	2.90	0.31	4.45
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.06	0.08	0.05	0.05	
C18	0.0	0.0	0.2	0.0	0.0	0.5	0.7	0.5	1.4	5.1	8.2	4.4	6.0	22.7	20.8	20.5	1.73	2.85	0.31	4.00
C19-20	0.0	0.0	0.0	0.0	0.2	0.5	0.2	0.5	1.4	2.5	4.9	5.8	9.4	17.0	6.3	13.6	1.29	2.10	0.26	3.61
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	2.2	1.5	2.6	0.0	2.1	1.7	0.27	0.40	0.11	1.05
C22	0.4	0.0	0.0	0.0	0.0	0.4	0.5	0.5	2.1	2.9	3.3	8.0	14.5	11.3	25.0	27.3	1.73	2.88	0.31	4.51
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.2	4.9	3.8	4.4	7.3	6.8	15.6	22.9	23.9	1.74	2.81	0.30	4.44
C25	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	1.0	2.1	0.5	5.1	5.1	18.4	14.6	17.1	1.08	1.88	0.26	2.16
C30-31	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.3	1.3	1.6	2.2	2.6	1.4	6.3	3.4	0.42	0.65	0.14	1.29
C32	0.0	0.0	0.0	0.0	0.2	0.0	1.1	0.5	1.7	0.4	2.2	3.6	1.7	2.8	8.3	6.8	0.66	0.95	0.17	1.56
C33-34	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	3.8	5.9	6.0	11.6	15.4	25.5	25.0	30.7	2.39	3.96	0.36	6.43
C37-38	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.3	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.09	0.11	0.05	0.30
C40-41	0.0	0.3	0.2	1.2	0.7	0.5	0.5	0.2	0.7	0.4	1.1	0.7	0.0	2.8	4.2	1.7	0.57	0.65	0.13	0.53
C43	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	1.1	0.7	0.0	2.8	4.2	1.7	0.19	0.32	0.11	0.34
C44	0.4	0.0	0.0	0.2	0.0	0.4	0.7	0.5	0.3	0.8	0.0	2.2	6.8	2.8	4.2	11.9	0.66	1.00	0.18	1.49
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.9	2.8	0.0	8.5	0.19	0.34	0.11	0.28
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.2	0.2	0.6	0.5	0.5	0.9	1.2	1.7	0.4	2.2	0.7	3.4	5.7	8.3	5.1	0.87	1.15	0.18	1.55
C50	0.0	0.0	0.0	0.0	0.5	3.6	10.0	23.2	45.2	75.3	94.8	91.6	88.8	141.6	137.5	119.4	21.01	30.90	0.97	66.38
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.3	0.0	1.5	2.6	1.4	0.0	1.7	0.23	0.35	0.10	0.88
C52	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	1.3	3.3	1.5	0.9	4.2	4.2	11.9	0.55	0.87	0.17	1.24
C53	0.0	0.0	0.0	0.0	0.4	0.9	5.0	11.5	28.2	42.9	53.7	51.6	58.1	69.4	89.6	44.3	11.62	17.19	0.72	38.79
C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.4	5.5	10.4	15.3	17.1	17.0	18.8	6.8	2.01	3.32	0.33	7.43
C55	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.5	0.3	0.8	1.6	2.9	6.0	4.2	10.4	17.1	0.76	1.26	0.21	1.74
C56	0.0	0.3	0.9	1.6	1.4	1.3	2.0	6.5	7.0	16.0	23.0	29.1	17.9	34.0	52.1	37.5	5.63	8.20	0.50	15.47
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.4	0.0	0.0	0.04	0.07	0.05	0.09
C58	0.0	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.11	0.10	0.04	0.08
C64	0.8	0.2	0.0	0.0	0.4	0.0	0.2	0.7	0.7	2.1	1.1	2.2	4.3	4.2	4.2	5.1	0.68	0.99	0.17	1.70
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C67	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	1.7	0.5	2.2	5.1	12.7	14.6	13.6	0.78	1.42	0.23	1.42
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.04	0.08	0.06	0.00
C69	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.11	0.14	0.06	0.09
C70-72	0.4	1.7	1.4	0.8	0.9	1.8	1.4	1.2	3.1	5.1	8.2	7.3	10.2	18.4	16.7	10.2	2.56	3.48	0.32	5.41
C73	0.0	0.0	0.0	0.0	0.4	1.1	1.4	2.5	0.7	2.5	4.9	2.2	5.1	11.3	2.1	11.9	1.25	1.70	0.22	2.84
C74	0.4	0.3	0.4	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.17	0.18	0.07	0.00
C77	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.5	0.3	2.9	2.2	2.9	6.0	5.7	10.4	5.1	0.74	1.20	0.20	2.23
C78	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.3	0.8	2.7	2.9	4.3	1.4	6.3	10.2	0.59	0.93	0.17	1.69
C79	0.2	0.0	0.0	0.2	0.0	0.2	0.0	1.2	0.7	0.0	0.5	3.6	3.4	0.0	2.1	1.7	0.42	0.56	0.12	1.37
C81	0.0	0.3	0.2	0.6	0.4	0.0	0.0	0.7	0.3	0.8	0.5	0.7	3.4	4.2	2.1	5.1	0.51	0.71	0.15	1.00
C82-85,C96	0.4	0.0	0.9	1.2	1.1	0.5	1.1	1.7	1.7	5.5	8.8	6.5	14.5	21.2	20.8	35.8	2.65	4.02	0.36	5.86
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.0	0.0	4.9	6.5	4.3	9.9	10.4	5.1	0.82	1.38	0.22	2.44
C91	2.8	1.9	0.7	0.4	0.4	0.5	0.2	1.0	0.3	2.1	0.5	0.7	4.3	8.5	4.2	6.8	1.27	1.62	0.21	1.40
C92-94	0.2	0.2	0.7	0.8	0.5	0.7	0.2	2.0	2.8	2.1	3.8	2.9	3.4	9.9	14.6	6.8	1.37	1.87	0.24	2.77
C95	0.2	0.2	0.0	0.0	0.2	0.5	0.0	1.0	0.7	0.4	0.5	0.0	1.7	1.4	2.1	1.7	0.36	0.44	0.11	0.72
O&U	0.2	0.3	0.2	0.2	0.0	0.4	0.2	1.0	1.4	1.7	2.2	7.3	6.8	14.2	10.4	11.9	1.21	1.92	0.25	2.96
All	7.2	6.3	6.4	8.2	10.3	18.8	31.5	73.5	132.9	223.5	301.8	352.5	403.9	641.5	723.0	694.1	83.00	125.76	1.98	229.49

TABLE MUM-3.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Males
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.3	0.6	1.1	1.1	3.1	4.1	1.9	0.23	0.39	0.08	0.56
C01-02	0.0	0.0	0.0	0.1	0.2	0.3	0.8	2.1	4.6	5.1	10.8	19.1	22.0	29.7	28.4	26.9	3.10	4.98	0.27	9.32
C03-06	0.0	0.0	0.1	0.2	0.0	0.4	1.7	3.6	6.7	10.1	16.0	20.3	24.9	28.4	37.6	27.9	4.07	6.15	0.29	12.34
C07-08	0.1	0.0	0.0	0.1	0.1	0.3	0.2	0.4	0.2	0.6	1.0	1.7	0.7	1.9	3.0	2.9	0.32	0.45	0.08	0.70
C09	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.7	1.0	1.5	3.7	5.3	7.0	6.2	9.1	10.6	0.89	1.46	0.14	2.78
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.6	1.7	2.1	5.6	2.6	3.7	9.1	7.7	0.61	1.02	0.12	1.83
C11	0.0	0.0	0.1	0.7	0.3	0.1	0.2	0.5	0.4	0.3	1.3	1.1	0.7	3.1	2.0	2.9	0.40	0.52	0.08	0.68
C12-13	0.0	0.1	0.1	0.0	0.1	0.1	0.6	1.3	2.4	4.5	4.8	14.9	22.0	30.3	47.7	34.6	2.68	4.83	0.28	7.13
C14	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.8	0.9	1.0	3.4	3.3	8.0	13.2	9.6	0.61	1.14	0.14	1.39
C15	0.0	0.1	0.0	0.0	0.1	0.4	0.4	1.1	2.5	7.1	15.0	20.5	24.5	43.9	80.2	63.5	4.08	7.45	0.34	10.30
C16	0.1	0.1	0.0	0.2	0.1	0.5	0.7	1.0	2.8	3.8	8.3	15.5	22.0	33.4	34.5	52.9	2.95	5.24	0.28	7.62
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.8	0.7	0.0	6.1	2.9	0.14	0.27	0.07	0.31
C18	0.0	0.0	0.0	0.2	0.4	0.5	0.7	1.1	3.0	3.5	5.2	10.7	10.6	17.3	28.4	36.5	2.10	3.51	0.23	5.04
C19-20	0.0	0.1	0.2	0.2	0.3	0.7	0.6	1.6	1.7	2.1	3.9	4.5	8.4	13.0	23.3	25.0	1.57	2.56	0.20	3.34
C21	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.4	1.1	1.0	1.4	1.1	4.3	3.0	1.9	0.31	0.49	0.08	0.77
C22	0.3	0.0	0.0	0.1	0.1	0.4	0.4	1.4	1.3	2.7	5.0	9.3	17.9	35.9	44.7	53.9	2.52	4.81	0.28	5.38
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.8	1.7	2.1	4.2	6.2	8.7	16.2	16.3	0.90	1.63	0.16	2.28
C25	0.0	0.0	0.1	0.1	0.0	0.1	0.2	0.7	0.4	1.1	3.1	6.8	7.3	20.4	21.3	19.2	1.21	2.30	0.19	2.72
C30-31	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.3	0.6	0.6	1.7	1.4	5.1	2.5	3.0	1.9	0.43	0.65	0.09	1.41
C32	0.1	0.0	0.0	0.0	0.1	0.1	0.3	1.4	3.4	6.2	13.3	21.7	29.3	51.3	56.8	65.4	4.07	7.39	0.34	10.84
C33-34	0.3	0.0	0.0	0.2	0.2	0.2	0.6	1.5	4.8	7.7	18.1	29.5	43.2	85.3	109.6	108.7	6.23	11.71	0.43	15.02
C37-38	0.0	0.0	0.0	0.1	0.3	0.0	0.1	0.0	0.2	0.5	0.4	0.3	1.1	0.0	2.0	0.0	0.15	0.19	0.05	0.37
C40-41	0.1	0.2	1.4	1.9	0.8	0.4	0.8	0.6	0.5	0.6	1.0	2.8	1.8	1.9	4.1	6.7	0.92	1.07	0.11	1.08
C43	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.7	0.2	0.4	0.8	0.4	2.5	1.0	1.0	0.18	0.26	0.06	0.41
C44	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.6	1.2	1.5	2.9	4.2	4.8	8.7	10.1	19.2	0.96	1.62	0.16	2.26
C45	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.0	0.3	0.4	1.9	3.0	4.8	0.15	0.28	0.07	0.14
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.5	0.2	0.4	0.8	0.8	0.6	0.9	0.7	1.1	2.1	1.7	3.7	3.7	9.9	8.1	7.7	1.15	1.59	0.14	1.97
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.2	0.8	2.0	1.5	3.1	2.0	7.7	0.28	0.50	0.09	0.68
C60	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.8	1.1	1.5	1.1	1.8	4.3	3.0	6.7	0.45	0.69	0.10	1.11
C61	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.1	2.9	10.7	18.7	59.4	98.5	186.6	3.92	8.92	0.40	4.59
C62	0.5	0.1	0.0	1.0	1.2	1.4	1.2	1.8	1.0	0.6	1.5	0.6	0.4	0.6	1.0	1.0	0.89	0.81	0.08	1.02
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.6	0.7	1.2	2.0	1.9	0.09	0.18	0.06	0.22
C64	0.7	0.2	0.0	0.1	0.0	0.1	0.3	0.4	1.3	2.7	5.0	5.6	7.3	15.5	10.1	18.3	1.31	2.19	0.18	3.33
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	2.0	1.0	0.04	0.08	0.04	0.06
C67	0.1	0.1	0.1	0.0	0.2	0.4	0.3	1.1	1.1	3.3	5.2	8.4	12.5	35.2	42.6	66.4	2.45	4.75	0.28	4.59
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.4	0.2	0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.6	0.0	0.0	1.9	0.0	1.0	0.13	0.19	0.05	0.11
C70-72	1.9	1.7	1.9	1.3	0.8	1.6	2.2	3.2	4.3	6.0	6.0	9.3	10.3	15.5	22.3	13.5	3.12	4.07	0.22	6.10
C73	0.0	0.0	0.0	0.4	0.2	0.2	0.4	0.4	0.7	1.7	0.2	1.4	2.2	1.9	2.0	5.8	0.47	0.63	0.09	1.03
C74	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.6	0.0	0.0	0.09	0.13	0.04	0.08
C77	0.0	0.0	0.1	0.0	0.1	0.0	0.6	0.7	1.1	1.8	2.9	4.8	8.1	14.2	20.3	12.5	1.14	2.00	0.18	2.81
C78	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.6	1.1	3.9	3.1	4.8	8.0	7.1	6.7	0.68	1.16	0.13	1.95
C79	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.0	0.1	0.3	2.3	3.9	5.1	5.6	8.1	6.7	0.56	1.00	0.12	1.62
C81	0.3	1.2	1.1	0.3	0.5	0.7	1.0	0.9	0.6	1.2	1.3	2.5	0.4	1.9	4.1	4.8	0.90	1.02	0.10	1.11
C82-85,C96	1.0	1.4	1.4	1.0	1.2	1.1	2.2	3.2	3.2	4.2	9.1	12.1	14.3	25.4	33.5	41.4	3.50	5.20	0.27	6.92
C90	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.7	1.2	4.0	3.1	6.6	12.4	18.3	20.2	0.99	1.87	0.17	2.29
C91	2.6	2.2	1.7	2.0	0.6	0.6	0.7	0.8	1.0	0.6	0.4	2.3	4.0	8.0	6.1	10.6	1.54	1.98	0.15	1.32
C92-94	1.0	0.3	0.5	0.1	0.9	1.4	1.0	1.9	2.5	3.0	2.7	2.8	4.4	5.6	9.1	14.4	1.52	1.95	0.16	2.81
C95	0.4	0.0	0.3	0.3	0.3	0.1	0.3	0.3	0.2	0.3	0.2	0.6	1.1	2.5	6.1	3.8	0.37	0.55	0.09	0.41
O&U	0.4	0.2	0.2	0.2	0.1	0.4	0.5	1.1	1.1	1.4	2.5	6.8	9.5	13.0	21.3	33.7	1.51	2.65	0.20	3.18
All	11.4	8.4	10.0	12.0	10.5	14.2	21.5	38.8	63.8	99.4	177.7	292.6	386.4	690.7	929.7	1077.1	68.89	116.47	1.33	155.35

TABLE MUM-3.3(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 1999-2000 - Females
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.4	1.7	1.4	2.1	0.9	0.13	0.24	0.06	0.44
C01-02	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.8	3.7	2.8	7.7	5.5	6.5	13.6	13.7	12.1	1.55	2.35	0.19	4.38
C03-06	0.0	0.0	0.1	0.0	0.1	0.4	0.7	1.6	3.9	5.7	9.9	19.4	15.9	27.1	28.4	25.9	2.82	4.57	0.28	8.34
C07-08	0.0	0.0	0.1	0.2	0.2	0.3	0.5	0.4	0.0	0.4	0.3	1.1	0.9	1.4	1.1	1.7	0.27	0.33	0.07	0.45
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.6	1.1	1.3	2.9	3.2	4.3	0.22	0.39	0.08	0.47
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	0.0	0.0	0.4	0.9	0.0	2.1	0.0	0.08	0.12	0.04	0.23
C11	0.0	0.0	0.1	0.1	0.2	0.1	0.1	0.3	0.5	0.8	0.0	0.4	0.0	0.0	1.1	0.9	0.17	0.20	0.05	0.36
C12-13	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.8	1.6	2.3	2.5	2.2	2.2	11.4	4.2	4.3	0.73	1.13	0.14	1.87
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.4	0.4	2.1	4.2	7.8	0.23	0.42	0.09	0.36
C15	0.0	0.0	0.0	0.1	0.3	0.1	0.5	2.1	3.5	5.9	11.1	15.8	25.8	32.9	37.8	52.7	3.44	5.77	0.31	9.40
C16	0.0	0.1	0.0	0.0	0.0	0.2	0.8	1.5	2.1	4.7	5.3	5.1	9.9	12.9	24.2	22.5	1.71	2.75	0.21	4.39
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	0.0	1.1	0.4	0.7	1.1	1.7	0.11	0.17	0.05	0.31
C18	0.0	0.0	0.1	0.0	0.0	0.5	0.3	1.3	1.9	5.5	7.5	5.5	7.3	15.7	21.0	22.5	1.75	2.81	0.22	4.54
C19-20	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.9	2.1	3.4	3.9	7.3	7.3	12.1	5.3	13.8	1.28	1.98	0.18	3.75
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	1.7	1.1	2.6	1.4	1.1	1.7	0.22	0.36	0.08	0.83
C22	0.4	0.0	0.0	0.0	0.1	0.3	0.5	0.5	2.5	3.2	3.9	8.4	10.3	12.1	18.9	22.5	1.60	2.61	0.21	4.24
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.8	3.5	4.0	4.7	7.0	7.3	24.3	27.3	25.0	1.92	3.18	0.23	4.40
C25	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.9	2.8	0.8	4.8	6.0	13.6	14.7	18.1	1.03	1.80	0.18	2.33
C30-31	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.4	0.2	1.1	1.4	1.5	1.7	1.4	4.2	2.6	0.33	0.49	0.09	0.95
C32	0.0	0.0	0.0	0.0	0.1	0.1	0.6	0.3	1.1	0.6	3.6	2.2	2.2	6.4	7.4	6.9	0.63	1.00	0.13	1.52
C33-34	0.0	0.0	0.0	0.0	0.1	0.5	0.3	0.5	3.0	4.9	6.4	11.0	16.4	27.1	24.2	27.6	2.28	3.84	0.26	6.18
C37-38	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.4	0.2	0.8	0.4	0.0	0.0	0.0	0.0	0.10	0.11	0.04	0.31
C40-41	0.0	0.3	0.8	1.2	0.6	0.5	0.5	0.3	0.4	0.2	1.4	0.7	0.4	5.0	5.3	2.6	0.66	0.80	0.11	0.53
C43	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.0	0.8	1.1	0.0	1.4	3.2	0.9	0.14	0.23	0.06	0.31
C44	0.2	0.1	0.0	0.2	0.1	0.4	0.5	0.3	0.4	1.5	0.6	1.5	4.3	4.3	7.4	6.9	0.59	0.91	0.12	1.24
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.6	0.4	0.4	2.1	1.1	5.2	0.16	0.28	0.07	0.31
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.1	0.4	0.3	0.6	0.4	0.8	0.8	1.4	1.2	1.5	1.9	1.5	3.4	5.0	6.3	3.5	0.93	1.17	0.13	1.74
C50	0.0	0.0	0.0	0.0	0.7	4.4	10.9	23.5	46.2	72.0	88.7	92.8	94.3	158.6	149.3	115.7	21.34	31.54	0.70	65.87
C51	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.4	0.8	0.8	1.5	3.0	1.4	2.1	0.9	0.29	0.43	0.08	1.04
C52	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.4	0.8	2.8	0.7	1.3	4.3	9.5	8.6	0.51	0.84	0.12	0.99
C53	0.0	0.0	0.0	0.2	0.2	1.1	5.8	13.8	27.4	40.1	52.8	51.3	64.6	70.0	84.1	51.0	11.86	17.43	0.52	39.22
C54	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.5	3.5	4.9	9.7	13.2	14.6	25.7	16.8	6.0	2.05	3.38	0.24	6.87
C55	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.5	0.6	3.0	2.2	6.0	7.9	10.5	14.7	0.78	1.34	0.15	1.83
C56	0.0	0.3	0.8	1.4	1.1	2.0	3.1	5.4	8.8	17.4	18.8	25.3	20.7	35.7	44.1	32.8	5.52	7.94	0.35	15.08
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.7	0.0	0.0	0.03	0.05	0.03	0.10
C58	0.0	0.0	0.0	0.1	0.5	0.2	0.5	0.3	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.16	0.13	0.03	0.13
C64	0.7	0.2	0.1	0.1	0.2	0.4	0.1	0.5	1.2	1.5	2.2	2.9	3.4	5.7	3.2	6.0	0.75	1.08	0.13	1.80
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.04
C67	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.4	1.5	1.7	2.2	5.6	10.0	12.6	15.5	0.77	1.39	0.16	1.65
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.02	0.04	0.03	0.00
C69	0.6	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.10	0.11	0.03	0.05
C70-72	0.5	1.8	1.4	0.8	1.3	1.5	0.8	2.4	3.9	4.2	8.8	8.1	10.3	19.3	12.6	12.1	2.67	3.59	0.23	5.83
C73	0.0	0.0	0.1	0.3	1.0	1.3	1.4	1.6	1.2	2.3	3.9	3.7	5.6	10.0	3.2	6.9	1.28	1.68	0.16	2.83
C74	0.4	0.2	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.11	0.11	0.04	0.00
C77	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.4	0.5	1.9	1.9	2.9	3.9	4.3	9.5	6.0	0.62	1.01	0.13	1.74
C78	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.8	1.6	1.9	2.5	4.0	4.7	7.1	10.5	11.2	0.89	1.42	0.15	2.35
C79	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.9	0.4	0.4	0.3	2.9	2.6	1.4	3.2	1.7	0.35	0.51	0.09	1.08
C81	0.0	0.2	0.1	0.4	0.3	0.1	0.3	0.6	0.2	0.8	0.3	0.7	1.7	3.6	2.1	2.6	0.39	0.52	0.09	0.68
C82-85,C96	0.4	0.2	1.1	0.8	0.6	0.7	1.4	1.8	1.6	4.5	6.4	6.6	12.5	17.1	13.7	37.1	2.36	3.50	0.23	5.00
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	1.7	3.6	4.0	6.5	7.9	9.5	7.8	0.80	1.36	0.15	2.49
C91	2.1	1.4	1.0	0.8	0.4	0.5	0.3	0.8	0.5	1.5	0.6	0.7	2.6	5.0	3.2	6.0	1.07	1.30	0.13	1.05
C92-94	0.5	0.2	0.5	0.8	0.6	0.5	0.9	1.5	2.5	2.8	2.2	4.4	3.0	7.1	11.6	4.3	1.26	1.67	0.16	2.62
C95	0.4	0.2	0.0	0.1	0.2	0.5	0.2	0.6	0.5	0.2	0.3	1.1	1.3	2.9	3.2	6.0	0.45	0.61	0.10	0.62
O&U	0.3	0.2	0.2	0.1	0.1	0.3	0.5	1.3	1.4	2.8	1.9	7.0	7.3	17.9	16.8	15.5	1.43	2.31	0.20	3.21
All	6.7	5.8	7.1	8.4	10.1	20.0	35.4	74.9	137.6	218.3	292.4	346.1	411.8	664.4	701.1	664.2	82.98	125.33	1.41	228.33

TABLE MUM-4(a): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Males
Mumbai

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.13	0.16	0.27	0.26	0.42	0.83	0.24	0.38	0.57	0.22	0.39	0.55
C01-02	Tongue	3.64	5.86	11.70	3.11	5.15	8.50	3.18	5.12	9.19	3.02	4.85	9.46
C03-06	Mouth	3.49	5.31	9.85	3.94	5.93	11.33	3.83	5.62	11.38	4.31	6.67	13.29
C07-08	Salivary Gland	0.46	0.74	0.87	0.46	0.71	1.58	0.33	0.44	0.84	0.31	0.46	0.57
C09	Tonsil	0.95	1.48	2.60	0.85	1.41	2.77	0.89	1.46	2.76	0.89	1.45	2.80
C10	Oth. Oropharynx	0.52	0.91	1.31	0.34	0.53	0.95	0.55	0.90	1.51	0.66	1.14	2.15
C11	Nasopharynx	0.24	0.38	0.41	0.40	0.68	0.60	0.44	0.58	0.77	0.35	0.46	0.59
C12-13	Hypopharynx	2.72	4.90	7.45	3.11	5.56	8.15	2.95	5.37	8.05	2.42	4.30	6.24
C14	Pharynx Unspecified	0.67	1.21	1.38	0.82	1.37	2.30	0.64	1.21	1.53	0.58	1.08	1.25
C15	Oesophagus	4.26	7.94	10.52	4.82	8.99	12.38	3.94	6.92	10.79	4.22	7.97	9.81
C16	Stomach	3.25	5.90	7.67	3.45	6.07	7.89	2.79	4.78	7.87	3.11	5.69	7.36
C17	Small Intestine	0.26	0.41	0.69	0.13	0.20	0.37	0.16	0.34	0.20	0.12	0.21	0.41
C18	Colon	2.17	3.75	5.18	2.15	3.57	5.57	1.93	3.24	4.69	2.26	3.78	5.39
C19-20	Rectum	1.57	2.75	3.39	1.67	2.83	4.00	1.60	2.68	3.53	1.54	2.44	3.14
C21	Anus & Anal Canal	0.28	0.48	0.82	0.34	0.57	0.95	0.31	0.55	0.80	0.31	0.43	0.74
C22	Liver	2.94	4.98	7.46	2.58	4.82	5.79	2.41	4.45	5.23	2.63	5.17	5.52
C23-24	Gallbladder etc.	0.82	1.50	1.92	0.80	1.43	2.34	0.99	1.78	2.52	0.82	1.48	2.05
C25	Pancreas	1.45	2.59	3.99	1.62	2.89	4.27	1.29	2.48	2.95	1.14	2.11	2.49
C30-31	Nose, Sinuses etc.	0.55	0.83	1.31	0.42	0.54	0.98	0.44	0.70	1.57	0.42	0.59	1.26
C32	Larynx	3.69	6.67	9.84	4.25	7.39	11.30	3.65	6.63	9.46	4.48	8.13	12.19
C33-34	Lung etc.	6.28	11.65	17.78	6.38	12.11	14.38	6.62	12.26	16.73	5.85	11.16	13.34
C37-38	Other Thoracic Organs	0.10	0.12	0.18	0.18	0.21	0.42	0.22	0.28	0.61	0.08	0.10	0.14
C40-41	Bone	0.65	0.71	0.48	0.66	0.73	1.10	0.99	1.23	1.15	0.85	0.92	1.00
C43	Melanoma of Skin	0.13	0.22	0.27	0.21	0.35	0.44	0.24	0.35	0.59	0.12	0.17	0.22
C44	Other Skin	1.13	1.74	2.30	1.06	1.69	2.11	0.86	1.49	1.84	1.06	1.75	2.67
C45	Mesothelioma	0.10	0.18	0.31	0.11	0.18	0.20	0.17	0.34	0.04	0.12	0.21	0.25
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	1.00	1.23	1.96	1.01	1.28	1.58	1.22	1.65	2.12	1.08	1.52	1.82
C50	Breast	0.26	0.48	0.64	0.32	0.60	0.73	0.34	0.64	0.94	0.22	0.37	0.42
C60	Penis	0.72	1.22	1.95	0.71	1.06	1.67	0.42	0.70	0.93	0.48	0.68	1.28
C61	Prostate	3.43	7.78	4.41	3.75	8.55	4.58	4.12	9.28	5.44	3.72	8.55	3.76
C62	Testis	0.72	0.74	0.96	0.95	0.89	1.21	0.93	0.83	1.11	0.85	0.80	0.94
C63	Other Male Genital	0.07	0.11	0.20	0.03	0.08	0.00	0.11	0.24	0.15	0.08	0.13	0.28
C64	Kidney etc.	1.52	2.49	3.41	1.28	2.16	2.87	1.33	2.29	3.14	1.28	2.10	3.52
C65	Renal Pelvis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.02	0.01	0.04	0.02	0.02	0.06	0.03	0.08	0.00	0.05	0.08	0.12
C67	Bladder	2.19	4.42	4.52	2.28	4.30	4.93	2.38	4.67	4.35	2.52	4.83	4.82
C68	Uns.Urinary Organs	0.02	0.02	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C69	Eye	0.10	0.11	0.00	0.10	0.12	0.06	0.16	0.20	0.13	0.11	0.18	0.10
C70-72	Brain, Nervous System	3.02	3.79	5.79	2.74	3.33	5.03	3.10	3.86	5.96	3.14	4.28	6.24
C73	Thyroid	0.46	0.60	1.22	0.59	0.87	1.17	0.50	0.70	1.06	0.43	0.55	1.00
C74	Adrenal Gland	0.23	0.33	0.43	0.26	0.34	0.31	0.09	0.14	0.12	0.09	0.12	0.04
C77	Sec Lymph Nodes	1.17	2.16	2.59	1.25	2.18	3.22	1.27	2.30	2.90	1.02	1.71	2.72
C78	Sec Resp & Digestive	0.83	1.31	2.20	1.03	1.53	2.92	0.69	1.16	1.96	0.68	1.15	1.95
C79	Sec Others	0.57	1.06	1.56	0.58	0.92	1.55	0.55	0.91	1.80	0.57	1.08	1.45
C81	Hodgkins Disease	0.69	0.80	1.24	0.74	0.84	0.98	0.88	1.01	1.16	0.92	1.02	1.06
C82-85,C96	NHL	2.94	4.24	6.08	3.22	4.65	6.52	3.50	5.18	6.35	3.51	5.21	7.48
C90	Multiple Myeloma	0.70	1.28	1.87	0.90	1.65	2.16	1.11	2.00	2.70	0.88	1.74	1.90
C91	Lymphoid Leuk.	1.50	1.89	1.60	1.59	2.06	1.62	1.54	1.85	1.42	1.54	2.11	1.23
C92-94	Myeloid Leukaemia	1.63	1.91	3.13	1.52	1.98	2.58	1.40	1.83	2.50	1.65	2.08	3.11
C95	Leukaemia Uns	0.42	0.59	0.58	0.54	0.77	0.96	0.41	0.57	0.68	0.34	0.53	0.14
O&U	Other and Uns	1.47	2.40	3.24	1.52	2.51	3.38	1.63	2.85	3.14	1.39	2.45	3.22
	All Sites	68.08	114.34	159.65	70.99	119.04	161.58	69.38	116.53	157.24	68.40	116.40	153.49

TABLE MUM-4(b): Crude (CR), Age Adjusted (AAR) and Truncated (TR) Cancer Incidence Rates from 1997 to 2000 - Females
Mumbai

ICD-10	Site	1997			1998			1999			2000		
		CR	AAR	TR									
C00	Lip	0.10	0.17	0.27	0.12	0.22	0.41	0.15	0.24	0.77	0.11	0.24	0.11
C01-02	Tongue	1.57	2.39	4.28	1.74	2.96	4.45	1.37	2.10	4.49	1.73	2.60	4.27
C03-06	Mouth	2.81	4.47	8.30	2.74	4.37	7.73	2.82	4.42	8.12	2.83	4.72	8.56
C07-08	Salivary Gland	0.18	0.25	0.32	0.37	0.54	1.08	0.27	0.29	0.28	0.27	0.37	0.63
C09	Tonsil	0.06	0.10	0.17	0.24	0.36	0.48	0.19	0.33	0.49	0.25	0.45	0.46
C10	Oth. Oropharynx	0.16	0.28	0.31	0.06	0.12	0.00	0.04	0.08	0.11	0.11	0.16	0.34
C11	Nasopharynx	0.16	0.21	0.09	0.14	0.16	0.23	0.12	0.12	0.35	0.23	0.27	0.38
C12-13	Hypopharynx	0.94	1.55	2.35	0.67	1.10	1.79	0.71	1.14	1.71	0.74	1.12	2.02
C14	Pharynx Unspecified	0.26	0.46	0.37	0.32	0.49	0.69	0.29	0.53	0.46	0.17	0.31	0.26
C15	Oesophagus	4.07	6.88	9.92	3.23	5.43	8.92	3.61	6.02	10.49	3.28	5.53	8.32
C16	Stomach	2.37	3.73	7.69	2.45	3.93	5.99	1.60	2.59	4.33	1.82	2.90	4.45
C17	Small Intestine	0.12	0.17	0.12	0.10	0.15	0.27	0.17	0.27	0.58	0.06	0.08	0.05
C18	Colon	1.83	3.04	4.65	2.07	3.37	5.33	1.78	2.78	5.09	1.73	2.85	4.00
C19-20	Rectum	1.40	2.11	4.17	1.20	1.85	3.43	1.27	1.86	3.89	1.29	2.10	3.61
C21	Anus & Anal Canal	0.24	0.38	0.76	0.35	0.52	0.69	0.17	0.31	0.61	0.27	0.40	1.05
C22	Liver	1.30	2.22	2.99	1.30	2.20	3.25	1.47	2.32	3.96	1.73	2.88	4.51
C23-24	Gallbladder etc.	1.59	2.64	4.11	1.62	2.49	5.37	2.10	3.56	4.36	1.74	2.81	4.44
C25	Pancreas	1.22	1.98	2.99	1.08	1.87	2.48	0.98	1.72	2.50	1.08	1.88	2.16
C30-31	Nose, Sinuses etc.	0.24	0.36	0.81	0.34	0.55	1.03	0.23	0.34	0.60	0.42	0.65	1.29
C32	Larynx	0.66	1.08	1.97	0.83	1.36	1.89	0.60	1.04	1.48	0.66	0.95	1.56
C33-34	Lung etc.	3.13	5.05	9.16	2.19	3.75	5.73	2.16	3.71	5.91	2.39	3.96	6.43
C37-38	Other Thoracic Organs	0.08	0.10	0.32	0.06	0.07	0.10	0.10	0.12	0.33	0.09	0.11	0.30
C40-41	Bone	0.66	0.80	0.78	0.71	0.80	0.51	0.75	0.95	0.53	0.57	0.65	0.53
C43	Melanoma of Skin	0.18	0.26	0.50	0.30	0.48	0.63	0.10	0.14	0.28	0.19	0.32	0.34
C44	Other Skin	0.54	1.01	0.82	0.79	1.21	1.98	0.52	0.82	0.98	0.66	1.00	1.49
C45	Mesothelioma	0.12	0.22	0.26	0.14	0.25	0.29	0.14	0.23	0.34	0.19	0.34	0.28
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.92	1.19	2.03	1.18	1.60	2.72	0.98	1.19	1.93	0.87	1.15	1.55
C50	Breast	21.23	30.68	63.97	20.96	30.81	63.40	21.68	32.18	65.33	21.01	30.90	66.38
C51	Vulva	0.18	0.27	0.29	0.22	0.31	0.32	0.35	0.52	1.21	0.23	0.35	0.88
C52	Vagina	0.54	0.84	1.66	0.51	0.80	1.80	0.46	0.80	0.74	0.55	0.87	1.24
C53	Cervix Uteri	12.48	18.68	39.65	12.19	17.70	39.59	12.10	17.67	39.64	11.62	17.19	38.79
C54	Corpus Uteri	1.71	2.78	5.40	1.95	3.25	6.49	2.08	3.44	6.31	2.01	3.32	7.43
C55	Uterus Unspecified	0.58	0.97	1.81	0.69	1.13	1.74	0.81	1.42	1.92	0.76	1.26	1.74
C56	Ovary etc.	6.10	8.89	17.21	5.96	8.48	17.61	5.40	7.67	14.67	5.63	8.20	15.47
C57	Other Female Genital	0.04	0.04	0.14	0.06	0.09	0.30	0.02	0.03	0.11	0.04	0.07	0.09
C58	Placenta	0.20	0.17	0.14	0.10	0.07	0.05	0.21	0.17	0.18	0.11	0.10	0.08
C64	Kidney etc.	0.86	1.27	2.22	0.61	0.96	1.11	0.81	1.17	1.91	0.68	0.99	1.70
C65	Renal Pelvis	0.00	0.00	0.00	0.02	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C66	Ureter	0.04	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.09
C67	Bladder	0.76	1.32	1.31	0.67	1.12	1.36	0.77	1.36	1.89	0.78	1.42	1.42
C68	Uns. Urinary Organs	0.02	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08	0.00
C69	Eye	0.10	0.13	0.00	0.16	0.21	0.05	0.08	0.08	0.00	0.11	0.14	0.09
C70-72	Brain, Nervous System	1.83	2.33	3.94	2.23	2.94	4.80	2.78	3.69	6.26	2.56	3.48	5.41
C73	Thyroid	1.81	2.27	3.87	1.38	1.71	2.76	1.31	1.65	2.81	1.25	1.70	2.84
C74	Adrenal Gland	0.14	0.18	0.16	0.12	0.14	0.19	0.04	0.05	0.00	0.17	0.18	0.00
C77	Sec Lymph Nodes	0.58	0.83	1.51	0.53	0.79	1.36	0.50	0.82	1.23	0.74	1.20	2.23
C78	Sec Resp & Digestive	0.76	1.13	1.48	0.87	1.47	1.77	1.20	1.91	3.03	0.59	0.93	1.69
C79	Sec Others	0.44	0.74	1.09	0.47	0.73	1.60	0.29	0.46	0.77	0.42	0.56	1.37
C81	Hodgkins Disease	0.44	0.45	0.53	0.32	0.42	0.31	0.27	0.33	0.36	0.51	0.71	1.00
C82-85,C96	NHL	2.11	3.33	5.84	2.35	3.46	5.11	2.07	2.98	4.12	2.65	4.02	5.86
C90	Multiple Myeloma	0.78	1.33	2.40	0.75	1.41	1.39	0.79	1.34	2.54	0.82	1.38	2.44
C91	Lymphoid Leuk.	1.10	1.29	1.37	1.10	1.43	1.24	0.87	0.97	0.70	1.27	1.62	1.40
C92-94	Myeloid Leukaemia	1.48	1.99	3.02	1.26	1.68	2.94	1.16	1.47	2.46	1.37	1.87	2.77
C95	Leukaemia Uns	0.40	0.60	0.67	0.41	0.55	0.59	0.54	0.78	0.52	0.36	0.44	0.72
O&U	Other and Uns	1.67	2.73	3.50	1.40	2.13	2.84	1.64	2.70	3.45	1.21	1.92	2.96
	All Sites	85.32	128.46	233.71	83.61	126.02	228.16	82.95	124.88	227.13	83.00	125.76	229.49

TABLE MUM-5(a): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Males - Mumbai

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.05	0.05
C01-02	Tongue	0.33	0.32	0.62	0.61
C03-06	Mouth	0.42	0.42	0.75	0.75
C07-08	Salivary Gland	0.03	0.03	0.05	0.05
C09	Tonsil	0.10	0.10	0.17	0.17
C10	Oth. Oropharynx	0.06	0.06	0.13	0.13
C11	Nasopharynx	0.03	0.03	0.05	0.05
C12-13	Hypopharynx	0.25	0.25	0.64	0.64
C14	Pharynx Unspecified	0.05	0.05	0.15	0.15
C15	Oesophagus	0.36	0.36	0.98	0.97
C16	Stomach	0.27	0.27	0.61	0.61
C17	Small Intestine	0.01	0.01	0.04	0.04
C18	Colon	0.18	0.18	0.41	0.41
C19-20	Rectum	0.12	0.12	0.30	0.30
C21	Anus & Anal Canal	0.03	0.03	0.06	0.06
C22	Liver	0.19	0.19	0.60	0.60
C23-24	Gallbladder etc.	0.08	0.08	0.20	0.20
C25	Pancreas	0.10	0.10	0.31	0.31
C30-31	Nose, Sinuses etc.	0.05	0.05	0.08	0.08
C32	Larynx	0.38	0.38	0.92	0.92
C33-34	Lung etc.	0.53	0.53	1.51	1.50
C37-38	Other Thoracic Organs	0.01	0.01	0.02	0.02
C40-41	Bone	0.06	0.06	0.09	0.09
C43	Melanoma of Skin	0.01	0.01	0.03	0.03
C44	Other Skin	0.08	0.08	0.17	0.17
C45	Mesothelioma	0.01	0.01	0.03	0.03
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.09	0.09	0.18	0.18
C50	Breast	0.02	0.02	0.05	0.05
C60	Penis	0.04	0.04	0.07	0.07
C61	Prostate	0.17	0.17	0.96	0.95
C62	Testis	0.06	0.06	0.06	0.06
C63	Other Male Genital	0.01	0.01	0.02	0.02
C64	Kidney etc.	0.12	0.12	0.25	0.25
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.01	0.01
C67	Bladder	0.16	0.16	0.55	0.55
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.02	0.02
C70-72	Brain, Nervous System	0.25	0.25	0.44	0.44
C73	Thyroid	0.04	0.04	0.06	0.06
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C77	Sec Lymph Nodes	0.10	0.10	0.27	0.27
C78	Sec Resp & Digestive	0.07	0.07	0.14	0.14
C79	Sec Others	0.06	0.06	0.13	0.13
C81	Hodgkins Disease	0.06	0.06	0.09	0.09
C82-85,C96	NHL	0.28	0.28	0.57	0.57
C90	Multiple Myeloma	0.08	0.08	0.23	0.23
C91	Lymphoid Leuk.	0.10	0.10	0.17	0.17
C92-94	Myeloid Leukaemia	0.11	0.11	0.19	0.19
C95	Leukaemia Uns	0.02	0.02	0.06	0.06
O&U	Other and Uns	0.12	0.12	0.29	0.29
	All Sites	5.73	5.57	13.83	12.92

TABLE MUM-5(b): Cumulative Rate (Cu. Rate%) & Cumulative Risk (Cu. Risk) of Individual Sites (ICD-10) Based on Age Specific Rates (from 0–64 Years and from 0–74 Years) 1999-2000: Females - Mumbai

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate%	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.03	0.03
C01-02	Tongue	0.14	0.14	0.28	0.28
C03-06	Mouth	0.29	0.29	0.57	0.56
C07-08	Salivary Gland	0.02	0.02	0.03	0.03
C09	Tonsil	0.02	0.02	0.05	0.05
C10	Oth. Oropharynx	0.01	0.01	0.02	0.02
C11	Nasopharynx	0.01	0.01	0.02	0.02
C12-13	Hypopharynx	0.06	0.06	0.14	0.14
C14	Pharynx Unspecified	0.01	0.01	0.04	0.04
C15	Oesophagus	0.33	0.33	0.68	0.68
C16	Stomach	0.15	0.15	0.33	0.33
C17	Small Intestine	0.01	0.01	0.02	0.02
C18	Colon	0.15	0.15	0.33	0.33
C19-20	Rectum	0.13	0.13	0.22	0.22
C21	Anus & Anal Canal	0.03	0.03	0.04	0.04
C22	Liver	0.15	0.15	0.31	0.30
C23-24	Gallbladder etc.	0.14	0.14	0.40	0.40
C25	Pancreas	0.08	0.08	0.22	0.22
C30-31	Nose, Sinuses etc.	0.03	0.03	0.06	0.06
C32	Larynx	0.05	0.05	0.12	0.12
C33-34	Lung etc.	0.22	0.22	0.47	0.47
C37-38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-41	Bone	0.04	0.04	0.09	0.09
C43	Melanoma of Skin	0.01	0.01	0.03	0.03
C44	Other Skin	0.05	0.05	0.11	0.11
C45	Mesothelioma	0.01	0.01	0.03	0.03
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.07	0.07	0.13	0.13
C50	Breast	2.17	2.14	3.71	3.64
C51	Vulva	0.04	0.04	0.05	0.05
C52	Vagina	0.03	0.03	0.10	0.10
C53	Cervix Uteri	1.29	1.28	2.06	2.04
C54	Corpus Uteri	0.23	0.23	0.45	0.45
C55	Uterus Unspecified	0.07	0.07	0.16	0.16
C56	Ovary etc.	0.53	0.52	0.92	0.92
C57	Other Female Genital	0.00	0.00	0.01	0.01
C58	Placenta	0.01	0.01	0.01	0.01
C64	Kidney etc.	0.07	0.07	0.11	0.11
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.06	0.06	0.17	0.17
C68	Uns.Urinary Organs	0.00	0.00	0.01	0.01
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain, Nervous System	0.23	0.23	0.39	0.39
C73	Thyroid	0.11	0.11	0.18	0.18
C74	Adrenal Gland	0.00	0.00	0.01	0.01
C77	Sec Lymph Nodes	0.06	0.06	0.13	0.13
C78	Sec Resp & Digestive	0.08	0.08	0.17	0.17
C79	Sec Others	0.04	0.04	0.06	0.06
C81	Hodgkins Disease	0.03	0.03	0.06	0.06
C82-85,C96	NHL	0.19	0.19	0.35	0.35
C90	Multiple Myeloma	0.09	0.09	0.17	0.17
C91	Lymphoid Leuk.	0.07	0.07	0.11	0.11
C92-94	Myeloid Leukaemia	0.10	0.10	0.19	0.19
C95	Leukaemia Uns	0.03	0.03	0.06	0.06
O&U	Other and Uns	0.12	0.12	0.29	0.29
	All Sites	7.87	7.57	14.70	13.67

TABLE MUM-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Males
Mumbai

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	26	89.7	0	0.0	1	3.4	0	0.0	2	6.9	29	100.0
C01-02	Tongue	334	83.7	4	1.0	36	9.0	1	0.3	24	6.0	399	100.0
C03-06	Mouth	473	90.1	4	0.8	36	6.9	0	0.0	12	2.3	525	100.0
C07-08	Salivary Gland	33	80.5	0	0.0	6	14.6	0	0.0	2	4.9	41	100.0
C09	Tonsil	96	83.5	1	0.9	10	8.7	0	0.0	8	7.0	115	100.0
C10	Oth. Oropharynx	65	83.3	1	1.3	10	12.8	0	0.0	2	2.6	78	100.0
C11	Nasopharynx	40	78.4	2	3.9	7	13.7	0	0.0	2	3.9	51	100.0
C12-13	Hypopharynx	301	87.2	6	1.7	19	5.5	4	1.2	15	4.3	345	100.0
C14	Pharynx Unspecified	37	46.8	1	1.3	15	19.0	0	0.0	26	32.9	79	100.0
C15	Oesophagus	351	66.6	23	4.4	69	13.1	10	1.9	74	14.0	527	100.0
C16	Stomach	279	73.2	4	1.0	42	11.0	17	4.5	39	10.2	381	100.0
C17	Small Intestine	14	77.8	1	5.6	3	16.7	0	0.0	0	0.0	18	100.0
C18	Colon	209	77.1	3	1.1	34	12.5	7	2.6	18	6.6	271	100.0
C19-20	Rectum	158	78.2	1	0.5	23	11.4	6	3.0	14	6.9	202	100.0
C21	Anus & Anal Canal	38	95.0	0	0.0	1	2.5	0	0.0	1	2.5	40	100.0
C22	Liver	250	76.7	5	1.5	27	8.3	5	1.5	39	12.0	326	100.0
C23-24	Gallbladder etc.	84	72.4	5	4.3	19	16.4	1	0.9	7	6.0	116	100.0
C25	Pancreas	89	57.1	6	3.8	33	21.2	5	3.2	23	14.7	156	100.0
C30-31	Nose, Sinuses etc.	47	83.9	3	5.4	6	10.7	0	0.0	0	0.0	56	100.0
C32	Larynx	395	75.4	8	1.5	63	12.0	8	1.5	50	9.5	524	100.0
C33-34	Lung etc.	536	66.7	46	5.7	116	14.4	2	0.2	104	12.9	804	100.0
C37-38	Other Thoracic Organs	17	89.5	1	5.3	1	5.3	0	0.0	0	0.0	19	100.0
C40-41	Bone	104	88.1	1	0.8	8	6.8	0	0.0	5	4.2	118	100.0
C43	Melanoma of Skin	23	100.0	0	0.0	0	0.0	0	0.0	0	0.0	23	100.0
C44	Other Skin	118	95.2	0	0.0	5	4.0	1	0.8	0	0.0	124	100.0
C45	Mesothelioma	10	52.6	0	0.0	7	36.8	0	0.0	2	10.5	19	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	143	96.6	0	0.0	3	2.0	0	0.0	2	1.4	148	100.0
C50	Breast	29	80.6	0	0.0	4	11.1	1	2.8	2	5.6	36	100.0
C60	Penis	50	86.2	0	0.0	6	10.3	0	0.0	2	3.4	58	100.0
C61	Prostate	416	82.2	5	1.0	43	8.5	11	2.2	31	6.1	506	100.0
C62	Testis	97	85.1	0	0.0	11	9.6	4	3.5	2	1.8	114	100.0
C63	Other Male Genital	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C64	Kidney etc.	156	92.9	2	1.2	6	3.6	0	0.0	4	2.4	168	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C67	Bladder	248	78.5	4	1.3	35	11.1	5	1.6	24	7.6	316	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	15	88.2	0	0.0	1	5.9	0	0.0	1	5.9	17	100.0
C70-72	Brain, Nervous System	371	92.3	8	2.0	15	3.7	0	0.0	8	2.0	402	100.0
C73	Thyroid	53	88.3	0	0.0	5	8.3	0	0.0	2	3.3	60	100.0
C74	Adrenal Gland	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	12	100.0
C77	Sec Lymph Nodes	127	86.4	2	1.4	16	10.9	0	0.0	2	1.4	147	100.0
C78	Sec Resp & Digestive	62	69.7	2	2.2	18	20.2	6	6.7	1	1.1	89	100.0
C79	Sec Others	56	77.8	7	9.7	9	12.5	0	0.0	0	0.0	72	100.0
C81	Hodgkins Disease	116	100.0	0	0.0	0	0.0	0	0.0	0	0.0	116	100.0
C82-85,C96	NHL	452	100.0	0	0.0	0	0.0	0	0.0	0	0.0	452	100.0
C90	Multiple Myeloma	128	100.0	0	0.0	0	0.0	0	0.0	0	0.0	128	100.0
C91	Lymphoid Leuk.	198	100.0	0	0.0	0	0.0	0	0.0	0	0.0	198	100.0
C92-94	Myeloid Leukaemia	196	100.0	0	0.0	0	0.0	0	0.0	0	0.0	196	100.0
C95	Leukaemia Uns	48	100.0	0	0.0	0	0.0	0	0.0	0	0.0	48	100.0
O&U	Other and Uns	101	52.1	6	3.1	44	22.7	3	1.5	40	20.6	194	100.0
	All Sites	7217	81.3	162	1.8	814	9.2	97	1.1	590	6.6	8880	100.0

TABLE MUM-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 1999-2000 - Females
Mumbai

ICD-10	Site	Microscopic		X-Ray / Imaging		Clinical		Others		D.C.O.		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	13	92.9	0	0.0	0	0.0	0	0.0	1	7.1	14	100.0
C01-02	Tongue	142	87.7	2	1.2	11	6.8	1	0.6	6	3.7	162	100.0
C03-06	Mouth	252	85.4	1	0.3	27	9.2	1	0.3	14	4.7	295	100.0
C07-08	Salivary Gland	25	89.3	0	0.0	3	10.7	0	0.0	0	0.0	28	100.0
C09	Tonsil	18	78.3	0	0.0	3	13.0	0	0.0	2	8.7	23	100.0
C10	Oth. Oropharynx	7	87.5	0	0.0	1	12.5	0	0.0	0	0.0	8	100.0
C11	Nasopharynx	10	55.6	1	5.6	5	27.8	1	5.6	1	5.6	18	100.0
C12-13	Hypopharynx	61	80.3	3	3.9	7	9.2	0	0.0	5	6.6	76	100.0
C14	Pharynx Unspecified	7	29.2	1	4.2	4	16.7	0	0.0	12	50.0	24	100.0
C15	Oesophagus	267	74.0	11	3.0	28	7.8	9	2.5	46	12.7	361	100.0
C16	Stomach	133	73.9	2	1.1	17	9.4	3	1.7	25	13.9	180	100.0
C17	Small Intestine	7	58.3	1	8.3	4	33.3	0	0.0	0	0.0	12	100.0
C18	Colon	138	75.0	3	1.6	22	12.0	4	2.2	17	9.2	184	100.0
C19-20	Rectum	105	78.4	0	0.0	13	9.7	5	3.7	11	8.2	134	100.0
C21	Anus & Anal Canal	22	91.7	0	0.0	1	4.2	0	0.0	1	4.2	24	100.0
C22	Liver	118	70.7	2	1.2	9	5.4	0	0.0	38	22.8	167	100.0
C23-24	Gallbladder etc.	136	67.7	4	2.0	25	12.4	5	2.5	31	15.4	201	100.0
C25	Pancreas	54	49.1	6	5.5	19	17.3	1	0.9	30	27.3	110	100.0
C30-31	Nose, Sinuses etc.	29	85.3	0	0.0	5	14.7	0	0.0	0	0.0	34	100.0
C32	Larynx	45	68.2	1	1.5	11	16.7	0	0.0	9	13.6	66	100.0
C33-34	Lung etc.	166	69.5	12	5.0	27	11.3	0	0.0	34	14.2	239	100.0
C37-38	Other Thoracic Organs	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C40-41	Bone	54	78.3	1	1.4	9	13.0	0	0.0	5	7.2	69	100.0
C43	Melanoma of Skin	15	100.0	0	0.0	0	0.0	0	0.0	0	0.0	15	100.0
C44	Other Skin	58	93.5	0	0.0	2	3.2	1	1.6	1	1.6	62	100.0
C45	Mesothelioma	12	70.6	1	5.9	4	23.5	0	0.0	0	0.0	17	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	92	94.8	0	0.0	4	4.1	1	1.0	0	0.0	97	100.0
C50	Breast	1924	86.0	17	0.8	149	6.7	43	1.9	105	4.7	2238	100.0
C51	Vulva	28	93.3	0	0.0	1	3.3	0	0.0	1	3.3	30	100.0
C52	Vagina	47	88.7	0	0.0	5	9.4	0	0.0	1	1.9	53	100.0
C53	Cervix Uteri	1103	88.7	2	0.2	75	6.0	11	0.9	53	4.3	1244	100.0
C54	Corpus Uteri	206	96.3	0	0.0	6	2.8	1	0.5	1	0.5	214	100.0
C55	Uterus Unspecified	39	47.0	0	0.0	11	13.3	0	0.0	33	39.8	83	100.0
C56	Ovary etc.	451	77.9	15	2.6	76	13.1	12	2.1	25	4.3	579	100.0
C57	Other Female Genital	2	66.7	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
C58	Placenta	15	88.2	1	5.9	1	5.9	0	0.0	0	0.0	17	100.0
C64	Kidney etc.	70	89.7	2	2.6	1	1.3	2	2.6	3	3.8	78	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C67	Bladder	63	76.8	2	2.4	8	9.8	2	2.4	7	8.5	82	100.0
C68	Uns.Urinary Organs	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C69	Eye	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C70-72	Brain, Nervous System	263	94.3	3	1.1	6	2.2	0	0.0	7	2.5	279	100.0
C73	Thyroid	108	80.0	3	2.2	15	11.1	3	2.2	6	4.4	135	100.0
C74	Adrenal Gland	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C77	Sec Lymph Nodes	49	74.2	1	1.5	11	16.7	0	0.0	5	7.6	66	100.0
C78	Sec Resp & Digestive	59	62.8	9	9.6	25	26.6	1	1.1	0	0.0	94	100.0
C79	Sec Others	23	62.2	4	10.8	10	27.0	0	0.0	0	0.0	37	100.0
C81	Hodgkins Disease	41	100.0	0	0.0	0	0.0	0	0.0	0	0.0	41	100.0
C82-85,C96	NHL	247	100.0	0	0.0	0	0.0	0	0.0	0	0.0	247	100.0
C90	Multiple Myeloma	84	100.0	0	0.0	0	0.0	0	0.0	0	0.0	84	100.0
C91	Lymphoid Leuk.	113	100.0	0	0.0	0	0.0	0	0.0	0	0.0	113	100.0
C92-94	Myeloid Leukaemia	133	100.0	0	0.0	0	0.0	0	0.0	0	0.0	133	100.0
C95	Leukaemia Uns	47	100.0	0	0.0	0	0.0	0	0.0	0	0.0	47	100.0
O&U	Other and Uns	68	45.6	1	0.7	39	26.2	2	1.3	39	26.2	149	100.0
	All Sites	7203	82.8	112	1.3	701	8.1	109	1.3	576	6.6	8701	100.0

**TABLE MUM-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Males
Mumbai**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	25	86.2	0	0.0	1	3.4	0	0.0	0	0.0	3	10.3	29	100.0
C01-02	Tongue	305	76.4	19	4.8	10	2.5	0	0.0	0	0.0	65	16.3	399	100.0
C03-06	Mouth	459	87.4	4	0.8	10	1.9	0	0.0	0	0.0	52	9.9	525	100.0
C07-08	Salivary Gland	24	58.5	3	7.3	6	14.6	0	0.0	0	0.0	8	19.5	41	100.0
C09	Tonsil	87	75.7	5	4.3	4	3.5	0	0.0	0	0.0	19	16.5	115	100.0
C10	Oth. Oropharynx	52	66.7	9	11.5	4	5.1	0	0.0	0	0.0	13	16.7	78	100.0
C11	Nasopharynx	27	52.9	10	19.6	3	5.9	0	0.0	0	0.0	11	21.6	51	100.0
C12-13	Hypopharynx	261	75.7	25	7.2	15	4.3	0	0.0	0	0.0	44	12.8	345	100.0
C14	Pharynx Unspecified	34	43.0	2	2.5	1	1.3	0	0.0	0	0.0	42	53.2	79	100.0
C15	Oesophagus	328	62.2	9	1.7	14	2.7	0	0.0	0	0.0	176	33.4	527	100.0
C16	Stomach	262	68.8	11	2.9	6	1.6	0	0.0	0	0.0	102	26.8	381	100.0
C17	Small Intestine	14	77.8	0	0.0	0	0.0	0	0.0	0	0.0	4	22.2	18	100.0
C18	Colon	196	72.3	9	3.3	4	1.5	0	0.0	0	0.0	62	22.9	271	100.0
C19-20	Rectum	156	77.2	1	0.5	1	0.5	0	0.0	0	0.0	44	21.8	202	100.0
C21	Anus & Anal Canal	37	92.5	1	2.5	0	0.0	0	0.0	0	0.0	2	5.0	40	100.0
C22	Liver	228	69.9	4	1.2	18	5.5	0	0.0	0	0.0	76	23.3	326	100.0
C23-24	Gallbladder etc.	76	65.5	3	2.6	5	4.3	0	0.0	0	0.0	32	27.6	116	100.0
C25	Pancreas	75	48.1	5	3.2	9	5.8	0	0.0	0	0.0	67	42.9	156	100.0
C30-31	Nose, Sinuses etc.	46	82.1	1	1.8	0	0.0	0	0.0	0	0.0	9	16.1	56	100.0
C32	Larynx	354	67.6	22	4.2	19	3.6	0	0.0	0	0.0	129	24.6	524	100.0
C33-34	Lung etc.	374	46.5	39	4.9	122	15.2	0	0.0	1	0.1	268	33.3	804	100.0
C37-38	Other Thoracic Organs	17	89.5	0	0.0	0	0.0	0	0.0	0	0.0	2	10.5	19	100.0
C40-41	Bone	103	87.3	0	0.0	0	0.0	0	0.0	1	0.8	14	11.9	118	100.0
C43	Melanoma of Skin	23	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	23	100.0
C44	Other Skin	116	93.5	0	0.0	2	1.6	0	0.0	0	0.0	6	4.8	124	100.0
C45	Mesothelioma	6	31.6	1	5.3	3	15.8	0	0.0	0	0.0	9	47.4	19	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	138	93.2	0	0.0	5	3.4	0	0.0	0	0.0	5	3.4	148	100.0
C50	Breast	28	77.8	0	0.0	1	2.8	0	0.0	0	0.0	7	19.4	36	100.0
C60	Penis	46	79.3	1	1.7	3	5.2	0	0.0	0	0.0	8	13.8	58	100.0
C61	Prostate	404	79.8	9	1.8	3	0.6	0	0.0	0	0.0	90	17.8	506	100.0
C62	Testis	90	78.9	1	0.9	6	5.3	0	0.0	0	0.0	17	14.9	114	100.0
C63	Other Male Genital	10	83.3	0	0.0	1	8.3	0	0.0	0	0.0	1	8.3	12	100.0
C64	Kidney etc.	151	89.9	1	0.6	4	2.4	0	0.0	0	0.0	12	7.1	168	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C67	Bladder	242	76.6	0	0.0	6	1.9	0	0.0	0	0.0	68	21.5	316	100.0
C68	Uns.Urinary Organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	15	88.2	0	0.0	0	0.0	0	0.0	0	0.0	2	11.8	17	100.0
C70-72	Brain, Nervous System	370	92.0	1	0.2	0	0.0	0	0.0	0	0.0	31	7.7	402	100.0
C73	Thyroid	43	71.7	2	3.3	8	13.3	0	0.0	0	0.0	7	11.7	60	100.0
C74	Adrenal Gland	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	0	0.0	12	100.0
C77	Sec Lymph Nodes	3	2.0	91	61.9	33	22.4	0	0.0	0	0.0	20	13.6	147	100.0
C78	Sec Resp & Digestive	3	3.4	39	43.8	20	22.5	0	0.0	0	0.0	27	30.3	89	100.0
C79	Sec Others	0	0.0	50	69.4	6	8.3	0	0.0	0	0.0	16	22.2	72	100.0
C81	Hodgkins Disease	116	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	116	100.0
C82-85,C96	NHL	451	99.8	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	452	100.0
C90	Multiple Myeloma	1	0.8	0	0.0	0	0.0	34	26.6	93	72.7	0	0.0	128	100.0
C91	Lymphoid Leuk.	6	3.0	0	0.0	0	0.0	120	60.6	72	36.4	0	0.0	198	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	107	54.6	89	45.4	0	0.0	196	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	20	41.7	28	58.3	0	0.0	48	100.0
O&U	Other and Uns	77	39.7	14	7.2	9	4.6	0	0.0	1	0.5	93	47.9	194	100.0
	All Sites	5895	66.4	392	4.4	364	4.1	281	3.2	285	3.2	1663	18.7	8880	100.0

**TABLE MUM-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 1999-2000 - Females
Mumbai**

ICD-10	Site	Primary Hist.		Sec. Hist.		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	12	85.7	0	0.0	1	7.1	0	0.0	0	0.0	1	7.1	14	100.0
C01-02	Tongue	131	80.9	6	3.7	5	3.1	0	0.0	0	0.0	20	12.3	162	100.0
C03-06	Mouth	244	82.7	4	1.4	4	1.4	0	0.0	0	0.0	43	14.6	295	100.0
C07-08	Salivary Gland	23	82.1	1	3.6	1	3.6	0	0.0	0	0.0	3	10.7	28	100.0
C09	Tonsil	18	78.3	0	0.0	0	0.0	0	0.0	0	0.0	5	21.7	23	100.0
C10	Oth. Oropharynx	5	62.5	2	25.0	0	0.0	0	0.0	0	0.0	1	12.5	8	100.0
C11	Nasopharynx	8	44.4	2	11.1	0	0.0	0	0.0	0	0.0	8	44.4	18	100.0
C12-13	Hypopharynx	50	65.8	5	6.6	6	7.9	0	0.0	0	0.0	15	19.7	76	100.0
C14	Pharynx Unspecified	7	29.2	0	0.0	0	0.0	0	0.0	0	0.0	17	70.8	24	100.0
C15	Oesophagus	257	71.2	2	0.6	8	2.2	0	0.0	0	0.0	94	26.0	361	100.0
C16	Stomach	118	65.6	9	5.0	6	3.3	0	0.0	0	0.0	47	26.1	180	100.0
C17	Small Intestine	6	50.0	0	0.0	1	8.3	0	0.0	0	0.0	5	41.7	12	100.0
C18	Colon	131	71.2	3	1.6	4	2.2	0	0.0	0	0.0	46	25.0	184	100.0
C19-20	Rectum	99	73.9	4	3.0	2	1.5	0	0.0	0	0.0	29	21.6	134	100.0
C21	Anus & Anal Canal	21	87.5	0	0.0	1	4.2	0	0.0	0	0.0	2	8.3	24	100.0
C22	Liver	106	63.5	3	1.8	9	5.4	0	0.0	0	0.0	49	29.3	167	100.0
C23-24	Gallbladder etc.	116	57.7	7	3.5	13	6.5	0	0.0	0	0.0	65	32.3	201	100.0
C25	Pancreas	43	39.1	5	4.5	6	5.5	0	0.0	0	0.0	56	50.9	110	100.0
C30-31	Nose, Sinuses etc.	28	82.4	0	0.0	1	2.9	0	0.0	0	0.0	5	14.7	34	100.0
C32	Larynx	44	66.7	0	0.0	1	1.5	0	0.0	0	0.0	21	31.8	66	100.0
C33-34	Lung etc.	115	48.1	17	7.1	34	14.2	0	0.0	0	0.0	73	30.5	239	100.0
C37-38	Other Thoracic Organs	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C40-41	Bone	52	75.4	0	0.0	1	1.4	0	0.0	1	1.4	15	21.7	69	100.0
C43	Melanoma of Skin	15	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	15	100.0
C44	Other Skin	57	91.9	0	0.0	1	1.6	0	0.0	0	0.0	4	6.5	62	100.0
C45	Mesothelioma	11	64.7	0	0.0	1	5.9	0	0.0	0	0.0	5	29.4	17	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn. & Soft Tissue	85	87.6	0	0.0	7	7.2	0	0.0	0	0.0	5	5.2	97	100.0
C50	Breast	1770	79.1	20	0.9	134	6.0	0	0.0	0	0.0	314	14.0	2238	100.0
C51	Vulva	26	86.7	2	6.7	0	0.0	0	0.0	0	0.0	2	6.7	30	100.0
C52	Vagina	45	84.9	1	1.9	1	1.9	0	0.0	0	0.0	6	11.3	53	100.0
C53	Cervix Uteri	1076	86.5	6	0.5	21	1.7	0	0.0	0	0.0	141	11.3	1244	100.0
C54	Corpus Uteri	202	94.4	1	0.5	3	1.4	0	0.0	0	0.0	8	3.7	214	100.0
C55	Uterus Unspecified	36	43.4	1	1.2	2	2.4	0	0.0	0	0.0	44	53.0	83	100.0
C56	Ovary etc.	367	63.4	36	6.2	48	8.3	0	0.0	0	0.0	128	22.1	579	100.0
C57	Other Female Genital	2	66.7	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
C58	Placenta	13	76.5	1	5.9	1	5.9	0	0.0	0	0.0	2	11.8	17	100.0
C64	Kidney etc.	67	85.9	1	1.3	2	2.6	0	0.0	0	0.0	8	10.3	78	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0
C67	Bladder	59	72.0	0	0.0	4	4.9	0	0.0	0	0.0	19	23.2	82	100.0
C68	Uns. Urinary Organs	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C69	Eye	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C70-72	Brain, Nervous System	260	93.2	2	0.7	1	0.4	0	0.0	0	0.0	16	5.7	279	100.0
C73	Thyroid	88	65.2	2	1.5	18	13.3	0	0.0	0	0.0	27	20.0	135	100.0
C74	Adrenal Gland	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C77	Sec Lymph Nodes	2	3.0	27	40.9	20	30.3	0	0.0	0	0.0	17	25.8	66	100.0
C78	Sec Resp & Digestive	1	1.1	36	38.3	22	23.4	0	0.0	0	0.0	35	37.2	94	100.0
C79	Sec Others	0	0.0	20	54.1	3	8.1	0	0.0	0	0.0	14	37.8	37	100.0
C81	Hodgkins Disease	41	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	41	100.0
C82-85,C96	NHL	246	99.6	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	247	100.0
C90	Multiple Myeloma	0	0.0	0	0.0	0	0.0	11	13.1	73	86.9	0	0.0	84	100.0
C91	Lymphoid Leuk.	4	3.5	0	0.0	0	0.0	76	67.3	33	29.2	0	0.0	113	100.0
C92-94	Myeloid Leukaemia	0	0.0	0	0.0	0	0.0	88	66.2	45	33.8	0	0.0	133	100.0
C95	Leukaemia Uns	0	0.0	0	0.0	0	0.0	29	61.7	18	38.3	0	0.0	47	100.0
O&U	Other and Uns	54	36.2	7	4.7	7	4.7	0	0.0	0	0.0	81	54.4	149	100.0
	All Sites	6195	71.2	233	2.7	400	4.6	204	2.3	171	2.0	1498	17.2	8701	100.0

**TABLE MUM-8.1(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Males**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3	0	0	5	0.23
C01-02	Tongue	0	0	0	0	0	1	2	1	5	8	6	10	15	14	7	9	0	78	3.64
C03-06	Mouth	0	0	0	0	0	1	3	8	11	11	12	13	26	8	8	7	0	108	5.05
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	3	0	1	0	0	0	0	0	4	0.19
C09	Tonsil	0	0	0	0	0	0	0	2	1	1	5	1	4	4	3	2	0	23	1.07
C10	Oth. Oropharynx	0	0	0	0	0	0	0	1	1	3	3	2	1	3	2	1	0	17	0.79
C11	Nasopharynx	0	0	0	1	1	1	0	1	0	1	0	1	1	2	1	0	0	10	0.47
C12-13	Hypopharynx	0	0	0	0	0	1	2	0	5	8	13	16	18	7	13	18	1	102	4.77
C14	Pharynx Unspecified	1	0	0	0	0	0	0	0	2	0	4	4	6	5	2	3	0	27	1.26
C15	Oesophagus	0	1	0	0	0	0	4	3	11	13	22	18	19	19	15	17	0	142	6.64
C16	Stomach	0	0	0	1	0	0	1	2	8	14	17	12	21	14	13	6	0	109	5.09
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3	0.14
C18	Colon	0	0	0	0	1	0	1	1	6	3	3	8	7	7	9	13	0	59	2.76
C19-20	Rectum	0	0	1	1	0	2	0	2	5	2	10	3	5	15	4	6	0	56	2.62
C21	Anus & Anal Canal	0	0	0	0	0	0	0	1	0	1	0	0	1	1	1	0	0	5	0.23
C22	Liver	0	0	1	1	0	2	3	6	1	6	9	11	21	23	7	16	0	107	5.00
C23-24	Gallbladder etc.	0	0	0	0	0	0	1	1	0	1	6	2	4	4	7	8	0	34	1.59
C25	Pancreas	0	0	1	0	0	0	0	0	1	3	7	6	11	14	8	5	0	56	2.62
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	1	0	1	1	2	0	1	0	0	7	0.33
C32	Larynx	0	0	0	0	0	0	0	2	4	6	12	6	19	9	9	10	0	77	3.60
C33-34	Lung etc.	3	0	0	1	2	1	2	4	11	10	26	33	33	34	40	26	0	226	10.56
C37-38	Other Thoracic Organs	0	0	0	2	0	1	0	0	1	0	1	1	0	0	0	0	0	6	0.28
C40-41	Bone	0	0	2	8	1	3	1	0	1	0	2	5	3	1	1	3	0	31	1.45
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	0	4	0.19
C44	Other Skin	0	0	0	0	0	0	0	0	3	2	3	2	2	2	1	3	0	18	0.84
C45	Mesothelioma	0	0	0	0	1	1	0	1	0	0	0	0	0	2	0	3	0	8	0.37
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	2	3	1	1	1	3	2	1	0	2	1	4	0	4	1	3	0	29	1.36
C50	Breast	0	0	0	0	0	0	0	1	0	2	1	2	0	2	0	1	0	9	0.42
C60	Penis	0	0	0	0	0	0	1	0	0	2	1	0	2	1	2	1	0	10	0.47
C61	Prostate	1	0	1	0	0	0	0	0	1	1	0	5	7	14	16	45	0	91	4.25
C62	Testis	1	0	0	1	1	2	4	3	0	0	1	0	0	0	1	0	0	14	0.65
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0.09
C64	Kidney etc.	0	0	0	0	0	0	0	0	0	3	5	2	4	6	5	4	0	29	1.36
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	5	0	4	1	7	7	12	5	14	0	55	2.57
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.14
C70-72	Brain, Nervous System	4	5	0	2	2	4	5	6	11	8	6	3	7	8	12	1	0	84	3.93
C73	Thyroid	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0	4	0.19
C74	Adrenal Gland	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	4	0.19
C77	Sec Lymph Nodes	1	0	1	0	2	0	1	2	2	0	2	4	5	8	3	3	0	34	1.59
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	1	1	0	5	0	1	4	0	0	0	12	0.56
C79	Sec Others	0	0	0	0	0	0	2	0	1	1	2	5	3	0	1	0	0	15	0.70
C81	Hodgkins Disease	0	0	1	0	2	0	2	0	0	0	1	1	0	0	2	1	0	10	0.47
C82-85,C96	NHL	2	3	6	4	3	5	5	7	8	1	9	11	11	12	9	14	0	110	5.14
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	7	3	6	8	6	6	8	0	46	2.15
C91	Lymphoid Leuk.	11	13	5	15	4	3	3	4	0	2	1	5	1	2	1	5	0	75	3.50
C92-94	Myeloid Leukaemia	4	2	3	1	3	3	3	4	10	6	6	3	4	7	4	3	0	66	3.08
C95	Leukaemia Uns	1	0	2	2	3	2	1	2	2	2	1	1	1	1	3	4	0	28	1.31
O&U	Other and Uns	1	0	1	1	1	2	3	5	5	4	11	12	12	7	11	12	0	88	4.11
	All Sites	36	28	26	42	28	38	52	79	123	142	219	230	293	284	240	279	1	2140	100.00

**TABLE MUM-8.1(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999 – Females**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	2	1	0	3	2	5	6	3	3	2	3	0	30	1.63	
C03-06	Mouth	0	0	0	0	1	0	2	3	8	2	5	15	4	7	5	7	0	59	3.20	
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0.11	
C09	Tonsil	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	3	0.16	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.05	
C11	Nasopharynx	0	0	0	2	0	0	1	0	0	0	1	0	0	0	0	0	0	4	0.22	
C12-13	Hypopharynx	0	0	0	0	0	0	0	1	3	2	1	0	2	0	4	4	0	17	0.92	
C14	Pharynx Unspecified	0	0	0	0	0	0	0	1	1	0	0	0	1	1	1	3	0	8	0.43	
C15	Oesophagus	0	0	0	0	0	0	0	4	6	9	12	11	16	24	7	15	0	104	5.65	
C16	Stomach	1	0	0	0	0	1	2	3	2	5	7	6	9	7	6	5	1	55	2.99	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	5	0.27	
C18	Colon	0	0	0	0	0	3	2	1	6	8	3	7	7	2	7	7	0	53	2.88	
C19-20	Rectum	0	0	0	0	0	1	1	3	5	1	3	4	1	5	4	6	0	34	1.85	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	0.11	
C22	Liver	0	0	0	0	1	1	1	1	6	3	5	10	4	6	3	4	0	45	2.44	
C23-24	Gallbladder etc.	0	0	0	0	0	1	0	3	2	4	3	4	3	10	9	10	0	49	2.66	
C25	Pancreas	0	0	0	0	0	0	0	0	1	0	0	5	4	4	2	7	0	23	1.25	
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0	6	0.33	
C32	Larynx	0	0	0	0	0	0	0	1	1	2	2	2	0	0	2	2	0	12	0.65	
C33-34	Lung etc.	0	0	0	0	1	0	1	3	4	6	8	13	13	11	4	11	0	75	4.07	
C37-38	Other Thoracic Organs	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0.11	
C40-41	Bone	0	2	6	3	2	1	0	1	2	1	1	2	0	0	2	1	0	24	1.30	
C43	Melanoma of Skin	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	3	0.16	
C44	Other Skin	0	0	0	0	0	2	0	1	0	0	1	2	0	1	1	0	0	8	0.43	
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	2	1	1	0	0	1	1	0	7	0.38	
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	
C47+C49	Conn. & Soft Tissue	0	2	1	1	0	2	0	1	1	2	0	0	2	1	0	2	0	15	0.81	
C50	Breast	0	0	1	0	2	7	15	28	34	48	53	47	45	37	28	40	0	385	20.91	
C51	Vulva	0	0	0	0	0	1	0	1	1	0	0	0	0	0	1	1	0	5	0.27	
C52	Vagina	0	0	0	0	0	0	0	0	0	1	1	0	1	2	1	2	0	8	0.43	
C53	Cervix Uteri	0	0	0	1	0	3	6	17	31	25	21	23	26	29	14	16	0	212	11.52	
C54	Corpus Uteri	0	0	0	0	0	1	0	0	0	4	1	4	3	6	0	1	1	21	1.14	
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	3	1	3	0	5	1	3	3	1	20	1.09	
C56	Ovary etc.	0	0	2	0	1	4	6	7	16	14	8	16	13	13	11	11	0	122	6.63	
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	2	0	8	0.43	
C58	Placenta	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	3	0.16	
C64	Kidney etc.	1	0	0	0	0	2	0	0	0	2	1	1	1	2	2	2	0	14	0.76	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.05	
C66	Ureter	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.05	
C67	Bladder	0	0	0	0	0	0	0	0	0	2	1	2	3	0	3	4	0	15	0.81	
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.05	
C69	Eye	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0.16	
C70-72	Brain, Nervous System	1	5	1	1	4	2	0	4	3	2	8	5	6	8	2	6	0	58	3.15	
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	4	1	3	4	0	0	0	12	0.65	
C74	Adrenal Gland	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0.11	
C77	Sec Lymph Nodes	0	0	0	0	0	1	0	0	1	0	1	1	2	2	0	4	0	12	0.65	
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	3	2	6	0	2	3	3	3	2	0	24	1.30	
C79	Sec Others	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1	0	0	5	0.27	
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	4	0.22	
C82-85,C96	NHL	2	1	1	1	1	1	1	0	8	5	4	4	4	11	5	15	0	64	3.48	
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	2	0	0	7	1	3	4	0	20	1.09	
C91	Lymphoid Leuk.	4	2	4	5	1	1	1	3	1	1	1	0	0	1	1	3	0	29	1.58	
C92-94	Myeloid Leukaemia	4	1	0	3	1	2	6	5	4	6	2	5	3	3	5	1	0	51	2.77	
C95	Leukaemia Uns	0	1	0	1	2	2	2	2	1	0	1	3	1	3	1	4	0	24	1.30	
O&U	Other and Uns	0	0	0	0	1	1	2	2	2	5	4	10	9	15	7	13	0	71	3.86	
	All Sites	15	14	17	19	19	42	51	103	164	176	176	221	208	231	158	224	3	1841	100.00	

**TABLE MUM-8.2(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1	0	4	0.19
C01-02	Tongue	0	0	0	0	0	0	1	2	7	7	9	10	14	7	5	7	0	69	3.25
C03-06	Mouth	0	0	0	0	0	0	2	3	10	12	12	15	5	6	7	7	0	79	3.72
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0.09
C09	Tonsil	0	0	0	0	0	0	0	2	1	2	6	6	5	2	1	5	0	30	1.41
C10	Oth. Oropharynx	0	0	0	0	0	0	0	1	2	3	2	4	1	0	1	3	0	17	0.80
C11	Nasopharynx	0	0	0	0	1	0	0	0	1	1	2	0	1	0	0	1	0	7	0.33
C12-13	Hypopharynx	0	0	1	0	0	0	0	2	2	3	4	9	11	9	4	7	0	52	2.45
C14	Pharynx Unspecified	1	0	0	0	0	0	0	1	0	2	2	5	2	5	9	6	0	33	1.55
C15	Oesophagus	0	0	0	1	1	1	3	1	3	16	22	20	17	22	26	27	0	160	7.53
C16	Stomach	0	1	0	0	0	1	1	0	4	3	16	11	15	18	13	31	0	114	5.37
C17	Small Intestine	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	3	0.14
C18	Colon	0	0	0	1	0	1	0	0	2	3	5	13	2	5	10	10	0	52	2.45
C19-20	Rectum	0	0	0	0	0	0	1	1	3	1	3	4	3	7	5	5	0	33	1.55
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.09
C22	Liver	1	0	0	0	1	1	0	4	3	5	8	10	14	22	29	20	0	118	5.56
C23-24	Gallbladder etc.	0	0	0	0	0	0	0	2	2	2	2	0	5	5	6	3	0	27	1.27
C25	Pancreas	0	0	0	1	0	0	1	3	0	1	2	3	7	6	5	6	0	35	1.65
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	0	1	1	1	0	3	0	0	1	0	7	0.33
C32	Larynx	0	0	0	0	0	0	1	4	3	11	16	11	26	22	19	22	0	135	6.36
C33-34	Lung etc.	1	0	0	1	0	0	3	3	11	13	31	27	38	50	33	44	1	256	12.05
C37-38	Other Thoracic Organs	0	0	0	0	2	0	0	0	1	0	0	0	0	0	1	0	0	4	0.19
C40-41	Bone	0	1	3	4	3	0	0	0	0	1	1	1	1	1	1	2	0	19	0.89
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1	1	0	5	0.24
C44	Other Skin	0	0	0	0	0	0	0	1	1	2	1	3	1	2	2	2	0	15	0.71
C45	Mesothelioma	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3	0.14
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	0	4	0	1	1	0	2	2	2	2	1	1	1	1	0	19	0.89
C50	Breast	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2	0.09
C60	Penis	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2	0.09
C61	Prostate	0	0	0	0	0	0	0	1	0	1	4	10	15	23	30	65	1	150	7.06
C62	Testis	1	0	0	2	5	2	1	3	3	0	4	0	0	0	0	0	0	21	0.99
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.05
C64	Kidney etc.	2	0	0	0	0	0	0	0	3	6	2	5	2	6	1	4	0	31	1.46
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.05
C67	Bladder	1	0	0	0	0	1	0	1	0	1	2	8	3	8	9	12	0	46	2.17
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0.09
C70-72	Brain, Nervous System	4	3	3	1	2	2	5	2	8	7	6	5	6	13	4	4	0	75	3.53
C73	Thyroid	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	2	0	6	0.28
C74	Adrenal Gland	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0.09
C77	Sec Lymph Nodes	1	0	0	0	0	0	0	1	1	2	4	3	3	2	3	4	0	24	1.13
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	1	2	3	6	2	4	3	3	5	0	29	1.37
C79	Sec Others	0	0	0	0	1	0	0	0	0	0	3	1	1	4	2	1	0	13	0.61
C81	Hodgkins Disease	0	1	0	0	0	1	0	0	0	3	1	1	0	0	1	2	0	10	0.47
C82-85,C96	NHL	5	2	2	0	3	2	5	9	9	11	9	14	11	12	15	23	0	132	6.21
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	3	4	3	2	5	5	7	8	0	37	1.74
C91	Lymphoid Leuk.	6	7	8	6	3	2	2	3	4	0	1	2	3	5	3	7	0	62	2.92
C92-94	Myeloid Leukaemia	4	1	2	1	6	5	5	10	5	10	6	9	5	4	3	10	0	86	4.05
C95	Leukaemia Uns	2	0	3	2	0	0	2	0	0	0	0	0	2	3	4	1	0	19	0.89
O&U	Other and Uns	1	0	0	1	2	0	2	2	3	5	6	10	10	13	6	12	0	73	3.44
	All Sites	32	17	23	25	30	20	36	64	104	145	211	229	245	291	276	374	2	2124	100.00

**TABLE MUM-8.2(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	0	0	2	2	2	3	4	4	4	6	6	0	33	1.88
C03-06	Mouth	0	0	0	0	0	1	0	1	4	5	9	10	9	7	5	10	0	61	3.48
C07-08	Salivary Gland	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	1	0	5	0.29
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	0	5	0.29
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.06
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C12-13	Hypopharynx	0	0	0	0	1	0	1	1	0	1	2	0	1	5	1	2	0	15	0.86
C14	Pharynx Unspecified	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	3	0.17
C15	Oesophagus	0	0	0	0	1	0	0	4	5	5	8	21	15	12	11	14	0	96	5.48
C16	Stomach	0	0	0	0	0	0	1	2	3	7	5	3	6	6	10	14	0	57	3.26
C17	Small Intestine	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2	0.11
C18	Colon	0	0	0	0	0	1	0	1	2	3	7	2	2	6	8	5	0	37	2.11
C19-20	Rectum	0	0	0	0	0	2	0	0	3	1	2	3	1	5	1	2	0	20	1.14
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	3	0.17
C22	Liver	1	0	0	0	0	2	1	1	4	6	7	14	10	5	6	10	0	67	3.83
C23-24	Gallbladder etc.	0	0	0	0	0	0	1	2	5	3	6	8	3	7	3	5	0	43	2.46
C25	Pancreas	0	0	0	0	1	0	0	2	2	3	1	5	4	10	3	3	1	35	2.00
C30-31	Nose, Sinuses etc.	0	0	0	0	0	1	0	0	0	1	1	0	2	0	1	0	0	6	0.34
C32	Larynx	0	0	0	0	0	0	1	1	3	2	0	0	1	3	4	2	0	17	0.97
C33-34	Lung etc.	0	0	0	0	0	0	0	0	2	9	9	11	10	10	8	9	0	68	3.88
C37-38	Other Thoracic Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C40-41	Bone	0	1	2	1	0	1	0	0	0	0	0	0	2	3	0	1	0	11	0.63
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	3	0.17
C44	Other Skin	1	1	0	1	0	0	0	0	0	1	1	1	1	2	1	2	0	12	0.69
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	4	0	7	0.40
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	1	0	1	1	1	1	1	1	0	0	0	2	4	2	0	0	15	0.86
C50	Breast	0	0	0	0	0	6	7	17	24	46	49	37	37	38	27	34	0	322	18.39
C51	Vulva	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.11
C52	Vagina	1	0	0	0	0	0	0	0	1	0	4	0	0	0	0	0	0	6	0.34
C53	Cervix Uteri	0	0	0	0	1	1	3	8	16	30	31	21	22	25	10	15	0	183	10.45
C54	Corpus Uteri	1	0	0	0	0	0	0	0	1	2	2	7	1	3	0	2	0	19	1.09
C55	Uterus Unspecified	0	0	0	0	0	0	1	1	1	4	4	8	10	5	4	6	0	44	2.51
C56	Ovary etc.	0	1	0	0	1	0	1	9	7	21	7	20	9	12	9	13	0	110	6.28
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.06
C58	Placenta	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0.11
C64	Kidney etc.	4	1	0	0	1	0	1	0	0	2	0	1	0	2	1	2	0	15	0.86
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C67	Bladder	0	0	0	0	0	0	0	0	0	1	1	2	7	4	2	6	1	24	1.37
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0.11
C69	Eye	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.17
C70-72	Brain, Nervous System	1	3	3	2	1	3	2	2	1	9	7	5	3	6	5	3	0	56	3.20
C73	Thyroid	0	0	0	0	0	0	1	0	0	1	0	1	3	1	2	3	0	12	0.69
C74	Adrenal Gland	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.11
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	1	2	3	1	1	0	2	0	0	10	0.57
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	0	0	2	5	1	1	1	2	4	0	16	0.91
C79	Sec Others	0	0	0	1	0	0	0	0	0	0	1	1	1	0	1	1	0	6	0.34
C81	Hodgkins Disease	0	0	0	1	1	0	0	1	0	1	0	0	1	0	0	1	0	6	0.34
C82-85,C96	NHL	2	0	3	3	3	1	0	2	4	5	7	7	12	8	10	16	0	83	4.74
C90	Multiple Myeloma	0	0	0	1	0	0	0	1	2	1	7	7	3	5	4	1	0	32	1.83
C91	Lymphoid Leuk.	6	3	2	2	1	3	0	3	2	2	2	0	2	3	2	2	0	35	2.00
C92-94	Myeloid Leukaemia	1	0	4	2	2	1	0	2	5	4	5	2	5	6	5	5	0	49	2.80
C95	Leukaemia Uns	1	1	0	0	0	2	0	4	2	3	1	0	2	2	1	2	0	21	1.20
O&U	Other and Uns	1	0	2	1	1	2	0	4	1	8	3	10	11	8	3	12	1	68	3.88
	All Sites	24	13	16	16	18	28	22	75	104	194	204	217	209	221	165	222	3	1751	100.00

**TABLE MUM-8.3(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999-2000 – Males**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	1	1	0	0	1	0	0	5	1	0	9	0.21
C01-02	Tongue	0	0	0	0	0	1	3	3	12	15	15	20	29	21	12	16	0	147	3.45
C03-06	Mouth	0	0	0	0	0	1	5	11	21	23	24	28	31	14	15	14	0	187	4.39
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	3	1	1	0	0	1	0	0	6	0.14
C09	Tonsil	0	0	0	0	0	0	0	4	2	3	11	7	9	6	4	7	0	53	1.24
C10	Oth. Oropharynx	0	0	0	0	0	0	0	2	3	6	5	6	2	3	3	4	0	34	0.80
C11	Nasopharynx	0	0	0	1	2	1	0	1	1	2	2	1	2	2	1	1	0	17	0.40
C12-13	Hypopharynx	0	0	1	0	0	1	2	2	7	11	17	25	29	16	17	25	1	154	3.61
C14	Pharynx Unspecified	2	0	0	0	0	0	0	1	2	2	6	9	8	10	11	9	0	60	1.41
C15	Oesophagus	0	1	0	1	1	1	7	4	14	29	44	38	36	41	41	44	0	302	7.08
C16	Stomach	0	1	0	1	0	1	2	2	12	17	33	23	36	32	26	37	0	223	5.23
C17	Small Intestine	0	0	0	0	0	0	0	0	1	0	0	2	0	0	2	1	0	6	0.14
C18	Colon	0	0	0	1	1	1	1	1	8	6	8	21	9	12	19	23	0	111	2.60
C19-20	Rectum	0	0	1	1	0	2	1	3	8	3	13	7	8	22	9	11	0	89	2.09
C21	Anus & Anal Canal	0	0	0	0	0	0	0	1	0	1	1	0	2	1	1	0	0	7	0.16
C22	Liver	1	0	1	1	1	3	3	10	4	11	17	21	35	45	36	36	0	225	5.28
C23-24	Gallbladder etc.	0	0	0	0	0	0	1	3	2	3	8	2	9	9	13	11	0	61	1.43
C25	Pancreas	0	0	1	1	0	0	1	3	1	4	9	9	18	20	13	11	0	91	2.13
C30-31	Nose, Sinuses etc.	0	0	0	0	0	0	0	1	2	1	2	1	5	0	1	1	0	14	0.33
C32	Larynx	0	0	0	0	0	0	1	6	7	17	28	17	45	31	28	32	0	212	4.97
C33-34	Lung etc.	4	0	0	2	2	1	5	7	22	23	57	60	71	84	73	70	1	482	11.30
C37-38	Other Thoracic Organs	0	0	0	2	2	1	0	0	2	0	1	1	0	0	1	0	0	10	0.23
C40-41	Bone	0	1	5	12	4	3	1	0	1	1	3	6	4	2	2	5	0	50	1.17
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	3	0	1	1	1	0	2	1	0	9	0.21
C44	Other Skin	0	0	0	0	0	0	0	1	4	4	4	5	3	4	3	5	0	33	0.77
C45	Mesothelioma	0	0	1	0	1	1	0	1	0	0	0	0	1	2	1	3	0	11	0.26
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	2	4	1	5	1	4	3	1	2	4	3	6	1	5	2	4	0	48	1.13
C50	Breast	0	0	0	0	0	0	0	1	0	2	2	2	0	2	0	2	0	11	0.26
C60	Penis	0	0	0	0	0	0	1	0	0	2	3	0	2	1	2	1	0	12	0.28
C61	Prostate	1	0	1	0	0	0	0	1	1	2	4	15	22	37	46	110	1	241	5.65
C62	Testis	2	0	0	3	6	4	5	6	3	0	5	0	0	0	1	0	0	35	0.82
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	3	0.07
C64	Kidney etc.	2	0	0	0	0	0	0	0	3	9	7	7	6	12	6	8	0	60	1.41
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.02
C67	Bladder	1	0	0	0	0	1	0	6	0	5	3	15	10	20	14	26	0	101	2.37
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C69	Eye	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	0.12
C70-72	Brain, Nervous System	8	8	3	3	4	6	10	8	19	15	12	8	13	21	16	5	0	159	3.73
C73	Thyroid	0	0	0	0	0	0	0	1	1	1	0	1	1	1	0	4	0	10	0.23
C74	Adrenal Gland	3	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	6	0.14
C77	Sec Lymph Nodes	2	0	1	0	2	0	1	3	3	2	6	7	8	10	6	7	0	58	1.36
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	2	3	3	11	2	5	7	3	5	0	41	0.96
C79	Sec Others	0	0	0	0	1	0	2	0	1	1	5	6	4	4	3	1	0	28	0.66
C81	Hodgkins Disease	0	1	1	0	2	1	2	0	0	3	2	2	0	0	3	3	0	20	0.47
C82-85,C96	NHL	7	5	8	4	6	7	10	16	17	12	18	25	22	24	24	37	0	242	5.68
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	5	11	6	8	13	11	13	16	0	83	1.95
C91	Lymphoid Leuk.	17	20	13	21	7	5	5	7	4	2	2	7	4	7	4	12	0	137	3.21
C92-94	Myeloid Leukaemia	8	3	5	2	9	8	8	14	15	16	12	12	9	11	7	13	0	152	3.56
C95	Leukaemia Uns	3	0	5	4	3	2	3	2	2	2	1	1	3	4	7	5	0	47	1.10
O&U	Other and Uns	2	0	1	2	3	2	5	7	8	9	17	22	22	20	17	24	0	161	3.78
	All Sites	68	45	49	67	58	58	88	143	227	287	430	459	538	575	516	653	3	4264	100.00

**TABLE MUM-8.3(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
1999–2000 – Females**

% = Relative Proportion of Cancers of All Sites.

Mumbai

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C01-02	Tongue	0	0	0	0	0	2	1	2	5	4	8	10	7	7	8	9	0	63	1.75
C03-06	Mouth	0	0	0	0	1	1	2	4	12	7	14	25	13	14	10	17	0	120	3.34
C07-08	Salivary Gland	0	0	0	0	0	0	0	2	0	0	1	0	2	0	1	1	0	7	0.19
C09	Tonsil	0	0	0	0	0	0	0	0	0	1	0	2	1	0	3	1	0	8	0.22
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0.06
C11	Nasopharynx	0	0	0	2	0	0	1	0	0	0	1	0	0	0	0	0	0	4	0.11
C12-13	Hypopharynx	0	0	0	0	1	0	1	2	3	3	3	0	3	5	5	6	0	32	0.89
C14	Pharynx Unspecified	0	0	0	0	0	0	0	2	1	0	0	0	2	2	1	3	0	11	0.31
C15	Oesophagus	0	0	0	0	1	0	0	8	11	14	20	32	31	36	18	29	0	200	5.57
C16	Stomach	1	0	0	0	0	1	3	5	5	12	12	9	15	13	16	19	1	112	3.12
C17	Small Intestine	0	0	0	0	0	0	0	1	0	0	0	1	1	2	1	1	0	7	0.19
C18	Colon	0	0	0	0	0	4	2	2	8	11	10	9	9	8	15	12	0	90	2.51
C19-20	Rectum	0	0	0	0	0	3	1	3	8	2	5	7	2	10	5	8	0	54	1.50
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	3	0	5	0.14
C22	Liver	1	0	0	0	1	3	2	2	10	9	12	24	14	11	9	14	0	112	3.12
C23-24	Gallbladder etc.	0	0	0	0	0	1	1	5	7	7	9	12	6	17	12	15	0	92	2.56
C25	Pancreas	0	0	0	0	1	0	0	2	3	3	1	10	8	14	5	10	1	58	1.61
C30-31	Nose, Sinuses etc.	0	0	0	0	0	1	0	0	0	1	2	2	2	2	2	0	0	12	0.33
C32	Larynx	0	0	0	0	0	0	1	2	4	4	2	2	1	3	6	4	0	29	0.81
C33-34	Lung etc.	0	0	0	0	1	0	1	3	6	15	17	24	23	21	12	20	0	143	3.98
C37-38	Other Thoracic Organs	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0.06
C40-41	Bone	0	3	8	4	2	2	0	1	2	1	1	2	2	3	2	2	0	35	0.97
C43	Melanoma of Skin	0	0	0	0	0	0	0	1	0	0	2	2	0	0	1	0	0	6	0.17
C44	Other Skin	1	1	0	1	0	2	0	1	0	1	2	3	1	3	2	2	0	20	0.56
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	3	1	1	1	1	1	5	0	14	0.39
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
C47+C49	Conn. & Soft Tissue	0	3	1	2	1	3	1	2	2	2	0	0	4	5	2	2	0	30	0.84
C50	Breast	0	0	1	0	2	13	22	45	58	94	102	84	82	75	55	74	0	707	19.68
C51	Vulva	0	0	0	0	0	1	0	1	1	0	1	0	1	0	1	1	0	7	0.19
C52	Vagina	1	0	0	0	0	0	0	0	1	1	5	0	1	2	1	2	0	14	0.39
C53	Cervix Uteri	0	0	0	1	1	4	9	25	47	55	52	44	48	54	24	31	0	395	11.00
C54	Corpus Uteri	1	0	0	0	0	1	0	0	1	6	3	11	4	9	0	3	1	40	1.11
C55	Uterus Unspecified	0	0	0	0	0	0	1	1	4	5	7	8	15	6	7	9	1	64	1.78
C56	Ovary etc.	0	1	2	0	2	4	7	16	23	35	15	36	22	25	20	24	0	232	6.46
C57	Other Female Genital	0	0	0	0	0	0	0	0	0	0	1	1	1	3	1	2	0	9	0.25
C58	Placenta	0	0	0	0	3	0	1	1	0	0	0	0	0	0	0	0	0	5	0.14
C64	Kidney etc.	5	1	0	0	1	2	1	0	0	4	1	2	1	4	3	4	0	29	0.81
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.03
C66	Ureter	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.03
C67	Bladder	0	0	0	0	0	0	0	0	0	3	2	4	10	4	5	10	1	39	1.09
C68	Uns.Urinary Organs	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	3	0.08
C69	Eye	3	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	6	0.17
C70-72	Brain, Nervous System	2	8	4	3	5	5	2	6	4	11	15	10	9	14	7	9	0	114	3.17
C73	Thyroid	0	0	0	0	0	0	1	0	0	1	4	2	6	5	2	3	0	24	0.67
C74	Adrenal Gland	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4	0.11
C77	Sec Lymph Nodes	0	0	0	0	0	1	0	0	2	2	4	2	3	2	2	4	0	22	0.61
C78	Sec Resp & Digestive	0	0	0	0	0	0	0	3	2	8	5	3	4	4	5	6	0	40	1.11
C79	Sec Others	0	0	0	1	0	0	0	1	0	1	1	2	2	0	2	1	0	11	0.31
C81	Hodgkins Disease	0	0	0	1	1	0	0	1	0	1	0	2	1	1	1	1	0	10	0.28
C82-85,C96	NHL	4	1	4	4	4	2	1	2	12	10	11	11	16	19	15	31	0	147	4.09
C90	Multiple Myeloma	0	0	0	1	0	0	0	1	5	3	7	7	10	6	7	5	0	52	1.45
C91	Lymphoid Leuk.	10	5	6	7	2	4	1	6	3	3	3	0	2	4	3	5	0	64	1.78
C92-94	Myeloid Leukaemia	5	1	4	5	3	3	6	7	9	10	7	7	8	9	10	6	0	100	2.78
C95	Leukaemia Uns	1	2	0	1	2	4	2	6	3	3	2	3	3	5	2	6	0	45	1.25
O&U	Other and Uns	1	0	2	1	2	3	2	6	3	13	7	20	20	23	10	25	1	139	3.87
	All Sites	39	27	33	35	37	70	73	178	268	370	380	438	417	452	323	446	6	3592	100.00

TABLE MUM-9.1(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Males
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.0	0.0	6.1	0.0	0.08	0.16	0.08	0.12
C01-02	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	1.2	2.4	2.3	5.7	11.1	17.5	14.3	17.5	1.22	2.21	0.26	3.28
C03-06	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.6	2.7	3.3	4.7	7.4	19.2	10.0	16.4	13.6	1.69	2.69	0.28	5.65
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6	0.0	0.0	0.0	0.0	0.06	0.08	0.04	0.25
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.3	1.9	0.6	3.0	5.0	6.1	3.9	0.36	0.64	0.14	0.95
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.9	1.2	1.1	0.7	3.7	4.1	1.9	0.27	0.45	0.12	0.69
C11	0.0	0.0	0.0	0.2	0.1	0.2	0.0	0.2	0.0	0.3	0.0	0.6	0.7	2.5	2.0	0.0	0.16	0.24	0.08	0.26
C12-13	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	1.2	2.4	5.1	9.1	13.3	8.7	26.6	34.9	1.58	2.89	0.30	4.41
C14	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.6	2.3	4.4	6.2	4.1	5.8	0.42	0.78	0.16	1.21
C15	0.0	0.2	0.0	0.0	0.0	0.0	0.7	0.6	2.7	3.9	8.6	10.2	14.0	23.7	30.7	33.0	2.23	3.87	0.35	5.90
C16	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	1.9	4.2	6.6	6.8	15.5	17.5	26.6	11.6	1.71	2.93	0.30	5.22
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	1.9	0.05	0.12	0.07	0.00
C18	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	1.5	0.9	1.2	4.5	5.2	8.7	18.4	25.2	0.93	1.76	0.24	1.94
C19-20	0.0	0.0	0.2	0.2	0.0	0.3	0.0	0.4	1.2	0.6	3.9	1.7	3.7	18.7	8.2	11.6	0.88	1.55	0.22	1.75
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.7	1.2	2.0	0.0	0.08	0.14	0.07	0.19
C22	0.0	0.0	0.2	0.2	0.0	0.3	0.5	1.2	0.2	1.8	3.5	6.2	15.5	28.7	14.3	31.1	1.68	3.09	0.32	4.00
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	2.3	1.1	3.0	5.0	14.3	15.5	0.53	1.07	0.19	1.00
C25	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.9	2.7	3.4	8.1	17.5	16.4	9.7	0.88	1.73	0.24	2.15
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.6	1.5	0.0	2.0	0.0	0.11	0.17	0.07	0.41
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	1.8	4.7	3.4	14.0	11.2	18.4	19.4	1.21	2.22	0.26	3.62
C33-34	0.5	0.0	0.0	0.2	0.3	0.2	0.3	0.8	2.7	3.0	10.1	18.7	24.4	42.4	82.0	50.5	3.54	6.68	0.47	8.45
C37-38	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.2	0.0	0.4	0.6	0.0	0.0	0.0	0.0	0.09	0.10	0.04	0.18
C40-41	0.0	0.0	0.3	1.3	0.1	0.5	0.2	0.0	0.2	0.0	0.8	2.8	2.2	1.2	2.0	5.8	0.49	0.65	0.13	0.82
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.7	0.0	2.0	0.0	0.06	0.11	0.06	0.22
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.2	1.1	1.5	2.5	2.0	5.8	0.28	0.48	0.12	0.78
C45	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	2.5	0.0	5.8	0.13	0.23	0.09	0.04
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.4	0.5	0.2	0.2	0.1	0.5	0.3	0.2	0.0	0.6	0.4	2.3	0.0	5.0	2.0	5.8	0.45	0.65	0.13	0.51
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.4	1.1	0.0	2.5	0.0	1.9	0.14	0.23	0.08	0.36
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.4	0.0	1.5	1.2	4.1	1.9	0.16	0.28	0.10	0.37
C61	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	2.8	5.2	17.5	32.8	87.4	1.43	3.32	0.35	1.14
C62	0.2	0.0	0.0	0.2	0.1	0.3	0.7	0.6	0.0	0.0	0.4	0.0	0.0	0.0	2.0	0.0	0.22	0.21	0.06	0.18
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.9	0.03	0.08	0.05	0.00
C64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.9	1.1	3.0	7.5	10.2	7.8	0.45	0.90	0.17	1.02
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.2	0.4	4.0	5.2	15.0	10.2	27.2	0.86	1.71	0.24	1.67
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.06	0.03	0.00
C70-72	0.7	0.8	0.0	0.3	0.3	0.6	0.9	1.2	2.7	2.4	2.3	1.7	5.2	10.0	24.6	1.9	1.32	1.91	0.23	2.47
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.9	0.06	0.13	0.07	0.04
C74	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.0	0.0	0.06	0.08	0.04	0.13
C77	0.2	0.0	0.2	0.0	0.3	0.0	0.2	0.4	0.5	0.0	0.8	2.3	3.7	10.0	6.1	5.8	0.53	0.94	0.17	1.06
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	1.9	0.0	0.7	5.0	0.0	0.0	0.19	0.30	0.09	0.49
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.3	0.8	2.8	2.2	0.0	2.0	0.0	0.24	0.34	0.09	0.88
C81	0.0	0.0	0.2	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.4	0.6	0.0	0.0	4.1	1.9	0.16	0.22	0.08	0.14
C82-85,C96	0.4	0.5	1.0	0.7	0.4	0.8	0.9	1.4	1.9	0.3	3.5	6.2	8.1	15.0	18.4	27.2	1.72	2.71	0.28	3.12
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.1	1.2	3.4	5.9	7.5	12.3	15.5	0.72	1.37	0.21	1.90
C91	2.0	2.1	0.8	2.4	0.6	0.5	0.5	0.8	0.0	0.6	0.4	2.8	0.7	2.5	2.0	9.7	1.18	1.41	0.18	0.79
C92-94	0.7	0.3	0.5	0.2	0.4	0.5	0.5	0.8	2.4	1.8	2.3	1.7	3.0	8.7	8.2	5.8	1.03	1.42	0.19	1.95
C95	0.2	0.0	0.3	0.3	0.4	0.3	0.2	0.4	0.5	0.6	0.4	0.6	0.7	1.2	6.1	7.8	0.44	0.62	0.13	0.52
O&U	0.2	0.0	0.2	0.2	0.1	0.3	0.5	1.0	1.2	1.2	4.3	6.8	8.9	8.7	22.5	23.3	1.38	2.34	0.27	3.37
All	6.4	4.5	4.3	6.8	3.9	5.7	9.0	15.3	29.8	43.1	85.2	130.6	216.6	354.5	491.7	541.6	33.54	58.27	1.35	75.61

TABLE MUM-9.1(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999 - Females
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	1.1	0.9	2.8	4.4	2.6	4.3	4.2	5.2	0.58	0.90	0.17	1.73
C03-06	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.8	2.8	0.9	2.8	11.1	3.5	10.1	10.6	12.2	1.14	1.79	0.24	3.19
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.04	0.05	0.04	0.16
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.0	2.1	0.0	0.06	0.10	0.06	0.18
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.08
C11	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.08	0.08	0.04	0.09
C12-13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.9	0.6	0.0	1.7	0.0	8.5	7.0	0.33	0.54	0.13	0.73
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.9	1.4	2.1	5.2	0.15	0.26	0.10	0.23
C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.1	3.9	6.7	8.1	13.9	34.6	14.8	26.2	2.01	3.50	0.35	5.28
C16	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.8	0.7	2.1	3.9	4.4	7.8	10.1	12.7	8.7	1.04	1.70	0.24	2.91
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.9	2.9	2.1	0.0	0.10	0.19	0.09	0.21
C18	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.3	2.1	3.4	1.7	5.2	6.1	2.9	14.8	12.2	1.02	1.58	0.23	2.85
C19-20	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.8	1.8	0.4	1.7	3.0	0.9	7.2	8.5	10.5	0.66	1.04	0.19	1.34
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.04	0.06	0.04	0.07
C22	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	2.1	1.3	2.8	7.4	3.5	8.6	6.4	7.0	0.87	1.36	0.21	2.56
C23-24	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.7	1.7	1.7	3.0	2.6	14.4	19.1	17.5	0.95	1.68	0.25	1.60
C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	3.7	3.5	5.8	4.2	12.2	0.44	0.81	0.17	0.99
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.0	2.9	2.1	0.0	0.12	0.22	0.09	0.28
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.9	1.1	1.5	0.0	0.0	4.2	3.5	0.23	0.36	0.11	0.65
C33-34	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	1.4	2.6	4.5	9.6	11.3	15.9	8.5	19.2	1.45	2.40	0.29	4.34
C37-38	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.04	0.06	0.05	0.00
C40-41	0.0	0.3	1.1	0.6	0.4	0.2	0.0	0.3	0.7	0.4	0.6	1.5	0.0	0.0	4.2	1.7	0.46	0.52	0.11	0.55
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.06	0.07	0.04	0.23
C44	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.6	1.5	0.0	1.4	2.1	0.0	0.15	0.22	0.08	0.33
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.6	0.7	0.0	0.0	2.1	1.7	0.14	0.21	0.08	0.42
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.3	0.2	0.2	0.0	0.4	0.0	0.3	0.4	0.9	0.0	0.0	1.7	1.4	0.0	3.5	0.29	0.37	0.10	0.51
C50	0.0	0.0	0.2	0.0	0.4	1.3	3.5	7.1	12.0	20.6	29.6	34.8	39.1	53.3	59.4	70.0	7.43	11.36	0.60	21.99
C51	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	2.1	1.7	0.10	0.13	0.06	0.12
C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0	0.9	2.9	2.1	3.5	0.15	0.29	0.10	0.28
C53	0.0	0.0	0.0	0.2	0.0	0.6	1.4	4.3	11.0	10.7	11.7	17.0	22.6	41.8	29.7	28.0	4.09	6.28	0.45	12.03
C54	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.7	0.6	3.0	2.6	8.6	0.0	1.7	0.39	0.66	0.15	1.14
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	1.7	0.0	4.3	1.4	6.4	5.2	0.37	0.62	0.15	1.12
C56	0.0	0.0	0.4	0.0	0.2	0.7	1.4	1.8	5.7	6.0	4.5	11.8	11.3	18.7	23.3	19.2	2.36	3.56	0.34	6.31
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	4.3	2.1	3.5	0.15	0.30	0.11	0.20
C58	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.04	0.03	0.05
C64	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.9	0.6	0.7	0.9	2.9	4.2	3.5	0.27	0.44	0.12	0.46
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.02	0.02	0.07
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6	1.5	2.6	0.0	6.4	7.0	0.29	0.51	0.13	0.78
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.02	0.04	0.04	0.00
C69	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.06	0.08	0.05	0.00
C70-72	0.2	0.9	0.2	0.2	0.7	0.4	0.0	1.0	1.1	0.9	4.5	3.7	5.2	11.5	4.2	10.5	1.12	1.63	0.23	2.44
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.7	2.6	5.8	0.0	0.0	0.23	0.42	0.12	0.79
C74	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.04	0.05	0.04	0.10
C77	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.6	0.7	1.7	2.9	0.0	7.0	0.23	0.39	0.12	0.48
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	2.6	0.0	1.5	2.6	4.3	6.4	3.5	0.46	0.73	0.16	1.31
C79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.7	0.9	0.0	2.1	0.0	0.10	0.15	0.07	0.34
C81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.4	2.1	0.0	0.08	0.14	0.07	0.19
C82-85,C96	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.0	2.8	2.1	2.2	3.0	3.5	15.9	10.6	26.2	1.24	2.02	0.26	2.15
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.0	0.0	6.1	1.4	6.4	7.0	0.39	0.67	0.15	1.16
C91	0.8	0.3	0.7	1.0	0.2	0.2	0.2	0.8	0.4	0.4	0.6	0.0	0.0	1.4	2.1	5.2	0.56	0.64	0.13	0.39
C92-94	0.8	0.2	0.0	0.6	0.2	0.4	1.4	1.3	1.4	2.6	1.1	3.7	2.6	4.3	10.6	1.7	0.98	1.29	0.19	2.01
C95	0.0	0.2	0.0	0.2	0.4	0.4	0.5	0.5	0.4	0.0	0.6	2.2	0.9	4.3	2.1	7.0	0.46	0.64	0.14	0.66
O&U	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.7	2.1	2.2	7.4	7.8	21.6	14.8	22.7	1.37	2.38	0.29	2.97
All	2.9	2.4	3.1	3.8	3.4	7.7	11.8	26.1	58.1	75.4	98.1	163.5	180.8	333.0	335.1	391.9	35.48	55.60	1.35	91.15

TABLE MUM-9.2(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Males
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	4.0	1.9	0.06	0.13	0.07	0.04
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.7	2.1	3.4	5.6	10.2	8.6	10.1	13.3	1.06	1.78	0.23	3.38
C03-06	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	2.4	3.6	4.6	8.4	3.6	7.4	14.1	13.3	1.22	1.89	0.23	3.55
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	2.0	0.0	0.03	0.06	0.04	0.06
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.6	2.3	3.3	3.6	2.5	2.0	9.5	0.46	0.77	0.15	1.50
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.9	0.8	2.2	0.7	0.0	2.0	5.7	0.26	0.40	0.11	0.81
C11	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.3	0.8	0.0	0.7	0.0	0.0	1.9	0.11	0.15	0.06	0.32
C12-13	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.5	0.9	1.5	5.0	8.0	11.0	8.0	13.3	0.80	1.47	0.21	2.26
C14	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.8	2.8	1.5	6.1	18.1	11.4	0.51	1.05	0.19	0.82
C15	0.0	0.0	0.0	0.2	0.1	0.1	0.5	0.2	0.7	4.8	8.4	11.2	12.3	27.0	52.3	51.5	2.46	4.65	0.39	5.48
C16	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.0	0.9	0.9	6.1	6.1	10.9	22.1	26.1	59.1	1.75	3.50	0.34	3.54
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.05	0.06	0.03	0.19
C18	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.5	0.9	1.9	7.2	1.5	6.1	20.1	19.1	0.80	1.52	0.22	1.70
C19-20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.3	1.1	2.2	2.2	8.6	10.1	9.5	0.51	0.96	0.18	0.99
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.03	0.05	0.03	0.16
C22	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.8	0.7	1.5	3.1	5.6	10.2	27.0	58.3	38.1	1.82	3.74	0.36	3.10
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.8	0.0	3.6	6.1	12.1	5.7	0.42	0.81	0.16	0.87
C25	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.6	0.0	0.3	0.8	1.7	5.1	7.4	10.1	11.4	0.54	1.04	0.18	1.16
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.0	2.2	0.0	0.0	1.9	0.11	0.18	0.07	0.45
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.7	3.3	6.1	6.1	18.9	27.0	38.2	41.9	2.08	4.01	0.36	5.13
C33-34	0.2	0.0	0.0	0.2	0.0	0.0	0.5	0.6	2.6	3.9	11.8	15.1	27.6	61.3	66.4	83.8	3.93	7.63	0.50	8.78
C37-38	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.06	0.08	0.05	0.05
C40-41	0.0	0.2	0.5	0.6	0.4	0.0	0.0	0.0	0.0	0.3	0.4	0.6	0.7	1.2	2.0	3.8	0.29	0.39	0.10	0.28
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.0	0.0	2.0	1.9	0.08	0.13	0.06	0.15
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.4	1.7	0.7	2.5	4.0	3.8	0.23	0.41	0.11	0.57
C45	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.0	0.0	0.05	0.08	0.05	0.09
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.2	0.0	0.6	0.0	0.1	0.2	0.0	0.5	0.6	0.8	1.1	0.7	1.2	2.0	1.9	0.29	0.39	0.10	0.57
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.9	0.03	0.06	0.04	0.06
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.03	0.04	0.03	0.12
C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.5	5.6	10.9	28.2	60.3	123.9	2.29	5.29	0.44	2.46
C62	0.2	0.0	0.0	0.3	0.7	0.3	0.2	0.6	0.7	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.32	0.29	0.07	0.49
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.02	0.04	0.04	0.00
C64	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	0.8	2.8	1.5	7.4	2.0	7.6	0.48	0.81	0.15	1.15
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.02	0.04	0.04	0.00
C67	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.3	0.8	4.5	2.2	9.8	18.1	22.9	0.71	1.48	0.23	1.07
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.03	0.06	0.04	0.00
C70-72	0.7	0.5	0.5	0.2	0.3	0.3	0.8	0.4	1.9	2.1	2.3	2.8	4.4	15.9	8.0	7.6	1.15	1.74	0.22	2.14
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.6	0.7	0.0	0.0	3.8	0.09	0.16	0.07	0.27
C74	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.03	0.04	0.03	0.06
C77	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	1.5	1.7	2.2	2.5	6.0	7.6	0.37	0.66	0.14	0.94
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.9	2.3	1.1	2.9	3.7	6.0	9.5	0.45	0.79	0.16	1.19
C79	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.7	4.9	4.0	1.9	0.20	0.39	0.11	0.35
C81	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.9	0.4	0.6	0.0	0.0	2.0	3.8	0.15	0.24	0.08	0.31
C82-85,C96	0.9	0.3	0.3	0.0	0.4	0.3	0.8	1.7	2.1	3.3	3.4	7.8	8.0	14.7	30.2	43.8	2.03	3.42	0.32	3.97
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	1.1	1.1	3.6	6.1	14.1	15.2	0.57	1.13	0.19	1.17
C91	1.0	1.1	1.3	1.0	0.4	0.3	0.3	0.6	0.9	0.0	0.4	1.1	2.2	6.1	6.0	13.3	0.95	1.33	0.19	0.78
C92-94	0.7	0.2	0.3	0.2	0.8	0.7	0.8	1.9	1.2	3.0	2.3	5.0	3.6	4.9	6.0	19.1	1.32	1.79	0.21	2.66
C95	0.3	0.0	0.5	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	1.5	3.7	8.0	1.9	0.29	0.50	0.13	0.19
O&U	0.2	0.0	0.0	0.2	0.3	0.0	0.3	0.4	0.7	1.5	2.3	5.6	7.3	15.9	12.1	22.9	1.12	2.04	0.25	2.53
All	5.6	2.7	3.7	4.0	4.1	2.9	6.1	12.2	24.7	43.2	80.6	127.7	177.8	356.5	555.1	712.7	32.66	59.66	1.37	67.91

TABLE MUM-9.2(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2000 - Females
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.8	1.6	2.9	3.4	5.7	12.5	10.2	0.63	1.08	0.19	1.47
C03-06	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	1.4	2.1	4.9	7.3	7.7	9.9	10.4	17.1	1.16	1.93	0.25	3.45
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.0	0.9	0.0	2.1	1.7	0.09	0.15	0.07	0.25
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.9	0.0	4.2	1.7	0.09	0.18	0.08	0.20
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.02	0.04	0.04	0.00
C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C12-13	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.4	1.1	0.0	0.9	7.1	2.1	3.4	0.28	0.48	0.13	0.42
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.9	1.4	0.0	0.0	0.06	0.09	0.06	0.16
C15	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.0	1.7	2.1	4.4	15.3	12.8	17.0	22.9	23.9	1.82	3.09	0.32	5.27
C16	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.0	2.9	2.7	2.2	5.1	8.5	20.8	23.9	1.08	1.86	0.25	2.25
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.04	0.05	0.04	0.05	
C18	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.7	1.3	3.8	1.5	1.7	8.5	16.7	8.5	0.70	1.22	0.21	1.45
C19-20	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.0	0.4	1.1	2.2	0.9	7.1	2.1	3.4	0.38	0.62	0.14	0.85
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.06	0.10	0.06	0.09
C22	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.2	1.4	2.5	3.8	10.2	8.5	7.1	12.5	17.1	1.27	2.06	0.26	3.84
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.7	1.3	3.3	5.8	2.6	9.9	6.3	8.5	0.82	1.32	0.21	2.29
C25	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.7	1.3	0.5	3.6	3.4	14.2	6.3	5.1	0.64	1.12	0.20	1.47
C30-31	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.5	0.0	1.7	0.0	2.1	0.0	0.11	0.18	0.08	0.39
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.0	0.8	0.0	0.0	0.9	4.2	8.3	3.4	0.32	0.54	0.14	0.52
C33-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.8	4.9	8.0	8.5	14.2	16.7	15.3	1.29	2.24	0.28	3.80
C37-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C40-41	0.0	0.2	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.2	0.0	1.7	0.21	0.31	0.10	0.22
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.0	0.0	2.1	0.0	0.06	0.10	0.06	0.18
C44	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.7	0.9	2.8	2.1	3.4	0.23	0.37	0.11	0.37
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.9	1.4	0.0	6.8	0.13	0.24	0.09	0.19
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.2	0.0	0.2	0.2	0.2	0.2	0.2	0.3	0.0	0.0	0.0	1.7	5.7	4.2	0.0	0.28	0.43	0.12	0.34
C50	0.0	0.0	0.0	0.0	0.0	1.1	1.6	4.2	8.4	19.4	26.8	26.9	31.6	53.8	56.3	58.0	6.11	9.68	0.56	18.06
C51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.9	0.0	0.0	0.0	0.04	0.06	0.04	0.20
C52	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.11	0.15	0.06	0.42
C53	0.0	0.0	0.0	0.0	0.2	0.2	0.7	2.0	5.6	12.6	17.0	15.3	18.8	35.4	20.8	25.6	3.47	5.48	0.42	11.04
C54	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.1	5.1	0.9	4.2	0.0	3.4	0.36	0.58	0.14	1.17
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	1.7	2.2	5.8	8.5	7.1	8.3	10.2	0.83	1.42	0.22	2.65
C56	0.0	0.2	0.0	0.0	0.2	0.0	0.2	2.2	2.4	8.8	3.8	14.5	7.7	17.0	18.8	22.2	2.09	3.26	0.32	6.10
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.02	0.03	0.03	0.09
C58	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.03	0.02	0.00
C64	0.8	0.2	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.8	0.0	0.7	0.0	2.8	2.1	3.4	0.28	0.41	0.11	0.26
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.5	6.0	5.7	4.2	10.2	0.44	0.81	0.17	1.13
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	2.1	0.0	0.04	0.07	0.05	0.09
C69	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.06	0.04	0.00
C70-72	0.2	0.5	0.5	0.4	0.2	0.5	0.5	0.5	0.3	3.8	3.8	3.6	2.6	8.5	10.4	5.1	1.06	1.53	0.22	2.31
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.7	2.6	1.4	4.2	5.1	0.23	0.40	0.12	0.51
C74	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.05	0.03	0.00
C77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.6	0.7	0.9	0.0	4.2	0.0	0.19	0.30	0.10	0.70
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.7	0.7	0.9	1.4	4.2	6.8	0.30	0.51	0.13	0.81
C79	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.9	0.0	2.1	1.7	0.11	0.18	0.08	0.29
C81	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.9	0.0	0.0	1.7	0.11	0.14	0.06	0.24
C82-85,C96	0.4	0.0	0.5	0.6	0.5	0.2	0.0	0.5	1.4	2.1	3.8	5.1	10.2	11.3	20.8	27.3	1.57	2.55	0.29	3.37
C90	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.7	0.4	3.8	5.1	2.6	7.1	8.3	1.7	0.61	1.01	0.18	1.87
C91	1.1	0.5	0.4	0.4	0.2	0.5	0.0	0.7	0.7	0.8	1.1	0.0	1.7	4.2	4.2	3.4	0.66	0.85	0.15	0.84
C92-94	0.2	0.0	0.7	0.4	0.4	0.2	0.0	0.5	1.7	1.7	2.7	1.5	4.3	8.5	10.4	8.5	0.93	1.40	0.21	1.94
C95	0.2	0.2	0.0	0.0	0.0	0.4	0.0	1.0	0.7	1.3	0.5	0.0	1.7	2.8	2.1	3.4	0.40	0.54	0.13	0.88
O&U	0.2	0.0	0.4	0.2	0.2	0.4	0.0	1.0	0.3	3.4	1.6	7.3	9.4	11.3	6.3	20.5	1.27	2.02	0.26	3.33
All	4.6	2.2	2.9	3.2	3.2	5.1	5.0	18.7	36.2	81.7	111.7	157.7	178.4	313.0	343.8	378.6	33.15	53.34	1.32	87.83

TABLE MUM-9.3(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Males
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.3	0.0	0.0	5.1	1.0	0.07	0.14	0.05	0.08
C01-02	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.3	1.4	2.3	2.9	5.6	10.6	13.0	12.2	15.4	1.14	2.00	0.17	3.33
C03-06	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.1	2.5	3.5	4.6	7.9	11.4	8.7	15.2	13.5	1.45	2.29	0.18	4.59
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.3	0.0	0.0	1.0	0.0	0.05	0.07	0.03	0.15
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.5	2.1	2.0	3.3	3.7	4.1	6.7	0.41	0.71	0.10	1.23
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.9	1.0	1.7	0.7	1.9	3.0	3.8	0.26	0.43	0.08	0.75
C11	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.3	0.4	0.3	0.7	1.2	1.0	1.0	0.13	0.19	0.05	0.29
C12-13	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.2	0.8	1.7	3.3	7.0	10.6	9.9	17.3	24.0	1.19	2.18	0.18	3.33
C14	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	1.2	2.5	2.9	6.2	11.2	8.7	0.47	0.92	0.12	1.01
C15	0.0	0.1	0.0	0.1	0.1	0.1	0.6	0.4	1.7	4.4	8.5	10.7	13.2	25.4	41.6	42.3	2.35	4.27	0.26	5.69
C16	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.2	1.4	2.6	6.4	6.5	13.2	19.8	26.4	35.6	1.73	3.22	0.23	4.37
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.0	0.0	2.0	1.0	0.05	0.09	0.04	0.10
C18	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	1.0	0.9	1.5	5.9	3.3	7.4	19.3	22.1	0.86	1.64	0.16	1.82
C19-20	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.3	1.0	0.5	2.5	2.0	2.9	13.6	9.1	10.6	0.69	1.26	0.14	1.36
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.7	0.6	1.0	0.0	0.05	0.09	0.04	0.17
C22	0.1	0.0	0.1	0.1	0.1	0.2	0.3	1.0	0.5	1.7	3.3	5.9	12.8	27.8	36.5	34.6	1.75	3.42	0.24	3.54
C23-24	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.5	1.5	0.6	3.3	5.6	13.2	10.6	0.47	0.94	0.13	0.94
C25	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.3	0.1	0.6	1.7	2.5	6.6	12.4	13.2	10.6	0.71	1.38	0.15	1.65
C30-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.4	0.3	1.8	0.0	1.0	1.0	0.11	0.17	0.05	0.43
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.8	2.6	5.4	4.8	16.5	19.2	28.4	30.8	1.65	3.12	0.22	4.38
C33-34	0.4	0.0	0.0	0.2	0.1	0.1	0.4	0.7	2.6	3.5	11.0	16.9	26.0	51.9	74.1	67.3	3.74	7.16	0.34	8.61
C37-38	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.2	0.0	0.2	0.3	0.0	0.0	1.0	0.0	0.08	0.09	0.03	0.11
C40-41	0.0	0.1	0.4	1.0	0.3	0.2	0.1	0.0	0.1	0.2	0.6	1.7	1.5	1.2	2.0	4.8	0.39	0.52	0.08	0.55
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	0.3	0.4	0.0	2.0	1.0	0.07	0.12	0.04	0.18
C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.6	0.8	1.4	1.1	2.5	3.0	4.8	0.26	0.44	0.08	0.68
C45	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.4	1.2	1.0	2.9	0.09	0.15	0.05	0.07
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.2	0.3	0.1	0.4	0.1	0.3	0.3	0.1	0.2	0.6	0.6	1.7	0.4	3.1	2.0	3.8	0.37	0.52	0.08	0.54
C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.4	0.6	0.0	1.2	0.0	1.9	0.09	0.14	0.05	0.21
C60	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.6	0.0	0.7	0.6	2.0	1.0	0.09	0.16	0.05	0.25
C61	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8	4.2	8.1	22.9	46.7	105.8	1.86	4.31	0.28	1.81
C62	0.2	0.0	0.0	0.2	0.4	0.3	0.4	0.6	0.4	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.27	0.25	0.05	0.34
C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.0	1.0	0.02	0.06	0.03	0.00
C64	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	1.3	2.0	2.2	7.4	6.1	7.7	0.47	0.86	0.12	1.09
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.01	0.02	0.02	0.00
C67	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.6	0.0	0.8	0.6	4.2	3.7	12.4	14.2	25.0	0.78	1.60	0.17	1.37
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C69	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.04	0.06	0.03	0.00
C70-72	0.7	0.6	0.2	0.2	0.3	0.4	0.9	0.8	2.3	2.3	2.3	2.3	4.8	13.0	16.2	4.8	1.24	1.83	0.16	2.30
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.3	0.4	0.6	0.0	3.8	0.08	0.14	0.05	0.15
C74	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.0	0.0	0.0	0.05	0.06	0.03	0.10
C77	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.3	0.4	0.3	1.2	2.0	2.9	6.2	6.1	6.7	0.45	0.80	0.11	1.00
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.5	2.1	0.6	1.8	4.3	3.0	4.8	0.32	0.55	0.09	0.84
C79	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.2	1.0	1.7	1.5	2.5	3.0	1.0	0.22	0.36	0.07	0.61
C81	0.0	0.1	0.1	0.0	0.1	0.1	0.2	0.0	0.0	0.5	0.4	0.6	0.0	0.0	3.0	2.9	0.16	0.23	0.06	0.22
C82-85,C96	0.6	0.4	0.7	0.3	0.4	0.5	0.9	1.5	2.0	1.8	3.5	7.0	8.1	14.8	24.4	35.6	1.88	3.07	0.21	3.55
C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	1.2	2.3	4.8	6.8	13.2	15.4	0.64	1.25	0.14	1.53
C91	1.5	1.6	1.1	1.7	0.5	0.4	0.4	0.7	0.5	0.3	0.4	2.0	1.5	4.3	4.1	11.5	1.06	1.37	0.13	0.79
C92-94	0.7	0.2	0.4	0.2	0.6	0.6	0.7	1.3	1.8	2.4	2.3	3.4	3.3	6.8	7.1	12.5	1.18	1.61	0.14	2.31
C95	0.3	0.0	0.4	0.3	0.2	0.1	0.3	0.2	0.2	0.3	0.2	0.3	1.1	2.5	7.1	4.8	0.37	0.56	0.09	0.35
O&U	0.2	0.0	0.1	0.2	0.2	0.1	0.4	0.7	1.0	1.4	3.3	6.2	8.1	12.4	17.3	23.1	1.25	2.19	0.18	2.94
All	6.0	3.6	4.0	5.4	4.0	4.3	7.5	13.7	27.2	43.1	82.9	129.2	197.0	355.5	523.7	628.0	33.10	58.98	0.96	71.73

TABLE MUM-9.3(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 1999-2000 - Females
Mumbai

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C01-02	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.9	0.8	2.2	3.7	3.0	5.0	8.4	7.8	0.60	0.99	0.13	1.60
C03-06	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	2.1	1.5	3.9	9.2	5.6	10.0	10.5	14.7	1.15	1.86	0.18	3.32
C07-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.9	0.0	1.1	0.9	0.07	0.10	0.04	0.20
C09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	0.4	0.0	3.2	0.9	0.08	0.14	0.05	0.19
C10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.0	0.02	0.03	0.02	0.04
C11	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.04	0.04	0.02	0.04
C12-13	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.5	0.6	0.8	0.0	1.3	3.6	5.3	5.2	0.31	0.51	0.09	0.57
C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.9	1.4	1.1	2.6	0.11	0.18	0.06	0.19
C15	0.0	0.0	0.0	0.0	0.1	0.0	0.0	1.0	1.9	3.0	5.5	11.7	13.4	25.7	18.9	25.0	1.91	3.29	0.24	5.27
C16	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.6	0.9	2.5	3.3	3.3	6.5	9.3	16.8	16.4	1.06	1.78	0.17	2.58
C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.4	0.4	1.4	1.1	0.9	0.07	0.12	0.05	0.13
C18	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.3	1.4	2.3	2.8	3.3	3.9	5.7	15.8	10.4	0.86	1.40	0.15	2.14
C19-20	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.4	1.4	0.4	1.4	2.6	0.9	7.1	5.3	6.9	0.52	0.82	0.12	1.09
C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	2.6	0.05	0.08	0.03	0.08
C22	0.1	0.0	0.0	0.0	0.1	0.3	0.2	0.3	1.8	1.9	3.3	8.8	6.0	7.9	9.5	12.1	1.07	1.72	0.17	3.21
C23-24	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.2	1.5	2.5	4.4	2.6	12.1	12.6	13.0	0.88	1.49	0.16	1.95
C25	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.5	0.6	0.3	3.7	3.4	10.0	5.3	8.6	0.55	0.97	0.13	1.24
C30-31	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.6	0.7	0.9	1.4	2.1	0.0	0.11	0.20	0.06	0.34
C32	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.7	0.8	0.6	0.7	0.4	2.1	6.3	3.5	0.28	0.45	0.09	0.59
C33-34	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.4	1.1	3.2	4.7	8.8	9.9	15.0	12.6	17.3	1.37	2.32	0.20	4.06
C37-38	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.02	0.03	0.02	0.00
C40-41	0.0	0.3	0.7	0.4	0.2	0.2	0.0	0.1	0.4	0.2	0.3	0.7	0.9	2.1	2.1	1.7	0.33	0.42	0.08	0.38
C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.7	0.0	0.0	1.1	0.0	0.06	0.09	0.04	0.21
C44	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.1	0.0	0.2	0.6	1.1	0.4	2.1	2.1	1.7	0.19	0.29	0.07	0.35
C45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.3	0.4	0.4	0.7	1.1	4.3	0.13	0.22	0.06	0.30
C46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
C47+C49	0.0	0.3	0.1	0.2	0.1	0.3	0.1	0.3	0.4	0.4	0.0	0.0	1.7	3.6	2.1	1.7	0.29	0.40	0.08	0.42
C50	0.0	0.0	0.1	0.0	0.2	1.2	2.5	5.7	10.2	20.0	28.2	30.8	35.3	53.6	57.8	63.9	6.76	10.51	0.41	20.01
C51	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.4	0.0	1.1	0.9	0.07	0.09	0.04	0.16
C52	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.4	0.0	0.4	1.4	1.1	1.7	0.13	0.22	0.06	0.35
C53	0.0	0.0	0.0	0.1	0.1	0.4	1.0	3.1	8.3	11.7	14.4	16.1	20.7	38.6	25.2	26.8	3.78	5.88	0.31	11.53
C54	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	1.3	0.8	4.0	1.7	6.4	0.0	2.6	0.37	0.62	0.10	1.16
C55	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	1.1	1.9	2.9	6.5	4.3	7.4	7.8	0.60	1.02	0.13	1.89
C56	0.0	0.1	0.2	0.0	0.2	0.4	0.8	2.0	4.0	7.4	4.1	13.2	9.5	17.9	21.0	20.7	2.22	3.41	0.23	6.20
C57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.4	2.1	1.1	1.7	0.09	0.17	0.06	0.15
C58	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.04	0.02	0.02
C64	0.5	0.1	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.8	0.3	0.7	0.4	2.9	3.2	3.5	0.28	0.42	0.08	0.36
C65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.04
C66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.01	0.03
C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	1.5	4.3	2.9	5.3	8.6	0.36	0.66	0.11	0.96
C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	2.1	0.0	0.03	0.06	0.03	0.04
C69	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.06	0.07	0.03	0.00
C70-72	0.2	0.7	0.4	0.3	0.4	0.5	0.2	0.8	0.7	2.3	4.1	3.7	3.9	10.0	7.4	7.8	1.09	1.58	0.16	2.38
C73	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	1.1	0.7	2.6	3.6	2.1	2.6	0.23	0.41	0.09	0.65
C74	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.04	0.05	0.02	0.05
C77	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.4	1.1	0.7	1.3	1.4	2.1	3.5	0.21	0.34	0.08	0.59
C78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.7	1.4	1.1	1.7	2.9	5.3	5.2	0.38	0.62	0.10	1.06
C79	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.3	0.7	0.9	0.0	2.1	0.9	0.11	0.17	0.05	0.32
C81	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.7	0.4	0.7	1.1	0.9	0.10	0.14	0.05	0.22
C82-85,C96	0.4	0.1	0.4	0.4	0.4	0.2	0.1	0.3	2.1	2.1	3.0	4.0	6.9	13.6	15.8	26.8	1.41	2.29	0.20	2.77
C90	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.9	0.6	1.9	2.6	4.3	4.3	7.4	4.3	0.50	0.84	0.12	1.52
C91	1.0	0.4	0.5	0.7	0.2	0.4	0.1	0.8	0.5	0.6	0.8	0.0	0.9	2.9	3.2	4.3	0.61	0.75	0.10	0.62
C92-94	0.5	0.1	0.4	0.5	0.3	0.3	0.7	0.9	1.6	2.1	1.9	2.6	3.4	6.4	10.5	5.2	0.96	1.35	0.14	1.97
C95	0.1	0.2	0.0	0.1	0.2	0.4	0.2	0.8	0.5	0.6	0.6	1.1	1.3	3.6	2.1	5.2	0.43	0.59	0.09	0.77
O&U	0.1	0.0	0.2	0.1	0.2	0.3	0.2	0.8	0.5	2.8	1.9	7.3	8.6	16.4	10.5	21.6	1.32	2.20	0.19	3.15
All	3.7	2.3	3.0	3.5	3.3	6.4	8.3	22.4	47.0	78.6	105.0	160.6	179.6	322.9	339.5	385.2	34.30	54.46	0.94	89.48

Other Publications of NCRP

1. Annual Report 1982: National Cancer Registry, Indian Council of Medical Research, New Delhi, 1985
2. Annual Report 1983: National Cancer Registry, Indian Council of Medical Research, New Delhi, 1986
3. Annual Report 1984: National Cancer Registry, Indian Council of Medical Research, New Delhi, 1987
4. Annual Report 1985: National Cancer Registry, Indian Council of Medical Research, New Delhi, 1988
5. Annual Report 1986: National Cancer Registry, Indian Council of Medical Research, New Delhi, 1989
6. Annual Report 1987: National Cancer Registry Programme, Indian Council of Medical Research, New Delhi, 1989
7. Biennial Report 1988-1989: National Cancer Registry Programme, Indian Council of Medical Research, New Delhi, 1992
8. Consolidated Report of the Population Based Cancer Registries 1990-1996: National Cancer Registry Programme (ICMR), Bangalore, 2001
9. Consolidated Report of the Population Based Cancer Registries 1990-1996 Supplement : Year-wise Tabulation of Incident Cancers and Rates by Site and Gender: National Cancer Registry Programme (ICMR), Bangalore, 2001
10. Ten Year Consolidated Report of the Hospital Based Cancer Registries 1984-93: National Cancer Registry Programme (ICMR), Bangalore, 2001
11. An Overview 1981-2001: National Cancer Registry Programme (ICMR), Bangalore, 2001
12. Two Year Report of the Population Based Cancer Registries 1997-1998: National Cancer Registry Programme (ICMR), Bangalore, 2002
13. Five Year Consolidated Report of the Hospital Based Cancer Registries 1994-1998: National Cancer Registry Programme (ICMR), Bangalore, 2002
14. Development of an atlas of cancer in India. First All India Report, 2001-2002. vol. I and II. [www.canceratlasindia.org] National Cancer Registry Programme (ICMR), Bangalore: 2004.
15. An Overview - Development of an atlas of cancer in India. First All India Report, 2001-2002. [www.canceratlasindia.org] National Cancer Registry Programme (ICMR), Bangalore: 2004.