

Table 12(a) Population by Five Year Age Group and Gender
Number and Relative Proportion (%) : 2012 - 2016
Barshi rural

| Age Group | Males | | Females | |
|--------------|----------------|---------------|----------------|---------------|
| | Number | % | Number | % |
| 00-04 | 117174 | 8.70 | 98366 | 8.13 |
| 05-09 | 117668 | 8.73 | 99389 | 8.21 |
| 10-14 | 127691 | 9.48 | 109618 | 9.06 |
| 15-19 | 140501 | 10.43 | 112965 | 9.34 |
| 20-24 | 142344 | 10.56 | 113966 | 9.42 |
| 25-29 | 110285 | 8.18 | 94691 | 7.83 |
| 30-34 | 87934 | 6.53 | 84136 | 6.95 |
| 35-39 | 83922 | 6.23 | 84046 | 6.95 |
| 40-44 | 80877 | 6.00 | 76060 | 6.29 |
| 45-49 | 66489 | 4.93 | 62632 | 5.18 |
| 50-54 | 57669 | 4.28 | 52733 | 4.36 |
| 55-59 | 44043 | 3.27 | 44549 | 3.68 |
| 60-64 | 45844 | 3.40 | 54112 | 4.47 |
| 65-69 | 46957 | 3.48 | 50098 | 4.14 |
| 70-74 | 39104 | 2.90 | 35100 | 2.90 |
| 75+ | 39024 | 2.90 | 37619 | 3.11 |
| Total | 1347526 | 100.00 | 1210080 | 100.00 |

Area(Sq.Km): 3713

Figure 12(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2016
Barshi rural




Table 12(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2016 Males

%= Relative Proportion of Cancers of All Sites

Barshi rural

| ICD-10 | Site | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|---------|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|-------|-------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | - | 3 | 0.41 |
| C01-C02 | Tongue | - | - | - | - | - | - | 2 | 1 | 4 | 3 | 4 | - | 4 | 6 | 6 | 1 | - | 31 | 4.27 |
| C03-C06 | Mouth | - | - | - | - | - | 1 | 3 | 5 | 6 | 4 | 5 | 9 | 11 | 10 | 7 | 1 | - | 62 | 8.54 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | 1 | - | 1 | 2 | - | - | 1 | - | - | - | 5 | 0.69 |
| C09 | Tonsil | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 3 | 4 | 0.55 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 0.14 |
| C11 | Nasopharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.14 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | - | 1 | 1 | - | - | 2 | 1 | 6 | 7 | 3 | - | 21 | 2.89 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 2 | 1 | - | 4 | 0.55 |
| C15 | Oesophagus | - | - | - | - | - | 1 | - | - | 1 | 2 | 2 | 5 | 7 | 14 | 8 | 17 | - | 57 | 7.85 |
| C16 | Stomach | - | - | - | - | - | 2 | - | - | 1 | 3 | - | 7 | 5 | 4 | 7 | 3 | - | 32 | 4.41 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.14 |
| C18 | Colon | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 4 | 1 | 3 | - | 13 | 1.79 |
| C19-C20 | Rectum | - | - | - | - | - | - | 1 | 3 | - | 3 | 3 | 3 | 4 | 5 | 5 | 4 | - | 31 | 4.27 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 1 | - | - | 3 | 0.41 |
| C22 | Liver | 2 | - | - | - | - | - | - | 1 | 1 | 4 | 5 | 3 | 7 | 10 | 6 | 6 | - | 45 | 6.20 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 1 | 3 | - | - | 12 | 1.65 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 | 1 | 3 | 2 | - | - | 12 | 1.65 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.14 |
| C32 | Larynx | - | - | - | - | - | - | - | - | - | 1 | 3 | 3 | 4 | 5 | 3 | 6 | - | 25 | 3.44 |
| C33-C34 | Lung etc. | - | - | - | - | - | - | - | - | 2 | 2 | 3 | 4 | 2 | 6 | 3 | 3 | - | 25 | 3.44 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 2 | - | 5 | 0.69 |
| C40-C41 | Bone | - | - | - | 4 | 1 | - | 2 | 1 | - | - | 1 | 3 | 2 | 1 | 2 | 1 | - | 18 | 2.48 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 2 | 0.28 |
| C44 | Other Skin | - | - | - | - | 2 | - | - | 1 | - | 2 | - | 5 | 2 | 4 | 3 | 5 | - | 24 | 3.31 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | 0.14 |
| C50 | Breast | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | 2 | 0.28 |
| C60 | Penis | - | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 3 | 2 | 2 | 1 | 2 | - | 15 | 2.07 |
| C61 | Prostate | - | - | - | - | - | - | - | - | - | - | 2 | 2 | 3 | 8 | 15 | 13 | - | 43 | 5.92 |
| C62 | Testis | - | - | - | - | - | 2 | 1 | 1 | - | - | - | 1 | - | - | 1 | - | - | 6 | 0.83 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 2 | 1 | - | 4 | 0.55 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | 1 | - | - | - | - | 4 | 3 | 5 | 1 | 6 | - | 20 | 2.75 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.14 |
| C70-C72 | Brain, Nervous System | 1 | - | - | 2 | - | 3 | 5 | 1 | 3 | 4 | 3 | 3 | 5 | 5 | 2 | 1 | - | 38 | 5.23 |
| C73 | Thyroid | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - | 3 | 0.41 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | 1 | 2 | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | 5 | 0.69 |
| C82-C85 | NHL | 1 | - | - | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 4 | 6 | 6 | - | 31 | 4.27 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | 2 | - | - | 1 | 1 | 1 | - | - | 5 | 0.69 |
| C91 | Lymphoid Leuk. | - | 2 | 1 | 1 | 1 | - | - | - | 1 | - | - | 1 | - | 2 | 1 | - | - | 10 | 1.38 |
| C92-C94 | Myeloid Leukaemia | 1 | - | 1 | 3 | 1 | 2 | 1 | 2 | - | 1 | 3 | 3 | - | 1 | 1 | - | - | 20 | 2.75 |
| C95 | Leukaemia Uns | 3 | - | 1 | - | 1 | 1 | - | - | - | - | - | 1 | - | 1 | - | 1 | - | 9 | 1.24 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | 1 | 1 | 2 | 1 | - | 3 | 1 | 2 | - | 3 | 2 | 2 | 7 | 23 | 13 | 14 | - | 75 | 10.33 |
| | All Sites | 9 | 3 | 6 | 14 | 8 | 18 | 20 | 23 | 26 | 40 | 45 | 74 | 82 | 136 | 116 | 106 | - | 726 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Table 12(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2016 Females
 %= Relative Proportion of Cancers of All Sites
Barshi rural

| ICD-10 | Site | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|---------|-----------------------|-----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|-----------|-----------|----------|------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | 2 | - | - | - | 4 | 0.49 |
| C01-C02 | Tongue | - | - | - | - | - | - | - | 1 | 2 | 2 | - | 3 | 1 | 5 | - | 1 | - | 15 | 1.85 |
| C03-C06 | Mouth | - | - | - | - | - | - | - | - | 2 | 1 | 4 | 2 | 3 | 4 | 2 | 3 | - | 21 | 2.58 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 | - | - | 3 | 0.37 |
| C09 | Tonsil | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | 2 | 0.25 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - | 4 | 0.49 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.12 |
| C15 | Oesophagus | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 1 | 5 | 4 | 10 | 9 | 5 | - | 40 | 4.92 |
| C16 | Stomach | - | - | - | - | 1 | - | - | 1 | 2 | 4 | 1 | 1 | 4 | 3 | 1 | 3 | - | 21 | 2.58 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | Colon | - | - | - | - | - | - | 1 | - | - | 2 | - | 2 | 3 | 3 | 1 | 3 | - | 15 | 1.85 |
| C19-C20 | Rectum | - | - | - | - | - | 2 | - | 1 | 4 | - | 2 | 2 | 2 | 4 | 1 | 2 | - | 20 | 2.46 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 2 | - | - | - | 4 | 0.49 |
| C22 | Liver | 1 | - | - | - | - | - | - | - | 4 | 1 | 2 | 1 | - | 2 | - | 1 | - | 12 | 1.48 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 | - | 6 | 0.74 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | 3 | 0.37 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | Larynx | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | 2 | 0.25 |
| C33-C34 | Lung etc. | - | - | - | - | - | 1 | 1 | 1 | 3 | 1 | 3 | 3 | 3 | 7 | 1 | 2 | - | 26 | 3.20 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 2 | - | 4 | 0.49 |
| C40-C41 | Bone | - | - | 1 | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 1 | - | - | - | 9 | 1.11 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | 2 | 0.25 |
| C44 | Other Skin | 1 | - | - | - | - | - | - | - | 1 | 1 | 5 | 2 | 6 | 2 | 1 | 5 | - | 24 | 2.95 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | Breast | - | - | - | - | 1 | - | 3 | 7 | 17 | 26 | 19 | 16 | 23 | 30 | 13 | 4 | - | 159 | 19.56 |
| C51 | Vulva | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | 3 | 0.37 |
| C52 | Vagina | - | - | - | - | - | - | - | 1 | 2 | - | 1 | 2 | 3 | 1 | 1 | 1 | - | 12 | 1.48 |
| C53 | Cervix Uteri | - | - | - | - | - | - | 2 | 6 | 16 | 24 | 20 | 23 | 38 | 37 | 19 | 21 | - | 206 | 25.34 |
| C54 | Corpus Uteri | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 2 | 2 | 2 | - | - | 9 | 1.11 |
| C55 | Uterus Unspecified | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.12 |
| C56 | Ovary etc. | - | - | - | 3 | 1 | - | 1 | 3 | 4 | 6 | 4 | 4 | 6 | 8 | 5 | 1 | - | 46 | 5.66 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | 2 | 1 | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | 5 | 0.62 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 3 | 1 | - | 2 | - | 8 | 0.98 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.12 |
| C70-C72 | Brain, Nervous System | 1 | - | 1 | - | - | 2 | - | - | 4 | 3 | - | 1 | 2 | 1 | - | 1 | - | 16 | 1.97 |
| C73 | Thyroid | - | - | - | - | - | 2 | 4 | 2 | 2 | 4 | 3 | 1 | 2 | 2 | 2 | - | - | 24 | 2.95 |
| C74 | Adrenal Gland | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 0.25 |
| C81 | Hodgkins Disease | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | 2 | 0.25 |
| C82-C85 | NHL | - | - | 1 | - | 1 | - | - | - | - | 1 | 2 | 1 | 1 | 4 | 4 | - | - | 15 | 1.85 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | 3 | 0.37 |
| C91 | Lymphoid Leuk. | 2 | 2 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 6 | 0.74 |
| C92-C94 | Myeloid Leukaemia | - | - | - | 1 | 2 | - | 3 | - | - | 1 | 1 | - | 1 | - | - | 1 | - | 10 | 1.23 |
| C95 | Leukaemia Uns | 2 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 4 | 0.49 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | 1 | - | 1 | - | - | - | 1 | - | 1 | 3 | 3 | 6 | 7 | 9 | 6 | 5 | - | 43 | 5.29 |
| | All Sites | 12 | 3 | 4 | 6 | 8 | 7 | 19 | 27 | 67 | 88 | 76 | 76 | 129 | 146 | 77 | 68 | - | 813 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Table 12(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Males Barshi rural

| ICD-10 | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | CR | AAR | SE | TR |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|
| C00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.6 | 5.1 | 0.2 | 0.15 | 0.09 | - |
| C01-C02 | - | - | - | - | - | - | 2.3 | 1.2 | 4.9 | 4.5 | 6.9 | - | 8.7 | 12.8 | 15.3 | 2.6 | 2.3 | 2.21 | 0.41 | 4.3 |
| C03-C06 | - | - | - | - | - | 0.9 | 3.4 | 6.0 | 7.4 | 6.0 | 8.7 | 20.4 | 24.0 | 21.3 | 17.9 | 2.6 | 4.6 | 4.70 | 0.61 | 10.9 |
| C07-C08 | - | - | - | - | - | - | - | 1.2 | - | 1.5 | 3.5 | - | - | 2.1 | - | - | 0.4 | 0.40 | 0.18 | 1.1 |
| C09 | - | - | - | - | - | - | - | - | - | - | - | 2.3 | - | - | - | 7.7 | 0.3 | 0.24 | 0.13 | 0.3 |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.6 | 0.1 | 0.05 | 0.05 | - |
| C11 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.1 | - | - | 0.1 | 0.06 | 0.06 | - |
| C12-C13 | - | - | - | - | - | - | - | 1.2 | 1.2 | - | - | 4.5 | 2.2 | 12.8 | 17.9 | 7.7 | 1.6 | 1.31 | 0.29 | 1.3 |
| C14 | - | - | - | - | - | - | - | 1.2 | - | - | - | - | - | - | 5.1 | 2.6 | 0.3 | 0.23 | 0.11 | 0.2 |
| C15 | - | - | - | - | - | 0.9 | - | - | 1.2 | 3.0 | 3.5 | 11.4 | 15.3 | 29.8 | 20.5 | 43.6 | 4.2 | 3.74 | 0.51 | 4.8 |
| C16 | - | - | - | - | - | 1.8 | - | - | 1.2 | 4.5 | - | 15.9 | 10.9 | 8.5 | 17.9 | 7.7 | 2.4 | 2.33 | 0.42 | 4.6 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.1 | - | - | 0.1 | 0.06 | 0.06 | - |
| C18 | - | - | - | - | - | - | - | - | 1.5 | 1.7 | 4.5 | 2.2 | 8.5 | 2.6 | 7.7 | 7.7 | 1.0 | 0.91 | 0.26 | 1.4 |
| C19-C20 | - | - | - | - | - | - | 1.1 | 3.6 | - | 4.5 | 5.2 | 6.8 | 8.7 | 10.6 | 12.8 | 10.3 | 2.3 | 2.22 | 0.41 | 4.4 |
| C21 | - | - | - | - | - | - | - | - | 1.2 | - | - | - | - | 2.1 | 2.6 | - | 0.2 | 0.19 | 0.11 | 0.2 |
| C22 | 1.7 | - | - | - | - | - | - | 1.2 | 1.2 | 6.0 | 8.7 | 6.8 | 15.3 | 21.3 | 15.3 | 15.4 | 3.3 | 3.28 | 0.50 | 5.9 |
| C23-C24 | - | - | - | - | - | - | - | - | - | 1.5 | 1.7 | 6.8 | 6.5 | 2.1 | 7.7 | - | 0.9 | 0.93 | 0.27 | 2.3 |
| C25 | - | - | - | - | - | - | - | - | 2.5 | 1.5 | 3.5 | 2.3 | 2.2 | 6.4 | 5.1 | - | 0.9 | 0.88 | 0.26 | 1.9 |
| C30-C31 | - | - | - | - | - | - | - | - | - | - | - | - | 2.2 | - | - | - | 0.1 | 0.09 | 0.09 | 0.3 |
| C32 | - | - | - | - | - | - | - | - | - | 1.5 | 5.2 | 6.8 | 8.7 | 10.6 | 7.7 | 15.4 | 1.9 | 1.75 | 0.36 | 3.1 |
| C33-C34 | - | - | - | - | - | - | - | - | 2.5 | 3.0 | 5.2 | 9.1 | 4.4 | 12.8 | 7.7 | 7.7 | 1.9 | 1.82 | 0.37 | 3.6 |
| C37-C38 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.1 | 5.1 | 5.1 | 0.4 | 0.27 | 0.12 | - |
| C40-C41 | - | - | - | 2.8 | 0.7 | - | 2.3 | 1.2 | - | - | 1.7 | 6.8 | 4.4 | 2.1 | 5.1 | 2.6 | 1.3 | 1.27 | 0.31 | 2.0 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | 4.4 | - | - | - | 0.1 | 0.17 | 0.12 | 0.6 |
| C44 | - | - | - | - | 1.4 | - | - | 1.2 | - | 3.0 | - | 11.4 | 4.4 | 8.5 | 7.7 | 12.8 | 1.8 | 1.66 | 0.35 | 2.8 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.6 | - | 0.1 | 0.05 | 0.05 | - |
| C50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.1 | - | 0.1 | 0.10 | 0.07 | - |
| C60 | - | - | - | - | - | - | - | 1.2 | 1.2 | 1.5 | 3.5 | 6.8 | 4.4 | 4.3 | 2.6 | 5.1 | 1.1 | 1.14 | 0.30 | 2.8 |
| C61 | - | - | - | - | - | - | - | - | - | - | 3.5 | 4.5 | 6.5 | 17.0 | 38.4 | 33.3 | 3.2 | 2.56 | 0.40 | 2.0 |
| C62 | - | - | - | - | - | 1.8 | 1.1 | 1.2 | - | - | - | 2.3 | - | - | 2.6 | - | 0.4 | 0.43 | 0.18 | 0.5 |
| C63 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | 1.2 | - | - | - | - | - | 5.1 | 2.6 | 0.3 | 0.23 | 0.12 | 0.2 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | 1.1 | - | - | - | - | 9.1 | 6.5 | 10.6 | 2.6 | 15.4 | 1.5 | 1.37 | 0.32 | 2.0 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | 2.2 | - | - | - | 0.1 | 0.09 | 0.09 | 0.3 |
| C70-C72 | 0.9 | - | - | 1.4 | - | 2.7 | 5.7 | 1.2 | 3.7 | 6.0 | 5.2 | 6.8 | 10.9 | 10.6 | 5.1 | 2.6 | 2.8 | 2.89 | 0.47 | 5.2 |
| C73 | - | - | - | - | - | 0.9 | - | - | - | - | - | 2.3 | 2.2 | - | - | - | 0.2 | 0.25 | 0.15 | 0.6 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | 0.8 | 1.4 | 0.7 | - | - | - | - | - | - | - | 2.2 | - | - | - | 0.4 | 0.34 | 0.15 | 0.3 |
| C82-C85 | 0.9 | - | - | 0.7 | 0.7 | 1.8 | 3.4 | 1.2 | 1.2 | 1.5 | 1.7 | 4.5 | 2.2 | 8.5 | 15.3 | 15.4 | 2.3 | 2.03 | 0.37 | 1.9 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | 3.0 | - | - | 2.2 | 2.1 | 2.6 | - | 0.4 | 0.38 | 0.17 | 0.9 |
| C91 | - | 1.7 | 0.8 | 0.7 | 0.7 | - | - | - | 1.2 | - | - | 2.3 | - | 4.3 | 2.6 | - | 0.7 | 0.70 | 0.23 | 0.5 |
| C92-C94 | 0.9 | - | 0.8 | 2.1 | 0.7 | 1.8 | 1.1 | 2.4 | - | 1.5 | 5.2 | 6.8 | - | 2.1 | 2.6 | - | 1.5 | 1.52 | 0.34 | 2.5 |
| C95 | 2.6 | - | 0.8 | - | 0.7 | 0.9 | - | - | - | - | - | 2.3 | - | 2.1 | - | 2.6 | 0.7 | 0.71 | 0.24 | 0.3 |
| C96 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | 0.9 | 0.8 | 1.6 | 0.7 | - | 2.7 | 1.1 | 2.4 | - | 4.5 | 3.5 | 4.5 | 15.3 | 49.0 | 33.2 | 35.9 | 5.6 | 4.91 | 0.58 | 4.5 |
| All Sites | 7.7 | 2.5 | 4.7 | 10.0 | 5.6 | 16.3 | 22.7 | 27.4 | 32.1 | 60.2 | 78.0 | 168.0 | 178.9 | 289.6 | 296.6 | 271.6 | 53.9 | 50.6 | 1.93 | 80.5 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Table 12(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Females Barshi rural

| ICD-10 | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | CR | AAR | SE | TR |
|------------------|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|-------------|--------------|
| C00 | - | - | - | - | - | - | - | - | 1.3 | 1.6 | - | - | - | 4.0 | - | - | 0.3 | 0.29 | 0.15 | 0.6 |
| C01-C02 | - | - | - | - | - | - | - | 1.2 | 2.6 | 3.2 | - | 6.7 | 1.8 | 10.0 | - | 2.7 | 1.2 | 1.12 | 0.29 | 2.5 |
| C03-C06 | - | - | - | - | - | - | - | - | 2.6 | 1.6 | 7.6 | 4.5 | 5.5 | 8.0 | 5.7 | 8.0 | 1.7 | 1.55 | 0.35 | 3.3 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4.0 | 2.8 | - | 0.2 | 0.18 | 0.10 | - |
| C09 | - | - | - | - | - | - | - | - | - | 1.6 | - | - | 1.8 | - | - | - | 0.2 | 0.17 | 0.12 | 0.5 |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C12-C13 | - | - | - | - | - | - | - | - | - | - | 1.9 | - | 1.8 | - | 5.7 | - | 0.3 | 0.28 | 0.14 | 0.5 |
| C14 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 | - | - | - | 0.1 | 0.07 | 0.07 | 0.2 |
| C15 | - | - | - | - | - | - | 1.2 | 1.2 | 1.3 | 4.8 | 1.9 | 11.2 | 7.4 | 20.0 | 25.6 | 13.3 | 3.3 | 2.73 | 0.44 | 4.1 |
| C16 | - | - | - | - | 0.9 | - | - | 1.2 | 2.6 | 6.4 | 1.9 | 2.2 | 7.4 | 6.0 | 2.8 | 8.0 | 1.7 | 1.56 | 0.35 | 3.5 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | - | - | - | - | - | - | 1.2 | - | - | 3.2 | - | 4.5 | 5.5 | 6.0 | 2.8 | 8.0 | 1.2 | 1.06 | 0.28 | 1.9 |
| C19-C20 | - | - | - | - | - | 2.1 | - | 1.2 | 5.3 | - | 3.8 | 4.5 | 3.7 | 8.0 | 2.8 | 5.3 | 1.7 | 1.48 | 0.34 | 2.9 |
| C21 | - | - | - | - | - | - | - | 1.2 | - | - | - | - | 1.8 | 4.0 | - | - | 0.3 | 0.27 | 0.13 | 0.5 |
| C22 | 1.0 | - | - | - | - | - | - | - | 5.3 | 1.6 | 3.8 | 2.2 | - | 4.0 | - | 2.7 | 1.0 | 0.99 | 0.29 | 2.2 |
| C23-C24 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 | 4.0 | 2.8 | 5.3 | 0.5 | 0.36 | 0.15 | 0.2 |
| C25 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 | - | 2.8 | 2.7 | 0.2 | 0.18 | 0.11 | 0.2 |
| C30-C31 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 | 2.0 | - | - | 0.2 | 0.13 | 0.10 | 0.2 |
| C33-C34 | - | - | - | - | - | 1.1 | 1.2 | 1.2 | 3.9 | 1.6 | 5.7 | 6.7 | 5.5 | 14.0 | 2.8 | 5.3 | 2.1 | 1.92 | 0.38 | 3.8 |
| C37-C38 | - | - | - | - | - | - | - | 1.2 | - | - | - | - | - | - | 2.8 | 5.3 | 0.3 | 0.23 | 0.12 | 0.2 |
| C40-C41 | - | - | 0.9 | - | - | - | - | - | - | 1.6 | 1.9 | 2.2 | 7.4 | 2.0 | - | - | 0.7 | 0.72 | 0.24 | 1.9 |
| C43 | - | - | - | - | - | - | - | - | - | - | 1.9 | - | - | - | 2.8 | - | 0.2 | 0.15 | 0.11 | 0.3 |
| C44 | 1.0 | - | - | - | - | - | - | - | 1.3 | 1.6 | 9.5 | 4.5 | 11.1 | 4.0 | 2.8 | 13.3 | 2.0 | 1.84 | 0.39 | 4.1 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | - | - | - | - | 0.9 | - | 3.6 | 8.3 | 22.4 | 41.5 | 36.0 | 35.9 | 42.5 | 59.9 | 37.0 | 10.6 | 13.1 | 12.30 | 0.99 | 29.9 |
| C51 | - | - | - | - | - | - | - | - | - | 1.6 | - | - | - | 2.0 | 2.8 | - | 0.2 | 0.21 | 0.13 | 0.3 |
| C52 | - | - | - | - | - | - | - | 1.2 | 2.6 | - | 1.9 | 4.5 | 5.5 | 2.0 | 2.8 | 2.7 | 1.0 | 0.90 | 0.26 | 2.3 |
| C53 | - | - | - | - | - | - | 2.4 | 7.1 | 21.0 | 38.3 | 37.9 | 51.6 | 70.2 | 73.9 | 54.1 | 55.8 | 17.0 | 15.32 | 1.09 | 34.7 |
| C54 | - | - | - | - | - | - | 1.2 | - | - | 1.6 | 1.9 | - | 3.7 | 4.0 | 5.7 | - | 0.7 | 0.64 | 0.22 | 1.1 |
| C55 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 | - | - | - | 0.1 | 0.07 | 0.07 | 0.2 |
| C56 | - | - | - | 2.7 | 0.9 | - | 1.2 | 3.6 | 5.3 | 9.6 | 7.6 | 9.0 | 11.1 | 16.0 | 14.2 | 2.7 | 3.8 | 3.48 | 0.52 | 7.4 |
| C57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | 2.0 | 1.0 | - | - | 0.9 | - | - | 1.2 | - | - | - | - | - | - | - | - | 0.4 | 0.49 | 0.22 | 0.2 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | 1.2 | - | 1.3 | - | - | - | 5.5 | 2.0 | - | 5.3 | 0.7 | 0.54 | 0.19 | 1.0 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | 1.0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | 0.12 | 0.12 | - |
| C70-C72 | 1.0 | - | 0.9 | - | - | 2.1 | - | - | 5.3 | 4.8 | - | 2.2 | 3.7 | 2.0 | - | 2.7 | 1.3 | 1.33 | 0.34 | 2.7 |
| C73 | - | - | - | - | - | 2.1 | 4.8 | 2.4 | 2.6 | 6.4 | 5.7 | 2.2 | 3.7 | 4.0 | 5.7 | - | 2.0 | 1.89 | 0.39 | 3.9 |
| C74 | 1.0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.7 | 0.2 | 0.18 | 0.13 | - |
| C81 | - | - | - | - | 0.9 | - | - | - | - | - | - | - | 1.8 | - | - | - | 0.2 | 0.14 | 0.10 | 0.2 |
| C82-C85 | - | - | 0.9 | - | 0.9 | - | - | - | - | 1.6 | 3.8 | 2.2 | 1.8 | 8.0 | 11.4 | - | 1.2 | 1.07 | 0.28 | 1.4 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 | - | 2.8 | 2.7 | 0.2 | 0.18 | 0.11 | 0.2 |
| C91 | 2.0 | 2.0 | - | 1.8 | - | - | - | - | - | - | - | - | - | - | - | - | 0.5 | 0.60 | 0.25 | - |
| C92-C94 | - | - | - | 0.9 | 1.8 | - | 3.6 | - | - | 1.6 | 1.9 | - | 1.8 | - | - | 2.7 | 0.8 | 0.75 | 0.24 | 0.9 |
| C95 | 2.0 | - | - | - | - | - | - | - | - | - | 1.9 | - | 1.8 | - | - | - | 0.3 | 0.41 | 0.21 | 0.5 |
| C96 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | 1.0 | - | 0.9 | - | - | - | 1.2 | - | 1.3 | 4.8 | 5.7 | 13.5 | 12.9 | 18.0 | 17.1 | 13.3 | 3.6 | 3.13 | 0.49 | 5.5 |
| All Sites | 12.2 | 3.0 | 3.6 | 5.3 | 7.0 | 7.4 | 22.6 | 32.1 | 88.1 | 140.5 | 144.1 | 170.6 | 238.4 | 291.4 | 219.4 | 180.8 | 67.2 | 61.0 | 2.19 | 126.5 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 12(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Method of Diagnosis : 2012 - 2016 Males
Barshi rural**

| ICD-10 | Site | Clinical | | Microscopic | | X-ray/Imaging | | D.C.O | | Others | | Unknown | | Total | |
|---------|-----------------------|-----------|------------|-------------|-------------|---------------|------------|----------|------------|-----------|------------|----------|------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C01-C02 | Tongue | 3 | 9.7 | 28 | 90.3 | - | - | - | - | - | - | - | - | 31 | 100.0 |
| C03-C06 | Mouth | 1 | 1.6 | 59 | 95.2 | - | - | - | - | 2 | 3.2 | - | - | 62 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C09 | Tonsil | 1 | 25.0 | 3 | 75.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C10 | Oth. Oropharynx | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C11 | Nasopharynx | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C12-C13 | Hypopharynx | 3 | 14.3 | 17 | 81.0 | - | - | - | - | 1 | 4.8 | - | - | 21 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 3 | 75.0 | - | - | - | - | 1 | 25.0 | - | - | 4 | 100.0 |
| C15 | Oesophagus | 3 | 5.3 | 46 | 80.7 | - | - | - | - | 8 | 14.0 | - | - | 57 | 100.0 |
| C16 | Stomach | - | - | 28 | 87.5 | - | - | 1 | 3.1 | 3 | 9.4 | - | - | 32 | 100.0 |
| C17 | Small Intestine | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C18 | Colon | - | - | 10 | 76.9 | 1 | 7.7 | - | - | 2 | 15.4 | - | - | 13 | 100.0 |
| C19-C20 | Rectum | 2 | 6.5 | 28 | 90.3 | - | - | - | - | 1 | 3.2 | - | - | 31 | 100.0 |
| C21 | Anus & Anal Canal | 1 | 33.3 | 2 | 66.7 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C22 | Liver | - | - | 32 | 71.1 | 9 | 20.0 | 1 | 2.2 | 3 | 6.7 | - | - | 45 | 100.0 |
| C23-C24 | Gallbladder etc. | - | - | 9 | 75.0 | 1 | 8.3 | - | - | 2 | 16.7 | - | - | 12 | 100.0 |
| C25 | Pancreas | - | - | 7 | 58.3 | 1 | 8.3 | 1 | 8.3 | 3 | 25.0 | - | - | 12 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C32 | Larynx | 2 | 8.0 | 20 | 80.0 | 1 | 4.0 | 1 | 4.0 | 1 | 4.0 | - | - | 25 | 100.0 |
| C33-C34 | Lung etc. | 1 | 4.0 | 19 | 76.0 | 2 | 8.0 | 1 | 4.0 | 2 | 8.0 | - | - | 25 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 20.0 | 3 | 60.0 | - | - | 1 | 20.0 | - | - | - | - | 5 | 100.0 |
| C40-C41 | Bone | 1 | 5.6 | 14 | 77.8 | 3 | 16.7 | - | - | - | - | - | - | 18 | 100.0 |
| C43 | Melanoma of Skin | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C44 | Other Skin | 2 | 8.3 | 18 | 75.0 | 1 | 4.2 | 1 | 4.2 | 2 | 8.3 | - | - | 24 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C50 | Breast | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C60 | Penis | - | - | 15 | 100.0 | - | - | - | - | - | - | - | - | 15 | 100.0 |
| C61 | Prostate | - | - | 38 | 88.4 | 1 | 2.3 | - | - | 4 | 9.3 | - | - | 43 | 100.0 |
| C62 | Testis | - | - | 5 | 83.3 | - | - | - | - | 1 | 16.7 | - | - | 6 | 100.0 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 2 | 10.0 | 17 | 85.0 | - | - | - | - | 1 | 5.0 | - | - | 20 | 100.0 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C70-C72 | Brain, Nervous System | - | - | 29 | 76.3 | 8 | 21.1 | - | - | 1 | 2.6 | - | - | 38 | 100.0 |
| C73 | Thyroid | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C82-C85 | NHL | - | - | 31 | 100.0 | - | - | - | - | - | - | - | - | 31 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 9 | 90.0 | - | - | - | - | - | - | 1 | 10.0 | 10 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 20 | 100.0 | - | - | - | - | - | - | - | - | 20 | 100.0 |
| C95 | Leukaemia Uns | - | - | 9 | 100.0 | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | 2 | 2.7 | 62 | 82.7 | 7 | 9.3 | 1 | 1.3 | 3 | 4.0 | - | - | 75 | 100.0 |
| | All Sites | 27 | 3.7 | 614 | 84.6 | 35 | 4.8 | 8 | 1.1 | 41 | 5.6 | 1 | 0.1 | 726 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 12(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Method of Diagnosis : 2012 - 2016 Females
Barshi rural**

| ICD-10 | Site | Clinical | | Microscopic | | X-ray/Imaging | | D.C.O | | Others | | Unknown | | Total | |
|---------|-----------------------|-----------|------------|-------------|-------------|---------------|------------|----------|------------|-----------|------------|----------|------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C01-C02 | Tongue | 1 | 6.7 | 14 | 93.3 | - | - | - | - | - | - | - | - | 15 | 100.0 |
| C03-C06 | Mouth | 1 | 4.8 | 18 | 85.7 | - | - | 1 | 4.8 | 1 | 4.8 | - | - | 21 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C09 | Tonsil | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C12-C13 | Hypopharynx | 1 | 25.0 | 3 | 75.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C15 | Oesophagus | - | - | 35 | 87.5 | - | - | - | - | 5 | 12.5 | - | - | 40 | 100.0 |
| C16 | Stomach | - | - | 19 | 90.5 | - | - | - | - | 2 | 9.5 | - | - | 21 | 100.0 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | Colon | 1 | 6.7 | 11 | 73.3 | - | - | 1 | 6.7 | 2 | 13.3 | - | - | 15 | 100.0 |
| C19-C20 | Rectum | - | - | 18 | 90.0 | 1 | 5.0 | - | - | 1 | 5.0 | - | - | 20 | 100.0 |
| C21 | Anus & Anal Canal | 1 | 25.0 | 3 | 75.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C22 | Liver | - | - | 9 | 75.0 | 3 | 25.0 | - | - | - | - | - | - | 12 | 100.0 |
| C23-C24 | Gallbladder etc. | - | - | 3 | 50.0 | 3 | 50.0 | - | - | - | - | - | - | 6 | 100.0 |
| C25 | Pancreas | 1 | 33.3 | - | - | - | - | - | - | 2 | 66.7 | - | - | 3 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | Larynx | - | - | 1 | 50.0 | - | - | 1 | 50.0 | - | - | - | - | 2 | 100.0 |
| C33-C34 | Lung etc. | - | - | 16 | 61.5 | 6 | 23.1 | - | - | 4 | 15.4 | - | - | 26 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C40-C41 | Bone | - | - | 5 | 55.6 | 1 | 11.1 | - | - | 3 | 33.3 | - | - | 9 | 100.0 |
| C43 | Melanoma of Skin | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C44 | Other Skin | 4 | 16.7 | 20 | 83.3 | - | - | - | - | - | - | - | - | 24 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | Breast | 6 | 3.8 | 146 | 91.8 | 2 | 1.3 | 1 | 0.6 | 4 | 2.5 | - | - | 159 | 100.0 |
| C51 | Vulva | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C52 | Vagina | - | - | 12 | 100.0 | - | - | - | - | - | - | - | - | 12 | 100.0 |
| C53 | Cervix Uteri | 13 | 6.3 | 181 | 87.9 | 1 | 0.5 | 3 | 1.5 | 8 | 3.9 | - | - | 206 | 100.0 |
| C54 | Corpus Uteri | - | - | 9 | 100.0 | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C55 | Uterus Unspecified | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C56 | Ovary etc. | - | - | 40 | 87.0 | 1 | 2.2 | - | - | 5 | 10.9 | - | - | 46 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | 3 | 60.0 | - | - | - | - | 2 | 40.0 | - | - | 5 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | 6 | 75.0 | 1 | 12.5 | - | - | 1 | 12.5 | - | - | 8 | 100.0 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | 1 | 100.0 | - | - | 1 | 100.0 |
| C70-C72 | Brain, Nervous System | - | - | 10 | 62.5 | 4 | 25.0 | - | - | 2 | 12.5 | - | - | 16 | 100.0 |
| C73 | Thyroid | 1 | 4.2 | 22 | 91.7 | - | - | - | - | 1 | 4.2 | - | - | 24 | 100.0 |
| C74 | Adrenal Gland | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C81 | Hodgkins Disease | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C82-C85 | NHL | - | - | 13 | 86.7 | - | - | - | - | 2 | 13.3 | - | - | 15 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 5 | 83.3 | - | - | - | - | - | - | 1 | 16.7 | 6 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 9 | 90.0 | - | - | 1 | 10.0 | - | - | - | - | 10 | 100.0 |
| C95 | Leukaemia Uns | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | 2 | 4.7 | 24 | 55.8 | 10 | 23.3 | 1 | 2.3 | 6 | 14.0 | - | - | 43 | 100.0 |
| | All Sites | 32 | 3.9 | 686 | 84.4 | 33 | 4.1 | 9 | 1.1 | 52 | 6.4 | 1 | 0.1 | 813 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 12(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Detailed Microscopic Diagnosis : 2012 - 2016 Males
Barshi rural**

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|---------|-----------------------|------------|-------------|-----------|------------|-----------|-------------|------------|------------|-------------|------------|------------|-------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 3 | 100.0 | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C01-C02 | Tongue | 28 | 90.3 | - | - | - | - | - | - | - | - | 3 | 9.7 | 31 | 100.0 |
| C03-C06 | Mouth | 59 | 95.2 | - | - | - | - | - | - | - | - | 3 | 4.8 | 62 | 100.0 |
| C07-C08 | Salivary Gland | 5 | 100.0 | - | - | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C09 | Tonsil | 3 | 75.0 | - | - | - | - | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C10 | Oth. Oropharynx | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C11 | Nasopharynx | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C12-C13 | Hypopharynx | 17 | 81.0 | - | - | - | - | - | - | - | - | 4 | 19.0 | 21 | 100.0 |
| C14 | Pharynx Unspecified | 3 | 75.0 | - | - | - | - | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C15 | Oesophagus | 46 | 80.7 | - | - | - | - | - | - | - | - | 11 | 19.3 | 57 | 100.0 |
| C16 | Stomach | 26 | 81.3 | 2 | 6.3 | - | - | - | - | - | - | 4 | 12.5 | 32 | 100.0 |
| C17 | Small Intestine | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C18 | Colon | 10 | 76.9 | - | - | - | - | - | - | - | - | 3 | 23.1 | 13 | 100.0 |
| C19-C20 | Rectum | 27 | 87.1 | - | - | 1 | 3.2 | - | - | - | - | 3 | 9.7 | 31 | 100.0 |
| C21 | Anus & Anal Canal | 2 | 66.7 | - | - | - | - | - | - | - | - | 1 | 33.3 | 3 | 100.0 |
| C22 | Liver | 18 | 40.0 | - | - | 14 | 31.1 | - | - | - | - | 13 | 28.9 | 45 | 100.0 |
| C23-C24 | Gallbladder etc. | 6 | 50.0 | - | - | 3 | 25.0 | - | - | - | - | 3 | 25.0 | 12 | 100.0 |
| C25 | Pancreas | 2 | 16.7 | - | - | 5 | 41.7 | - | - | - | - | 5 | 41.7 | 12 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C32 | Larynx | 20 | 80.0 | - | - | - | - | - | - | - | - | 5 | 20.0 | 25 | 100.0 |
| C33-C34 | Lung etc. | 5 | 20.0 | 1 | 4.0 | 13 | 52.0 | - | - | - | - | 6 | 24.0 | 25 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | 3 | 60.0 | - | - | - | - | 2 | 40.0 | 5 | 100.0 |
| C40-C41 | Bone | 11 | 61.1 | - | - | 3 | 16.7 | - | - | - | - | 4 | 22.2 | 18 | 100.0 |
| C43 | Melanoma of Skin | 1 | 50.0 | - | - | - | - | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C44 | Other Skin | 17 | 70.8 | 1 | 4.2 | - | - | - | - | - | - | 6 | 25.0 | 24 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 | 1 | 100.0 |
| C50 | Breast | 1 | 50.0 | - | - | 1 | 50.0 | - | - | - | - | - | - | 2 | 100.0 |
| C60 | Penis | 15 | 100.0 | - | - | - | - | - | - | - | - | - | - | 15 | 100.0 |
| C61 | Prostate | 37 | 86.0 | - | - | 1 | 2.3 | - | - | - | - | 5 | 11.6 | 43 | 100.0 |
| C62 | Testis | 5 | 83.3 | - | - | - | - | - | - | - | - | 1 | 16.7 | 6 | 100.0 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | 3 | 75.0 | - | - | 1 | 25.0 | - | - | - | - | - | - | 4 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 17 | 85.0 | - | - | - | - | - | - | - | - | 3 | 15.0 | 20 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C70-C72 | Brain, Nervous System | 29 | 76.3 | - | - | - | - | - | - | - | - | 9 | 23.7 | 38 | 100.0 |
| C73 | Thyroid | 3 | 100.0 | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | 5 | 100.0 | - | - | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C82-C85 | NHL | 30 | 96.8 | - | - | 1 | 3.2 | - | - | - | - | - | - | 31 | 100.0 |
| C88 | Malig Imn. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 5 | 100.0 | - | - | 5 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | 2 | 20.0 | 7 | 70.0 | 1 | 10.0 | 10 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 6 | 30.0 | 14 | 70.0 | - | - | 20 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | 2 | 22.2 | 7 | 77.8 | - | - | 9 | 100.0 |
| C96 | CMD, O&U LHM | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | 4 | 5.3 | 19 | 25.3 | 39 | 52.0 | - | - | - | - | 13 | 17.3 | 75 | 100.0 |
| | All Sites | 463 | 63.8 | 23 | 3.2 | 85 | 11.7 | 10 | 1.4 | 33 | 4.5 | 112 | 15.4 | 726 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 12(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Detailed Microscopic Diagnosis : 2012 - 2016 Females
Barshi rural**

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|---------|-----------------------|------------|-------------|-----------|------------|------------|-------------|------------|------------|-------------|------------|------------|-------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 4 | 100.0 | - | - | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C01-C02 | Tongue | 14 | 93.3 | - | - | - | - | - | - | - | - | 1 | 6.7 | 15 | 100.0 |
| C03-C06 | Mouth | 16 | 76.2 | - | - | 2 | 9.5 | - | - | - | - | 3 | 14.3 | 21 | 100.0 |
| C07-C08 | Salivary Gland | 1 | 33.3 | - | - | 2 | 66.7 | - | - | - | - | - | - | 3 | 100.0 |
| C09 | Tonsil | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C12-C13 | Hypopharynx | 3 | 75.0 | - | - | - | - | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C14 | Pharynx Unspecified | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C15 | Oesophagus | 35 | 87.5 | - | - | - | - | - | - | - | - | 5 | 12.5 | 40 | 100.0 |
| C16 | Stomach | 19 | 90.5 | - | - | - | - | - | - | - | - | 2 | 9.5 | 21 | 100.0 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | Colon | 11 | 73.3 | - | - | - | - | - | - | - | - | 4 | 26.7 | 15 | 100.0 |
| C19-C20 | Rectum | 18 | 90.0 | - | - | - | - | - | - | - | - | 2 | 10.0 | 20 | 100.0 |
| C21 | Anus & Anal Canal | 3 | 75.0 | - | - | - | - | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C22 | Liver | 5 | 41.7 | - | - | 4 | 33.3 | - | - | - | - | 3 | 25.0 | 12 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 16.7 | - | - | 2 | 33.3 | - | - | - | - | 3 | 50.0 | 6 | 100.0 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 | 3 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | Larynx | 1 | 50.0 | - | - | - | - | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C33-C34 | Lung etc. | 6 | 23.1 | - | - | 10 | 38.5 | - | - | - | - | 10 | 38.5 | 26 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 25.0 | - | - | 3 | 75.0 | - | - | - | - | - | - | 4 | 100.0 |
| C40-C41 | Bone | 5 | 55.6 | - | - | - | - | - | - | - | - | 4 | 44.4 | 9 | 100.0 |
| C43 | Melanoma of Skin | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C44 | Other Skin | 19 | 79.2 | - | - | 1 | 4.2 | - | - | - | - | 4 | 16.7 | 24 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | Breast | 98 | 61.6 | - | - | 48 | 30.2 | - | - | - | - | 13 | 8.2 | 159 | 100.0 |
| C51 | Vulva | 2 | 66.7 | - | - | 1 | 33.3 | - | - | - | - | - | - | 3 | 100.0 |
| C52 | Vagina | 9 | 75.0 | - | - | 3 | 25.0 | - | - | - | - | - | - | 12 | 100.0 |
| C53 | Cervix Uteri | 144 | 69.9 | 2 | 1.0 | 35 | 17.0 | - | - | - | - | 25 | 12.1 | 206 | 100.0 |
| C54 | Corpus Uteri | 7 | 77.8 | - | - | 2 | 22.2 | - | - | - | - | - | - | 9 | 100.0 |
| C55 | Uterus Unspecified | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C56 | Ovary etc. | 17 | 37.0 | - | - | 23 | 50.0 | - | - | - | - | 6 | 13.0 | 46 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | 3 | 60.0 | - | - | - | - | - | - | - | - | 2 | 40.0 | 5 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 6 | 75.0 | - | - | - | - | - | - | - | - | 2 | 25.0 | 8 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 | 1 | 100.0 |
| C70-C72 | Brain, Nervous System | 10 | 62.5 | - | - | - | - | - | - | - | - | 6 | 37.5 | 16 | 100.0 |
| C73 | Thyroid | 19 | 79.2 | - | - | 3 | 12.5 | - | - | - | - | 2 | 8.3 | 24 | 100.0 |
| C74 | Adrenal Gland | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C81 | Hodgkins Disease | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C82-C85 | NHL | 13 | 86.7 | - | - | - | - | - | - | - | - | 2 | 13.3 | 15 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | 1 | 33.3 | - | - | - | - | - | - | 2 | 66.7 | - | - | 3 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | 2 | 33.3 | 3 | 50.0 | 1 | 16.7 | 6 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 2 | 20.0 | 7 | 70.0 | 1 | 10.0 | 10 | 100.0 |
| C95 | Leukaemia UNS | - | - | - | - | - | - | 3 | 75.0 | 1 | 25.0 | - | - | 4 | 100.0 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | - | - | 10 | 23.3 | 14 | 32.6 | - | - | - | - | 19 | 44.2 | 43 | 100.0 |
| | All Sites | 501 | 61.6 | 12 | 1.5 | 153 | 18.8 | 7 | 0.9 | 13 | 1.6 | 127 | 15.6 | 813 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 12(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10)
Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males
Barshi rural**

| ICD-10 | Site | 0-64 Years | | 0-74 Years | |
|---------|-----------------------|-------------|-------------|-------------|-------------|
| | | Cu.Rate % | Cu.Risk | Cu.Rate % | Cu.Risk |
| C00 | Lip | - | - | 0.0 | 0.0 |
| C01-C02 | Tongue | 0.1 | 0.1 | 0.3 | 0.3 |
| C03-C06 | Mouth | 0.4 | 0.4 | 0.6 | 0.6 |
| C07-C08 | Salivary Gland | 0.0 | 0.0 | 0.0 | 0.0 |
| C09 | Tonsil | 0.0 | 0.0 | 0.0 | 0.0 |
| C10 | Oth. Oropharynx | - | - | - | - |
| C11 | Nasopharynx | - | - | 0.0 | 0.0 |
| C12-C13 | Hypopharynx | 0.0 | 0.0 | 0.2 | 0.2 |
| C14 | Pharynx Unspecified | 0.0 | 0.0 | 0.0 | 0.0 |
| C15 | Oesophagus | 0.2 | 0.2 | 0.4 | 0.4 |
| C16 | Stomach | 0.2 | 0.2 | 0.3 | 0.3 |
| C17 | Small Intestine | - | - | 0.0 | 0.0 |
| C18 | Colon | 0.0 | 0.0 | 0.1 | 0.1 |
| C19-C20 | Rectum | 0.1 | 0.1 | 0.3 | 0.3 |
| C21 | Anus & Anal Canal | 0.0 | 0.0 | 0.0 | 0.0 |
| C22 | Liver | 0.2 | 0.2 | 0.4 | 0.4 |
| C23-C24 | Gallbladder etc. | 0.1 | 0.1 | 0.1 | 0.1 |
| C25 | Pancreas | 0.1 | 0.1 | 0.1 | 0.1 |
| C30-C31 | Nose, Sinuses etc. | 0.0 | 0.0 | 0.0 | 0.0 |
| C32 | Larynx | 0.1 | 0.1 | 0.2 | 0.2 |
| C33-C34 | Lung etc. | 0.1 | 0.1 | 0.2 | 0.2 |
| C37-C38 | Other Thoracic Organs | - | - | 0.0 | 0.0 |
| C40-C41 | Bone | 0.1 | 0.1 | 0.1 | 0.1 |
| C43 | Melanoma of Skin | 0.0 | 0.0 | 0.0 | 0.0 |
| C44 | Other Skin | 0.1 | 0.1 | 0.2 | 0.2 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 0.0 | 0.0 |
| C50 | Breast | - | - | 0.0 | 0.0 |
| C60 | Penis | 0.1 | 0.1 | 0.1 | 0.1 |
| C61 | Prostate | 0.1 | 0.1 | 0.3 | 0.3 |
| C62 | Testis | 0.0 | 0.0 | 0.0 | 0.0 |
| C63 | Other Male Genital | - | - | - | - |
| C64 | Kidney etc. | 0.0 | 0.0 | 0.0 | 0.0 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | 0.1 | 0.1 | 0.1 | 0.1 |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | 0.0 | 0.0 | 0.0 | 0.0 |
| C70-C72 | Brain, Nervous System | 0.2 | 0.2 | 0.3 | 0.3 |
| C73 | Thyroid | 0.0 | 0.0 | 0.0 | 0.0 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | 0.0 | 0.0 | 0.0 | 0.0 |
| C82-C85 | NHL | 0.1 | 0.1 | 0.2 | 0.2 |
| C88 | Malignant Imm.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | 0.0 | 0.0 | 0.0 | 0.0 |
| C91 | Lymphoid Leuk. | 0.0 | 0.0 | 0.1 | 0.1 |
| C92-C94 | Myeloid Leukaemia | 0.1 | 0.1 | 0.1 | 0.1 |
| C95 | Leukaemia Uns | 0.0 | 0.0 | 0.0 | 0.0 |
| C96 | CMD,O&U LHM | - | - | - | - |
| O&U * | Other and Uns | 0.2 | 0.2 | 0.6 | 0.6 |
| | All Sites | 3.07 | 3.02 | 6.00 | 5.83 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 12(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10)
Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Females
Barshi rural**

| ICD-10 | Site | 0-64 Years | | 0-74 Years | |
|---------|-----------------------|-------------|-------------|-------------|-------------|
| | | Cu.Rate % | Cu.Risk | Cu.Rate % | Cu.Risk |
| C00 | Lip | 0.0 | 0.0 | 0.0 | 0.0 |
| C01-C02 | Tongue | 0.1 | 0.1 | 0.1 | 0.1 |
| C03-C06 | Mouth | 0.1 | 0.1 | 0.2 | 0.2 |
| C07-C08 | Salivary Gland | - | - | 0.0 | 0.0 |
| C09 | Tonsil | 0.0 | 0.0 | 0.0 | 0.0 |
| C10 | Oth. Oropharynx | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - |
| C12-C13 | Hypopharynx | 0.0 | 0.0 | 0.0 | 0.0 |
| C14 | Pharynx Unspecified | 0.0 | 0.0 | 0.0 | 0.0 |
| C15 | Oesophagus | 0.1 | 0.1 | 0.4 | 0.4 |
| C16 | Stomach | 0.1 | 0.1 | 0.2 | 0.2 |
| C17 | Small Intestine | - | - | - | - |
| C18 | Colon | 0.1 | 0.1 | 0.1 | 0.1 |
| C19-C20 | Rectum | 0.1 | 0.1 | 0.2 | 0.2 |
| C21 | Anus & Anal Canal | 0.0 | 0.0 | 0.0 | 0.0 |
| C22 | Liver | 0.1 | 0.1 | 0.1 | 0.1 |
| C23-C24 | Gallbladder etc. | 0.0 | 0.0 | 0.0 | 0.0 |
| C25 | Pancreas | 0.0 | 0.0 | 0.0 | 0.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - |
| C32 | Larynx | 0.0 | 0.0 | 0.0 | 0.0 |
| C33-C34 | Lung etc. | 0.1 | 0.1 | 0.2 | 0.2 |
| C37-C38 | Other Thoracic Organs | 0.0 | 0.0 | 0.0 | 0.0 |
| C40-C41 | Bone | 0.1 | 0.1 | 0.1 | 0.1 |
| C43 | Melanoma of Skin | 0.0 | 0.0 | 0.0 | 0.0 |
| C44 | Other Skin | 0.1 | 0.1 | 0.2 | 0.2 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - |
| C50 | Breast | 1.0 | 1.0 | 1.4 | 1.4 |
| C51 | Vulva | 0.0 | 0.0 | 0.0 | 0.0 |
| C52 | Vagina | 0.1 | 0.1 | 0.1 | 0.1 |
| C53 | Cervix Uteri | 1.1 | 1.1 | 1.8 | 1.8 |
| C54 | Corpus Uteri | 0.0 | 0.0 | 0.1 | 0.1 |
| C55 | Uterus Unspecified | 0.0 | 0.0 | 0.0 | 0.0 |
| C56 | Ovary etc. | 0.3 | 0.3 | 0.4 | 0.4 |
| C57 | Other Female Genital | - | - | - | - |
| C58 | Placenta | - | - | - | - |
| C64 | Kidney etc. | 0.0 | 0.0 | 0.0 | 0.0 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | 0.0 | 0.0 | 0.1 | 0.1 |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | 0.0 | 0.0 | 0.0 | 0.0 |
| C70-C72 | Brain, Nervous System | 0.1 | 0.1 | 0.1 | 0.1 |
| C73 | Thyroid | 0.1 | 0.1 | 0.2 | 0.2 |
| C74 | Adrenal Gland | 0.0 | 0.0 | 0.0 | 0.0 |
| C81 | Hodgkins Disease | 0.0 | 0.0 | 0.0 | 0.0 |
| C82-C85 | NHL | 0.1 | 0.1 | 0.2 | 0.2 |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | 0.0 | 0.0 | 0.0 | 0.0 |
| C91 | Lymphoid Leuk. | 0.0 | 0.0 | 0.0 | 0.0 |
| C92-C94 | Myeloid Leukaemia | 0.1 | 0.1 | 0.1 | 0.1 |
| C95 | Leukaemia Uns | 0.0 | 0.0 | 0.0 | 0.0 |
| C96 | CMD,O&U LHM | - | - | - | - |
| O&U* | Other and Uns | 0.2 | 0.2 | 0.4 | 0.4 |
| | All Sites | 4.38 | 4.28 | 6.93 | 6.69 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)