

# POPULATION BASED CANCER REGISTRY, SIKKIM STATE

## Sir Thutob Namgyal Memorial Hospital, Gangtok

**Dr. R.L. Sharma**, Director cum Medical Superintendent

**Dr. Yogesh Verma**, Principal Investigator

**Dr. Prakash Pradhan**, Co-Principal Investigator.

The population based cancer registry was commenced in July 2003 with the main objective of assessing the magnitude and type of various cancers in Sikkim. The registry was started with the support of the Regional Medical Research Centre, Dibrugarh under the National Cancer Registry Programme, of the ICMR.

Sikkim is one of the North-Eastern States of India and is bordered by three international borders. China in the North, Nepal in the West and Bhutan in the East. The terrain of Sikkim is mountainous and the population sparse and scattered. The total population as per the 2001 census was 5,40,851/-Sikkim Population Based Cancer Registry covers the entire state of Sikkim with an area of 7,096 sq.km.

The registration of cancer cases is done by active registration. The sources of data collection include all the government hospitals, private clinics, the Sikkim Manipal Institute of Medical sciences, primary health centres and Birth and Death records office.

Sikkim does not have a dedicated cancer treatment centre and hence most of the patients diagnosed with cancer are sent out for treatment to Kolkata, New Delhi and Mumbai. The Government of Sikkim provides financial assistance to domicile and government employees of the state. Because of this unique referral system the registry staff is able to register cases from the referral system which maintains a single register for the whole state. Over a period of time most of the patients registered are interviewed to collect socio-demographic details. Information on clinical items such as stage of disease, treatment details, primary site of tumour (when not available) are obtained by the social Investigator from the patient when they return from the cancer treatment facilities.

Information on death is collected from the office of the Birth and Deaths located at Gangtok. However where the details like name, cause of death is not available, Social Investigator visits all the government hospitals and PHCs of the state to update the records. All the deaths in the state are compiled and matched with the incident data. Mortality data is also collected from obituary columns of different local newspapers and matched with incident cancer cases.

The registry enjoys good cooperation from all health care facilities in Sikkim with thirty seven sources of registration. To update our database and for the sake of completeness of core proforma the registry

writes to cancer hospitals with patient details for further information on identification of primary site, clinical extent of disease and treatment provided.

The staff of the cancer registry including the Principal Investigator have been trained in cancer case abstraction and coding.

Communication with certain cancer facilities in Mumbai (Tata Memorial Hospital), Kolkata (Cancer welfare Home) Delhi (Rajiv Gandhi cancer Hospital) Siliguri (North Bengal Oncology Centre) has been established and they have responded to our request. The information received from the cancer hospitals has helped us in updating our data as far as clinical extent of disease, primary site and treatment is concerned. This also gives an idea on the completeness of information as far as cases is concerned and gives information on the number of cases being missed. Fortunately the number of cases being missed is very negligible. However the cancer Registry in Sikkim is in its infancy and the registry staff is developing its own strategies which are specific to the state to ensure completeness.

Mortality information is fairly accurate as all deaths in the state is matched with the cancer mortality and information is extracted.

The quality of data over the previous years has improved as the registry is gaining in experience. Microscopic diagnosis of cases registered in the registry has improved from 53.8 % to 68.1% in males and 58.8% to 70.6% in Females.

## ACKNOWLEDGEMENTS

Population Based Cancer Registry would like to acknowledge the support of the Department of Health Care, Human Service and Family Welfare, Government of Sikkim, Registrar of Birth and Deaths. All the doctors and staff of Sir Thutob Namgyal Memorial Hospital, all departments of Sikkim Manipal Institute of Medical Sciences, Tadong, Private clinics and Laboratories, Cancer Welfare Home, Kolkata, Tata Memorial Hospital, Mumbai and North Bengal Oncology Centre, Siliguri for their kind support in providing data.


### *Registry Staff (PBCR), Gangtok*

<b>Dr. Nirmal Kumar Gurung</b>	:	Research officer
<b>Mr. Saroj Deep Sapkota</b>	:	Computer Programmer
<b>Mr. Prakash Sundas</b>	:	Social Investigator
<b>Mr. Pranay Giri</b>	:	Social Investigator

**Figure SKM - 1**

**Population Pyramid showing Age Distribution: 2005-2006**

**Sikkim State**



**TABLE: SKM - 1**

**Population by Five Year Age Group and Gender: 2005-2006**  
*Number and Relative Proportion (%)*

**Sikkim State**

Age Group	MALES		FEMALES		TOTAL	
	Number	%	Number	%	Number	%
<b>0-4</b>	54167	8.16	51174	8.83	105341	8.48
<b>5-9</b>	71376	10.76	70309	12.14	141686	11.40
<b>10-14</b>	84179	12.69	81463	14.06	165642	13.33
<b>15-19</b>	77439	11.67	73670	12.72	151109	12.16
<b>20-24</b>	69902	10.54	59568	10.28	129470	10.42
<b>25-29</b>	57561	8.68	51906	8.96	109468	8.81
<b>30-34</b>	51256	7.73	40826	7.05	92082	7.41
<b>35-39</b>	49275	7.43	39106	6.75	88381	7.11
<b>40-44</b>	39246	5.92	28918	4.99	68164	5.49
<b>45-49</b>	30756	4.64	22658	3.91	53414	4.30
<b>50-54</b>	22305	3.36	16930	2.92	39236	3.16
<b>55-59</b>	16273	2.45	11726	2.02	27999	2.25
<b>60-64</b>	13055	1.97	10880	1.88	23935	1.93
<b>65-69</b>	10567	1.59	8440	1.46	19008	1.53
<b>70-74</b>	8155	1.23	5746	0.99	13901	1.12
<b>75+</b>	7914	1.19	5914	1.02	13829	1.11
<b>Total</b>	<b>663427</b>	<b>100.00</b>	<b>579235</b>	<b>100.00</b>	<b>1242663</b>	<b>100.00</b>

**TABLE : SKM- 2**  
**Main Sources of Registration of Incident Cases of Cancer : 2005-2006**  
**Sikkim State**

Name of the Institution (Source Code)	Number	%
STNM Hospital, Gangtok (1)	482	63.01
Births and Deaths, Kazi Road, Gangtok (7)	87	11.37
District Hospital, Singtam (3)	78	10.20
Private Clinic (32)	37	4.84
District Hospital, Namchi (6)	28	3.66
District Hospital, Gyalshing (4)	7	0.92
Cancer Welfare Home, Thakurpukur (34)	3	0.39
Rinchenpong PHC (19)	2	0.26
TATA Memorial Hospital (37)	2	0.26
Others (999)	39	5.10
<b>Total</b>	<b>765</b>	<b>100.00</b>

*The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

**TABLE SKM-3 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2005-2006 – Males**

%= Relative Proportion of Cancers of All Sites.

**Sikkim State**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	4	0.99
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	3	-	1	5	-	-	9	2.23
C03-06	Mouth	-	-	-	-	-	-	-	-	-	1	-	-	4	3	2	1	1	12	2.97
C07-8	Salivary Gland	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	0.50
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	0.74
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.25
C11	Nasopharynx	-	-	-	-	-	-	2	3	-	5	2	2	-	-	-	-	-	14	3.47
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	1	3	1	3	2	2	5	2	-	19	4.70
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	1.24
C15	Oesophagus	-	-	-	-	-	-	-	2	2	2	4	6	6	6	7	5	-	40	9.90
C16	Stomach	-	-	-	1	-	-	2	-	-	1	5	10	8	4	12	8	-	51	12.62
C17	Small Intestine	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	0.50
C18	Colon	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	0.74
C19-20	Rectum	-	-	-	-	-	-	-	1	-	1	4	1	3	2	1	-	-	13	3.22
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.25
C22	Liver	-	-	1	-	1	1	-	1	1	4	-	2	2	8	6	9	-	36	8.91
C23-24	Gallbladder etc.	-	-	-	-	-	1	-	-	1	-	1	1	-	-	3	3	-	10	2.48
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	2	-	7	1.73
C30-31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	0.50
C32	Larynx	-	-	-	-	-	-	1	-	-	2	2	-	6	5	2	2	-	20	4.95
C33-34	Lung etc.	-	-	-	-	-	-	-	-	-	3	1	4	3	3	6	9	-	29	7.18
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	1	1	1	3	1	-	-	1	-	1	-	-	9	2.23
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	2	-	-	-	-	1	1	-	1	3	3	-	11	2.72
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	3	0.74
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	2	-	-	3	-	1	-	-	-	-	6	1.49
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	0.74
C62	Testis	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	0.50
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	0.74
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1	3	-	8	1.98
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	2	-	-	-	1	1	2	1	-	1	1	1	1	-	-	-	11	2.72
C73	Thyroid	-	-	-	-	1	-	-	1	1	1	-	2	2	2	-	1	-	11	2.72
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.25
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.25
C90	Multiple Myeloma	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	0.50
C91	Lymphoid Leuk.	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	0.74
C92-94	Myeloid Leukaemia	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	4	0.99
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	-	-	-	-	1	1	-	-	2	5	4	2	8	7	7	6	-	43	10.64
	<b>All Sites</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>9</b>	<b>7</b>	<b>15</b>	<b>14</b>	<b>32</b>	<b>33</b>	<b>47</b>	<b>52</b>	<b>56</b>	<b>66</b>	<b>56</b>	<b>1</b>	<b>404</b>	<b>100.00</b>

**TABLE SKM-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2005-2006 – Females**

*% = Relative Proportion of Cancers of All Sites.*

**Sikkim State**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.28
C01-02	Tongue	-	-	-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	8	2.22
C03-06	Mouth	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	-	-	6	1.66
C07-8	Salivary Gland	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	0.55
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	5	-	1	-	-	7	1.94
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.28
C11	Nasopharynx	-	-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	1	6	1.66
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	3	0.83
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.28
C15	Oesophagus	-	-	-	-	-	-	-	1	1	1	5	2	4	6	1	3	-	24	6.65
C16	Stomach	-	-	-	-	-	-	1	-	1	1	1	4	3	3	2	7	-	23	6.37
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	-	-	6	1.66
C19-20	Rectum	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	3	0.83
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.55
C22	Liver	-	-	-	-	-	-	-	2	-	2	5	3	4	1	2	2	-	21	5.82
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	2	-	2	6	-	1	2	2	1	-	16	4.43
C25	Pancreas	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	3	0.83
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	3	0.83
C32	Larynx	-	-	-	-	-	-	-	-	-	2	2	2	2	1	1	1	-	11	3.05
C33-34	Lung etc.	-	-	-	-	1	-	-	-	2	1	3	3	1	6	6	7	-	30	8.31
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	4	1.11
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	3	1	-	1	1	1	-	2	-	9	2.49
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	0.55
C50	Breast	-	-	-	-	2	2	1	2	2	6	2	5	2	2	-	-	-	26	7.20
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.55
C52	Vagina	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	3	0.83
C53	Cervix Uteri	-	-	-	-	1	-	2	4	8	8	1	2	8	5	-	1	-	40	11.08
C54	Corpus Uteri	-	-	-	-	-	-	1	-	1	-	-	3	-	-	1	-	-	6	1.66
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.55
C56	Ovary etc.	-	-	-	1	1	-	1	3	5	1	1	1	1	-	-	1	-	16	4.43
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.28
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	4	1.11
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.28
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	1	1	-	-	-	-	-	-	2	1	1	1	1	3	-	-	11	3.05
C73	Thyroid	-	-	-	1	-	-	-	-	1	1	-	-	-	-	3	1	-	7	1.94
C74	Adrenal Gland	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	0.55
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.28
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	3	0.83
C82-85,C96	NHL	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	0.55
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.28
C91	Lymphoid Leuk.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.55
C92-94	Myeloid Leukaemia	-	-	1	-	1	1	-	2	-	1	-	-	-	-	-	-	-	6	1.66
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	1	-	1	-	1	1	1	1	3	2	4	3	1	5	6	3	-	33	9.14
	<b>All Sites</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>11</b>	<b>7</b>	<b>9</b>	<b>22</b>	<b>28</b>	<b>36</b>	<b>39</b>	<b>38</b>	<b>45</b>	<b>39</b>	<b>36</b>	<b>36</b>	<b>1</b>	<b>361</b>	<b>100.00</b>

**TABLE: SKM-4(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006 - Males**  
**Sikkim State**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	6.1	-	18.9	12.3	-	0.6	1.1	0.53	0.8
C01-02	-	-	-	-	-	-	-	-	-	-	-	18.4	-	9.5	61.3	-	1.4	2.2	0.75	2.4
C03-06	-	-	-	-	-	-	-	-	-	3.3	-	-	30.6	28.4	24.5	12.6	1.8	3.0	0.92	4.6
C07-8	-	-	-	-	1.4	-	-	-	2.5	-	-	-	-	-	-	-	0.3	0.3	0.19	0.5
C09	-	-	-	-	-	-	-	-	-	-	-	6.1	-	18.9	-	-	0.5	0.8	0.47	0.8
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	-	0.2	0.3	0.28	-
C11	-	-	-	-	-	-	3.9	6.1	-	16.3	9.0	12.3	-	-	-	-	2.1	2.5	0.70	7.4
C12-13	-	-	-	-	-	-	-	-	2.5	9.8	4.5	18.4	15.3	18.9	61.3	25.3	2.9	4.6	1.07	7.5
C14	-	-	-	-	-	-	-	-	-	-	-	6.1	7.7	9.5	12.3	12.6	0.8	1.3	0.60	1.8
C15	-	-	-	-	-	-	-	4.1	5.1	6.5	17.9	36.9	46.0	56.8	85.9	63.2	6.0	9.8	1.58	16.6
C16	-	-	-	1.3	-	-	3.9	-	-	3.3	22.4	61.5	61.3	37.9	147.2	101.1	7.7	12.7	1.80	20.1
C17	-	-	-	-	1.4	-	-	-	-	-	-	-	7.7	-	-	-	0.3	0.4	0.33	1.0
C18	-	-	-	-	-	-	-	-	-	-	4.5	-	-	9.5	-	12.6	0.5	0.8	0.44	0.7
C19-20	-	-	-	-	-	-	-	2.0	-	3.3	17.9	6.1	23.0	18.9	12.3	-	2.0	3.2	0.90	7.7
C21	-	-	-	-	-	-	-	-	-	-	-	6.1	-	-	-	-	0.2	0.2	0.25	0.8
C22	-	-	1.2	-	1.4	1.7	-	2.0	2.5	13.0	-	12.3	15.3	75.7	73.6	113.8	5.4	8.5	1.46	7.0
C23-24	-	-	-	-	-	1.7	-	-	2.5	-	4.5	6.1	-	-	36.8	37.9	1.5	2.3	0.72	2.0
C25	-	-	-	-	-	-	-	-	-	3.3	4.5	12.3	-	9.5	-	25.3	1.1	1.7	0.65	2.9
C30-31	-	-	-	-	-	1.7	-	-	-	-	4.5	-	-	-	-	-	0.3	0.4	0.26	0.7
C32	-	-	-	-	-	-	2.0	-	-	6.5	9.0	-	46.0	47.3	24.5	25.3	3.0	5.2	1.19	8.6
C33-34	-	-	-	-	-	-	-	-	-	9.8	4.5	24.6	23.0	28.4	73.6	113.8	4.4	7.3	1.37	8.7
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	1.7	2.0	2.0	7.6	3.3	-	-	7.7	-	12.3	-	1.4	1.6	0.56	3.5
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	3.5	-	-	-	-	4.5	6.1	-	9.5	36.8	37.9	1.7	2.5	0.78	1.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	1.7	-	-	-	3.3	-	-	-	9.5	-	-	0.5	0.6	0.37	0.6
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	4.1	-	-	13.5	-	7.7	-	-	-	0.9	1.2	0.52	3.9
C61	-	-	-	-	-	-	-	-	-	-	-	6.1	-	9.5	12.3	-	0.5	0.8	0.45	0.8
C62	-	-	-	-	-	-	-	4.1	-	-	-	-	-	-	-	-	0.3	0.2	0.17	0.8
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.8	-	-	-	-	-	-	-	-	-	-	6.1	7.7	-	-	-	0.5	0.8	0.45	1.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	1.3	-	-	-	-	-	3.3	-	6.1	7.7	-	12.3	37.9	1.2	1.9	0.68	2.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	2.8	-	-	-	1.7	2.0	4.1	2.5	-	4.5	6.1	7.7	9.5	-	-	1.7	2.0	0.64	3.8
C73	-	-	-	-	1.4	-	-	2.0	2.5	3.3	-	12.3	15.3	18.9	-	12.6	1.7	2.5	0.79	5.1
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.3	-	0.2	0.2	0.25	-
C82-85, C96	-	-	-	-	-	-	-	-	-	-	4.5	-	-	-	-	-	0.2	0.2	0.22	0.7
C90	-	1.4	-	-	-	-	-	-	-	-	-	-	-	9.5	-	-	0.3	0.4	0.32	-
C91	-	1.4	1.2	1.3	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.4	0.21	-
C92-94	-	-	1.2	-	-	-	-	-	2.5	-	-	-	7.7	-	12.3	-	0.6	0.8	0.43	1.5
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	-	-	-	-	1.4	1.7	-	-	5.1	16.3	17.9	12.3	61.3	66.3	85.9	75.8	6.5	10.6	1.65	16.5
All	1.8	5.6	3.6	3.9	7.2	15.6	13.7	30.4	35.7	104.1	148.0	288.9	398.4	530.1	809.6	707.9	60.9	95.4	4.86	145.5



**TABLE: SKM-4(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006 - Females**  
**Sikkim State**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-	-	-	0.2	0.3	0.34	1.1
C01-02	-	-	-	-	-	-	-	-	-	4.4	-	17.1	27.6	11.9	17.4	-	1.4	2.8	0.98	6.6
C03-06	-	-	-	-	-	-	-	2.6	-	-	11.8	-	18.4	-	17.4	-	1.0	1.8	0.77	4.8
C07-8	-	-	-	-	-	1.9	-	-	-	-	-	8.5	-	-	-	-	0.3	0.5	0.37	1.1
C09	-	-	-	-	-	-	-	-	-	4.4	-	-	46.0	-	17.4	-	1.2	2.5	0.93	6.8
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.9	0.2	0.3	0.34	-
C11	-	-	1.2	-	-	1.9	-	2.6	-	-	5.9	-	-	11.9	-	-	1.0	1.1	0.52	1.4
C12-13	-	-	-	-	-	-	-	-	-	-	5.9	-	9.2	-	-	16.9	0.5	1.0	0.58	2.1
C14	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-	-	-	0.2	0.3	0.34	1.1
C15	-	-	-	-	-	-	-	2.6	3.5	4.4	29.5	17.1	36.8	71.1	17.4	50.8	4.1	7.8	1.60	13.7
C16	-	-	-	-	-	-	2.4	-	3.5	4.4	5.9	34.1	27.6	35.6	34.8	118.4	4.0	7.5	1.59	10.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	2.4	-	-	-	11.8	8.5	-	11.9	17.4	-	1.0	1.8	0.75	3.0
C19-20	-	-	-	-	-	-	-	2.6	3.5	-	-	-	-	-	17.4	-	0.5	0.7	0.43	1.2
C21	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-	17.4	-	0.3	0.7	0.49	1.1
C22	-	-	-	-	-	-	-	5.1	-	8.8	29.5	25.6	36.8	11.9	34.8	33.8	3.6	6.5	1.45	15.5
C23-24	-	-	-	-	-	-	-	5.1	-	8.8	35.4	-	9.2	23.7	34.8	16.9	2.8	4.7	1.21	9.6
C25	-	-	-	-	-	-	-	2.6	-	4.4	-	-	9.2	-	-	-	0.5	0.8	0.48	2.5
C30-31	-	-	-	-	-	-	-	-	-	-	5.9	-	-	-	-	33.8	0.5	1.0	0.56	1.0
C32	-	-	-	-	-	-	-	-	-	8.8	11.8	17.1	18.4	11.9	17.4	16.9	1.9	3.6	1.09	8.2
C33-34	-	-	-	-	1.7	-	-	-	6.9	4.4	17.7	25.6	9.2	71.1	104.5	118.4	5.2	9.7	1.79	9.5
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	1.4	1.7	-	-	-	-	-	-	8.5	-	11.9	-	-	0.7	1.0	0.53	1.1
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	10.4	4.4	-	8.5	9.2	11.9	-	33.8	1.6	2.6	0.90	5.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	1.7	-	-	-	-	-	-	-	9.2	-	-	-	0.3	0.5	0.39	1.2
C50	-	-	-	-	3.4	3.9	2.4	5.1	6.9	26.5	11.8	42.7	18.4	23.7	-	-	4.5	6.8	1.39	17.2
C51	-	-	-	-	-	-	-	-	-	-	-	-	9.2	-	-	16.9	0.3	0.7	0.50	1.2
C52	-	-	-	-	-	-	-	-	-	8.8	-	-	-	-	17.4	-	0.5	0.9	0.51	1.7
C53	-	-	-	-	1.7	-	4.9	10.2	27.7	35.3	5.9	17.1	73.6	59.3	-	16.9	6.9	10.9	1.79	26.8
C54	-	-	-	-	-	-	2.4	-	3.5	-	-	25.6	-	-	17.4	-	1.0	1.7	0.73	4.0
C55	-	-	-	-	-	-	-	-	-	-	5.9	-	9.2	-	-	-	0.3	0.7	0.47	2.1
C56	-	-	-	1.4	1.7	-	2.4	7.7	17.3	4.4	5.9	8.5	9.2	-	-	16.9	2.8	3.5	0.93	8.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	2.4	-	-	-	-	-	-	-	-	-	0.2	0.1	0.15	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	3.4	-	-	-	-	-	-	-	-	-	17.4	16.9	0.7	1.0	0.52	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	9.2	-	-	-	0.2	0.4	0.37	1.2
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	1.4	1.2	-	-	-	-	-	-	8.8	5.9	8.5	9.2	11.9	52.2	-	1.9	3.2	1.00	4.9
C73	-	-	-	1.4	-	-	-	-	3.5	4.4	-	-	-	-	52.2	16.9	1.2	2.0	0.78	1.5
C74	-	-	1.2	-	-	-	-	-	-	-	-	-	-	11.9	-	-	0.3	0.5	0.37	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.9	0.2	0.3	0.34	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	1.4	-	1.9	-	2.6	-	-	-	-	-	-	-	-	0.5	0.4	0.25	0.5
C82-85, C96	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	17.4	-	0.3	0.6	0.42	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	11.9	-	-	0.2	0.4	0.36	-
C91	2.0	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.27	-
C92-94	-	-	1.2	-	1.7	1.9	-	5.1	-	4.4	-	-	-	-	-	-	1.0	1.0	0.41	1.8
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	2.0	-	1.2	-	1.7	1.9	2.4	2.6	10.4	8.8	23.6	25.6	9.2	59.3	104.5	50.8	5.7	9.5	1.72	12.5
All	5.9	2.8	6.1	5.4	18.5	13.5	22.0	56.3	96.8	158.9	230.4	324.2	413.9	462.3	627.0	609.0	62.3	104.3	5.69	192.8

**TABLE: SKM-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2005-2006 - Males  
Sikkim State**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-02	Tongue	7	77.8	-	-	1	11.1	1	11.1	-	-	9	100.0
C03-06	Mouth	10	83.3	-	-	1	8.3	-	-	1	8.3	12	100.0
C07-8	Salivary Gland	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	13	92.9	-	-	-	-	1	7.1	-	-	14	100.0
C12-13	Hypopharynx	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C14	Pharynx Unspecified	1	20.0	-	-	-	-	-	-	4	80.0	5	100.0
C15	Oesophagus	36	90.0	-	-	-	-	-	-	4	10.0	40	100.0
C16	Stomach	43	84.3	2	3.9	-	-	1	2.0	5	9.8	51	100.0
C17	Small Intestine	-	-	-	-	-	-	1	50.0	1	50.0	2	100.0
C18	Colon	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C19-20	Rectum	8	61.5	-	-	3	23.1	1	7.7	1	7.7	13	100.0
C21	Anus & Anal Canal	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C22	Liver	27	75.0	5	13.9	-	-	2	5.6	2	5.6	36	100.0
C23-24	Gallbladder etc.	5	50.0	1	10.0	-	-	1	10.0	3	30.0	10	100.0
C25	Pancreas	2	28.6	3	42.9	-	-	2	28.6	-	-	7	100.0
C30-31	Nose, Sinuses etc.	1	50.0	-	-	-	-	1	50.0	-	-	2	100.0
C32	Larynx	13	65.0	-	-	1	5.0	1	5.0	5	25.0	20	100.0
C33-34	Lung etc.	13	44.8	5	17.2	1	3.4	5	17.2	5	17.2	29	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	7	77.8	1	11.1	1	11.1	-	-	-	-	9	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	9	81.8	-	-	1	9.1	1	9.1	-	-	11	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C61	Prostate	1	33.3	-	-	1	33.3	1	33.3	-	-	3	100.0
C62	Testis	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	6	75.0	2	25.0	-	-	-	-	-	-	8	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	2	18.2	1	9.1	8	72.7	-	-	11	100.0
C73	Thyroid	10	90.9	-	-	-	-	-	-	1	9.1	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C90	Multiple Myeloma	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C92-94	Myeloid Leukaemia	3	75.0	-	-	-	-	-	-	1	25.0	4	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	9	20.9	9	20.9	1	2.3	6	14.0	18	41.9	43	100.0
	<b>All Sites</b>	<b>275</b>	<b>68.1</b>	<b>30</b>	<b>7.4</b>	<b>14</b>	<b>3.5</b>	<b>34</b>	<b>8.4</b>	<b>51</b>	<b>12.6</b>	<b>404</b>	<b>100.0</b>

**TABLE: SKM-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2005-2006 - Females  
Sikkim State**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C01-02	Tongue	6	75.0	-	-	-	-	-	-	2	25.0	8	100.0
C03-06	Mouth	5	83.3	-	-	1	16.7	-	-	-	-	6	100.0
C07-8	Salivary Gland	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C12-13	Hypopharynx	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C15	Oesophagus	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C16	Stomach	16	69.6	-	-	-	-	2	8.7	5	21.7	23	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	5	83.3	-	-	-	-	1	16.7	-	-	6	100.0
C19-20	Rectum	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	6	28.6	6	28.6	-	-	3	14.3	6	28.6	21	100.0
C23-24	Gallbladder etc.	9	56.3	3	18.8	1	6.3	3	18.8	-	-	16	100.0
C25	Pancreas	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C30-31	Nose, Sinuses etc.	2	66.7	1	33.3	-	-	-	-	-	-	3	100.0
C32	Larynx	9	81.8	-	-	-	-	-	-	2	18.2	11	100.0
C33-34	Lung etc.	15	50.0	10	33.3	2	6.7	2	6.7	1	3.3	30	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	50.0	1	25.0	-	-	1	25.0	-	-	4	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	8	88.9	-	-	1	11.1	-	-	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C50	Breast	23	88.5	-	-	-	-	-	-	3	11.5	26	100.0
C51	Vulva	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C52	Vagina	1	33.3	-	-	2	66.7	-	-	-	-	3	100.0
C53	Cervix Uteri	37	92.5	-	-	3	7.5	-	-	-	-	40	100.0
C54	Corpus Uteri	5	83.3	1	16.7	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C56	Ovary etc.	10	62.5	3	18.8	1	6.3	2	12.5	-	-	16	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	50.0	1	25.0	-	-	1	25.0	-	-	4	100.0
C68	Uns.Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	3	27.3	3	27.3	-	-	3	27.3	2	18.2	11	100.0
C73	Thyroid	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C74	Adrenal Gland	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C77	Sec Lymph Nodes	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C82-85,C96	NHL	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C90	Multiple Myeloma	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C91	Lymphoid Leuk.	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C92-94	Myeloid Leukaemia	5	83.3	-	-	-	-	-	-	1	16.7	6	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	14	42.4	4	12.1	-	-	5	15.2	10	30.3	33	100.0
	<b>All Sites</b>	<b>255</b>	<b>70.6</b>	<b>35</b>	<b>9.7</b>	<b>11</b>	<b>3.0</b>	<b>26</b>	<b>7.2</b>	<b>34</b>	<b>9.4</b>	<b>361</b>	<b>100.0</b>

**TABLE: SKM-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006 - Males : Sikkim State**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C01-02	Tongue	5	55.6	-	-	2	22.2	-	-	-	-	2	22.2	9	100.0
C03-06	Mouth	9	75.0	-	-	1	8.3	-	-	-	-	2	16.7	12	100.0
C07-8	Salivary Gland	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	11	78.6	-	-	2	14.3	-	-	-	-	1	7.1	14	100.0
C12-13	Hypopharynx	16	84.2	-	-	3	15.8	-	-	-	-	-	-	19	100.0
C14	Pharynx Unspecified	1	20.0	-	-	-	-	-	-	-	-	4	80.0	5	100.0
C15	Oesophagus	36	90.0	-	-	-	-	-	-	-	-	4	10.0	40	100.0
C16	Stomach	40	78.4	-	-	3	5.9	-	-	-	-	8	15.7	51	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C18	Colon	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C19-20	Rectum	7	53.8	-	-	1	7.7	-	-	-	-	5	38.5	13	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C22	Liver	1	2.8	-	-	26	72.2	-	-	-	-	9	25.0	36	100.0
C23-24	Gallbladder etc.	4	40.0	-	-	1	10.0	-	-	-	-	5	50.0	10	100.0
C25	Pancreas	-	-	-	-	2	28.6	-	-	-	-	5	71.4	7	100.0
C30-31	Nose, Sinuses etc.	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C32	Larynx	12	60.0	-	-	1	5.0	-	-	-	-	7	35.0	20	100.0
C33-34	Lung etc.	8	27.6	1	3.4	4	13.8	-	-	-	-	16	55.2	29	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	4	44.4	-	-	3	33.3	-	-	-	-	2	22.2	9	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	7	63.6	-	-	2	18.2	-	-	-	-	2	18.2	11	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C61	Prostate	-	-	-	-	1	33.3	-	-	-	-	2	66.7	3	100.0
C62	Testis	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	33.3	-	-	-	-	-	-	1	33.3	1	33.3	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	6	75.0	-	-	-	-	-	-	-	-	2	25.0	8	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	11	100.0	11	100.0
C73	Thyroid	3	27.3	-	-	7	63.6	-	-	-	-	1	9.1	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	2	100.0	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	2	66.7	1	33.3	-	-	3	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	3	75.0	-	-	1	25.0	4	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	-	-	1	2.3	8	18.6	-	-	-	-	34	79.1	43	100.0
	<b>All Sites</b>	<b>190</b>	<b>47.0</b>	<b>2</b>	<b>0.5</b>	<b>74</b>	<b>18.3</b>	<b>7</b>	<b>1.7</b>	<b>2</b>	<b>0.5</b>	<b>129</b>	<b>31.9</b>	<b>404</b>	<b>100.0</b>

**TABLE: SKM-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006 - Females : Sikkim State**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C01-02	Tongue	5	62.5	-	-	1	12.5	-	-	-	-	2	25.0	8	100.0
C03-06	Mouth	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C07-8	Salivary Gland	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C09	Tonsil	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	4	66.7	-	-	2	33.3	-	-	-	-	-	-	6	100.0
C12-13	Hypopharynx	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C15	Oesophagus	24	100.0	-	-	-	-	-	-	-	-	-	-	24	100.0
C16	Stomach	16	69.6	-	-	-	-	-	-	-	-	7	30.4	23	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	4	66.7	-	-	1	16.7	-	-	-	-	1	16.7	6	100.0
C19-20	Rectum	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	-	-	-	-	6	28.6	-	-	-	-	15	71.4	21	100.0
C23-24	Gallbladder etc.	5	31.3	-	-	4	25.0	-	-	-	-	7	43.8	16	100.0
C25	Pancreas	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C30-31	Nose, Sinuses etc.	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	3	100.0
C32	Larynx	8	72.7	-	-	1	9.1	-	-	-	-	2	18.2	11	100.0
C33-34	Lung etc.	10	33.3	-	-	5	16.7	-	-	-	-	15	50.0	30	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C50	Breast	14	53.8	-	-	9	34.6	-	-	-	-	3	11.5	26	100.0
C51	Vulva	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C52	Vagina	1	33.3	-	-	-	-	-	-	-	-	2	66.7	3	100.0
C53	Cervix Uteri	37	92.5	-	-	-	-	-	-	-	-	3	7.5	40	100.0
C54	Corpus Uteri	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C55	Uterus Unspecified	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C56	Ovary etc.	9	56.3	-	-	1	6.3	-	-	-	-	6	37.5	16	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	3	27.3	-	-	-	-	-	-	-	-	8	72.7	11	100.0
C73	Thyroid	2	28.6	-	-	5	71.4	-	-	-	-	-	-	7	100.0
C74	Adrenal Gland	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C82-85,C96	NHL	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	2	100.0	-	-	-	-	2	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	4	66.7	1	16.7	1	16.7	6	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	2	6.1	-	-	12	36.4	-	-	-	-	19	57.6	33	100.0
	<b>All Sites</b>	<b>192</b>	<b>53.2</b>	<b>-</b>	<b>-</b>	<b>56</b>	<b>15.5</b>	<b>6</b>	<b>1.7</b>	<b>1</b>	<b>0.3</b>	<b>106</b>	<b>29.4</b>	<b>361</b>	<b>100.0</b>

**TABLE SKM-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2005-2006 – Males**

%= Relative Proportion of Cancers of All Sites.

**Sikkim State**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.50
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	4	1.99
C03-06	Mouth	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	5	2.49
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	3	1.49
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	5	2.49
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	2.49
C15	Oesophagus	-	-	-	-	-	-	-	1	1	1	7	6	1	7	4	2	-	30	14.93
C16	Stomach	-	-	-	-	-	-	-	-	-	2	3	8	1	5	6	3	-	28	13.93
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.50
C18	Colon	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.50
C19-20	Rectum	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	5	2.49
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	1	-	1	-	4	5	5	-	16	7.96
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	4	1.99
C25	Pancreas	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-	5	2.49
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.50
C32	Larynx	-	-	-	-	-	-	1	-	1	-	2	1	3	3	2	1	-	14	6.97
C33-34	Lung etc.	-	-	-	-	-	-	-	-	-	3	1	1	-	3	6	3	-	17	8.46
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.50
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	1.49
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.50
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1.00
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.50
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.50
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1.00
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1.00
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1.49
C73	Thyroid	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1.00
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.50
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	1	2	1	-	-	1	-	1	-	1	-	1	-	1	-	-	9	4.48
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	-	-	1	-	-	1	-	-	1	3	3	2	2	6	6	3	-	28	13.93
	<b>All Sites</b>	-	<b>2</b>	<b>4</b>	<b>2</b>	-	<b>1</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>17</b>	<b>19</b>	<b>27</b>	<b>17</b>	<b>37</b>	<b>39</b>	<b>24</b>	-	<b>201</b>	<b>100.00</b>

**TABLE SKM-7 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2005-2006 – Females**

%= Relative Proportion of Cancers of All Sites.

**Sikkim State**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	1.99
C03-06	Mouth	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.66
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1.32
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	1.99
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	4	2.65
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.66
C15	Oesophagus	-	-	-	-	-	-	-	1	1	-	2	-	4	4	1	2	-	15	9.93
C16	Stomach	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	4	-	10	6.62
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.66
C18	Colon	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	5	3.31
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1.32
C22	Liver	-	-	-	-	-	-	-	2	-	2	2	3	1	1	1	1	-	13	8.61
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	2	-	7	4.64
C25	Pancreas	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.66
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	3	1.99
C33-34	Lung etc.	-	-	-	-	-	-	-	-	1	-	2	-	1	4	2	4	-	14	9.27
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	4	2.65
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.66
C50	Breast	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	1	6	3.97
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	1	-	1	-	3	2	1	1	1	1	-	-	-	11	7.28
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.66
C56	Ovary etc.	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	4	2.65
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	4	2.65
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.66
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	1.99
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.66
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	1	-	6	3.97
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	1	-	-	-	1	1	1	-	4	2	-	2	3	2	4	3	-	24	15.89
	<b>All Sites</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>6</b>	<b>18</b>	<b>13</b>	<b>16</b>	<b>10</b>	<b>20</b>	<b>20</b>	<b>15</b>	<b>19</b>	<b>1</b>	<b>151</b>	<b>100.00</b>

**TABLE: SKM-8(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006 - Males**  
**Sikkim State**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	6.1	-	-	-	-	0.2	0.2	0.25	0.8
C01-02	-	-	-	-	-	-	-	-	-	-	-	-	7.7	-	36.8	-	0.6	1.0	0.52	1.0
C03-06	-	-	-	-	-	-	-	-	2.5	-	-	-	15.3	9.5	-	12.6	0.8	1.3	0.60	2.5
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	1.3	-	-	-	-	2.5	3.3	-	-	-	-	-	-	0.5	0.5	0.27	1.1
C12-13	-	-	-	-	-	-	-	-	2.5	-	-	6.1	-	9.5	24.5	-	0.8	1.2	0.53	1.3
C14	-	-	-	-	-	-	-	-	-	-	-	6.1	7.7	9.5	12.3	12.6	0.8	1.3	0.60	1.8
C15	-	-	-	-	-	-	-	2.0	2.5	3.3	31.4	36.9	7.7	66.3	49.1	25.3	4.5	7.3	1.35	12.3
C16	-	-	-	-	-	-	-	-	-	6.5	13.5	49.2	7.7	47.3	73.6	37.9	4.2	7.0	1.33	10.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	7.7	-	-	-	0.2	0.3	0.31	1.0
C18	-	-	-	-	-	-	-	-	-	-	4.5	-	-	-	-	-	0.2	0.2	0.22	0.7
C19-20	-	-	-	-	-	-	-	-	-	3.3	-	-	7.7	18.9	12.3	-	0.8	1.3	0.59	1.6
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	3.3	-	6.1	-	37.9	61.3	63.2	2.4	4.1	1.02	1.4
C23-24	-	-	-	-	-	-	-	-	2.5	3.3	4.5	-	-	-	-	12.6	0.6	0.8	0.42	1.8
C25	-	-	-	-	-	-	-	-	-	6.5	-	12.3	-	-	-	12.6	0.8	1.1	0.51	2.8
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	-	-	0.2	0.3	0.28	-
C32	-	-	-	-	-	-	2.0	-	2.5	-	9.0	6.1	23.0	28.4	24.5	12.6	2.1	3.5	0.95	5.7
C33-34	-	-	-	-	-	-	-	-	-	9.8	4.5	6.1	-	28.4	73.6	37.9	2.6	4.1	1.01	3.4
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.6	0.2	0.3	0.25	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	6.1	7.7	-	-	12.6	0.5	0.8	0.47	1.8
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	-	0.2	0.3	0.28	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	3.3	-	-	7.7	-	-	-	0.3	0.5	0.36	1.6
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.3	-	0.2	0.2	0.25	-
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.3	-	0.2	0.2	0.25	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	6.1	7.7	-	-	-	0.3	0.6	0.39	1.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	3.3	-	-	-	-	-	12.6	0.3	0.4	0.32	0.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	1.4	1.2	-	-	-	-	-	-	-	-	6.1	-	-	-	-	0.5	0.5	0.30	0.8
C73	-	-	-	-	-	-	-	-	2.5	-	-	-	-	9.5	-	-	0.3	0.4	0.32	0.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	-	0.2	0.3	0.28	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	1.4	2.4	1.3	-	-	2.0	-	2.5	-	4.5	-	7.7	-	12.3	-	1.4	1.5	0.55	2.2
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	-	-	1.2	-	-	1.7	-	-	2.5	9.8	13.5	12.3	15.3	56.8	73.6	37.9	4.2	6.7	1.29	8.1
All	-	2.8	4.8	2.6	-	1.7	3.9	2.0	22.9	55.3	85.2	165.9	130.3	350.2	478.4	303.4	30.3	48.4	3.47	67.5



**TABLE: SKM-8(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006 - Females**  
**Sikkim State**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	-	-	18.4	-	17.4	-	0.5	1.1	0.63	2.4
C03-06	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	-	-	0.2	0.2	0.21	0.7
C07-8	-	-	-	-	-	-	-	-	-	4.4	-	8.5	-	-	-	-	0.3	0.6	0.43	2.0
C09	-	-	-	-	-	-	-	-	-	-	5.9	-	9.2	11.9	-	-	0.5	1.0	0.59	2.1
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	3.5	4.4	-	-	9.2	11.9	-	-	0.7	1.2	0.61	2.7
C12-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	9.2	-	-	-	0.2	0.4	0.37	1.2
C15	-	-	-	-	-	-	-	2.6	3.5	-	11.8	-	36.8	47.4	17.4	33.8	2.6	4.9	1.28	7.8
C16	-	-	-	-	-	-	-	-	-	-	5.9	8.5	18.4	23.7	-	67.7	1.7	3.4	1.09	4.4
C17	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-	-	-	0.2	0.3	0.34	1.1
C18	-	-	-	-	-	-	-	-	-	-	11.8	-	9.2	11.9	17.4	-	0.9	1.7	0.75	3.1
C19-20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	17.4	-	0.3	0.6	0.41	0.7
C22	-	-	-	-	-	-	-	5.1	-	8.8	11.8	25.6	9.2	11.9	17.4	16.9	2.2	3.9	1.10	9.1
C23-24	-	-	-	-	-	-	-	-	-	-	23.6	-	-	11.9	-	33.8	1.2	2.2	0.84	3.8
C25	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	-	-	0.2	0.2	0.15	0.5
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	8.8	-	-	-	11.9	-	-	0.5	0.9	0.52	1.7
C33-34	-	-	-	-	-	-	-	-	3.5	-	11.8	-	9.2	47.4	34.8	67.7	2.4	4.6	1.25	3.8
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	3.5	4.4	-	-	-	11.9	-	16.9	0.7	1.2	0.60	1.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	1.7	-	-	-	-	-	-	-	-	-	-	-	0.2	0.1	0.13	-
C50	-	-	-	-	-	-	-	2.6	3.5	4.4	-	8.5	9.2	-	-	-	1.0	1.3	0.62	4.3
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	1.7	-	2.4	-	10.4	8.8	5.9	8.5	9.2	11.9	-	-	1.9	2.8	0.88	7.0
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	9.2	-	-	-	0.2	0.4	0.37	1.2
C56	-	-	-	1.4	-	-	-	-	10.4	-	-	-	-	-	-	-	0.7	0.7	0.38	2.0
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	1.4	-	-	-	-	-	-	-	-	-	-	-	-	52.2	-	0.7	1.2	0.62	-
C73	-	-	-	-	-	-	-	-	-	4.4	-	-	-	-	-	-	0.2	0.3	0.26	0.9
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	2.0	-	-	-	-	-	-	-	-	-	5.9	-	-	-	-	16.9	0.5	0.9	0.51	1.0
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.4	-	0.2	0.3	0.35	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	1.4	1.2	1.4	-	-	-	2.6	3.5	-	-	-	-	-	-	16.9	1.0	1.1	0.48	1.2
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	2.0	-	-	-	1.7	1.9	2.4	-	13.8	8.8	-	17.1	27.6	23.7	69.7	50.8	4.1	6.9	1.47	10.1
All	3.9	2.8	1.2	2.7	5.0	1.9	4.9	15.3	62.3	57.4	94.5	85.3	183.9	237.1	261.2	321.4	26.1	44.3	3.73	76.1

**TABLE: SKM-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Males Sikkim State**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.03	0.03	0.19	0.19
C01-02	Tongue	0.09	0.09	0.45	0.45
C03-06	Mouth	0.17	0.17	0.43	0.43
C07-8	SalivaryGland	0.02	0.02	0.02	0.02
C09	Tonsil	0.03	0.03	0.13	0.13
C10	Oth. Oropharynx	-	-	0.05	0.05
C11	Nasopharynx	0.24	0.24	0.24	0.24
C12-13	Hypopharynx	0.25	0.25	0.65	0.65
C14	Pharynx Unspecified	0.07	0.07	0.18	0.18
C15	Oesophagus	0.58	0.58	1.30	1.29
C16	Stomach	0.77	0.77	1.69	1.68
C17	Small Intestine	0.05	0.05	0.05	0.05
C18	Colon	0.02	0.02	0.07	0.07
C19-20	Rectum	0.26	0.26	0.42	0.42
C21	Anus & Anal Canal	0.03	0.03	0.03	0.03
C22	Liver	0.25	0.25	0.99	0.99
C23-24	Gallbladder etc.	0.07	0.07	0.26	0.26
C25	Pancreas	0.10	0.10	0.15	0.15
C30-31	Nose, Sinuses etc.	0.03	0.03	0.03	0.03
C32	Larynx	0.32	0.32	0.68	0.67
C33-34	Lung etc.	0.31	0.31	0.82	0.82
C37-38	Other Thoracic Organs	-	-	-	-
C40-41	Bone	0.12	0.12	0.18	0.18
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.07	0.07	0.30	0.30
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.02	0.02	0.07	0.07
C50	Breast	-	-	-	-
C60	Penis	0.13	0.13	0.13	0.13
C61	Prostate	0.03	0.03	0.14	0.14
C62	Testis	0.02	0.02	0.02	0.02
C63	Other Male Genital	-	-	-	-
C64	Kidneyetc.	0.08	0.08	0.08	0.08
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.09	0.09	0.15	0.15
C68	Uns.UrinaryOrgans	-	-	-	-
C69	Eye	-	-	-	-
C70-72	Brain,Nervous System	0.16	0.16	0.20	0.20
C73	Thyroid	0.18	0.18	0.28	0.28
C74	Adrenal Gland	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-
C78	Sec Resp& Digestive	-	-	-	-
C79	Sec Others	-	-	-	-
C81	Hodgkins Disease	-	-	0.06	0.06
C82-85,C96	NHL	0.02	0.02	0.02	0.02
C90	Multiple Myeloma	0.01	0.01	0.05	0.05
C91	Lymphoid Leuk.	0.02	0.02	0.02	0.02
C92-94	Myeloid Leukaemia	0.06	0.06	0.12	0.12
C95	Leukaemia Uns	-	-	-	-
O&U	Other and Uns	0.58	0.58	1.34	1.33
	<b>All Sites</b>	<b>5.28</b>	<b>5.15</b>	<b>11.98</b>	<b>11.29</b>

**TABLE: SKM-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Females Sikkim State**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.04	0.04	0.04	0.04
C01-02	Tongue	0.25	0.25	0.39	0.39
C03-06	Mouth	0.16	0.16	0.25	0.25
C07-8	SalivaryGland	0.05	0.05	0.05	0.05
C09	Tonsil	0.25	0.25	0.34	0.34
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	0.06	0.06	0.12	0.12
C12-13	Hypopharynx	0.08	0.08	0.08	0.08
C14	Pharynx Unspecified	0.04	0.04	0.04	0.04
C15	Oesophagus	0.47	0.47	0.91	0.91
C16	Stomach	0.39	0.39	0.74	0.74
C17	Small Intestine	-	-	-	-
C18	Colon	0.11	0.11	0.26	0.26
C19-20	Rectum	0.03	0.03	0.12	0.12
C21	Anus & Anal Canal	0.04	0.04	0.13	0.13
C22	Liver	0.53	0.53	0.76	0.76
C23-24	Gallbladder etc.	0.29	0.29	0.59	0.58
C25	Pancreas	0.08	0.08	0.08	0.08
C30-31	Nose, Sinuses etc.	0.03	0.03	0.03	0.03
C32	Larynx	0.28	0.28	0.43	0.43
C33-34	Lung etc.	0.33	0.33	1.21	1.20
C37-38	Other Thoracic Organs	-	-	-	-
C40-41	Bone	0.06	0.06	0.12	0.12
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.16	0.16	0.22	0.22
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.05	0.05	0.05	0.05
C50	Breast	0.61	0.60	0.72	0.72
C51	Vulva	0.05	0.05	0.05	0.05
C52	Vagina	0.04	0.04	0.13	0.13
C53	Cervix Uteri	0.88	0.88	1.18	1.17
C54	Corpus Uteri	0.16	0.16	0.24	0.24
C55	Uterus Unspecified	0.08	0.08	0.08	0.08
C56	Ovary etc.	0.29	0.29	0.29	0.29
C57	Other Female Genital	-	-	-	-
C58	Placenta	0.01	0.01	0.01	0.01
C64	Kidneyetc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.02	0.02	0.10	0.10
C68	Uns.UrinaryOrgans	0.05	0.05	0.05	0.05
C69	Eye	-	-	-	-
C70-72	Brain,Nervous System	0.18	0.18	0.50	0.49
C73	Thyroid	0.05	0.05	0.31	0.31
C74	Adrenal Gland	0.01	0.01	0.07	0.07
C77	Sec Lymph Nodes	-	-	-	-
C78	Sec Resp& Digestive	-	-	-	-
C79	Sec Others	-	-	-	-
C81	Hodgkins Disease	0.03	0.03	0.03	0.03
C82-85,C96	NHL	0.01	0.01	0.10	0.10
C90	Multiple Myeloma	-	-	0.06	0.06
C91	Lymphoid Leuk.	0.02	0.02	0.02	0.02
C92-94	Myeloid Leukaemia	0.07	0.07	0.07	0.07
C95	Leukaemia Uns	-	-	-	-
O&U	Other and Uns	0.45	0.45	1.27	1.26
	<b>All Sites</b>	<b>6.77</b>	<b>6.55</b>	<b>12.22</b>	<b>11.50</b>