

POPULATION BASED CANCER REGISTRY, SILCHAR TOWN Silchar Medical College, Silchar

Dr. Sekhar Chakravarty

Principal Investigator, Vice Principal, Silchar Medical College, Silchar, Assam

Dr. Debashis Dutta

Co - Investigator, Associate Professor, Dept. of Pathology, Silchar Medical College, Silchar, Assam

The Population Based Cancer Registry covering Silchar town started functioning from 1st August, 2003. The registry is located in the Department of Pathology of Silchar Medical College at Silchar Town of Assam. The registry covered approximately one and a half lakh urban population of Silchar Municipal area. From January 2007 the area of the registry has been expanded to cover entire Cachar district. The district of Cachar comprises of 14,44,921 population (as per 2001 census), out of that male population is 7,43,042 and female is 7,01,879. The sex ratio (female : male) is 945 per 1000 (as per 2001 census).

Silchar town is the Head Quarters of Cachar District of Assam. For its strategic location, it is considered as the gateway to the States of Mizoram, Manipur and Tripura. There is one Govt. Medical College, one Cancer Hospital, many private Nursing Homes and Diagnostic centres. The town caters the entire population of Southern Assam comprising of Cachar, Karimganj and Hailakandi District. In addition, it renders health care to a sizeable population of adjacent states of Tripura. Silchar town is located at an altitude of 27 metres above sea level at a latitude 25.8 degree N and longitude 93.15 degree E. The climate is moderate and the average annual rainfall is 2400 mm. The town consists of 28 wards with an area of 20 sq. km. The overall literacy rate is 88.3%.

The registry is equipped with a personal computer and internet facility. Dr. S. Chakravarty, Vice Principal, Silchar Medical College, is the Principal Investigator and Dr. D. Dutta, Associate Professor, Department of Pathology, is the Co-investigator.

The mechanism of the functioning of the registry is shown in the form of a flow chart. Registration of cases is done by attending various sources mostly through direct interview of the patients or his/her attendant/relative.

List of main sources of registration of cancer cases:-

1. The Department of Pathology, Radiotherapy, Medicine, Surgery, ENT, O&G and Ophthalmology of Silchar Medical College.
2. Medical records department of Silchar Medical College.
3. Hospital Referral Board, Silchar Medical College.
4. Cachar Cancer Hospital – a philanthropic organization at Silchar town.
5. Nursing homes & other hospitals – Kay Cee Nursing Home, Mediland Nursing Home, Nightingale

Nursing Home, S.M. Dev Memorial Hospital, Red Cross Hospital etc.

6. Diagnostic centres – Central Laboratory, Silchar Polyclinic Laboratory, Medinova Diagnostic Centre, Aar Gee's Medicare etc.

Core proforma are completed by collection of information from the patients or his/her relatives or attendants, in the department of Pathology. The report of cancer cases are sent to the Registry room where the staff collect information through direct interview with the patients or relatives or attendants before handing over the report.

In the Radiotherapy Department, one staff of the registry attends the OPD clinic and collects the information through direct interview and from available records. In private hospitals, nursing homes and in other diagnostic centres, the information on diagnosed, clinically suspected and under treatment cancer patients are first collected by the staff of the respective centre. These are subsequently collected by the staff of the registry at periodical intervals.

The main advantage of the methodology employed in the department of Pathology and Radiotherapy of the Medical College is that the patient or his/her attendants can be directly interviewed and completion of the core proforma can be successfully performed.

The main disadvantage of the method employed in case of the private hospitals and diagnostic centres is that direct interviewing is not possible in most of the cases and the records available are not adequate enough to fill up the core-proforma. To overcome this problem efforts are made to obtain information as much as possible from the treating doctor or diagnostician in addition to available records.

In addition, a concise proforma has been developed by the PBCR. This concise proforma takes less time to fill-up and are provided to the leading clinicians with the request to use these as the requisition slip for biopsy and FNAC. The different laboratories received these filled in proforma along with the specimen. The staff members of the PBCR collect these proforma during their visit to the diagnostic centres. In some cases, for collection of data, home visits are made after obtaining address of the patients and making prior appointment.

During registration, core-proforma is filled in by the registry staff and coding is done according ICD-O-3 and ICD-10. The data is entered into the computer. These data are sent to RMRC, Dibrugarh and the Coordinating Unit in Bangalore where duplicate/consistency checks are done by using appropriate software.


Working of Registry

It has been found that about 15% cancer patients of the registry area visit Cancer Hospitals at Guwahati and outside the State. A short list of these institutions has been made and the authorities of these institutions have been requested to provide us the data of the cases belonging to our registry.

From the year 2004, we have been receiving data on cancer cases of our registry from the following institutions:-

1. Dr. B. Borooah Cancer Hospital, Guwahati.
2. Cancer Centre and Welfare Home, Thakurpukur, Kolkata.

Flow Chart A : Working of Registry



3. Tata Memorial Hospital, Mumbai.
4. Cancer Institute (WIA), Chennai.

Working of the Death-Registration System

At present, there are three registration units in the registry area –

1. Silchar Municipal Board.
2. Silchar Medical College Hospital.
3. Silchar Civil Hospital.

Silchar Medical College and Civil Hospital maintain death registers and send monthly death reports to the District Registrar of Births and Deaths. Information on Institutional deaths (other than Medical College and Civil Hospital) and non-Institutional deaths are recorded in the registration unit of Silchar Municipal Board. The statistical part of death information is then sent to the Registrar, Births and Deaths, of the Cachar district. The certification of cause of death is done by the attending medical practitioner. It is countersigned

by a Govt. Doctor. The registry staff members visit the office of the Registrar of Births and Deaths, search the relevant information from the report and collect mortality data as per Proforma.

Earlier studies like 'Cancer Atlas Programme' have shown high incidence of cancer in the North-Eastern States of India. After establishment of the full fledged Population Based Cancer Registry at Silchar Town, we have just started to learn about the magnitude of the cancer problem in this remote part of the country, in a scientific manner. The information from the registry will have tremendous impact on formulating strategies for prevention, early diagnosis and establishment of necessary treatment facilities. The PBCR is also hoped to be the launching pad for advanced cancer research in this region.

ACKNOWLEDGMENTS:


The staff of the PBCR at Silchar town are thankful to:- Dr. S.S. Dhar, Principal cum Chief Superintendent, Silchar Medical College, Silchar, Assam. Dr. R. Nath, SRF, Project of "Cancer in N.E. India: Understanding the role of Tobacco".

Mrs. Debrani Chandrani Choudhury, MSW, Project of "Cancer in N.E. India: Understanding the role of Tobacco". and

All the Clinicians of Silchar Medical College as well as of the Private sector, for their constant support, and guidance.

System of Registration and Certification of Cause of Death

Functioning of the Death Registration system is shown in the form of a flow chart below:



Registry Staff (PBCR), Silchar

Dr. Raja Prasanta Banik	:	SRF
Mrs. Madhuchhanda Goswami	:	Statistician
Mr. Biswajyoti Choudhury	:	Social Investigator
Miss. Rini Bhattacharjya	:	Social Investigator
Miss. Sraboni Mitra	:	Social Investigator

Figure SIT - 1
Population Pyramid showing Age Distribution: 2005-2006
Silchar Town




TABLE: SIT - 1**Population by Five Year Age Group and Gender: 2005-2006***Number and Relative Proportion (%)***Silchar Town**

Age Group	MALES		FEMALES		TOTAL	
	Number	%	Number	%	Number	%
0-4	13840	6.81	13386	6.78	27226	6.79
5-9	17111	8.42	16553	8.38	33664	8.40
10-14	20290	9.99	20154	10.20	40445	10.09
15-19	19944	9.82	20596	10.43	40540	10.12
20-24	18665	9.19	19499	9.87	38163	9.52
25-29	17749	8.74	19841	10.05	37590	9.38
30-34	17872	8.80	16468	8.34	34340	8.57
35-39	17612	8.67	17248	8.73	34860	8.70
40-44	14259	7.02	12473	6.31	26732	6.67
45-49	13098	6.45	11261	5.70	24359	6.08
50-54	9765	4.81	7992	4.05	17757	4.43
55-59	7364	3.62	5955	3.01	13319	3.32
60-64	5412	2.66	4968	2.52	10381	2.59
65-69	4278	2.11	4463	2.26	8741	2.18
70-74	2897	1.43	3165	1.60	6062	1.51
75+	3009	1.48	3496	1.77	6505	1.62
Total	203165	100.00	197518	100.00	400683	100.00

TABLE : SIT- 2
Main Sources of Registration of Incident Cases of Cancer : 2005-2006
Silchar Town

Name of the Institution (Source Code)	Number	%
The Dept. of Pathology, SMCH (1)	60	23.17
The Dept. of Radiotherapy, SMCH (2)	29	11.20
Cachar Cancer Hospital, Silchar (10)	19	7.34
Silchar Polyclinic Laboratory, Silchar (17)	19	7.34
Chakraborty Medical Centre (24)	8	3.09
Hospital Referral Board, SMCH (9)	5	1.93
The Dept. of E.N.T., SMCH (5)	3	1.16
Office of the Joint Director of Health Services (26)	1	0.39
The Dept. of O & G, SMCH (6)	1	0.39
Others (999)	114	44.02
Total	259	100.00

The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE SIT-3 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2005-2006 – Males**

%= Relative Proportion of Cancers of All Sites.

Silchar Town

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	5	3.18
C03-06	Mouth	-	-	-	-	-	-	-	-	3	2	-	1	-	1	-	-	-	7	4.46
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.64
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	5	3.18
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	3	1.91
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1.27
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	-	-	10	6.37
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	1	-	7	4.46
C15	Oesophagus	-	-	-	-	-	-	-	1	-	1	-	5	-	1	-	2	-	10	6.37
C16	Stomach	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	5	3.18
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	3	1.91
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.64
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	4	2.55
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	-	4	1	2	1	1	1	-	-	11	7.01
C33-34	Lung etc.	-	-	-	-	-	-	-	-	1	2	2	5	8	4	4	4	-	30	19.11
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.64
C40-41	Bone	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	3	1.91
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1.27
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.64
C60	Penis	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1.27
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1.91
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.64
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1.27
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1.27
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1.27
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1.27
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.64
C91	Lymphoid Leuk.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.64
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	2	-	-	-	-	-	1	1	2	5	4	4	1	1	5	4	-	30	19.11
	All Sites	2	1	1	1	-	1	1	4	11	21	18	27	19	16	19	15	-	157	100.00

**TABLE SIT-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2005-2006 – Females**

%= Relative Proportion of Cancers of All Sites.

Silchar Town

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	4	3.92
C03-06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.98
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.98
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	3	2.94
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	1	1	-	-	4	2	1	1	2	4	-	16	15.69
C16	Stomach	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1.96
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.98
C19-20	Rectum	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	4	3.92
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.98
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	7	6.86
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.98
C33-34	Lung etc.	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	4	3.92
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1.96
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.98
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	2	1	4	3	5	-	-	-	1	-	-	-	16	15.69
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	-	3	4	2	6	3	2	1	-	-	-	21	20.59
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.98
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1.96
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.98
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.98
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.98
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1.96
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.98
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.98
O&U	Other and Uns	1	-	-	-	1	-	-	-	-	1	-	1	2	-	-	1	-	7	6.86
	All Sites	1	-	-	-	3	4	3	10	10	15	14	7	13	9	4	9	-	102	100.00

TABLE: SIT-4(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006 - Males
Silchar Town

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	7.6	-	13.6	37.0	23.4	-	-	-	2.5	3.2	1.45	8.0
C03-06	-	-	-	-	-	-	-	-	21.0	15.3	-	13.6	-	23.4	-	-	3.4	3.4	1.32	8.8
C07-8	-	-	-	-	-	-	-	-	-	-	10.2	-	-	-	-	-	0.5	0.5	0.51	1.7
C09	-	-	-	-	-	-	-	-	-	-	-	27.2	18.5	23.4	34.5	-	2.5	3.2	1.45	5.9
C10	-	-	-	-	-	-	-	7.0	7.6	-	-	-	-	-	-	33.2	1.5	1.5	0.91	2.8
C11	-	-	-	5.0	-	-	-	-	7.6	-	-	-	-	-	-	-	1.0	0.9	0.64	1.5
C12-13	-	-	-	-	-	-	-	-	-	-	20.5	27.2	37.0	23.4	103.6	-	4.9	6.4	2.03	11.6
C14	-	-	-	-	-	-	-	-	-	-	30.7	13.6	18.5	-	34.5	33.2	3.4	4.2	1.60	9.1
C15	-	-	-	-	-	-	-	5.7	7.6	-	-	67.9	-	23.4	-	66.5	4.9	5.5	1.78	11.3
C16	-	-	-	-	-	-	-	-	7.0	-	-	-	-	70.1	34.5	-	2.5	3.2	1.46	1.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	5.7	-	-	10.2	-	-	-	-	33.2	1.5	1.5	0.91	2.8
C19-20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	5.6	-	-	-	-	-	-	-	-	-	-	0.5	0.5	0.45	-
C23-24	-	-	-	-	-	-	-	-	7.6	-	27.2	18.5	-	-	-	-	2.0	2.3	1.16	7.4
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	5.7	-	30.5	10.2	27.2	18.5	23.4	34.5	-	5.4	5.9	1.82	14.6
C33-34	-	-	-	-	-	-	-	-	7.0	15.3	20.5	67.9	147.8	93.5	138.1	133.0	14.8	19.2	3.55	35.5
C37-38	-	-	-	-	-	-	-	-	-	-	10.2	-	-	-	-	-	0.5	0.5	0.51	1.7
C40-41	-	-	-	-	-	-	-	-	22.9	-	-	-	-	-	-	-	1.5	1.4	0.79	4.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	10.2	13.6	-	-	-	-	-	1.0	1.1	0.75	3.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	23.4	-	-	0.5	0.7	0.70	-
C60	-	-	-	-	-	-	-	-	-	-	20.5	-	-	-	-	-	1.0	1.0	0.72	3.3
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	23.4	-	66.5	1.5	2.0	1.17	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	18.5	-	-	-	0.5	0.7	0.74	2.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	7.0	-	-	-	-	-	-	34.5	-	1.0	1.1	0.81	1.4
C68	-	-	-	-	-	-	-	-	-	-	-	13.6	-	-	34.5	-	1.0	1.2	0.88	1.8
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	18.5	-	34.5	-	1.0	1.4	1.01	2.4
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	4.9	-	-	-	-	7.0	-	-	-	-	-	-	-	-	1.0	0.9	0.61	1.4
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	7.0	-	-	-	-	-	-	-	-	0.5	0.4	0.42	1.4
C91	-	5.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	0.58	-
C92-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	14.5	-	-	-	-	-	5.6	5.7	14.0	38.2	41.0	54.3	18.5	23.4	172.6	133.0	14.8	17.3	3.25	27.2
All	14.5	5.8	4.9	5.0	-	5.6	5.6	22.7	77.1	160.3	184.3	366.7	351.1	374.1	655.9	498.7	77.3	91.9	7.47	172.7

TABLE: SIT-4(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006 - Females
Silchar Town

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	12.5	-	-	44.8	-	28.6	2.0	2.5	1.27	2.0
C03-06	-	-	-	-	-	-	-	-	-	-	-	-	22.4	-	-	-	0.5	0.7	0.67	-
C07-8	-	-	-	-	-	-	-	8.0	-	-	-	-	-	-	-	-	0.5	0.5	0.48	1.6
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	-	-	-	-	-	-	-	-	-	-	-	-	20.1	44.8	-	-	1.5	2.1	1.25	2.6
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	6.1	5.8	-	-	50.1	33.6	20.1	22.4	63.2	114.4	8.1	9.6	2.43	16.1
C16	-	-	-	-	-	-	-	-	-	8.9	-	-	20.1	-	-	-	1.0	1.3	0.97	4.3
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.6	0.5	0.6	0.57	-
C19-20	-	-	-	-	-	5.0	6.1	-	8.0	-	-	-	20.1	-	-	-	2.0	2.1	1.08	4.1
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	22.4	-	-	0.5	0.7	0.67	-
C22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-24	-	-	-	-	-	-	-	-	8.9	12.5	16.8	40.3	-	63.2	-	-	3.5	4.7	1.79	11.1
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	12.5	-	-	-	-	-	0.5	0.6	0.63	2.0
C33-34	-	-	-	-	-	-	-	5.8	8.0	-	12.5	-	-	-	-	28.6	2.0	2.0	1.03	4.7
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	5.1	-	-	-	-	-	-	-	20.1	-	-	-	1.0	1.2	0.90	2.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	8.9	-	-	-	-	-	-	-	0.5	0.5	0.53	1.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	10.1	6.1	23.2	24.1	44.4	-	-	-	22.4	-	-	8.1	7.3	1.87	17.7
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	17.4	32.1	17.8	75.1	50.4	40.3	22.4	-	-	10.6	12.1	2.70	36.8
C54	-	-	-	-	-	-	-	-	8.9	-	-	-	-	-	-	-	0.5	0.5	0.53	1.7
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	5.8	-	8.9	-	-	-	-	-	-	-	1.0	0.9	0.64	2.8
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	20.1	-	-	-	0.5	0.8	0.81	2.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	8.9	-	-	-	-	-	-	-	0.5	0.5	0.53	1.7
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	5.1	-	-	-	-	-	-	-	-	-	-	-	0.5	0.4	0.41	-
C82-85,C96	-	-	-	-	-	-	-	-	8.9	-	-	-	-	-	-	28.6	1.0	1.1	0.78	1.7
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	20.1	-	-	-	0.5	0.8	0.81	2.6
C92-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	5.0	-	-	-	-	-	-	-	-	-	-	0.5	0.4	0.40	-
O&U	7.5	-	-	-	5.1	-	-	-	8.9	-	16.8	40.3	-	-	-	28.6	3.5	4.7	1.82	9.1
All	7.5	-	-	-	15.4	20.2	18.2	58.0	80.2	133.2	175.2	117.6	261.7	201.7	126.4	257.4	51.6	58.8	5.98	129.7

**TABLE: SIT-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2005-2006 - Males
Silchar Town**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	4	80.0	-	-	-	-	-	-	1	20.0	5	100.0
C03-06	Mouth	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C07-8	Salivary Gland	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	4	80.0	-	-	-	-	-	-	1	20.0	5	100.0
C10	Oth. Oropharynx	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C11	Nasopharynx	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C12-13	Hypopharynx	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C14	Pharynx Unspecified	3	42.9	-	-	-	-	-	-	4	57.1	7	100.0
C15	Oesophagus	6	60.0	-	-	-	-	1	10.0	3	30.0	10	100.0
C16	Stomach	2	40.0	-	-	-	-	-	-	3	60.0	5	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C23-24	Gallbladder etc.	1	25.0	-	-	-	-	-	-	3	75.0	4	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	8	72.7	-	-	-	-	-	-	3	27.3	11	100.0
C33-34	Lung etc.	11	36.7	-	-	-	-	-	-	19	63.3	30	100.0
C37-38	Other Thoracic Organs	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C40-41	Bone	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C61	Prostate	-	-	-	-	-	-	-	-	3	100.0	3	100.0
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C91	Lymphoid Leuk.	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	14	46.7	-	-	-	-	1	3.3	15	50.0	30	100.0
	All Sites	95	60.5	-	-	-	-	2	1.3	60	38.2	157	100.0

**TABLE: SIT-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2005-2006 - Females
Silchar Town**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C03-06	Mouth	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C07-8	Salivary Gland	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	Hypopharynx	2	66.7	-	-	-	-	-	-	1	33.3	3	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	11	68.8	-	-	-	-	1	6.3	4	25.0	16	100.0
C16	Stomach	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C19-20	Rectum	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-
C23-24	Gallbladder etc.	2	28.6	-	-	-	-	-	-	5	71.4	7	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C33-34	Lung etc.	-	-	-	-	-	-	-	-	4	100.0	4	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	14	87.5	-	-	-	-	-	-	2	12.5	16	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	20	95.2	-	-	-	-	-	-	1	4.8	21	100.0
C54	Corpus Uteri	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U	Other and Uns	6	85.7	-	-	-	-	1	14.3	-	-	7	100.0
	All Sites	79	77.5	1	1.0	1	1.0	2	2.0	19	18.6	102	100.0

TABLE: SIT-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006 - Males : Silchar Town

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	2	40.0	-	-	2	40.0	-	-	-	-	1	20.0	5	100.0
C03-06	Mouth	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C07-8	Salivary Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	2	40.0	-	-	2	40.0	-	-	-	-	1	20.0	5	100.0
C10	Oth. Oropharynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C11	Nasopharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C12-13	Hypopharynx	8	80.0	-	-	2	20.0	-	-	-	-	-	-	10	100.0
C14	Pharynx Unspecified	1	14.3	-	-	2	28.6	-	-	-	-	4	57.1	7	100.0
C15	Oesophagus	5	50.0	-	-	1	10.0	-	-	-	-	4	40.0	10	100.0
C16	Stomach	2	40.0	-	-	-	-	-	-	-	-	3	60.0	5	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C23-24	Gallbladder etc.	1	25.0	-	-	-	-	-	-	-	-	3	75.0	4	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	5	45.5	-	-	3	27.3	-	-	-	-	3	27.3	11	100.0
C33-34	Lung etc.	2	6.7	-	-	9	30.0	-	-	-	-	19	63.3	30	100.0
C37-38	Other Thoracic Organs	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C40-41	Bone	2	66.7	-	-	-	-	-	-	1	33.3	-	-	3	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C60	Penis	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C61	Prostate	-	-	-	-	-	-	-	-	-	-	3	100.0	3	100.0
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	7	23.3	1	3.3	6	20.0	-	-	-	-	16	53.3	30	100.0
	All Sites	61	38.9	1	0.6	30	19.1	1	0.6	2	1.3	62	39.5	157	100.0

TABLE: SIT-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006 - Females : Silchar Town

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C03-06	Mouth	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	Hypopharynx	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	9	56.3	-	-	2	12.5	-	-	-	-	5	31.3	16	100.0
C16	Stomach	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C19-20	Rectum	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-24	Gallbladder etc.	2	28.6	-	-	-	-	-	-	-	-	5	71.4	7	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C33-34	Lung etc.	-	-	-	-	-	-	-	-	-	-	4	100.0	4	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	9	56.3	1	6.3	4	25.0	-	-	-	-	2	12.5	16	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	20	95.2	-	-	-	-	-	-	-	-	1	4.8	21	100.0
C54	Corpus Uteri	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
O&U	Other and Uns	2	28.6	1	14.3	3	42.9	-	-	-	-	1	14.3	7	100.0
	All Sites	64	62.7	2	2.0	11	10.8	2	2.0	-	-	23	22.5	102	100.0

**TABLE SIT-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2005-2006 – Males**

%= Relative Proportion of Cancers of All Sites.

Silchar Town

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1.41
C03-06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1.41
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	Hypopharynx	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1.41
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	4	5.63
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	3	4.23
C16	Stomach	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	3	4.23
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	2.82
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1.41
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	2.82
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	3	4.23
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	5	7.04
C33-34	Lung etc.	-	-	-	-	-	-	-	-	-	2	-	5	4	4	1	4	-	20	28.17
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	4.23
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2.82
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2.82
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1.41
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	-	-	-	-	-	-	1	1	1	2	3	2	1	-	4	2	-	17	23.94
	All Sites	-	-	-	-	-	1	1	3	4	5	7	14	9	9	8	10	-	71	100.00

**TABLE SIT-7 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2005-2006 – Females**

%= Relative Proportion of Cancers of All Sites.

Silchar Town

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4.76
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	4	19.05
C16	Stomach	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	4.76
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4.76
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	5	23.81
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4.76
C33-34	Lung etc.	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	4	19.05
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	9.52
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4.76
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4.76
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All Sites	1	-	-	-	-	-	-	1	-	3	2	2	4	3	3	2	-	21	100.00

TABLE: SIT-8(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006 - Males
Silchar Town

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	-	13.6	-	-	-	-	0.5	0.5	0.54	1.8
C03-06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	18.5	-	-	-	0.5	0.7	0.74	2.4
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	-	-	-	-	-	-	-	5.7	-	-	-	-	-	-	-	-	0.5	0.3	0.34	1.1
C14	-	-	-	-	-	-	-	-	-	-	20.5	-	18.5	-	34.5	-	2.0	2.5	1.24	5.7
C15	-	-	-	-	-	-	-	-	-	-	-	27.2	-	-	-	33.2	1.5	1.8	1.02	3.5
C16	-	-	-	-	-	-	-	-	7.0	-	-	-	-	46.8	-	-	1.5	1.8	1.08	1.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	5.7	-	-	-	-	-	-	-	33.2	1.0	1.0	0.75	1.1
C19-20	-	-	-	-	-	-	-	-	-	-	10.2	-	-	-	-	-	0.5	0.5	0.51	1.7
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	5.6	-	-	-	-	-	-	-	23.4	-	-	1.0	1.2	0.83	-
C23-24	-	-	-	-	-	-	-	-	-	-	-	27.2	18.5	-	-	-	1.5	1.8	1.07	5.9
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	7.0	7.6	10.2	13.6	-	23.4	-	-	2.5	2.6	1.20	6.2
C33-34	-	-	-	-	-	-	-	-	-	15.3	-	67.9	73.9	93.5	34.5	133.0	9.8	12.7	2.88	21.3
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	23.4	-	66.5	1.5	2.0	1.17	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	18.5	-	34.5	-	1.0	1.4	1.01	2.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	13.6	-	-	34.5	-	1.0	1.2	0.88	1.8
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	7.0	-	-	-	-	-	-	-	0.5	0.4	0.42	1.4
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	-	-	-	-	-	-	5.6	5.7	7.0	15.3	30.7	27.2	18.5	-	138.1	66.5	8.4	9.5	2.35	16.3
All	-	-	-	-	-	5.6	5.6	17.0	28.1	38.2	71.7	190.1	166.3	210.4	276.1	332.4	34.9	42.1	5.09	73.7

TABLE: SIT-8(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006 - Females
Silchar Town

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	-	-	-	-	-	-	-	-	-	-	-	-	22.4	-	-	-	0.5	0.7	0.67	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	12.5	16.8	-	-	31.6	28.6	-	2.0	2.5	1.25	4.2
C16	-	-	-	-	-	-	-	-	8.9	-	-	-	-	-	-	-	0.5	0.5	0.53	1.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-20	-	-	-	-	-	-	-	-	-	-	-	20.1	-	-	-	-	0.5	0.8	0.81	2.6
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-24	-	-	-	-	-	-	-	-	-	-	16.8	40.3	-	63.2	-	-	2.5	3.5	1.60	7.4
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	22.4	-	-	-	0.5	0.7	0.67	-
C33-34	7.5	-	-	-	-	-	-	5.8	-	-	12.5	-	-	-	28.6	-	2.0	2.4	1.28	3.1
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	17.8	-	-	-	-	-	-	-	1.0	1.1	0.75	3.4
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	-	-	-	-	-	22.4	-	-	-	0.5	0.7	0.67	-
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	20.1	-	-	-	0.5	0.8	0.81	2.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All	7.5	-	-	-	-	-	-	5.8	-	26.6	25.0	33.6	80.5	67.2	94.8	57.2	10.6	13.7	3.04	25.0

**TABLE: SIT-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Males
Silchar Town**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-02	Tongue	0.29	0.29	0.41	0.41
C03-06	Mouth	0.25	0.25	0.37	0.37
C07-8	SalivaryGland	0.05	0.05	0.05	0.05
C09	Tonsil	0.23	0.23	0.52	0.52
C10	Oth. Oropharynx	0.07	0.07	0.07	0.07
C11	Nasopharynx	0.06	0.06	0.06	0.06
C12-13	Hypopharynx	0.42	0.42	1.06	1.05
C14	Pharynx Unspecified	0.31	0.31	0.49	0.49
C15	Oesophagus	0.41	0.41	0.52	0.52
C16	Stomach	0.04	0.04	0.56	0.56
C17	Small Intestine	-	-	-	-
C18	Colon	0.08	0.08	0.08	0.08
C19-20	Rectum	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.03	0.03	0.03	0.03
C23-24	Gallbladder etc.	0.27	0.27	0.27	0.27
C25	Pancreas	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.46	0.46	0.75	0.75
C33-34	Lung etc.	1.29	1.28	2.45	2.42
C37-38	Other Thoracic Organs	0.05	0.05	0.05	0.05
C40-41	Bone	0.11	0.11	0.11	0.11
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.12	0.12	0.12	0.12
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	0.12	0.12
C60	Penis	0.10	0.10	0.10	0.10
C61	Prostate	-	-	0.12	0.12
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidneyetc.	0.09	0.09	0.09	0.09
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.04	0.04	0.21	0.21
C68	Uns.UrinaryOrgans	0.07	0.07	0.24	0.24
C69	Eye	-	-	-	-
C70-72	Brain,Nervous System	-	-	-	-
C73	Thyroid	0.09	0.09	0.26	0.26
C74	Adrenal Gland	-	-	-	-
C77	Sec Lymph Nodes	0.06	0.06	0.06	0.06
C78	Sec Resp& Digestive	-	-	-	-
C79	Sec Others	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-85,C96	NHL	-	-	-	-
C90	Multiple Myeloma	0.04	0.04	0.04	0.04
C91	Lymphoid Leuk.	0.03	0.03	0.03	0.03
C92-94	Myeloid Leukaemia	-	-	-	-
C95	Leukaemia Uns	-	-	-	-
O&U	Other and Uns	0.96	0.95	1.94	1.92
	All Sites	6.02	5.84	11.17	10.57

**TABLE: SIT-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Females
Silchar Town**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-02	Tongue	0.06	0.06	0.29	0.29
C03-06	Mouth	-	-	0.11	0.11
C07-8	SalivaryGland	0.04	0.04	0.04	0.04
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-13	Hypopharynx	0.10	0.10	0.32	0.32
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.58	0.58	1.01	1.00
C16	Stomach	0.15	0.14	0.15	0.14
C17	Small Intestine	-	-	-	-
C18	Colon	-	-	-	-
C19-20	Rectum	0.20	0.20	0.20	0.20
C21	Anus & Anal Canal	-	-	0.11	0.11
C22	Liver	-	-	-	-
C23-24	Gallbladder etc.	0.39	0.39	0.71	0.71
C25	Pancreas	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.06	0.06	0.06	0.06
C33-34	Lung etc.	0.13	0.13	0.13	0.13
C37-38	Other Thoracic Organs	-	-	-	-
C40-41	Bone	0.13	0.13	0.13	0.13
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.04	0.04	0.04	0.04
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	0.54	0.54	0.65	0.65
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	1.16	1.16	1.28	1.27
C54	Corpus Uteri	0.04	0.04	0.04	0.04
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.07	0.07	0.07	0.07
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidneyetc.	0.10	0.10	0.10	0.10
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-72	Brain, Nervous System	0.04	0.04	0.04	0.04
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-
C79	Sec Others	-	-	-	-
C81	Hodgkins Disease	0.03	0.03	0.03	0.03
C82-85, C96	NHL	0.04	0.04	0.04	0.04
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.10	0.10	0.10	0.10
C92-94	Myeloid Leukaemia	-	-	-	-
C95	Leukaemia Uns	0.03	0.03	0.03	0.03
O&U	Other and Uns	0.39	0.39	0.39	0.39
	All Sites	4.44	4.34	6.08	5.89