

**Figure MIO-1**

**Population Pyramid showing Age Distribution: 2003-2004**

**Mizoram State - excl. Aizawl District**




TABLE:MIO - 1

## Population by Five Year Age Group and Gender : 2003-2004

*Number and Relative Proportion (%)*

## Mizoram State - excl. Aizawl District

Age Group	MALES		FEMALES		TOTAL	
	Number	%	Number	%	Number	%
0-4	72479	11.56	70131	12.02	142610	11.78
5-9	77057	12.29	73011	12.51	150068	12.40
10-14	78503	12.52	74469	12.76	152972	12.64
15-19	66804	10.65	63609	10.90	130413	10.77
20-24	61689	9.84	59601	10.22	121290	10.02
25-29	53260	8.49	48081	8.24	101341	8.37
30-34	40227	6.41	35743	6.13	75970	6.28
35-39	41912	6.68	36493	6.26	78405	6.48
40-44	33690	5.37	31011	5.32	64701	5.35
45-49	27003	4.31	24296	4.16	51299	4.24
50-54	23493	3.75	20074	3.44	43567	3.60
55-59	15456	2.46	13059	2.24	28515	2.36
60-64	11818	1.88	10993	1.88	22811	1.88
65-69	9102	1.45	8509	1.46	17611	1.45
70-74	7007	1.12	6582	1.13	13589	1.12
75+	7578	1.21	7727	1.32	15305	1.26
<b>Total</b>	<b>627078</b>	<b>100.00</b>	<b>583389</b>	<b>100.00</b>	<b>1210467</b>	<b>100.00</b>

**TABLE MIO-2 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2003-2004 – Males**

*% = Relative Proportion of Cancers of All Sites.*

**Mizoram State - excl. Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	-	-	7	1.19
C03-06	Mouth	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	2	-	8	1.36
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.17
C09	Tonsil	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	5	0.85
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.17
C11	Nasopharynx	-	-	-	-	-	-	1	2	-	1	3	2	2	2	-	-	-	13	2.21
C12-13	Hypopharynx	-	-	-	-	-	-	-	2	2	2	3	1	1	1	3	2	-	17	2.89
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	4	0.68
C15	Oesophagus	-	-	-	-	-	-	1	4	8	8	6	4	2	1	2	2	-	38	6.45
C16	Stomach	-	-	-	-	1	-	1	8	8	16	24	25	27	31	17	18	-	176	29.88
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	1	-	2	-	1	1	-	-	3	1	-	9	1.53
C19-20	Rectum	-	-	-	-	-	-	-	-	1	1	-	1	-	2	3	4	2	14	2.38
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	1	1	1	3	1	4	2	2	1	3	5	3	-	27	4.58
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	4	0.68
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	3	0.51
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.34
C32	Larynx	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	3	0.51
C33-34	Lung etc.	-	-	-	-	-	-	-	-	1	4	4	9	13	8	7	14	1	61	10.36
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	0.34
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.34
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	6	1.02
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	1	-	-	-	-	1	1	-	-	-	2	-	-	-	1	7	1.19
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	1	-	1	1	-	1	2	2	-	-	8	1.36
C61	Prostate	-	-	-	-	-	-	-	-	1	-	-	-	-	4	2	4	-	11	1.87
C62	Testis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.17
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.34
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.34
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	0.34
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.34
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	0.68
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.17
C82-85,C96	NHL	1	1	-	1	1	1	-	-	-	1	1	3	3	1	-	-	-	14	2.38
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	2	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	6	1.02
C92-94	Myeloid Leukaemia	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	5	0.85
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	3	0.51
O&U	Other and Uns	1	-	-	-	1	-	1	5	7	11	14	18	14	15	7	19	5	118	20.03
	<b>All Sites</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>7</b>	<b>2</b>	<b>7</b>	<b>28</b>	<b>37</b>	<b>53</b>	<b>68</b>	<b>77</b>	<b>77</b>	<b>77</b>	<b>60</b>	<b>72</b>	<b>9</b>	<b>589</b>	<b>100.00</b>

**TABLE MIO-2 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2003-2004 – Females**

*% = Relative Proportion of Cancers of All Sites.*

**Mizoram State - excl. Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.24
C03-06	Mouth	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	-	-	8	1.90
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.24
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.24
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.24
C11	Nasopharynx	-	-	-	-	-	-	-	2	-	-	3	1	1	3	-	-	-	10	2.38
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	3	0.71
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	6	1.43
C15	Oesophagus	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	5	1.19
C16	Stomach	-	-	-	-	-	-	-	1	3	6	5	11	13	7	6	5	-	57	13.54
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	1	-	-	1	-	2	-	3	2	1	-	-	1	-	11	2.61
C19-20	Rectum	-	-	-	-	1	-	-	-	-	1	2	1	1	2	-	-	-	8	1.90
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.24
C22	Liver	-	-	-	-	-	-	1	-	1	2	1	1	3	1	1	-	-	11	2.61
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	2	-	8	1.90
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	7	1.66
C30-31	Nose, Sinuses etc.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	0.71
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.24
C33-34	Lung etc.	-	-	-	-	-	-	-	1	2	3	2	4	15	9	6	4	1	47	11.16
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	3	0.71
C43	Melanoma of Skin	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.24
C44	Other Skin	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	5	1.19
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	4	0.95
C50	Breast	-	-	-	-	-	1	3	7	9	8	12	-	2	5	-	1	-	48	11.40
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.24
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	2	4	10	14	10	9	3	3	4	-	-	-	59	14.01
C54	Corpus Uteri	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	6	1.43
C55	Uterus Unspecified	-	-	-	-	-	2	-	-	1	1	-	-	-	1	-	-	-	5	1.19
C56	Ovary etc.	-	-	-	-	-	-	1	-	-	2	4	-	1	-	-	-	-	8	1.90
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	3	0.71
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	0.48
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	3	2	2	-	-	1	-	1	-	-	9	2.14
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.24
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85, C96	NHL	-	1	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	6	1.43
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	0.71
C92-94	Myeloid Leukaemia	-	-	-	-	-	4	1	1	-	-	1	-	-	-	-	-	-	7	1.66
C95	Leukaemia Uns	-	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	1	6	1.43
O&U	Other and Uns	-	1	1	1	-	-	1	-	4	6	7	6	9	7	3	7	1	54	12.83
	<b>All Sites</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>3</b>	<b>13</b>	<b>13</b>	<b>28</b>	<b>43</b>	<b>47</b>	<b>60</b>	<b>39</b>	<b>64</b>	<b>49</b>	<b>20</b>	<b>24</b>	<b>3</b>	<b>421</b>	<b>100.00</b>

**TABLE: MIO-3(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2003-2004 - Males**  
**Mizoram State - excl. Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	8.5	6.5	25.4	-	14.3	-	1.1	2.0	0.76	5.5
C03-06	-	-	-	-	-	-	-	-	3.0	-	12.8	6.5	8.5	-	-	26.4	1.3	1.9	0.70	4.6
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	11.0	-	-	0.2	0.3	0.33	-
C09	-	-	-	-	-	-	-	2.4	3.0	3.7	4.3	6.5	-	-	-	-	0.8	1.0	0.46	3.3
C10	-	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-	-	0.2	0.3	0.34	1.1
C11	-	-	-	-	-	-	2.5	4.8	-	3.7	12.8	12.9	16.9	22.0	-	-	2.1	3.1	0.91	7.6
C12-13	-	-	-	-	-	-	-	4.8	5.9	7.4	12.8	6.5	8.5	11.0	42.8	26.4	2.7	4.0	1.01	7.5
C14	-	-	-	-	-	-	-	-	3.0	-	-	6.5	8.5	-	14.3	-	0.6	1.1	0.54	2.5
C15	-	-	-	-	-	-	2.5	9.5	23.7	29.6	25.5	25.9	16.9	11.0	28.5	26.4	6.1	8.3	1.39	21.8
C16	-	-	-	-	1.6	-	2.5	19.1	23.7	59.3	102.2	161.7	228.5	340.6	242.6	237.5	28.1	46.9	3.62	86.6
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	2.5	-	5.9	-	4.3	6.5	-	-	42.8	13.2	1.4	2.1	0.72	2.7
C19-20	-	-	-	-	-	-	-	-	3.0	3.7	-	6.5	-	22.0	42.8	52.8	2.2	3.2	0.94	2.1
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	1.6	1.9	2.5	7.2	3.0	14.8	8.5	12.9	8.5	33.0	71.4	39.6	4.3	6.4	1.28	9.0
C23-24	-	-	-	-	-	-	-	-	-	3.7	4.3	6.5	-	11.0	-	-	0.6	1.0	0.52	2.2
C25	-	-	-	-	-	-	-	-	-	-	4.3	12.9	-	-	-	-	0.5	0.7	0.42	2.4
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	11.0	-	13.2	0.3	0.6	0.42	-
C32	-	-	-	-	-	-	-	2.4	-	-	4.3	6.5	-	-	-	-	0.5	0.6	0.36	2.0
C33-34	-	-	-	-	-	-	-	-	3.0	14.8	17.0	58.2	110.0	87.9	99.9	184.7	9.7	17.0	2.22	27.9
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	1.3	-	-	1.6	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.18	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	8.5	-	14.3	-	0.3	0.6	0.44	1.1
C44	-	-	-	-	-	-	-	-	-	-	-	-	16.9	11.0	42.8	-	1.0	1.9	0.76	2.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	1.4	-	1.3	-	-	-	-	2.4	3.0	-	-	-	16.9	-	-	-	1.1	1.3	0.57	3.2
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	2.4	-	3.7	4.3	-	8.5	22.0	28.5	-	1.3	2.1	0.78	3.0
C61	-	-	-	-	-	-	-	-	3.0	-	-	-	-	43.9	28.5	52.8	1.8	3.1	0.95	0.6
C62	-	-	-	-	1.6	-	-	-	-	-	-	-	-	-	-	-	0.2	0.1	0.13	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	3.7	-	-	-	11.0	-	-	0.3	0.6	0.40	0.7
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	11.0	14.3	-	0.3	0.6	0.44	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.4	-	-	-	-	-	-	-	3.0	-	-	-	-	-	-	-	0.3	0.3	0.24	0.6
C70-72	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	14.3	-	0.3	0.5	0.39	0.8
C73	-	-	-	-	-	-	-	-	-	-	-	12.9	-	-	-	26.4	0.6	1.0	0.52	1.7
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	2.5	-	-	-	-	-	-	-	-	-	0.2	0.1	0.15	-
C82-85,C96	1.4	1.3	-	1.5	1.6	1.9	-	-	-	3.7	4.3	19.4	25.4	11.0	-	-	2.2	3.3	0.92	7.2
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	2.6	2.5	1.5	-	-	-	-	-	-	-	-	-	-	14.3	-	1.0	0.9	0.40	-
C92-94	-	-	1.3	1.5	1.6	-	-	-	-	3.7	-	-	-	11.0	-	-	0.8	0.9	0.45	0.7
C95	-	-	-	-	-	-	-	-	3.0	-	-	-	16.9	-	-	-	0.5	0.9	0.51	2.8
O&U	1.4	-	-	-	1.6	-	2.5	11.9	20.8	40.7	59.6	116.5	118.5	164.8	99.9	250.7	18.8	29.2	2.81	54.1
<b>All</b>	<b>5.5</b>	<b>5.2</b>	<b>5.1</b>	<b>4.5</b>	<b>11.3</b>	<b>3.8</b>	<b>17.4</b>	<b>66.8</b>	<b>109.8</b>	<b>196.3</b>	<b>289.4</b>	<b>498.2</b>	<b>651.5</b>	<b>846.0</b>	<b>856.3</b>	<b>950.1</b>	<b>93.9</b>	<b>148.6</b>	<b>6.33</b>	<b>267.2</b>

**TABLE:MIO-3(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2003-2004 - Females**  
**Mizoram State - excl. Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	4.1	-	-	-	-	-	-	0.2	0.2	0.25	0.8
C03-06	-	-	-	-	-	-	-	-	3.2	-	-	7.7	18.2	35.3	15.2	-	1.4	2.6	0.93	4.0
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	9.1	-	-	-	0.2	0.4	0.36	1.2
C09	-	-	-	-	-	-	-	-	-	-	5.0	-	-	-	-	-	0.2	0.2	0.25	0.8
C10	-	-	-	-	-	-	-	-	-	-	-	-	9.1	-	-	-	0.2	0.4	0.36	1.2
C11	-	-	-	-	-	-	-	5.5	-	-	14.9	7.7	9.1	35.3	-	-	1.7	2.8	0.92	5.6
C12-13	-	-	-	-	-	-	-	-	3.2	4.1	5.0	-	-	-	-	-	0.5	0.7	0.40	2.2
C14	-	-	-	-	-	-	-	-	6.4	4.1	5.0	-	9.1	-	-	12.9	1.0	1.5	0.63	4.0
C15	-	-	-	-	-	-	-	2.7	-	-	5.0	-	-	23.5	-	12.9	0.9	1.4	0.64	1.3
C16	-	-	-	-	-	-	-	2.7	9.7	24.7	24.9	84.2	118.3	82.3	91.2	64.7	9.8	17.2	2.31	37.3
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	1.6	-	-	2.8	-	6.4	-	14.9	15.3	9.1	-	-	12.9	1.9	2.7	0.83	6.8
C19-20	-	-	-	-	1.7	-	-	-	-	4.1	10.0	7.7	9.1	23.5	-	-	1.4	2.3	0.82	4.6
C21	-	-	-	-	-	-	-	-	-	-	-	7.7	-	-	-	-	0.2	0.3	0.31	1.0
C22	-	-	-	-	-	-	2.8	-	3.2	8.2	5.0	7.7	27.3	11.8	15.2	-	1.9	3.2	0.98	7.5
C23-24	-	-	-	-	-	-	-	-	-	-	10.0	15.3	-	11.8	15.2	25.9	1.4	2.3	0.81	3.6
C25	-	-	-	-	-	-	-	-	-	-	10.0	23.0	9.1	11.8	-	-	1.2	2.1	0.81	5.7
C30-31	1.4	-	-	-	-	-	-	-	-	-	-	-	9.1	-	-	12.9	0.5	0.8	0.48	1.2
C32	-	-	-	-	-	-	-	-	-	-	5.0	-	-	-	-	-	0.2	0.2	0.25	0.8
C33-34	-	-	-	-	-	-	-	2.7	6.4	12.3	10.0	30.6	136.5	105.8	91.2	51.8	8.1	14.5	2.17	27.3
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	1.3	-	1.7	2.1	-	-	-	-	-	-	-	-	-	-	0.5	0.4	0.25	-
C43	-	-	-	-	-	-	2.8	-	-	-	-	-	-	-	-	-	0.2	0.2	0.17	-
C44	-	-	-	-	-	-	-	-	-	4.1	-	-	18.2	11.8	15.2	-	0.9	1.6	0.74	3.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	1.3	-	-	2.1	-	2.7	-	-	-	-	9.1	-	-	-	0.7	0.8	0.45	1.7
C50	-	-	-	-	-	2.1	8.4	19.2	29.0	32.9	59.8	-	18.2	58.8	-	12.9	8.2	11.3	1.68	27.7
C51	-	-	-	-	-	-	-	-	-	-	-	7.7	-	-	-	-	0.2	0.3	0.31	1.0
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	4.2	11.2	27.4	45.1	41.2	44.8	23.0	27.3	47.0	-	-	10.1	13.5	1.82	35.7
C54	-	-	-	-	-	2.1	-	-	-	-	5.0	7.7	18.2	11.8	-	-	1.0	1.8	0.76	4.1
C55	-	-	-	-	-	4.2	-	-	3.2	4.1	-	-	-	11.8	-	-	0.9	1.1	0.53	1.4
C56	-	-	-	-	-	-	2.8	-	-	8.2	19.9	-	9.1	-	-	-	1.4	2.0	0.73	6.0
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	3.2	4.1	-	7.7	-	-	-	-	0.5	0.7	0.44	2.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	2.7	-	-	-	-	-	-	-	12.9	0.3	0.4	0.31	0.5
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	8.2	6.4	8.2	-	-	9.1	-	15.2	-	1.5	2.0	0.71	5.6
C74	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.17	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	1.4	1.3	-	-	2.1	-	-	-	4.1	-	-	9.1	11.8	-	-	1.0	1.4	0.62	2.0
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	1.4	-	-	3.1	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.5	0.26	-
C92-94	-	-	-	-	-	8.3	2.8	2.7	-	-	5.0	-	-	-	-	-	1.2	1.2	0.48	1.3
C95	-	1.4	-	1.6	1.7	-	-	-	-	-	5.0	-	9.1	-	-	-	1.0	1.0	0.50	2.0
O&U	-	1.4	1.3	1.6	-	-	2.8	-	12.9	24.7	34.9	45.9	81.9	82.3	45.6	90.6	9.3	14.9	2.10	29.4
<b>All</b>	<b>4.3</b>	<b>4.1</b>	<b>5.4</b>	<b>7.9</b>	<b>5.0</b>	<b>27.0</b>	<b>36.4</b>	<b>76.7</b>	<b>138.7</b>	<b>193.4</b>	<b>298.9</b>	<b>298.6</b>	<b>582.2</b>	<b>575.9</b>	<b>303.9</b>	<b>310.6</b>	<b>72.2</b>	<b>111.1</b>	<b>5.62</b>	<b>241.0</b>

**TABLE: MIO-4(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2003-2004 - Males**  
**Mizoram State - excl. Aizawl District**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C03-06	Mouth	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C07-8	Salivary Gland	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C09	Tonsil	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C12-13	Hypopharynx	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C14	Pharynx Unspecified	-	-	-	-	1	25.0	-	-	3	75.0	4	100.0
C15	Oesophagus	31	81.6	-	-	5	13.2	2	5.3	-	-	38	100.0
C16	Stomach	129	73.3	-	-	13	7.4	27	15.3	7	4.0	176	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	4	44.4	-	-	2	22.2	3	33.3	-	-	9	100.0
C19-20	Rectum	6	42.9	-	-	4	28.6	1	7.1	3	21.4	14	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	14	51.9	3	11.1	4	14.8	2	7.4	4	14.8	27	100.0
C23-24	Gallbladder etc.	2	50.0	-	-	2	50.0	-	-	-	-	4	100.0
C25	Pancreas	-	-	2	66.7	-	-	1	33.3	-	-	3	100.0
C30-31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	2	66.7	-	-	1	33.3	-	-	-	-	3	100.0
C33-34	Lung etc.	40	65.6	7	11.5	7	11.5	1	1.6	6	9.8	61	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C43	Melanoma of Skin	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C61	Prostate	1	9.1	-	-	7	63.6	3	27.3	-	-	11	100.0
C62	Testis	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-72	Brain, Nervous System	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C73	Thyroid	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C92-94	Myeloid Leukaemia	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C95	Leukaemia Uns	1	33.3	-	-	-	-	-	-	2	66.7	3	100.0
O&U	Other and Uns	44	37.3	-	-	2	1.7	2	1.7	70	59.3	118	100.0
	<b>All Sites</b>	<b>389</b>	<b>66.0</b>	<b>15</b>	<b>2.5</b>	<b>48</b>	<b>8.1</b>	<b>42</b>	<b>7.1</b>	<b>95</b>	<b>16.1</b>	<b>589</b>	<b>100.0</b>

**TABLE: MIO-4 (b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2003-2004 - Females**  
**Mizoram State - excl. Aizawl District**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C03-06	Mouth	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C07-8	Salivary Gland	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	8	80.0	-	-	2	20.0	-	-	-	-	10	100.0
C12-13	Hypopharynx	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C14	Pharynx Unspecified	2	33.3	-	-	2	33.3	-	-	2	33.3	6	100.0
C15	Oesophagus	4	80.0	-	-	-	-	1	20.0	-	-	5	100.0
C16	Stomach	40	70.2	-	-	8	14.0	6	10.5	3	5.3	57	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	8	72.7	-	-	2	18.2	1	9.1	-	-	11	100.0
C19-20	Rectum	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	7	63.6	1	9.1	2	18.2	-	-	1	9.1	11	100.0
C23-24	Gallbladder etc.	4	50.0	1	12.5	1	12.5	2	25.0	-	-	8	100.0
C25	Pancreas	-	-	3	42.9	-	-	3	42.9	1	14.3	7	100.0
C30-31	Nose, Sinuses etc.	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C33-34	Lung etc.	33	70.2	5	10.6	4	8.5	-	-	5	10.6	47	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C43	Melanoma of Skin	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C50	Breast	47	97.9	-	-	1	2.1	-	-	-	-	48	100.0
C51	Vulva	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	49	83.1	-	-	8	13.6	1	1.7	1	1.7	59	100.0
C54	Corpus Uteri	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	4	80.0	-	-	1	20.0	-	-	-	-	5	100.0
C56	Ovary etc.	4	50.0	1	12.5	1	12.5	1	12.5	1	12.5	8	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	8	88.9	-	-	1	11.1	-	-	-	-	9	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C92-94	Myeloid Leukaemia	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C95	Leukaemia Uns	2	33.3	-	-	-	-	-	-	4	66.7	6	100.0
O&U	Other and Uns	19	35.2	-	-	2	3.7	-	-	33	61.1	54	100.0
	<b>All Sites</b>	<b>306</b>	<b>72.7</b>	<b>12</b>	<b>2.9</b>	<b>36</b>	<b>8.6</b>	<b>16</b>	<b>3.8</b>	<b>51</b>	<b>12.1</b>	<b>421</b>	<b>100.0</b>



**TABLE: MIO-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-9) and Detailed Microscopic Diagnosis, 2003-2004 - Males : Mizoram State - excl. Aizawl District**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	6	85.7	1	14.3	-	-	-	-	-	-	-	-	7	100.0
C03-06	Mouth	7	87.5	-	-	1	12.5	-	-	-	-	-	-	8	100.0
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C09	Tonsil	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	11	84.6	-	-	2	15.4	-	-	-	-	-	-	13	100.0
C12-13	Hypopharynx	14	82.4	1	5.9	2	11.8	-	-	-	-	-	-	17	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	4	100.0	4	100.0
C15	Oesophagus	29	76.3	-	-	2	5.3	-	-	-	-	7	18.4	38	100.0
C16	Stomach	124	70.5	2	1.1	3	1.7	-	-	-	-	47	26.7	176	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	4	44.4	-	-	-	-	-	-	-	-	5	55.6	9	100.0
C19-20	Rectum	6	42.9	-	-	-	-	-	-	-	-	8	57.1	14	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	3.7	-	-	13	48.1	-	-	-	-	13	48.1	27	100.0
C23-24	Gallbladder etc.	1	25.0	-	-	1	25.0	-	-	-	-	2	50.0	4	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	3	100.0	3	100.0
C30-31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C33-34	Lung etc.	20	32.8	-	-	20	32.8	-	-	-	-	21	34.4	61	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C43	Melanoma of Skin	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C44	Other Skin	4	66.7	-	-	2	33.3	-	-	-	-	-	-	6	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	3	42.9	-	-	4	57.1	-	-	-	-	-	-	7	100.0
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C61	Prostate	-	-	-	-	1	9.1	-	-	-	-	10	90.9	11	100.0
C62	Testis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C73	Thyroid	2	50.0	-	-	2	50.0	-	-	-	-	-	-	4	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C82-85, C96	NHL	10	71.4	-	-	4	28.6	-	-	-	-	-	-	14	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	50.0	3	50.0	-	-	6	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	3	60.0	2	40.0	-	-	5	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	33.3	-	-	2	66.7	3	100.0
O&U	Other and Uns	-	-	2	1.7	41	34.7	-	-	1	0.8	74	62.7	118	100.0
	<b>All Sites</b>	<b>268</b>	<b>45.5</b>	<b>6</b>	<b>1.0</b>	<b>102</b>	<b>17.3</b>	<b>7</b>	<b>1.2</b>	<b>6</b>	<b>1.0</b>	<b>200</b>	<b>34.0</b>	<b>589</b>	<b>100.0</b>

**TABLE: MIO-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-9) and Detailed Microscopic Diagnosis, 2003-2004 - Females : Mizoram State - excl. Aizawl District**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C03-06	Mouth	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C07-8	Salivary Gland	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C09	Tonsil	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	7	70.0	-	-	1	10.0	-	-	-	-	2	20.0	10	100.0
C12-13	Hypopharynx	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C14	Pharynx Unspecified	1	16.7	1	16.7	-	-	-	-	-	-	4	66.7	6	100.0
C15	Oesophagus	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C16	Stomach	38	66.7	-	-	2	3.5	-	-	-	-	17	29.8	57	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	8	72.7	-	-	-	-	-	-	-	-	3	27.3	11	100.0
C19-20	Rectum	7	87.5	1	12.5	-	-	-	-	-	-	-	-	8	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	-	-	7	63.6	-	-	-	-	4	36.4	11	100.0
C23-24	Gallbladder etc.	3	37.5	-	-	1	12.5	-	-	-	-	4	50.0	8	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	7	100.0	7	100.0
C30-31	Nose, Sinuses etc.	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C33-34	Lung etc.	10	21.3	-	-	23	48.9	-	-	-	-	14	29.8	47	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C43	Melanoma of Skin	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C44	Other Skin	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	4	100.0	-	-	-	-	-	-	4	100.0
C50	Breast	29	60.4	2	4.2	16	33.3	-	-	-	-	1	2.1	48	100.0
C51	Vulva	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	49	83.1	-	-	-	-	-	-	-	-	10	16.9	59	100.0
C54	Corpus Uteri	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C56	Ovary etc.	3	37.5	1	12.5	-	-	-	-	-	-	4	50.0	8	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	5	55.6	-	-	3	33.3	-	-	-	-	1	11.1	9	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	2	66.7	1	33.3	-	-	3	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	7	100.0	-	-	-	-	7	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	2	33.3	-	-	4	66.7	6	100.0
O&U	Other and Uns	3	5.6	-	-	16	29.6	-	-	-	-	35	64.8	54	100.0
	<b>All Sites</b>	<b>207</b>	<b>49.2</b>	<b>5</b>	<b>1.2</b>	<b>81</b>	<b>19.2</b>	<b>11</b>	<b>2.6</b>	<b>2</b>	<b>0.5</b>	<b>115</b>	<b>27.3</b>	<b>421</b>	<b>100.0</b>

**TABLE MIO-6 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2003-2004 – Males**

*% = Relative Proportion of Cancers of All Sites.*

**Mizoram State - excl. Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	4	1.28
C03-06	Mouth	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	4	1.28
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.32
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	1	-	-	-	-	3	1	-	1	-	-	-	6	1.92
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	6	1.92
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	-	-	7	2.24
C15	Oesophagus	-	-	-	-	-	-	-	-	3	4	2	3	1	1	2	1	-	17	5.43
C16	Stomach	-	-	-	-	-	-	1	4	2	2	9	10	17	13	10	8	-	76	24.28
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	0.96
C19-20	Rectum	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	2	8	2.56
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	2	-	-	1	1	2	1	2	-	2	3	-	1	15	4.79
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.32
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	3	0.96
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.32
C33-34	Lung etc.	-	-	-	-	-	-	1	-	1	-	2	6	5	2	2	7	-	26	8.31
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.64
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	3	0.96
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.64
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	0.96
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.32
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.64
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	5	1.60
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85, C96	NHL	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.64
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	0.64
C92-94	Myeloid Leukaemia	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3	0.96
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	3	0.96
O&U	Other and Uns	1	-	1	-	1	-	1	3	7	10	10	10	13	14	7	21	8	107	34.19
	<b>All Sites</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>10</b>	<b>19</b>	<b>22</b>	<b>35</b>	<b>42</b>	<b>44</b>	<b>37</b>	<b>36</b>	<b>44</b>	<b>11</b>	<b>313</b>	<b>100.00</b>

**TABLE MIO-6 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2003-2004 – Females**

*% = Relative Proportion of Cancers of All Sites.*

**Mizoram State - excl. Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.56
C03-06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1.13
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.56
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	2	-	6	3.39
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.56
C16	Stomach	-	-	-	-	-	-	-	-	1	1	3	4	5	3	3	4	1	25	14.12
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.56
C19-20	Rectum	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	4	2.26
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	1	-	1	-	-	1	1	1	2	-	-	-	-	7	3.95
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1.13
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	4	2.26
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-34	Lung etc.	-	-	-	1	-	-	-	-	-	2	1	2	9	3	4	3	1	26	14.69
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.56
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	4	2.26
C50	Breast	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	1	-	7	3.95
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	-	-	1	2	3	2	-	1	-	-	-	9	5.08
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.56
C56	Ovary etc.	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	3	1.69
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.56
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.56
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.56
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.56
C77	Sec Lymph Nodes	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1.13
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.56
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.56
C92-94	Myeloid Leukaemia	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.56
C95	Leukaemia Uns	-	1	-	2	-	1	-	-	1	-	1	1	-	-	-	-	1	8	4.52
O&U	Other and Uns	-	1	-	-	-	-	1	1	4	7	6	6	8	6	3	8	4	55	31.07
	<b>All Sites</b>	<b>3</b>	<b>3</b>	<b>-</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>11</b>	<b>19</b>	<b>19</b>	<b>21</b>	<b>27</b>	<b>20</b>	<b>14</b>	<b>20</b>	<b>7</b>	<b>177</b>	<b>100.00</b>

**TABLE: MIO-7(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2003-2004 - Males**  
**Mizoram State - excl. Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	8.5	-	-	11.0	14.3	-	0.6	1.0	0.53	1.4
C03-06	-	-	-	-	-	-	-	-	3.0	-	-	6.5	-	-	-	26.4	0.6	1.0	0.49	1.4
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	2.4	-	-	-	-	-	-	-	-	0.2	0.1	0.14	0.5
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	1.9	-	-	-	-	12.8	6.5	-	11.0	-	-	1.0	1.4	0.58	2.9
C12-13	-	-	-	-	-	-	-	-	3.0	-	4.3	6.5	8.5	11.0	-	13.2	1.0	1.6	0.66	3.2
C14	-	-	-	-	-	-	-	-	3.0	3.7	4.3	6.5	8.5	-	28.5	-	1.1	1.8	0.69	3.9
C15	-	-	-	-	-	-	-	-	8.9	14.8	8.5	19.4	8.5	11.0	28.5	13.2	2.7	4.1	1.02	9.6
C16	-	-	-	-	-	-	2.5	9.5	5.9	7.4	38.3	64.7	143.8	142.8	142.7	105.6	12.1	21.0	2.46	37.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	14.3	13.2	0.5	0.8	0.47	0.8
C19-20	-	-	-	-	-	-	-	-	-	3.7	-	-	8.5	11.0	28.5	13.2	1.3	1.7	0.71	1.8
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	3.2	-	-	2.4	3.0	7.4	4.3	12.9	-	22.0	42.8	-	2.4	3.3	0.91	4.8
C23-24	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	-	-	0.2	0.3	0.26	0.8
C25	-	-	-	-	-	-	-	-	-	-	4.3	12.9	-	-	-	-	0.5	0.7	0.42	2.4
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	4.3	-	-	-	-	-	0.2	0.2	0.21	0.7
C33-34	-	-	-	-	-	-	2.5	-	3.0	-	8.5	38.8	42.3	22.0	28.5	92.4	4.1	7.1	1.41	12.4
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	4.3	-	-	-	-	13.2	0.3	0.5	0.34	0.7
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	3.0	-	4.3	-	8.5	-	-	-	-	0.5	0.7	0.44	2.4
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	3.7	-	-	-	-	14.3	-	0.3	0.5	0.36	0.7
C61	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	14.3	13.2	0.5	0.8	0.47	0.8
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14.3	-	0.2	0.3	0.29	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	14.3	-	0.3	0.5	0.39	0.8
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	3.7	-	6.5	8.5	11.0	14.3	-	0.8	1.4	0.65	2.6
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	1.5	-	-	-	-	-	-	-	-	8.5	-	-	-	0.3	0.5	0.36	1.1
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	1.3	-	-	-	-	-	-	-	-	-	-	-	-	14.3	-	0.3	0.4	0.31	-
C92-94	-	-	1.3	1.5	-	-	-	2.4	-	-	-	-	-	-	-	-	0.5	0.4	0.23	0.5
C95	-	-	-	-	-	-	-	-	3.0	-	-	-	16.9	-	-	-	0.5	0.9	0.51	2.8
O&U	1.4	-	1.3	-	1.6	-	2.5	7.2	20.8	37.0	42.6	64.7	110.0	153.8	99.9	277.1	17.1	25.7	2.65	42.0
<b>All</b>	<b>1.4</b>	<b>1.3</b>	<b>2.5</b>	<b>3.0</b>	<b>4.9</b>	<b>1.9</b>	<b>7.5</b>	<b>23.9</b>	<b>56.4</b>	<b>81.5</b>	<b>149.0</b>	<b>271.7</b>	<b>372.3</b>	<b>406.5</b>	<b>513.8</b>	<b>580.6</b>	<b>49.9</b>	<b>78.8</b>	<b>4.64</b>	<b>138.4</b>

**TABLE: MIO-7(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2003-2004 - Females**  
**Mizoram State - excl. Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.2	-	0.2	0.3	0.30	-
C03-06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	4.1	-	-	-	11.8	-	-	-	0.3	0.6	0.43	0.8
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	-	-	0.2	0.4	0.35	-
C12-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	-	-	-	-	-	-	-	-	9.7	-	-	-	9.1	-	-	25.9	1.0	1.5	0.62	3.0
C15	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	-	-	0.2	0.4	0.35	-
C16	-	-	-	-	-	-	-	3.2	4.1	14.9	30.6	45.5	35.3	45.6	51.8	-	4.3	7.2	1.50	13.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	9.1	-	-	-	0.2	0.4	0.36	1.2
C19-20	-	-	-	-	1.7	-	-	-	-	-	-	7.7	9.1	11.8	-	-	0.7	1.2	0.61	2.2
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	1.7	-	2.8	-	-	4.1	5.0	7.7	18.2	-	-	-	1.2	1.8	0.73	4.9
C23-24	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	15.2	-	0.3	0.7	0.47	-
C25	-	-	-	-	-	-	-	-	-	-	10.0	15.3	-	-	-	-	0.7	1.1	0.56	3.6
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-34	-	-	-	1.6	-	-	-	-	-	8.2	5.0	15.3	81.9	35.3	60.8	38.8	4.5	7.8	1.59	14.9
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	7.7	-	-	-	-	0.2	0.3	0.31	1.0
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	1.4	-	-	-	-	-	-	-	3.2	-	-	-	-	-	15.2	12.9	0.7	0.9	0.48	0.6
C50	-	-	-	-	-	-	-	2.7	-	4.1	5.0	-	-	23.5	15.2	12.9	1.2	1.9	0.75	2.1
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	-	3.2	8.2	14.9	15.3	-	11.8	-	-	1.5	2.4	0.81	6.6
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	4.1	-	-	-	-	-	-	-	0.2	0.2	0.25	0.8
C56	-	-	-	-	-	-	2.8	-	-	4.1	5.0	-	-	-	-	-	0.5	0.7	0.39	1.6
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	4.1	-	-	-	-	-	-	0.2	0.2	0.25	0.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.9	0.2	0.3	0.26	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	4.1	-	-	-	-	-	-	0.2	0.2	0.25	0.8
C74	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.17	-
C77	-	1.4	-	-	-	-	-	-	-	-	-	7.7	-	-	-	-	0.3	0.4	0.34	1.0
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	2.7	-	-	-	-	-	-	-	-	0.2	0.2	0.16	0.5
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.17	-
C92-94	-	-	-	-	-	2.1	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.17	-
C95	-	1.4	-	3.1	-	2.1	-	-	3.2	-	5.0	7.7	-	-	-	-	1.4	1.3	0.53	2.4
O&U	-	1.4	-	-	-	-	2.8	2.7	12.9	28.8	29.9	45.9	72.8	70.5	45.6	103.5	9.4	14.3	2.05	28.7
All	4.3	4.1	-	4.7	3.4	4.2	8.4	8.2	35.5	78.2	94.6	160.8	245.6	235.0	212.7	258.8	30.3	47.2	3.72	91.3